

Прайс на 15.03.2022

Код изделия	POZ	MR	NI	CENA_KG	CENA_SHT	NAVES	GOST
52403520110304	0	BK6	01111-110304	8505,84	20,41	2,46	ГОСТ 19043-80
69103520110304	0	ВП1255	01111-110304	17615,28	37,70	2,25	ГОСТ 19043-80
59203520110304	0	ВП3325	01111-110304	11908,12	28,58	2,42	ГОСТ 19043-80
61303520110304	0	T15K6	01111-110304	10134,53	18,65	1,89	ГОСТ 19043-80
61103520110304	0	T5K10	01111-110304	10134,53	18,65	2,13	ГОСТ 19043-80
52403520110308	0	BK6	01111-110308	8505,84	20,41	2,4	ГОСТ 19043-80
51603520110308	0	BK6-OM	01111-110308	12583,22	26,80	2,4	ГОСТ 19043-80
52503520110308	0	BK8	01111-110308	8505,84	20,41	2,37	ГОСТ 19043-80
61303520110308	0	T15K6	01111-110308	10134,53	18,65	1,85	ГОСТ 19043-80
61103520110308	0	T5K10	01111-110308	10134,53	18,65	2,08	ГОСТ 19043-80
52403520160304	0	BK6	01111-160304	8368,97	45,28	5,53	ГОСТ 19043-80
51603520160304	0	BK6-OM	01111-160304	12583,22	26,80	5,53	ГОСТ 19043-80
52503520160304	0	BK8	01111-160304	8368,97	45,28	5,46	ГОСТ 19043-80
69103520160304	0	ВП1255	01111-160304	17364,1	83,87	5,07	ГОСТ 19043-80
61303520160304	0	T15K6	01111-160304	10019,48	41,58	4,26	ГОСТ 19043-80
61103520160304	0	T5K10	01111-160304	10019,48	41,58	4,78	ГОСТ 19043-80
52403520160308	0	BK6	01111-160308	8368,97	45,28	5,49	ГОСТ 19043-80
52503520160308	0	BK8	01111-160308	8368,97	45,28	5,41	ГОСТ 19043-80
59103520160308	0	ВП3115	01111-160308	11716,5	63,39	5,49	ГОСТ 19043-80
59203520160308	0	ВП3325	01111-160308	11716,5	63,39	5,41	ГОСТ 19043-80
61303520160308	0	T15K6	01111-160308	10019,48	41,58	4,22	ГОСТ 19043-80
61103520160308	0	T5K10	01111-160308	10019,48	41,58	4,74	ГОСТ 19043-80
52403520160312	0	BK6	01111-160312	8368,97	45,28	5,41	ГОСТ 19043-80
51603520160312	0	BK6-OM	01111-160312	12583,22	26,80	5,41	ГОСТ 19043-80
52503520160312	0	BK8	01111-160312	8368,97	45,28	5,33	ГОСТ 19043-80
61303520160312	0	T15K6	01111-160312	10019,48	41,58	4,17	ГОСТ 19043-80
61103520160312	0	T5K10	01111-160312	10019,48	41,58	4,68	ГОСТ 19043-80
51103520160404	0	BK3-M	01111-160404	12274,39	88,38	8,5	ГОСТ 19043-80
52403520160404	0	BK6	01111-160404	8271,46	67,00	8,28	ГОСТ 19043-80
51603520160404	0	BK6-OM	01111-160404	12274,39	88,38	8,28	ГОСТ 19043-80
52503520160404	0	BK8	01111-160404	8271,46	67,00	8,17	ГОСТ 19043-80
69103520160404	0	ВП1255	01111-160404	17181,9	124,23	7,59	ГОСТ 19043-80
59103520160404	0	ВП3115	01111-160404	11579,99	93,80	8,28	ГОСТ 19043-80
61303520160404	0	T15K6	01111-160404	9927,52	63,34	6,38	ГОСТ 19043-80
61103520160404	0	T5K10	01111-160404	9933,6	61,79	7,16	ГОСТ 19043-80
52403520160408	0	BK6	01111-160408	8271,46	67,00	8,21	ГОСТ 19043-80
52503520160408	0	BK8	01111-160408	8271,46	67,00	8,1	ГОСТ 19043-80
69103520160408	0	ВП1255	01111-160408	17181,9	124,23	7,53	ГОСТ 19043-80
59103520160408	0	ВП3115	01111-160408	11579,99	93,80	8,21	ГОСТ 19043-80
59203520160408	0	ВП3325	01111-160408	11579,99	93,80	8,1	ГОСТ 19043-80
61203520160408	0	T14K8	01111-160408	9933,6	61,79	6,43	ГОСТ 19043-80
61303520160408	0	T15K6	01111-160408	9933,6	61,79	6,32	ГОСТ 19043-80
61403520160408	0	T30K4	01111-160408	12759,31	104,24	5,33	ГОСТ 19043-80
61103520160408	0	T5K10	01111-160408	9933,6	61,79	7,1	ГОСТ 19043-80
52403520160412	0	BK6	01111-160412	8271,46	67,00	8,09	ГОСТ 19043-80
52503520160412	0	BK8	01111-160412	8271,46	67,00	7,99	ГОСТ 19043-80
69103520160412	0	ВП1255	01111-160412	17181,9	124,23	7,43	ГОСТ 19043-80
59103520160412	0	ВП3115	01111-160412	11579,99	93,80	8,09	ГОСТ 19043-80
59203520160412	0	ВП3325	01111-160412	11579,99	93,80	7,99	ГОСТ 19043-80
61203520160412	0	T14K8	01111-160412	9933,6	61,79	6,34	ГОСТ 19043-80
61303520160412	0	T15K6	01111-160412	9933,6	61,79	6,23	ГОСТ 19043-80
61103520160412	0	T5K10	01111-160412	9933,6	61,79	7,00	ГОСТ 19043-80
52403520160416	0	BK6	01111-160416	8271,46	67,00	7,93	ГОСТ 19043-80
69103520160416	0	ВП1255	01111-160416	17181,9	124,23	7,28	ГОСТ 19043-80
59203520160416	0	ВП3325	01111-160416	11579,99	93,80	7,83	ГОСТ 19043-80
52403520220404	0	BK6	01111-220404	8100,6	117,46	14,7	ГОСТ 19043-80
52503520220404	0	BK8	01111-220404	8100,6	117,46	14,5	ГОСТ 19043-80
61303520220404	0	T15K6	01111-220404	9775,3	108,90	11,4	ГОСТ 19043-80
61103520220404	0	T5K10	01111-220404	9775,3	108,90	12,8	ГОСТ 19043-80
61203520220408	0	T14K8	01111-220408	9775,3	108,90	11,3	ГОСТ 19043-80
61103520220408	0	T5K10	01111-220408	9693,14	140,55	11,5	ГОСТ 19043-80
52403520220412	0	BK6	01111-220412	8100,6	117,46	14,6	ГОСТ 19043-80
52503520220412	0	BK8	01111-220412	8100,6	117,46	14,4	ГОСТ 19043-80
69103520220412	0	ВП1255	01111-220412	16855,59	217,94	13,39	ГОСТ 19043-80
59103520220412	0	ВП3115	01111-220412	11340,78	164,44	14,6	ГОСТ 19043-80
61203520220412	0	T14K8	01111-220412	9775,3	108,90	11,4	ГОСТ 19043-80
61303520220412	0	T15K6	01111-220412	9775,3	108,90	11,2	ГОСТ 19043-80
61403520220412	0	T30K4	01111-220412	9775,3	108,90	9,57	ГОСТ 19043-80

61103520220412	0	T5K10	01111-220412	9775,3	108,90	12,6	ГОСТ 19043-80
52403520220416	0	BK6	01111-220416	8100,6	117,46	14,4	ГОСТ 19043-80
52503520220416	0	BK8	01111-220416	8100,6	117,46	14,2	ГОСТ 19043-80
61103520270612	0	T5K10	01111-270612	9925,47	229,48	26,4	ГОСТ 19043-80
51103540110304	0	BK3-M	01113-110304	12686,62	10,53	0,99	ГОСТ 19044-80
52403540110304	0	BK6	01113-110304	8586,99	7,99	0,96	ГОСТ 19044-80
52503540110304	0	BK8	01113-110304	8586,99	7,99	0,95	ГОСТ 19044-80
59203540110304	0	BP3325	01113-110304	12021,73	11,18	0,95	ГОСТ 19044-80
61303540110304	0	T15K6	01113-110304	10200,16	7,24	0,74	ГОСТ 19044-80
61103540110304	0	T5K10	01113-110304	10200,16	7,24	0,83	ГОСТ 19044-80
59103540110308	0	BP3115	01113-110308	12021,73	11,18	0,93	ГОСТ 19044-80
61303540110308	0	T15K6	01113-110308	10200,16	7,24	0,71	ГОСТ 19044-80
61103540110308	0	T5K10	01113-110308	10200,16	7,24	0,8	ГОСТ 19044-80
52403540160308	0	BK6	01113-160308	8390,67	40,95	4,95	ГОСТ 19044-80
51603540160308	0	BK6-OM	01113-160308	12432,78	53,96	4,95	ГОСТ 19044-80
52503540160308	0	BK8	01113-160308	8390,67	40,95	4,88	ГОСТ 19044-80
59103540160308	0	BP3115	01113-160308	11746,88	57,32	4,95	ГОСТ 19044-80
61203540160308	0	T14K8	01113-160308	10037,8	37,64	3,88	ГОСТ 19044-80
61303540160308	0	T15K6	01113-160308	10037,8	37,64	3,81	ГОСТ 19044-80
61103540160308	0	T5K10	01113-160308	10037,8	37,64	4,28	ГОСТ 19044-80
52403540160312	0	BK6	01113-160312	8390,67	40,95	4,87	ГОСТ 19044-80
51603540160312	0	BK6-OM	01113-160312	12432,78	53,96	4,87	ГОСТ 19044-80
52503540160312	0	BK8	01113-160312	8390,67	40,95	4,81	ГОСТ 19044-80
69103540160312	0	BP1255	01113-160312	17404,86	75,71	4,29	ГОСТ 19044-80
59103540160312	0	BP3115	01113-160312	11746,88	57,32	4,87	ГОСТ 19044-80
59203540160312	0	BP3325	01113-160312	11746,88	57,32	4,81	ГОСТ 19044-80
61303540160312	0	T15K6	01113-160312	10037,8	37,64	3,75	ГОСТ 19044-80
61403540160312	0	T30K4	01113-160312	10037,8	37,64	3,2	ГОСТ 19044-80
61103540160312	0	T5K10	01113-160312	10037,8	37,64	4,21	ГОСТ 19044-80
52503540160404	0	BK8	01113-160404	8297,76	60,74	7,38	ГОСТ 19044-80
69103540160404	0	BP1255	01113-160404	17231,63	112,52	6,6	ГОСТ 19044-80
59103540160404	0	BP3115	01113-160404	11616,81	85,04	7,48	ГОСТ 19044-80
59203540160404	0	BP3325	01113-160404	11616,81	85,04	7,38	ГОСТ 19044-80
61303540160404	0	T15K6	01113-160404	9957,06	55,96	5,76	ГОСТ 19044-80
61103540160404	0	T5K10	01113-160404	9957,06	55,96	6,47	ГОСТ 19044-80
51103540160408	0	BK3-M	01113-160408	12309,47	80,13	7,22	ГОСТ 19044-80
52403540160408	0	BK6	01113-160408	8297,76	60,74	7,42	ГОСТ 19044-80
52503540160408	0	BK8	01113-160408	8297,76	60,74	7,32	ГОСТ 19044-80
59103540160408	0	BP3115	01113-160408	11616,81	85,04	7,42	ГОСТ 19044-80
59203540160408	0	BP3325	01113-160408	11616,81	85,04	7,32	ГОСТ 19044-80
61303540160408	0	T15K6	01113-160408	9957,06	55,96	5,71	ГОСТ 19044-80
61103540160408	0	T5K10	01113-160408	9957,06	55,96	6,41	ГОСТ 19044-80
69103540160412	0	BP1255	01113-160412	17231,63	112,52	6,54	ГОСТ 19044-80
59103540160412	0	BP3115	01113-160412	11616,81	85,04	7,29	ГОСТ 19044-80
59203540160412	0	BP3325	01113-160412	11616,81	85,04	7,19	ГОСТ 19044-80
61203540160412	0	T14K8	01113-160412	9957,06	55,96	5,71	ГОСТ 19044-80
61303540160412	0	T15K6	01113-160412	9957,06	55,96	5,62	ГОСТ 19044-80
61103540160412	0	T5K10	01113-160412	9957,06	55,96	6,31	ГОСТ 19044-80
51103540220408	0	BK3-M	01113-220408	12088,16	139,74	13,25	ГОСТ 19044-80
52403540220408	0	BK6	01113-220408	8134,7	105,75	13,2	ГОСТ 19044-80
52503540220408	0	BK8	01113-220408	8134,7	105,75	13,00	ГОСТ 19044-80
59103540220408	0	BP3115	01113-220408	11388,52	148,05	13,2	ГОСТ 19044-80
61303540220408	0	T15K6	01113-220408	9807,94	97,88	10,2	ГОСТ 19044-80
61103540220408	0	T5K10	01113-220408	9807,94	97,88	11,4	ГОСТ 19044-80
52403540220412	0	BK6	01113-220412	8134,7	105,75	13,1	ГОСТ 19044-80
52503540220412	0	BK8	01113-220412	8134,7	105,75	12,9	ГОСТ 19044-80
59103540220412	0	BP3115	01113-220412	11388,52	148,05	13,1	ГОСТ 19044-80
61203540220412	0	T14K8	01113-220412	9807,94	97,88	10,2	ГОСТ 19044-80
61303540220412	0	T15K6	01113-220412	9807,94	97,88	10,1	ГОСТ 19044-80
61103540220412	0	T5K10	01113-220412	9807,94	97,88	11,3	ГОСТ 19044-80
52403540220416	0	BK6	01113-220416	8134,7	105,75	12,9	ГОСТ 19044-80
52503540220416	0	BK8	01113-220416	8134,7	105,75	12,7	ГОСТ 19044-80
69103540220416	0	BP1255	01113-220416	16921,2	196,29	11,31	ГОСТ 19044-80
59103540220416	0	BP3115	01113-220416	11388,52	148,05	12,9	ГОСТ 19044-80
61303540220416	0	T15K6	01113-220416	9807,94	97,88	9,95	ГОСТ 19044-80
61103540220416	0	T5K10	01113-220416	9735,06	123,64	11,2	ГОСТ 19044-80
69103540270612	0	BP1255	01113-270612	17210,37	412,88	24,28	ГОСТ 19044-80
61303540270612	0	T15K6	01113-270612	9969,7	205,97	21,2	ГОСТ 19044-80
61103540270612	0	T5K10	01113-270612	9969,7	205,97	23,8	ГОСТ 19044-80
51103540270616	0	BK3-M	01113-270616	12295,06	293,97	27,41	ГОСТ 19044-80
52403540270616	0	BK6	01113-270616	8271,44	222,50	27,3	ГОСТ 19044-80

69103540270616	0	ВП1255	01113-270616	17210,37	412,88	23,95	ГОСТ 19044-80
59203540270616	0	ВП3325	01113-270616	11579,96	311,50	26,9	ГОСТ 19044-80
61203540270616	0	Т14К8	01113-270616	9969,7	205,97	21,4	ГОСТ 19044-80
61303540270616	0	Т15К6	01113-270616	9969,7	205,97	21,00	ГОСТ 19044-80
61103540270616	0	Т5К10	01113-270616	9969,7	205,97	23,6	ГОСТ 19044-80
52403590160304	0	БК6	01114-160304	9855,31	45,33	4,71	ГОСТ 19046-80
52503590160304	0	БК8	01114-160304	8871,75	40,81	4,65	ГОСТ 19046-80
69103590160304	0	ВП1255	01114-160304	18366,03	75,30	4,33	ГОСТ 19046-80
59103590160304	0	ВП3115	01114-160304	12420,38	57,13	4,71	ГОСТ 19046-80
59203590160304	0	ВП3325	01114-160304	12420,38	57,13	4,65	ГОСТ 19046-80
61303590160304	0	Т15К6	01114-160304	10534,12	37,19	3,65	ГОСТ 19046-80
61103590160304	0	Т5К10	01114-160304	10534,12	37,19	4,11	ГОСТ 19046-80
52403590160308	0	БК6	01114-160308	9855,31	45,33	4,66	ГОСТ 19046-80
52503590160308	0	БК8	01114-160308	8871,75	40,81	4,6	ГОСТ 19046-80
69103590160308	0	ВП1255	01114-160308	18366,03	75,30	4,48	ГОСТ 19046-80
59103590160308	0	ВП3115	01114-160308	12420,38	57,13	4,66	ГОСТ 19046-80
61203590160308	0	Т14К8	01114-160308	10534,12	37,19	3,58	ГОСТ 19046-80
61303590160308	0	Т15К6	01114-160308	10534,12	37,19	3,59	ГОСТ 19046-80
61403590160308	0	Т30К4	01114-160308	10475,85	48,19	3,06	ГОСТ 19046-80
61103590160308	0	Т5К10	01114-160308	10534,12	37,19	4,03	ГОСТ 19046-80
52503590160312	0	БК8	01114-160312	8871,75	40,81	4,53	ГОСТ 19046-80
69103590160312	0	ВП1255	01114-160312	18366,03	75,30	4,22	ГОСТ 19046-80
61303590160312	0	Т15К6	01114-160312	10534,12	37,19	3,53	ГОСТ 19046-80
61103590160312	0	Т5К10	01114-160312	10534,12	37,19	3,97	ГОСТ 19046-80
52403590160404	0	БК6	01114-160404	9699,92	68,19	7,18	ГОСТ 19046-80
51603590160404	0	БК6-ОМ	01114-160404	12969,19	81,06	7,18	ГОСТ 19046-80
52503590160404	0	БК8	01114-160404	8758,25	61,57	7,08	ГОСТ 19046-80
69103590160404	0	ВП1255	01114-160404	18366,03	75,30	6,6	ГОСТ 19046-80
59203590160404	0	ВП3325	01114-160404	12261,48	86,20	7,08	ГОСТ 19046-80
61303590160404	0	Т15К6	01114-160404	10435,49	56,35	5,55	ГОСТ 19046-80
61103590160404	0	Т5К10	01114-160404	10435,49	56,35	6,27	ГОСТ 19046-80
51103590160408	0	БК3-М	01114-160408	12969,19	81,06	7,32	ГОСТ 19046-80
52403590160408	0	БК6	01114-160408	8758,25	61,57	7,12	ГОСТ 19046-80
52503590160408	0	БК8	01114-160408	8758,25	61,57	7,03	ГОСТ 19046-80
69103590160408	0	ВП1255	01114-160408	18366,03	75,30	6,55	ГОСТ 19046-80
61303590160408	0	Т15К6	01114-160408	10435,49	56,35	5,49	ГОСТ 19046-80
61403590160408	0	Т30К4	01114-160408	10435,49	56,35	4,67	ГОСТ 19046-80
61103590160408	0	Т5К10	01114-160408	10435,49	56,35	6,16	ГОСТ 19046-80
62103590160408	0	ТТ7К12	01114-160408	15563,00	97,27	6,36	ГОСТ 19046-80
52403590160412	0	БК6	01114-160412	8758,25	61,57	7,01	ГОСТ 19046-80
52503590160412	0	БК8	01114-160412	8758,25	61,57	6,91	ГОСТ 19046-80
69103590160412	0	ВП1255	01114-160412	18154,9	113,83	6,53	ГОСТ 19046-80
59203590160412	0	ВП3325	01114-160412	12261,48	86,20	6,91	ГОСТ 19046-80
61303590160412	0	Т15К6	01114-160412	10435,49	56,35	5,4	ГОСТ 19046-80
61103590160412	0	Т5К10	01114-160412	10435,49	56,35	6,06	ГОСТ 19046-80
52403590220404	0	БК6	01114-220404	8567,81	106,24	12,6	ГОСТ 19046-80
52503590220404	0	БК8	01114-220404	8567,81	106,24	12,4	ГОСТ 19046-80
69103590220404	0	ВП1255	01114-220404	17793,29	196,79	11,59	ГОСТ 19046-80
59203590220404	0	ВП3325	01114-220404	11994,87	148,74	12,4	ГОСТ 19046-80
61203590220404	0	Т14К8	01114-220404	10262,27	97,70	9,73	ГОСТ 19046-80
61303590220404	0	Т15К6	01114-220404	10262,27	97,70	9,73	ГОСТ 19046-80
61103590220404	0	Т5К10	01114-220404	10262,27	97,70	10,9	ГОСТ 19046-80
52403590220408	0	БК6	01114-220408	8567,81	106,24	12,6	ГОСТ 19046-80
51603590220408	0	БК6-ОМ	01114-220408	12711,44	140,08	12,6	ГОСТ 19046-80
52503590220408	0	БК8	01114-220408	8567,81	106,24	12,4	ГОСТ 19046-80
69103590220408	0	ВП1255	01114-220408	17793,29	196,79	11,59	ГОСТ 19046-80
59103590220408	0	ВП3115	01114-220408	11994,87	148,74	12,6	ГОСТ 19046-80
59203590220408	0	ВП3325	01114-220408	11994,87	148,74	12,4	ГОСТ 19046-80
61203590220408	0	Т14К8	01114-220408	10262,27	97,70	9,64	ГОСТ 19046-80
61303590220408	0	Т15К6	01114-220408	10262,27	97,70	9,7	ГОСТ 19046-80
61403590220408	0	Т30К4	01114-220408	10262,27	97,70	8,24	ГОСТ 19046-80
61103590220408	0	Т5К10	01114-220408	10262,27	97,70	10,9	ГОСТ 19046-80
62103590220408	0	ТТ7К12	01114-220408	15253,71	168,10	11,2	ГОСТ 19046-80
52403590220412	0	БК6	01114-220412	8567,81	106,24	12,5	ГОСТ 19046-80
51603590220412	0	БК6-ОМ	01114-220412	12711,44	140,08	12,5	ГОСТ 19046-80
52503590220412	0	БК8	01114-220412	8567,81	106,24	12,3	ГОСТ 19046-80
69103590220412	0	ВП1255	01114-220412	17793,29	196,79	11,5	ГОСТ 19046-80
59103590220412	0	ВП3115	01114-220412	11994,87	148,74	12,5	ГОСТ 19046-80
59203590220412	0	ВП3325	01114-220412	11994,87	148,74	12,3	ГОСТ 19046-80
61203590220412	0	Т14К8	01114-220412	10262,27	97,70	9,57	ГОСТ 19046-80
61303590220412	0	Т15К6	01114-220412	10262,27	97,70	9,61	ГОСТ 19046-80

61403590220412	0	T30K4	01114-220412	10262,27	97,70	8,17	ГОСТ 19046-80
61103590220412	0	T5K10	01114-220412	10262,27	97,70	10,8	ГОСТ 19046-80
62403590220412	0	TT20K9	01114-220412	24210,8	248,64	11,34	ГОСТ 19046-80
62103590220412	0	TT7K12	01114-220412	15253,71	168,10	11,08	ГОСТ 19046-80
52403590220416	0	BK6	01114-220416	8567,81	106,24	12,3	ГОСТ 19046-80
52503590220416	0	BK8	01114-220416	8567,81	106,24	12,2	ГОСТ 19046-80
69103590220416	0	ВП1255	01114-220416	17793,29	196,79	11,31	ГОСТ 19046-80
59103590220416	0	ВП3315	01114-220416	11994,87	148,74	12,3	ГОСТ 19046-80
61203590220416	0	T14K8	01114-220416	10262,27	97,70	9,66	ГОСТ 19046-80
61303590220416	0	T15K6	01114-220416	10262,27	97,70	9,49	ГОСТ 19046-80
61103590220416	0	T5K10	01114-220416	10262,27	97,70	10,7	ГОСТ 19046-80
52403590270612	0	BK6	01114-270612	8285,87	214,60	26,3	ГОСТ 19046-80
52503590270612	0	BK8	01114-270612	8285,87	214,60	25,9	ГОСТ 19046-80
69103590270612	0	ВП1255	01114-270612	17239,29	398,23	24,19	ГОСТ 19046-80
59203590270612	0	ВП3325	01114-270612	11600,16	300,44	25,9	ГОСТ 19046-80
61203590270612	0	T14K8	01114-270612	9984,66	198,59	20,14	ГОСТ 19046-80
61303590270612	0	T15K6	01114-270612	9984,66	198,59	20,2	ГОСТ 19046-80
61103590270612	0	T5K10	01114-270612	9984,66	198,59	22,7	ГОСТ 19046-80
52503590270616	0	BK8	01114-270616	8285,87	214,60	25,7	ГОСТ 19046-80
69103590270616	0	ВП1255	01114-270616	17239,29	398,23	23,92	ГОСТ 19046-80
59103590270616	0	ВП3115	01114-270616	11600,16	300,44	26,00	ГОСТ 19046-80
59203590270616	0	ВП3325	01114-270616	11600,16	300,44	25,7	ГОСТ 19046-80
61203590270616	0	T14K8	01114-270616	9984,66	198,59	19,98	ГОСТ 19046-80
61303590270616	0	T15K6	01114-270616	9984,66	198,59	20,1	ГОСТ 19046-80
61103590270616	0	T5K10	01114-270616	9984,66	198,59	22,5	ГОСТ 19046-80
52403550110304	0	BK6	01123-110304	10158,39	9,45	0,96	ГОСТ 19044-80
52503550110304	0	BK8	01123-110304	10158,39	9,45	0,95	ГОСТ 19044-80
61303550110308	0	T15K6	01123-110308	11803,69	8,38	0,71	ГОСТ 19044-80
52403550160308	0	BK6	01123-160308	9835,86	48,00	4,95	ГОСТ 19044-80
61103550160308	0	T5K10	01123-160308	11536,95	43,26	4,28	ГОСТ 19044-80
52503550160312	0	BK8	01123-160312	9835,86	48,00	4,81	ГОСТ 19044-80
69103550160312	0	ВП1255	01123-160312	20299,99	88,30	4,28	ГОСТ 19044-80
52503550160404	0	BK8	01123-160404	9683,23	70,88	7,38	ГОСТ 19044-80
52403550160408	0	BK6	01123-160408	9683,23	70,88	7,42	ГОСТ 19044-80
51603550160408	0	BK6-OM	01123-160408	12309,47	80,13	7,42	ГОСТ 19044-80
52503550160408	0	BK8	01123-160408	9683,23	70,88	7,32	ГОСТ 19044-80
69103550160408	0	ВП1255	01123-160408	20015,41	130,70	6,54	ГОСТ 19044-80
59103550160408	0	ВП3115	01123-160408	13556,45	99,23	7,42	ГОСТ 19044-80
59203550160408	0	ВП3325	01123-160408	13556,45	99,23	7,32	ГОСТ 19044-80
61303550160408	0	T15K6	01123-160408	11404,31	64,09	5,71	ГОСТ 19044-80
61103550160408	0	T5K10	01123-160408	11404,31	64,09	6,41	ГОСТ 19044-80
52403550160412	0	BK6	01123-160412	9683,23	70,88	7,29	ГОСТ 19044-80
52503550160412	0	BK8	01123-160412	9683,23	70,88	7,19	ГОСТ 19044-80
61203550160412	0	T14K8	01123-160412	11404,31	64,09	5,71	ГОСТ 19044-80
61303550160412	0	T15K6	01123-160412	11404,31	64,09	5,62	ГОСТ 19044-80
52503550220408	0	BK8	01123-220408	9415,34	122,40	13,00	ГОСТ 19044-80
69103550220408	0	ВП1255	01123-220408	19505,41	226,26	11,68	ГОСТ 19044-80
59203550220408	0	ВП3325	01123-220408	13181,41	171,36	13,00	ГОСТ 19044-80
61303550220408	0	T15K6	01123-220408	11159,33	111,37	10,2	ГОСТ 19044-80
52503550220412	0	BK8	01123-220412	9415,34	122,40	12,9	ГОСТ 19044-80
69103550220412	0	ВП1255	01123-220412	19505,41	226,26	11,49	ГОСТ 19044-80
59203550220412	0	ВП3325	01123-220412	13181,41	171,36	12,9	ГОСТ 19044-80
61303550220412	0	T15K6	01123-220412	11159,33	111,37	10,1	ГОСТ 19044-80
52503550220416	0	BK8	01123-220416	9415,34	122,40	12,7	ГОСТ 19044-80
69103550220416	0	ВП1255	01123-220416	19505,41	226,26	11,39	ГОСТ 19044-80
61303550220416	0	T15K6	01123-220416	11159,33	111,37	9,95	ГОСТ 19044-80
61103550220416	0	T5K10	01123-220416	11159,33	111,37	11,2	ГОСТ 19044-80
52403550270612	0	BK6	01123-270612	9033,47	243,00	27,5	ГОСТ 19044-80
52503550270612	0	BK8	01123-270612	9033,47	243,00	27,1	ГОСТ 19044-80
69103550270612	0	ВП1255	01123-270612	18753,77	449,90	24,28	ГОСТ 19044-80
59103550270612	0	ВП3115	01123-270612	12646,79	340,20	27,5	ГОСТ 19044-80
61303550270612	0	T15K6	01123-270612	10781,22	222,74	21,2	ГОСТ 19044-80
52403550270616	0	BK6	01123-270616	9033,47	243,00	27,3	ГОСТ 19044-80
52503550270616	0	BK8	01123-270616	9033,47	243,00	26,9	ГОСТ 19044-80
59103550270616	0	ВП3115	01123-270616	12646,79	340,20	27,3	ГОСТ 19044-80
59203550270616	0	ВП3325	01123-270616	12646,79	340,20	26,9	ГОСТ 19044-80
61303550270616	0	T15K6	01123-270616	10781,22	222,74	21,00	ГОСТ 19044-80
61103550270616	0	T5K10	01123-270616	10781,22	222,74	23,6	ГОСТ 19044-80
61303600160304	0	T15K6	01124-160304	11553,94	40,79	3,65	ГОСТ 19046-80
61103600160304	0	T5K10	01124-160304	11553,94	40,79	4,11	ГОСТ 19046-80
52503600160308	0	BK8	01124-160308	9855,31	45,33	4,6	ГОСТ 19046-80

69103600160308	0	ВП1255	01124-160308	20335,92	83,38	4,48	ГОСТ 19046-80
61303600160308	0	Т15К6	01124-160308	11553,94	40,79	3,59	ГОСТ 19046-80
61103600160308	0	Т5К10	01124-160308	11553,94	40,79	4,03	ГОСТ 19046-80
52403600160312	0	БК6	01124-160312	9855,31	45,33	4,59	ГОСТ 19046-80
52503600160312	0	БК8	01124-160312	9855,31	45,33	4,53	ГОСТ 19046-80
69103600160312	0	ВП1255	01124-160312	20335,92	83,38	4,22	ГОСТ 19046-80
61303600160312	0	Т15К6	01124-160312	11553,94	40,79	3,53	ГОСТ 19046-80
61103600160312	0	Т5К10	01124-160312	11553,94	40,79	3,97	ГОСТ 19046-80
52503600160404	0	БК8	01124-160404	9699,92	68,19	7,08	ГОСТ 19046-80
69103600160404	0	ВП1255	01124-160404	20046,87	125,69	6,6	ГОСТ 19046-80
61303600160404	0	Т15К6	01124-160404	11418,9	61,66	5,55	ГОСТ 19046-80
61103600160404	0	Т5К10	01124-160404	11418,9	61,66	6,27	ГОСТ 19046-80
52403600160408	0	БК6	01124-160408	9699,92	68,19	7,12	ГОСТ 19046-80
52503600160408	0	БК8	01124-160408	9699,92	68,19	7,03	ГОСТ 19046-80
69103600160408	0	ВП1255	01124-160408	20046,87	125,69	6,55	ГОСТ 19046-80
59103600160408	0	ВП3115	01124-160408	13579,82	95,47	7,12	ГОСТ 19046-80
59203600160408	0	ВП3325	01124-160408	13579,82	95,47	7,03	ГОСТ 19046-80
61203600160408	0	Т14К8	01124-160408	11418,9	61,66	5,47	ГОСТ 19046-80
61303600160408	0	Т15К6	01124-160408	11418,9	61,66	5,49	ГОСТ 19046-80
61103600160408	0	Т5К10	01124-160408	11418,9	61,66	6,16	ГОСТ 19046-80
52403600160412	0	БК6	01124-160412	9699,92	68,19	7,01	ГОСТ 19046-80
51603600160412	0	БК6-ОМ	01124-160412	14321,08	89,51	7,01	ГОСТ 19046-80
52503600160412	0	БК8	01124-160412	9699,92	68,19	6,91	ГОСТ 19046-80
69103600160412	0	ВП1255	01124-160412	20046,87	125,69	6,53	ГОСТ 19046-80
59203600160412	0	ВП3325	01124-160412	13579,82	95,47	6,91	ГОСТ 19046-80
61203600160412	0	Т14К8	01124-160412	11418,9	61,66	5,37	ГОСТ 19046-80
61303600160412	0	Т15К6	01124-160412	11418,9	61,66	5,4	ГОСТ 19046-80
61103600160412	0	Т5К10	01124-160412	11418,9	61,66	6,06	ГОСТ 19046-80
52403600220404	0	БК6	01124-220404	9439,2	117,05	12,6	ГОСТ 19046-80
52503600220404	0	БК8	01124-220404	9439,2	117,05	12,4	ГОСТ 19046-80
69103600220404	0	ВП1255	01124-220404	19551,81	216,24	11,59	ГОСТ 19046-80
61203600220404	0	Т14К8	01124-220404	10603,79	131,49	9,65	ГОСТ 19046-80
61303600220404	0	Т15К6	01124-220404	11181,77	106,45	9,73	ГОСТ 19046-80
61103600220404	0	Т5К10	01124-220404	11181,77	106,45	10,9	ГОСТ 19046-80
62103600220404	0	ТТ7К12	01124-220404	16761,83	184,72	11,27	ГОСТ 19046-80
52403600220408	0	БК6	01124-220408	9439,2	117,05	12,6	ГОСТ 19046-80
52503600220408	0	БК8	01124-220408	9439,2	117,05	12,4	ГОСТ 19046-80
69103600220408	0	ВП1255	01124-220408	19551,81	216,24	11,59	ГОСТ 19046-80
61203600220408	0	Т14К8	01124-220408	11181,77	106,45	9,64	ГОСТ 19046-80
61303600220408	0	Т15К6	01124-220408	11181,77	106,45	9,7	ГОСТ 19046-80
61103600220408	0	Т5К10	01124-220408	11181,77	106,45	10,9	ГОСТ 19046-80
52503600220412	0	БК8	01124-220412	9439,2	117,05	12,3	ГОСТ 19046-80
69103600220412	0	ВП1255	01124-220412	19551,81	216,24	11,5	ГОСТ 19046-80
59103600220412	0	ВП3115	01124-220412	13214,82	163,86	12,5	ГОСТ 19046-80
61303600220412	0	Т15К6	01124-220412	11181,77	106,45	9,61	ГОСТ 19046-80
61103600220412	0	Т5К10	01124-220412	11181,77	106,45	10,8	ГОСТ 19046-80
52403600220416	0	БК6	01124-220416	9439,2	117,05	12,3	ГОСТ 19046-80
52503600220416	0	БК8	01124-220416	9439,2	117,05	12,2	ГОСТ 19046-80
69103600220416	0	ВП1255	01124-220416	19551,81	216,24	11,31	ГОСТ 19046-80
61303600220416	0	Т15К6	01124-220416	11181,77	106,45	9,49	ГОСТ 19046-80
61103600220416	0	Т5К10	01124-220416	11181,77	106,45	10,7	ГОСТ 19046-80
51103600270612	0	БК3-М	01124-270612	13426,55	309,08	27,00	ГОСТ 19046-80
51603600270612	0	БК6-ОМ	01124-270612	13426,55	309,08	26,89	ГОСТ 19046-80
52503600270612	0	БК8	01124-270612	9053,22	234,48	25,9	ГОСТ 19046-80
69103600270612	0	ВП1255	01124-270612	18793,35	434,13	24,1	ГОСТ 19046-80
59103600270612	0	ВП3115	01124-270612	12674,44	328,27	26,3	ГОСТ 19046-80
59203600270612	0	ВП3325	01124-270612	12674,44	328,27	25,9	ГОСТ 19046-80
61303600270612	0	Т15К6	01124-270612	10801,7	214,85	20,2	ГОСТ 19046-80
61103600270612	0	Т5К10	01124-270612	10801,7	214,85	22,7	ГОСТ 19046-80
52403600270616	0	БК6	01124-270616	9053,22	234,48	26,00	ГОСТ 19046-80
52503600270616	0	БК8	01124-270616	9053,22	234,48	25,7	ГОСТ 19046-80
59203600270616	0	ВП3325	01124-270616	12674,44	328,27	25,7	ГОСТ 19046-80
61203600270616	0	Т14К8	01124-270616	10801,7	214,85	19,98	ГОСТ 19046-80
61303600270616	0	Т15К6	01124-270616	10801,7	214,85	20,1	ГОСТ 19046-80
61103600270616	0	Т5К10	01124-270616	10801,7	214,85	22,5	ГОСТ 19046-80
61103530110304	0	Т5К10	01131-110304	14018,21	25,79	2,13	ГОСТ 19043-80
51203530110308	0	БК6-М	01131-110308	17966,43	38,27	2,4	ГОСТ 19043-80
51603530110308	0	БК6-ОМ	01131-110308	17966,43	38,27	2,4	ГОСТ 19043-80
52503530110308	0	БК8	01131-110308	12281,8	29,48	2,37	ГОСТ 19043-80
61203530110308	0	Т14К8	01131-110308	14018,21	25,79	1,88	ГОСТ 19043-80
51603530160304	0	БК6-ОМ	01131-160304	17483,21	84,09	5,53	ГОСТ 19043-80

61303530160304	0	T15K6	01131-160304	13707,57	56,89	4,26	ГОСТ 19043-80
61103530160304	0	T5K10	01131-160304	11928,18	65,13	4,78	ГОСТ 19043-80
52503530160308	0	BK8	01131-160308	11912,25	64,45	5,41	ГОСТ 19043-80
61203530160308	0	T14K8	01131-160308	14018,21	25,79	4,3	ГОСТ 19043-80
61303530160308	0	T15K6	01131-160308	10919,23	59,07	4,22	ГОСТ 19043-80
61103530160308	0	T5K10	01131-160308	13707,57	56,89	4,74	ГОСТ 19043-80
61303530160312	0	T15K6	01131-160312	13707,57	56,89	4,17	ГОСТ 19043-80
52503530160408	0	BK8	01131-160408	11648,98	94,36	8,1	ГОСТ 19043-80
69103530160408	0	БП1255	01131-160408	23979,78	173,37	7,27	ГОСТ 19043-80
59203530160408	0	БП3325	01131-160408	16308,49	132,10	8,1	ГОСТ 19043-80
61303530160408	0	T15K6	01131-160408	13475,7	83,82	6,32	ГОСТ 19043-80
61103530160408	0	T5K10	01131-160408	13475,7	83,82	7,1	ГОСТ 19043-80
52403530160412	0	BK6	01131-160412	11648,98	94,36	8,09	ГОСТ 19043-80
52503530160412	0	BK8	01131-160412	11648,98	94,36	7,99	ГОСТ 19043-80
69103530160412	0	БП1255	01131-160412	23979,78	173,37	7,43	ГОСТ 19043-80
61203530160412	0	T14K8	01131-160412	13475,7	83,82	6,34	ГОСТ 19043-80
61103530160412	0	T5K10	01131-160412	13475,7	83,82	7,00	ГОСТ 19043-80
52503530220408	0	BK8	01131-220408	11187,65	162,22	14,5	ГОСТ 19043-80
61203530220408	0	T14K8	01131-220408	13048,3	145,36	11,3	ГОСТ 19043-80
61303530220408	0	T15K6	01131-220408	13048,3	145,36	9,61	ГОСТ 19043-80
52403530220412	0	BK6	01131-220412	11187,65	162,22	14,6	ГОСТ 19043-80
52503530220412	0	BK8	01131-220412	11187,65	162,22	14,4	ГОСТ 19043-80
69103530220412	0	БП1255	01131-220412	23098,77	298,67	13,39	ГОСТ 19043-80
59103530220412	0	БП3115	01131-220412	15662,63	227,11	14,6	ГОСТ 19043-80
61203530220412	0	T14K8	01131-220412	13048,3	145,36	11,4	ГОСТ 19043-80
61303530220412	0	T15K6	01131-220412	13048,3	145,36	11,2	ГОСТ 19043-80
52503531220412	0	BK8	01131-220412*6,3	10944,8	210,14	19,06	ГОСТ 19043-80
52403560160408	0	BK6	01133-160408	11719,98	85,79	7,42	ГОСТ 19044-80
52503560160408	0	BK8	01133-160408	11719,98	85,79	7,32	ГОСТ 19044-80
59103560160408	0	БП3115	01133-160408	16407,89	120,11	7,42	ГОСТ 19044-80
61303560160408	0	T15K6	01133-160408	13539,05	76,09	5,71	ГОСТ 19044-80
61103560160408	0	T5K10	01133-160408	13539,05	76,09	6,41	ГОСТ 19044-80
52403560160412	0	BK6	01133-160412	11719,98	85,79	7,29	ГОСТ 19044-80
52503560160412	0	BK8	01133-160412	11719,98	85,79	7,19	ГОСТ 19044-80
61303560160412	0	T15K6	01133-160412	13539,05	76,09	5,62	ГОСТ 19044-80
61103560160412	0	T5K10	01133-160412	13539,05	76,09	6,31	ГОСТ 19044-80
52403560220408	0	BK6	01133-220408	11279,72	146,64	13,2	ГОСТ 19044-80
52503560220408	0	BK8	01133-220408	11279,72	146,64	13,00	ГОСТ 19044-80
61303560220408	0	T15K6	01133-220408	13136,43	131,10	10,2	ГОСТ 19044-80
61303560220412	0	T15K6	01133-220412	13136,43	131,10	10,1	ГОСТ 19044-80
61303560220416	0	T15K6	01133-220416	13136,43	131,10	9,95	ГОСТ 19044-80
61303560270616	0	T15K6	01133-270616	12515,01	258,56	21,00	ГОСТ 19044-80
55130000000151	0	BK10-XO	1151	7156,92	158,24	21,95	ГОСТ 25395-90
52230000000151	0	BK3	1151	5454,63	118,91	22,5	ГОСТ 25395-90
51130000000151	0	BK3-M	1151	7156,92	158,24	22,5	ГОСТ 25395-90
52430000000151	0	BK6	1151	5454,63	118,91	22,00	ГОСТ 25395-90
51230000000151	0	BK6-M	1151	7156,92	158,24	22,00	ГОСТ 25395-90
51630000000151	0	BK6-OM	1151	7156,92	158,24	22,00	ГОСТ 25395-90
52530000000151	0	BK8	1151	5454,63	118,91	21,8	ГОСТ 25395-90
61230000000151	0	T14K8	1151	5661,22	106,26	16,8	ГОСТ 25395-90
61330000000151	0	T15K6	1151	5661,22	106,26	16,8	ГОСТ 25395-90
61430000000151	0	T30K4	1151	5661,22	106,26	14,2	ГОСТ 25395-90
61130000000151	0	T5K10	1151	5661,22	106,26	19,00	ГОСТ 25395-90
62130000000151	0	TT7K12	1151	10702,53	207,63	19,5	ГОСТ 25395-90
55130000000152	0	BK10-XO	1152	7166,74	149,21	20,67	ГОСТ 25395-90
52230000000152	0	BK3	1152	5462,2	112,14	21,32	ГОСТ 25395-90
51130000000152	0	BK3-M	1152	7166,74	149,21	21,32	ГОСТ 25395-90
52430000000152	0	BK6	1152	5462,2	112,14	20,83	ГОСТ 25395-90
51230000000152	0	BK6-M	1152	7166,74	149,21	20,83	ГОСТ 25395-90
51630000000152	0	BK6-OM	1152	7166,74	149,21	20,83	ГОСТ 25395-90
52530000000152	0	BK8	1152	5462,2	112,14	20,53	ГОСТ 25395-90
61330000000152	0	T15K6	1152	5670,15	100,25	15,97	ГОСТ 25395-90
61430000000152	0	T30K4	1152	5648,71	115,97	13,58	ГОСТ 25395-90
61130000000152	0	T5K10	1152	5670,15	100,25	17,94	ГОСТ 25395-90
52230000000251	0	BK3	1251	5658,86	882,78	161,00	ГОСТ 25395-90
51130000000251	0	BK3-M	1251	7426,52	1174,73	161,00	ГОСТ 25395-90
52430000000251	0	BK6	1251	5658,86	882,78	158,00	ГОСТ 25395-90
51630000000251	0	BK6-OM	1251	7427,24	1158,65	158,00	ГОСТ 25395-90
52530000000251	0	BK8	1251	5658,86	882,78	156,00	ГОСТ 25395-90
61230000000251	0	T14K8	1251	5858,71	786,94	120,00	ГОСТ 25395-90
61330000000251	0	T15K6	1251	5852,09	912,93	119,00	ГОСТ 25395-90

61130000000251	0	T5K10	1251	5858,71	786,94	136,00	ГОСТ 25395-90
52430000000252	0	BK6	1252	5975,48	932,18	158,00	ГОСТ 25395-90
52530000000252	0	BK8	1252	5660,04	857,50	151,5	ГОСТ 25395-90
61130000000252	0	T5K10	1252	5853,31	886,78	151,5	ГОСТ 25395-90
55130000000271	0	BK10-XO	1271	7413,66	1563,61	209,5	ГОСТ 25395-90
52230000000271	0	BK3	1271	5648,93	1174,98	215,00	ГОСТ 25395-90
51130000000271	0	BK3-M	1271	7413,66	1563,61	215,00	ГОСТ 25395-90
52430000000271	0	BK6	1271	5648,93	1174,98	211,00	ГОСТ 25395-90
51230000000271	0	BK6-M	1271	7413,66	1563,61	211,00	ГОСТ 25395-90
51630000000271	0	BK6-OM	1271	7413,66	1563,61	211,00	ГОСТ 25395-90
52530000000271	0	BK8	1271	5648,93	1174,98	208,00	ГОСТ 25395-90
61230000000271	0	T14K8	1271	5846,8	1047,10	161,00	ГОСТ 25395-90
61330000000271	0	T15K6	1271	5846,8	1047,10	160,00	ГОСТ 25395-90
61130000000271	0	T5K10	1271	5846,8	1047,10	181,00	ГОСТ 25395-90
62130000000271	0	TT7K12	1271	11013,76	2038,87	187,00	ГОСТ 25395-90
52530000000272	0	BK8	1272	5649,97	1135,64	201,00	ГОСТ 25395-90
61330000000272	0	T15K6	1272	5848,04	1012,06	156,00	ГОСТ 25395-90
61430000000272	0	T30K4	1272	5842,89	1174,42	133,00	ГОСТ 25395-90
61130000000272	0	T5K10	1272	5848,04	1012,06	175,00	ГОСТ 25395-90
55130000000291	0	BK10-XO	1291	9658,11	4,25	0,44	ГОСТ 25395-90
51130000000291	0	BK3-M	1291	9658,11	4,25	0,46	ГОСТ 25395-90
52430000000291	0	BK6	1291	7358,58	3,24	0,45	ГОСТ 25395-90
51230000000291	0	BK6-M	1291	9658,11	4,25	0,45	ГОСТ 25395-90
51630000000291	0	BK6-OM	1291	9658,11	4,25	0,45	ГОСТ 25395-90
52530000000291	0	BK8	1291	7358,58	3,24	0,44	ГОСТ 25395-90
61330000000291	0	T15K6	1291	7701,22	2,93	0,34	ГОСТ 25395-90
61430000000291	0	T30K4	1291	7701,22	2,93	0,29	ГОСТ 25395-90
61130000000291	0	T5K10	1291	7701,22	2,93	0,4	ГОСТ 25395-90
55130000000311	0	BK10-XO	1311	9023,01	8,03	0,89	ГОСТ 25395-90
52230000000311	0	BK3	1311	6882,93	6,06	0,91	ГОСТ 25395-90
51130000000311	0	BK3-M	1311	9023,01	8,03	0,91	ГОСТ 25395-90
52430000000311	0	BK6	1311	6882,93	6,06	0,9	ГОСТ 25395-90
51230000000311	0	BK6-M	1311	9023,01	8,03	0,9	ГОСТ 25395-90
51630000000311	0	BK6-OM	1311	9023,01	8,03	0,9	ГОСТ 25395-90
52530000000311	0	BK8	1311	6882,93	6,06	0,88	ГОСТ 25395-90
61330000000311	0	T15K6	1311	7227,71	5,49	0,68	ГОСТ 25395-90
61430000000311	0	T30K4	1311	7227,71	5,49	0,58	ГОСТ 25395-90
61130000000311	0	T5K10	1311	7227,71	5,49	0,74	ГОСТ 25395-90
62130000000311	0	TT7K12	1311	13107,44	11,53	0,79	ГОСТ 25395-90
51103570110304	0	BK3-M	01311-110304	14794,58	26,04	2,06	ГОСТ 19045-80
52403570110304	0	BK6	01311-110304	10061,34	19,92	2,01	ГОСТ 19045-80
51603570110304	0	BK6-OM	01311-110304	14794,58	26,04	2,01	ГОСТ 19045-80
52503570110304	0	BK8	01311-110304	10061,34	19,92	1,98	ГОСТ 19045-80
69103570110304	0	ВП1255	01311-110304	20694,48	38,49	1,84	ГОСТ 19045-80
59203570110304	0	ВП3325	01311-110304	14085,81	27,89	1,98	ГОСТ 19045-80
61203570110304	0	T14K8	01311-110304	11725,25	17,82	1,57	ГОСТ 19045-80
61303570110304	0	T15K6	01311-110304	11725,25	17,82	1,55	ГОСТ 19045-80
61103570110304	0	T5K10	01311-110304	11725,25	17,82	1,74	ГОСТ 19045-80
52403570110308	0	BK6	01311-110308	10061,34	19,92	1,99	ГОСТ 19045-80
51603570110308	0	BK6-OM	01311-110308	14794,58	26,04	1,99	ГОСТ 19045-80
52503570110308	0	BK8	01311-110308	10061,34	19,92	1,96	ГОСТ 19045-80
69103570110308	0	ВП1255	01311-110308	20710,43	36,66	1,83	ГОСТ 19045-80
59103570110308	0	ВП3115	01311-110308	14085,81	27,89	1,99	ГОСТ 19045-80
61203570110308	0	T14K8	01311-110308	11725,25	17,82	1,56	ГОСТ 19045-80
61303570110308	0	T15K6	01311-110308	11725,25	17,82	1,53	ГОСТ 19045-80
61103570110308	0	T5K10	01311-110308	11145,1	22,40	1,72	ГОСТ 19045-80
51603570160300	0	BK6-OM	01311-160300	14509,31	61,81	4,87	ГОСТ 19045-80
52503570160300	0	BK8	01311-160300	9842,06	47,14	4,81	ГОСТ 19045-80
59203570160300	0	ВП3325	01311-160300	13778,82	66,00	4,81	ГОСТ 19045-80
61303570160300	0	T15K6	01311-160300	11542,32	42,48	3,76	ГОСТ 19045-80
61103570160300	0	T5K10	01311-160300	11542,32	42,48	4,22	ГОСТ 19045-80
52403570160304	0	BK6	01311-160304	9842,06	47,14	4,85	ГОСТ 19045-80
51603570160304	0	BK6-OM	01311-160304	14509,31	61,81	4,85	ГОСТ 19045-80
52503570160304	0	BK8	01311-160304	9842,06	47,14	4,79	ГОСТ 19045-80
69103570160304	0	ВП1255	01311-160304	20311,41	86,73	4,48	ГОСТ 19045-80
59203570160304	0	ВП3325	01311-160304	13778,82	66,00	4,79	ГОСТ 19045-80
61203570160304	0	T14K8	01311-160304	11542,32	42,48	3,8	ГОСТ 19045-80
61303570160304	0	T15K6	01311-160304	11542,32	42,48	3,74	ГОСТ 19045-80
61103570160304	0	T5K10	01311-160304	11542,32	42,48	4,2	ГОСТ 19045-80
52403570160308	0	BK6	01311-160308	9842,06	47,14	4,83	ГОСТ 19045-80
51603570160308	0	BK6-OM	01311-160308	14509,31	61,81	4,83	ГОСТ 19045-80

52503570160308	0	BK8	01311-160308	9842,06	47,14	4,76	ГОСТ 19045-80
69103570160308	0	ВП1255	01311-160308	20311,41	86,73	4,48	ГОСТ 19045-80
59203570160308	0	ВП3325	01311-160308	13778,82	66,00	4,76	ГОСТ 19045-80
61203570160308	0	T14K8	01311-160308	11542,32	42,48	3,78	ГОСТ 19045-80
61303570160308	0	T15K6	01311-160308	11542,32	42,48	3,72	ГОСТ 19045-80
61103570160308	0	T5K10	01311-160308	11542,32	42,48	4,18	ГОСТ 19045-80
52403570160312	0	BK6	01311-160312	9842,06	47,14	4,77	ГОСТ 19045-80
52503570160312	0	BK8	01311-160312	9842,06	47,14	4,71	ГОСТ 19045-80
69103570160312	0	ВП1255	01311-160312	20311,41	86,73	4,21	ГОСТ 19045-80
59103570160312	0	ВП3115	01311-160312	13778,82	66,00	4,77	ГОСТ 19045-80
59203570160312	0	ВП3325	01311-160312	13778,82	66,00	4,71	ГОСТ 19045-80
61203570160312	0	T14K8	01311-160312	11459,31	55,12	3,74	ГОСТ 19045-80
61303570160312	0	T15K6	01311-160312	11542,32	42,48	3,68	ГОСТ 19045-80
61103570160312	0	T5K10	01311-160312	11542,32	42,48	4,13	ГОСТ 19045-80
52503570220408	0	BK8	01311-220408	9439,2	117,05	12,5	ГОСТ 19045-80
59203570220408	0	ВП3325	01311-220408	13214,82	163,86	12,5	ГОСТ 19045-80
61303570220408	0	T15K6	01311-220408	11181,77	106,45	9,76	ГОСТ 19045-80
61103570220408	0	T5K10	01311-220408	11181,77	106,45	11,00	ГОСТ 19045-80
52503570220412	0	BK8	01311-220412	9439,2	117,05	12,4	ГОСТ 19045-80
69103570220412	0	ВП1255	01311-220412	19551,81	216,24	11,59	ГОСТ 19045-80
59203570220412	0	ВП3325	01311-220412	13214,82	163,86	12,4	ГОСТ 19045-80
61303570220412	0	T15K6	01311-220412	11181,77	106,45	9,71	ГОСТ 19045-80
61103570220412	0	T5K10	01311-220412	11181,77	106,45	10,9	ГОСТ 19045-80
62103580220412	0	ТТ7К12	01311-220412	16761,83	184,72	11,17	ГОСТ 19045-80
52403570220416	0	BK6	01311-220416	9439,2	117,05	12,5	ГОСТ 19045-80
52503570220416	0	BK8	01311-220416	9439,2	117,05	12,3	ГОСТ 19045-80
61303570220416	0	T15K6	01311-220416	11181,77	106,45	9,59	ГОСТ 19045-80
61103570220416	0	T5K10	01311-220416	11181,77	106,45	10,8	ГОСТ 19045-80
52503570270616	0	BK8	01311-270616	9455,97	242,07	25,6	ГОСТ 19045-80
69103570270616	0	ВП1255	01311-270616	19609,54	447,88	23,92	ГОСТ 19045-80
61303570270616	0	T15K6	01311-270616	11231,54	220,81	20,00	ГОСТ 19045-80
61103570270616	0	T5K10	01311-270616	11231,54	220,81	22,5	ГОСТ 19045-80
55130000000331	0	BK10-XO	1331	8491,12	13,25	1,65	ГОСТ 25395-90
52230000000331	0	BK3	1331	6478,44	9,98	1,8	ГОСТ 25395-90
51130000000331	0	BK3-M	1331	8491,12	13,25	1,72	ГОСТ 25395-90
52430000000331	0	BK6	1331	6478,44	9,98	1,77	ГОСТ 25395-90
51230000000331	0	BK6-M	1331	8491,12	13,25	1,7	ГОСТ 25395-90
51630000000331	0	BK6-OM	1331	8491,12	13,25	1,56	ГОСТ 25395-90
52530000000331	0	BK8	1331	6478,44	9,98	1,75	ГОСТ 25395-90
61230000000331	0	T14K8	1331	6812,64	8,99	1,18	ГОСТ 25395-90
61330000000331	0	T15K6	1331	6812,64	8,99	1,35	ГОСТ 25395-90
61430000000331	0	T30K4	1331	6812,64	8,99	1,00	ГОСТ 25395-90
61130000000331	0	T5K10	1331	6812,64	8,99	1,55	ГОСТ 25395-90
52403580110300	0	BK6	01331-110300	12341,41	24,44	2,01	ГОСТ 19045-80
52503580110300	0	BK8	01331-110300	12341,41	24,44	1,98	ГОСТ 19045-80
61203580110300	0	T14K8	01331-110300	14066,5	21,38	1,58	ГОСТ 19045-80
61303580110300	0	T15K6	01331-110300	14066,5	21,38	1,55	ГОСТ 19045-80
61103580110300	0	T5K10	01331-110300	14066,5	21,38	1,74	ГОСТ 19045-80
51103580110304	0	BK3-M	01331-110304	18042,5	31,75	2,06	ГОСТ 19045-80
52403580110304	0	BK6	01331-110304	12341,41	24,44	2,01	ГОСТ 19045-80
51603580110304	0	BK6-OM	01331-110304	18042,5	31,75	2,01	ГОСТ 19045-80
52503580110304	0	BK8	01331-110304	12341,41	24,44	1,98	ГОСТ 19045-80
69103580110304	0	ВП1255	01331-110304	25256,32	44,70	1,84	ГОСТ 19045-80
59103580110304	0	ВП3115	01331-110304	17277,88	34,21	2,01	ГОСТ 19045-80
61203580110304	0	T14K8	01331-110304	12236,23	24,23	1,57	ГОСТ 19045-80
61303580110304	0	T15K6	01331-110304	14066,5	21,38	1,55	ГОСТ 19045-80
61403580110304	0	T30K4	01331-110304	14066,5	21,38	1,32	ГОСТ 19045-80
61103580110304	0	T5K10	01331-110304	14066,5	21,38	1,74	ГОСТ 19045-80
62103580110304	0	ТТ7К12	01331-110304	21837,79	22,71	1,78	ГОСТ 19045-80
52403580110308	0	BK6	01331-110308	12341,41	24,44	1,99	ГОСТ 19045-80
51603580110308	0	BK6-OM	01331-110308	18042,5	31,75	2,00	ГОСТ 19045-80
52503580110308	0	BK8	01331-110308	12341,41	24,44	1,96	ГОСТ 19045-80
69103580110308	0	ВП1255	01331-110308	25256,32	44,70	1,83	ГОСТ 19045-80
59203580110308	0	ВП3325	01331-110308	17277,88	34,21	1,96	ГОСТ 19045-80
61303580110308	0	T15K6	01331-110308	14066,5	21,38	1,53	ГОСТ 19045-80
61103580110308	0	T5K10	01331-110308	14066,5	21,38	1,72	ГОСТ 19045-80
52503580160300	0	BK8	01331-160300	11981,03	57,39	4,81	ГОСТ 19045-80
61303580160300	0	T15K6	01331-160300	13765,86	50,66	3,76	ГОСТ 19045-80
62403580160300	0	ТТ20К9	01331-160300	33861,76	134,43	4,06	ГОСТ 19045-80
52403580160304	0	BK6	01331-160304	11981,03	57,39	4,85	ГОСТ 19045-80
51603580160304	0	BK6-OM	01331-160304	17573,67	74,86	4,85	ГОСТ 19045-80

52503580160304	0	BK8	01331-160304	11981,03	57,39	4,79	ГОСТ 19045-80
69103580160304	0	ВП1255	01331-160304	24600,54	105,04	4,48	ГОСТ 19045-80
59103580160304	0	ВП3115	01331-160304	16773,36	80,34	4,85	ГОСТ 19045-80
59203580160304	0	ВП3325	01331-160304	16773,36	80,34	4,79	ГОСТ 19045-80
61203580160304	0	T14K8	01331-160304	13765,86	50,66	3,8	ГОСТ 19045-80
61303580160304	0	T15K6	01331-160304	13765,86	50,66	3,74	ГОСТ 19045-80
61103580160304	0	T5K10	01331-160304	13765,86	50,66	4,2	ГОСТ 19045-80
62403580160304	0	TT20K9	01331-160304	33861,76	134,43	4,1	ГОСТ 19045-80
62103580160304	0	TT7K12	01331-160304	21088,37	89,84	4,32	ГОСТ 19045-80
51103580160308	0	BK3-M	01331-160308	17573,67	74,86	4,85	ГОСТ 19045-80
52403580160308	0	BK6	01331-160308	11981,03	57,39	4,83	ГОСТ 19045-80
51603580160308	0	BK6-OM	01331-160308	17573,67	74,86	4,84	ГОСТ 19045-80
52503580160308	0	BK8	01331-160308	11981,03	57,39	4,76	ГОСТ 19045-80
59203580160308	0	ВП3325	01331-160308	16773,36	80,34	4,76	ГОСТ 19045-80
61203580160308	0	T14K8	01331-160308	13765,86	50,66	3,78	ГОСТ 19045-80
61303580160308	0	T15K6	01331-160308	13765,86	50,66	3,72	ГОСТ 19045-80
61103580160308	0	T5K10	01331-160308	13765,86	50,66	4,18	ГОСТ 19045-80
62103580160308	0	TT7K12	01331-160308	20989,48	99,91	4,27	ГОСТ 19045-80
55103580160312	0	BK10-XO	01331-160312	15191,11	71,55	4,66	ГОСТ 19045-80
52403580160312	0	BK6	01331-160312	11981,03	57,39	4,77	ГОСТ 19045-80
52503580160312	0	BK8	01331-160312	11981,03	57,39	4,71	ГОСТ 19045-80
59203580160312	0	ВП3325	01331-160312	16773,36	80,34	4,76	ГОСТ 19045-80
61203580160312	0	T14K8	01331-160312	13765,86	50,66	3,74	ГОСТ 19045-80
61303580160312	0	T15K6	01331-160312	13765,86	50,66	3,68	ГОСТ 19045-80
61103580160312	0	T5K10	01331-160312	13765,86	50,66	4,13	ГОСТ 19045-80
62403580160312	0	TT20K9	01331-160312	33861,76	134,43	4,04	ГОСТ 19045-80
51603580160408	0	BK6-OM	01331-160408	17573,67	74,86	6,75	ГОСТ 19045-80
52503580160408	0	BK8	01331-160408	11981,03	57,39	6,66	ГОСТ 19045-80
69103580160408	0	ВП1255	01331-160408	24232,9	143,94	6,21	ГОСТ 19045-80
59103580160408	0	ВП3115	01331-160408	16496,54	109,87	6,75	ГОСТ 19045-80
59203580160408	0	ВП3325	01331-160408	16773,36	80,34	6,66	ГОСТ 19045-80
61303580160408	0	T15K6	01331-160408	13595,28	69,47	5,22	ГОСТ 19045-80
61103580160408	0	T5K10	01331-160408	13765,86	50,66	5,86	ГОСТ 19045-80
52403580220408	0	BK6	01331-220408	11318,94	140,35	12,67	ГОСТ 19045-80
52503580220408	0	BK8	01331-220408	11318,94	140,35	12,49	ГОСТ 19045-80
69103580220408	0	ВП1255	01331-220408	23352,16	258,27	11,65	ГОСТ 19045-80
59103580220408	0	ВП3115	01331-220408	15846,43	196,50	12,67	ГОСТ 19045-80
61303580220408	0	T15K6	01331-220408	13173,3	125,41	9,76	ГОСТ 19045-80
61103580220408	0	T5K10	01331-220408	13173,3	125,41	11,00	ГОСТ 19045-80
52403580220412	0	BK6	01331-220412	11318,94	140,35	12,6	ГОСТ 19045-80
51603580220412	0	BK6-OM	01331-220412	16684,39	183,86	12,66	ГОСТ 19045-80
52503580220412	0	BK8	01331-220412	11318,94	140,35	12,4	ГОСТ 19045-80
69103580220412	0	ВП1255	01331-220412	23352,16	258,27	11,59	ГОСТ 19045-80
59103580220412	0	ВП3115	01331-220412	15846,43	196,50	12,6	ГОСТ 19045-80
59203580220412	0	ВП3325	01331-220412	15846,43	196,50	12,4	ГОСТ 19045-80
61303580220412	0	T15K6	01331-220412	13173,3	125,41	9,71	ГОСТ 19045-80
61103580220412	0	T5K10	01331-220412	13173,3	125,41	10,9	ГОСТ 19045-80
52503580220416	0	BK8	01331-220416	11318,94	140,35	12,3	ГОСТ 19045-80
61203580220416	0	T14K8	01331-220416	13173,3	125,41	9,76	ГОСТ 19045-80
61103580220416	0	T5K10	01331-220416	13173,3	125,41	10,8	ГОСТ 19045-80
55130000000351	0	BK10-XO	1351	7923,00	24,72	3,1	ГОСТ 25395-90
51130000000351	0	BK3-M	1351	7923,00	24,72	3,18	ГОСТ 25395-90
52430000000351	0	BK6	1351	6043,55	18,61	3,3	ГОСТ 25395-90
51230000000351	0	BK6-M	1351	7923,00	24,72	3,12	ГОСТ 25395-90
51630000000351	0	BK6-OM	1351	7923,00	24,72	3,12	ГОСТ 25395-90
52530000000351	0	BK8	1351	6043,55	18,61	3,25	ГОСТ 25395-90
61230000000351	0	T14K8	1351	6337,3	16,79	2,37	ГОСТ 25395-90
61330000000351	0	T15K6	1351	6337,3	16,79	2,5	ГОСТ 25395-90
61430000000351	0	T30K4	1351	6337,3	16,79	2,2	ГОСТ 25395-90
61130000000351	0	T5K10	1351	6337,3	16,79	2,82	ГОСТ 25395-90
62130000000351	0	TT7K12	1351	11790,01	32,30	2,76	ГОСТ 25395-90
55130000000352	0	BK10-XO	1352	7927,55	24,58	3,08	ГОСТ 25395-90
51130000000352	0	BK3-M	1352	7927,55	24,58	3,14	ГОСТ 25395-90
52430000000352	0	BK6	1352	6047,09	18,50	3,35	ГОСТ 25395-90
51230000000352	0	BK6-M	1352	7927,55	24,58	3,1	ГОСТ 25395-90
51630000000352	0	BK6-OM	1352	7927,55	24,58	3,1	ГОСТ 25395-90
52530000000352	0	BK8	1352	6047,09	18,50	3,06	ГОСТ 25395-90
61330000000352	0	T15K6	1352	6341,87	16,68	2,55	ГОСТ 25395-90
61130000000352	0	T5K10	1352	6341,87	16,68	2,6	ГОСТ 25395-90
55130000000371	0	BK10-XO	1371	7528,67	46,23	6,09	ГОСТ 25395-90
51130000000371	0	BK3-M	1371	7528,67	46,23	6,2	ГОСТ 25395-90

52430000000371	0	BK6	1371	5741,38	34,74	6,1	ГОСТ 25395-90
51230000000371	0	BK6-M	1371	7528,67	46,23	6,1	ГОСТ 25395-90
51630000000371	0	BK6-OM	1371	7528,67	46,23	6,1	ГОСТ 25395-90
52530000000371	0	BK8	1371	5741,38	34,74	6,05	ГОСТ 25395-90
61230000000371	0	T14K8	1371	5995,49	31,24	4,65	ГОСТ 25395-90
61330000000371	0	T15K6	1371	5995,49	31,24	4,6	ГОСТ 25395-90
61430000000371	0	T30K4	1371	5995,49	31,24	4,18	ГОСТ 25395-90
61130000000371	0	T5K10	1371	5995,49	31,24	5,25	ГОСТ 25395-90
55130000000372	0	BK10-XO	1372	7565,72	42,97	5,64	ГОСТ 25395-90
51130000000372	0	BK3-M	1372	7565,72	42,97	6,2	ГОСТ 25395-90
52430000000372	0	BK6	1372	5769,68	32,31	5,68	ГОСТ 25395-90
51230000000372	0	BK6-M	1372	7565,72	42,97	5,68	ГОСТ 25395-90
51630000000372	0	BK6-OM	1372	7565,72	42,97	5,68	ГОСТ 25395-90
52530000000372	0	BK8	1372	5769,68	32,31	5,9	ГОСТ 25395-90
61230000000372	0	T14K8	1372	6028,15	29,06	4,37	ГОСТ 25395-90
61330000000372	0	T15K6	1372	6028,15	29,06	4,35	ГОСТ 25395-90
61130000000372	0	T5K10	1372	6028,15	29,06	5,2	ГОСТ 25395-90
55130000000391	0	BK10-XO	1391	7271,49	92,20	12,59	ГОСТ 25395-90
51130000000391	0	BK3-M	1391	7271,49	92,20	12,8	ГОСТ 25395-90
52430000000391	0	BK6	1391	5543,05	69,29	12,6	ГОСТ 25395-90
51230000000391	0	BK6-M	1391	7271,49	92,20	12,6	ГОСТ 25395-90
51630000000391	0	BK6-OM	1391	7271,49	92,20	12,6	ГОСТ 25395-90
52530000000391	0	BK8	1391	5543,05	69,29	12,5	ГОСТ 25395-90
61230000000391	0	T14K8	1391	5765,49	62,04	9,6	ГОСТ 25395-90
61330000000391	0	T15K6	1391	5765,49	62,04	9,55	ГОСТ 25395-90
61430000000391	0	T30K4	1391	5765,49	62,04	8,1	ГОСТ 25395-90
61130000000391	0	T5K10	1391	5765,49	62,04	10,8	ГОСТ 25395-90
62130000000391	0	TT7K12	1391	10868,97	120,97	11,2	ГОСТ 25395-90
55130000000392	0	BK10-XO	1392	7281,48	88,91	12,12	ГОСТ 25395-90
52430000000392	0	BK6	1392	5550,7	66,83	12,2	ГОСТ 25395-90
51230000000392	0	BK6-M	1392	7281,48	88,91	12,2	ГОСТ 25395-90
51630000000392	0	BK6-OM	1392	7281,48	88,91	12,2	ГОСТ 25395-90
52530000000392	0	BK8	1392	5550,7	66,83	12,04	ГОСТ 25395-90
61330000000392	0	T15K6	1392	5774,32	59,88	9,36	ГОСТ 25395-90
61130000000392	0	T5K10	1392	5774,32	59,88	10,51	ГОСТ 25395-90
53630000000411	0	BK10-KC	1411	7594,05	322,75	41,8	ГОСТ 25395-90
55130000000411	0	BK10-XO	1411	7561,46	325,90	42,8	ГОСТ 25395-90
52230000000411	0	BK3	1411	5763,08	244,93	43,5	ГОСТ 25395-90
51130000000411	0	BK3-M	1411	7561,46	325,90	43,5	ГОСТ 25395-90
52430000000411	0	BK6	1411	5763,08	244,93	43,00	ГОСТ 25395-90
51230000000411	0	BK6-M	1411	7561,46	325,90	43,00	ГОСТ 25395-90
51630000000411	0	BK6-OM	1411	7561,46	325,90	43,00	ГОСТ 25395-90
52530000000411	0	BK8	1411	5763,08	244,93	42,5	ГОСТ 25395-90
52930000000411	0	ВПТ-331	1411	0,00	0,00	42,5	ГОСТ 25395-90
61230000000411	0	T14K8	1411	5983,31	218,93	32,5	ГОСТ 25395-90
61330000000411	0	T15K6	1411	5983,31	218,93	32,00	ГОСТ 25395-90
61430000000411	0	T30K4	1411	5983,31	218,93	27,5	ГОСТ 25395-90
61130000000411	0	T5K10	1411	5983,31	218,93	36,5	ГОСТ 25395-90
62130000000411	0	TT7K12	1411	11231,26	424,88	37,5	ГОСТ 25395-90
55130000000412	0	BK10-XO	1412	7573,01	306,93	40,24	ГОСТ 25395-90
52430000000412	0	BK6	1412	5772,02	230,65	40,5	ГОСТ 25395-90
51230000000412	0	BK6-M	1412	7573,01	306,93	40,5	ГОСТ 25395-90
51630000000412	0	BK6-OM	1412	7573,01	306,93	40,5	ГОСТ 25395-90
52530000000412	0	BK8	1412	5772,02	230,65	39,96	ГОСТ 25395-90
61230000000412	0	T14K8	1412	5993,93	206,25	31,2	ГОСТ 25395-90
61330000000412	0	T15K6	1412	5993,93	206,25	31,06	ГОСТ 25395-90
61130000000412	0	T5K10	1412	5993,93	206,25	34,89	ГОСТ 25395-90
62130000000412	0	TT7K12	1412	11248,32	399,99	35,99	ГОСТ 25395-90
55130000000431	0	BK10-XO	1431	7480,26	576,43	76,53	ГОСТ 25395-90
52730000000431	0	BK15	1431	8212,53	602,80	73,4	ГОСТ 25395-90
52230000000431	0	BK3	1431	5700,36	433,23	79,00	ГОСТ 25395-90
51130000000431	0	BK3-M	1431	7480,26	576,43	79,00	ГОСТ 25395-90
52430000000431	0	BK6	1431	5700,36	433,23	77,00	ГОСТ 25395-90
51230000000431	0	BK6-M	1431	7480,26	576,43	77,00	ГОСТ 25395-90
51630000000431	0	BK6-OM	1431	7480,26	576,43	77,00	ГОСТ 25395-90
52530000000431	0	BK8	1431	5700,36	433,23	76,00	ГОСТ 25395-90
61230000000431	0	T14K8	1431	5908,41	386,59	59,00	ГОСТ 25395-90
61330000000431	0	T15K6	1431	5908,41	386,59	58,00	ГОСТ 25395-90
61430000000431	0	T30K4	1431	5908,41	386,59	50,00	ГОСТ 25395-90
61130000000431	0	T5K10	1431	5908,41	386,59	69,6	ГОСТ 25395-90
62130000000431	0	TT7K12	1431	11111,9	751,61	68,00	ГОСТ 25395-90

52730000000432	0	BK15	1432	0,00	0,00	69,43	ГОСТ 25395-90
51230000000432	0	BK6-M	1432	7043,41	506,28	72,87	ГОСТ 25395-90
52530000000432	0	BK8	1432	5704,97	410,07	71,88	ГОСТ 25395-90
61330000000432	0	T15K6	1432	5913,9	366,01	55,88	ГОСТ 25395-90
61130000000432	0	T5K10	1432	5913,9	366,01	62,77	ГОСТ 25395-90
55130000000451	0	BK10-XO	1451	7432,8	1047,65	140,00	ГОСТ 25395-90
52830000000451	0	BK20	1451	9288,39	1291,09	128,5	ГОСТ 25395-90
52230000000451	0	BK3	1451	5663,71	787,26	143,00	ГОСТ 25395-90
51130000000451	0	BK3-M	1451	7432,8	1047,65	143,00	ГОСТ 25395-90
52430000000451	0	BK6	1451	5663,71	787,26	141,00	ГОСТ 25395-90
51230000000451	0	BK6-M	1451	7432,8	1047,65	141,00	ГОСТ 25395-90
51630000000451	0	BK6-OM	1451	7432,8	1047,65	141,00	ГОСТ 25395-90
52530000000451	0	BK8	1451	5663,71	787,26	139,00	ГОСТ 25395-90
61230000000451	0	T14K8	1451	5864,52	701,87	104,00	ГОСТ 25395-90
61330000000451	0	T15K6	1451	5864,52	701,87	106,00	ГОСТ 25395-90
61130000000451	0	T5K10	1451	5864,52	701,87	121,00	ГОСТ 25395-90
62130000000451	0	TT7K12	1451	11042,00	1366,01	125,00	ГОСТ 25395-90
55130000000452	0	BK10-XO	1452	7435,85	995,29	133,00	ГОСТ 25395-90
51230000000452	0	BK6-M	1452	7435,85	995,29	134,00	ГОСТ 25395-90
51630000000452	0	BK6-OM	1452	7435,85	995,29	134,00	ГОСТ 25395-90
52530000000452	0	BK8	1452	5666,07	747,92	132,00	ГОСТ 25395-90
61330000000452	0	T15K6	1452	5867,35	666,82	103,00	ГОСТ 25395-90
61130000000452	0	T5K10	1452	5867,35	666,82	115,00	ГОСТ 25395-90
55130000000471	0	BK10-XO	1471	7410,26	1713,18	229,6	ГОСТ 25395-90
51130000000471	0	BK3-M	1471	7410,26	1713,18	234,00	ГОСТ 25395-90
52430000000471	0	BK6	1471	5646,31	1287,36	230,00	ГОСТ 25395-90
51230000000471	0	BK6-M	1471	7410,26	1713,18	230,00	ГОСТ 25395-90
51630000000471	0	BK6-OM	1471	7410,26	1713,18	230,00	ГОСТ 25395-90
52530000000471	0	BK8	1471	5646,31	1287,36	228,00	ГОСТ 25395-90
61230000000471	0	T14K8	1471	5843,65	1147,17	175,00	ГОСТ 25395-90
61330000000471	0	T15K6	1471	5843,65	1147,17	174,00	ГОСТ 25395-90
61130000000471	0	T5K10	1471	5843,65	1147,17	198,00	ГОСТ 25395-90
62130000000471	0	TT7K12	1471	11008,76	2233,90	204,00	ГОСТ 25395-90
55130000000472	0	BK10-XO	1472	7412,05	1630,95	218,5	ГОСТ 25395-90
51230000000472	0	BK6-M	1472	7412,05	1630,95	220,00	ГОСТ 25395-90
51630000000472	0	BK6-OM	1472	7412,05	1630,95	220,00	ГОСТ 25395-90
52530000000472	0	BK8	1472	5647,69	1225,55	217,00	ГОСТ 25395-90
61330000000472	0	T15K6	1472	5840,53	1267,40	168,00	ГОСТ 25395-90
61130000000472	0	T5K10	1472	5845,31	1092,14	189,00	ГОСТ 25395-90
55130000000491	0	BK10-XO	1491	7461,46	701,38	94,66	ГОСТ 25395-90
51130000000491	0	BK3-M	1491	7460,27	711,11	96,00	ГОСТ 25395-90
51630000000491	0	BK6-OM	1491	7460,27	711,11	95,00	ГОСТ 25395-90
52530000000491	0	BK8	1491	5684,93	534,38	94,00	ГОСТ 25395-90
61230000000491	0	T14K8	1491	5889,94	476,67	72,5	ГОСТ 25395-90
61330000000491	0	T15K6	1491	5889,94	476,67	72,00	ГОСТ 25395-90
61130000000491	0	T5K10	1491	5889,94	476,67	81,00	ГОСТ 25395-90
62130000000491	0	TT7K12	1491	11082,48	927,16	83,5	ГОСТ 25395-90
51630000000492	0	BK6-OM	1492	7464,28	679,25	92,00	ГОСТ 25395-90
52530000000492	0	BK8	1492	5687,09	517,52	91,00	ГОСТ 25395-90
61130000000492	0	T5K10	1492	5881,28	535,20	78,00	ГОСТ 25395-90
55100080000051	0	BK10-XO	2051	7496,78	49,40	6,55	ГОСТ 25395-90
52400080000051	0	BK6	2051	5716,47	37,16	6,55	ГОСТ 25395-90
51200080000051	0	BK6-M	2051	7496,78	49,40	6,55	ГОСТ 25395-90
51600080000051	0	BK6-OM	2051	7502,85	48,77	6,55	ГОСТ 25395-90
52500080000051	0	BK8	2051	5716,47	37,16	6,5	ГОСТ 25395-90
61300080000051	0	T15K6	2051	5966,69	33,41	4,95	ГОСТ 25395-90
61400080000051	0	T30K4	2051	5966,69	33,41	4,2	ГОСТ 25395-90
61100080000051	0	T5K10	2051	5966,69	33,41	5,6	ГОСТ 25395-90
52500080000052	0	BK8	2052	5763,06	32,85	6,2	ГОСТ 25395-90
61100080000052	0	T5K10	2052	6020,23	29,56	4,95	ГОСТ 25395-90
61303610080408	0	T15K6	02113-080408	9879,38	76,27	7,81	ГОСТ 19047-80
61103610080408	0	T5K10	02113-080408	9879,38	76,27	8,77	ГОСТ 19047-80
52503610100612	0	BK8	02113-100612	7983,21	166,85	20,9	ГОСТ 19047-80
61303610100612	0	T15K6	02113-100612	9572,43	201,02	16,3	ГОСТ 19047-80
52403620060304	0	BK6	02114-060304	8921,91	32,65	3,72	ГОСТ 19048-80
52503620060304	0	BK8	02114-060304	8921,91	32,65	3,67	ГОСТ 19048-80
69103620060304	0	БП1255	02114-060304	18458,33	60,17	3,41	ГОСТ 19048-80
59203620060304	0	БП3325	02114-060304	12490,6	45,72	3,67	ГОСТ 19048-80
61203620060304	0	T14K8	02114-060304	10576,41	29,72	2,92	ГОСТ 19048-80
61303620060304	0	T15K6	02114-060304	10576,41	29,72	2,87	ГОСТ 19048-80
61103620060304	0	T5K10	02114-060304	10576,41	29,72	3,22	ГОСТ 19048-80

55103620060308	0	BK10-XO	02114-060308	13185,46	42,85	3,6	ГОСТ 19048-80
52403620060308	0	BK6	02114-060308	8921,91	32,65	3,71	ГОСТ 19048-80
52503620060308	0	BK8	02114-060308	8921,91	32,65	3,66	ГОСТ 19048-80
69103620060308	0	ВП1255	02114-060308	18458,33	60,17	3,4	ГОСТ 19048-80
59203620060308	0	ВП3325	02114-060308	12490,6	45,72	3,66	ГОСТ 19048-80
61303620060308	0	T15K6	02114-060308	10576,41	29,72	2,85	ГОСТ 19048-80
61103620060308	0	T5K10	02114-060308	10576,41	29,72	3,2	ГОСТ 19048-80
52403620060404	0	BK6	02114-060404	8820,54	49,75	5,71	ГОСТ 19048-80
52503620060404	0	BK8	02114-060404	8820,54	49,75	5,64	ГОСТ 19048-80
69103620060404	0	ВП1255	02114-060404	18271,06	91,90	5,24	ГОСТ 19048-80
59203620060404	0	ВП3325	02114-060404	12348,69	69,65	5,64	ГОСТ 19048-80
61203620060404	0	T14K8	02114-060404	10490,07	45,42	4,48	ГОСТ 19048-80
61303620060404	0	T15K6	02114-060404	10490,07	45,42	4,4	ГОСТ 19048-80
61103620060404	0	T5K10	02114-060404	10490,07	45,42	4,94	ГОСТ 19048-80
55103620080404	0	BK10-XO	02114-080404	12830,92	110,47	9,6	ГОСТ 19048-80
52403620080404	0	BK6	02114-080404	8655,65	83,79	9,84	ГОСТ 19048-80
51603620080404	0	BK6-OM	02114-080404	12830,92	110,47	9,84	ГОСТ 19048-80
52503620080404	0	BK8	02114-080404	8655,65	83,79	9,71	ГОСТ 19048-80
69103620080404	0	ВП1255	02114-080404	17961,61	155,01	9,03	ГОСТ 19048-80
59103620080404	0	ВП3115	02114-080404	12117,85	117,30	9,84	ГОСТ 19048-80
59203620080404	0	ВП3325	02114-080404	12117,85	117,30	9,71	ГОСТ 19048-80
61203620080404	0	T14K8	02114-080404	10343,64	76,85	7,7	ГОСТ 19048-80
61303620080404	0	T15K6	02114-080404	10343,64	76,85	7,57	ГОСТ 19048-80
61403620080404	0	T30K4	02114-080404	10343,64	76,85	6,45	ГОСТ 19048-80
61103620080404	0	T5K10	02114-080404	10343,64	76,85	8,5	ГОСТ 19048-80
55103620080408	0	BK10-XO	02114-080408	12830,92	110,47	9,5	ГОСТ 19048-80
51103620080408	0	BK3-M	02114-080408	12830,92	110,47	10,1	ГОСТ 19048-80
52403620080408	0	BK6	02114-080408	8655,65	83,79	9,81	ГОСТ 19048-80
51603620080408	0	BK6-OM	02114-080408	12830,92	110,47	9,81	ГОСТ 19048-80
52503620080408	0	BK8	02114-080408	8655,65	83,79	9,68	ГОСТ 19048-80
69103620080408	0	ВП1255	02114-080408	17961,61	155,01	9,01	ГОСТ 19048-80
59103620080408	0	ВП3115	02114-080408	12117,85	117,30	9,81	ГОСТ 19048-80
59203620080408	0	ВП3325	02114-080408	12117,85	117,30	9,68	ГОСТ 19048-80
61203620080408	0	T14K8	02114-080408	10343,64	76,85	7,69	ГОСТ 19048-80
61303620080408	0	T15K6	02114-080408	10343,64	76,85	7,56	ГОСТ 19048-80
61403620080408	0	T30K4	02114-080408	10343,64	76,85	6,43	ГОСТ 19048-80
61103620080408	0	T5K10	02114-080408	10343,64	76,85	8,49	ГОСТ 19048-80
62103620080408	0	ТТ7К12	02114-080408	15397,08	132,57	8,91	ГОСТ 19048-80
55103620100408	0	BK10-XO	02114-100408	12616,31	167,17	14,75	ГОСТ 19048-80
51103620100408	0	BK3-M	02114-100408	12616,31	167,17	15,5	ГОСТ 19048-80
52403620100408	0	BK6	02114-100408	8499,14	126,64	15,1	ГОСТ 19048-80
51603620100408	0	BK6-OM	02114-100408	12616,31	167,17	15,1	ГОСТ 19048-80
52503620100408	0	BK8	02114-100408	8499,14	126,64	14,9	ГОСТ 19048-80
69103620100408	0	ВП1255	02114-100408	17660,44	234,71	13,85	ГОСТ 19048-80
59103620100408	0	ВП3115	02114-100408	11898,73	177,29	15,1	ГОСТ 19048-80
59203620100408	0	ВП3325	02114-100408	11898,73	177,29	14,9	ГОСТ 19048-80
61203620100408	0	T14K8	02114-100408	10197,06	116,65	11,9	ГОСТ 19048-80
61303620100408	0	T15K6	02114-100408	10197,06	116,65	11,7	ГОСТ 19048-80
61103620100408	0	T5K10	02114-100408	10197,06	116,65	13,1	ГОСТ 19048-80
62403620100408	0	ТТ20К9	02114-100408	24026,67	296,49	12,5	ГОСТ 19048-80
62103620100408	0	ТТ7К12	02114-100408	15139,55	200,60	13,42	ГОСТ 19048-80
52403620100412	0	BK6	02114-100412	8499,14	126,64	15,1	ГОСТ 19048-80
51603620100412	0	BK6-OM	02114-100412	12616,31	167,17	15,1	ГОСТ 19048-80
52503620100412	0	BK8	02114-100412	8499,14	126,64	14,9	ГОСТ 19048-80
69103620100412	0	ВП1255	02114-100412	17660,44	234,71	13,85	ГОСТ 19048-80
59103620100412	0	ВП3115	02114-100412	11898,73	177,29	15,1	ГОСТ 19048-80
59203620100412	0	ВП3325	02114-100412	11898,73	177,29	14,9	ГОСТ 19048-80
61203620100412	0	T14K8	02114-100412	10197,06	116,65	11,8	ГОСТ 19048-80
61303620100412	0	T15K6	02114-100412	10197,06	116,65	11,6	ГОСТ 19048-80
61103620100412	0	T5K10	02114-100412	10197,06	116,65	13,00	ГОСТ 19048-80
51103620100608	0	BK3-M	02114-100608	12452,12	223,64	20,59	ГОСТ 19048-80
52403620100608	0	BK6	02114-100608	8381,81	169,31	20,5	ГОСТ 19048-80
51603620100608	0	BK6-OM	02114-100608	12452,12	223,64	20,5	ГОСТ 19048-80
52503620100608	0	BK8	02114-100608	8381,81	169,31	20,2	ГОСТ 19048-80
69103620100608	0	ВП1255	02114-100608	17430,24	314,09	18,79	ГОСТ 19048-80
59103620100608	0	ВП3115	02114-100608	11734,48	237,04	20,5	ГОСТ 19048-80
59203620100608	0	ВП3325	02114-100608	11734,48	237,04	20,2	ГОСТ 19048-80
61203620100608	0	T14K8	02114-100608	10082,14	156,37	16,00	ГОСТ 19048-80
61303620100608	0	T15K6	02114-100608	10082,14	156,37	15,8	ГОСТ 19048-80
61403620100608	0	T30K4	02114-100608	10082,14	156,37	13,42	ГОСТ 19048-80
61103620100608	0	T5K10	02114-100608	10082,14	156,37	17,7	ГОСТ 19048-80

62103620100608	0	ТТ7К12	02114-100608	14942,53	268,37	18,2	ГОСТ 19048-80
52403620100612	0	БК6	02114-100612	8381,81	169,31	20,4	ГОСТ 19048-80
52503620100612	0	БК8	02114-100612	8381,81	169,31	20,1	ГОСТ 19048-80
69103620100612	0	БП1255	02114-100612	17430,24	314,09	18,69	ГОСТ 19048-80
59103620100612	0	БП3115	02114-100612	11734,48	237,04	20,4	ГОСТ 19048-80
59203620100612	0	БП3325	02114-100612	11734,48	237,04	20,1	ГОСТ 19048-80
61203620100612	0	Т14К8	02114-100612	10082,14	156,37	16,00	ГОСТ 19048-80
61303620100612	0	Т15К6	02114-100612	10082,14	156,37	15,7	ГОСТ 19048-80
61403620100612	0	Т30К4	02114-100612	10082,14	156,37	13,36	ГОСТ 19048-80
61103620100612	0	Т5К10	02114-100612	10082,14	156,37	17,6	ГОСТ 19048-80
55103620120612	0	БК10-ХО	02114-120612	12265,39	309,70	28,51	ГОСТ 19048-80
52403620120612	0	БК6	02114-120612	8250,92	234,33	28,8	ГОСТ 19048-80
51603620120612	0	БК6-ОМ	02114-120612	12265,39	309,70	28,8	ГОСТ 19048-80
52503620120612	0	БК8	02114-120612	8250,92	234,33	28,4	ГОСТ 19048-80
69103620120612	0	БП1255	02114-120612	17168,98	434,89	26,41	ГОСТ 19048-80
59103620120612	0	БП3115	02114-120612	11551,23	328,05	28,8	ГОСТ 19048-80
59203620120612	0	БП3325	02114-120612	11551,23	328,05	28,4	ГОСТ 19048-80
61203620120612	0	Т14К8	02114-120612	9948,37	216,97	22,6	ГОСТ 19048-80
61303620120612	0	Т15К6	02114-120612	9948,37	216,97	22,2	ГОСТ 19048-80
61103620120612	0	Т5К10	02114-120612	9948,37	216,97	24,9	ГОСТ 19048-80
62103620120612	0	ТТ7К12	02114-120612	14718,44	371,64	25,59	ГОСТ 19048-80
55100080000231	0	БК10-ХО	2231	7326,47	76,49	10,38	ГОСТ 25395-90
51200080000231	0	БК6-М	2231	7326,47	76,49	10,4	ГОСТ 25395-90
51600080000231	0	БК6-ОМ	2231	7326,47	76,49	10,4	ГОСТ 25395-90
52500080000231	0	БК8	2231	5585,25	57,53	10,3	ГОСТ 25395-90
61200080000231	0	Т14К8	2231	5775,97	59,49	7,9	ГОСТ 25395-90
61300080000231	0	Т15К6	2231	5814,77	51,58	7,85	ГОСТ 25395-90
61400080000231	0	Т30К4	2231	5814,77	51,58	6,7	ГОСТ 25395-90
61100080000231	0	Т5К10	2231	5814,77	51,58	8,9	ГОСТ 25395-90
52500080000232	0	БК8	2232	5597,24	54,85	10,4	ГОСТ 25395-90
61300080000232	0	Т15К6	2232	5828,74	49,19	7,6	ГОСТ 25395-90
61100080000232	0	Т5К10	2232	5828,74	49,19	8,5	ГОСТ 25395-90
53600080000251	0	БК10-КС	2251	0,00	0,00	13,3	ГОСТ 25395-90
55100080000251	0	БК10-ХО	2251	7255,79	97,88	13,39	ГОСТ 25395-90
51100080000251	0	БК3-М	2251	7255,79	97,88	13,7	ГОСТ 25395-90
52400080000251	0	БК6	2251	5530,92	73,56	13,4	ГОСТ 25395-90
51200080000251	0	БК6-М	2251	7255,79	97,88	13,4	ГОСТ 25395-90
51600080000251	0	БК6-ОМ	2251	7255,79	97,88	13,4	ГОСТ 25395-90
52500080000251	0	БК8	2251	5530,92	73,56	13,3	ГОСТ 25395-90
53500080000251	0	БК8-БК	2251	6637,16	88,27	13,3	ГОСТ 25395-90
52900080000251	0	БПТ-331	2251	0,00	0,00	13,3	ГОСТ 25395-90
61200080000251	0	Т14К8	2251	5751,23	65,85	10,2	ГОСТ 25395-90
61300080000251	0	Т15К6	2251	5751,23	65,85	10,2	ГОСТ 25395-90
61400080000251	0	Т30К4	2251	5751,23	65,85	8,65	ГОСТ 25395-90
61100080000251	0	Т5К10	2251	5751,23	65,85	11,5	ГОСТ 25395-90
62100080000251	0	ТТ7К12	2251	10846,27	128,42	11,9	ГОСТ 25395-90
55100080000252	0	БК10-ХО	2252	7275,87	90,73	12,39	ГОСТ 25395-90
52200080000252	0	БК3	2252	5546,31	68,22	12,7	ГОСТ 25395-90
52400080000252	0	БК6	2252	5546,31	68,22	12,4	ГОСТ 25395-90
51200080000252	0	БК6-М	2252	7275,87	90,73	12,4	ГОСТ 25395-90
51600080000252	0	БК6-ОМ	2252	7275,87	90,73	12,4	ГОСТ 25395-90
52500080000252	0	БК8	2252	5546,31	68,22	12,3	ГОСТ 25395-90
53331020000252	0	БК8-В	2252	7177,76	88,29	12,26	ТУ 48-19-231-76
61200080000252	0	Т14К8	2252	5769,26	61,10	9,59	ГОСТ 25395-90
61300080000252	0	Т15К6	2252	5769,26	61,10	9,55	ГОСТ 25395-90
61400080000252	0	Т30К4	2252	5769,26	61,10	8,12	ГОСТ 25395-90
61100080000252	0	Т5К10	2252	5769,26	61,10	10,7	ГОСТ 25395-90
55100080000271	0	БК10-ХО	2271	7145,4	170,27	23,66	ГОСТ 25395-90
52800080000271	0	БК20	2271	0,00	0,00	21,7	ГОСТ 25395-90
51100080000271	0	БК3-М	2271	7145,4	170,27	24,2	ГОСТ 25395-90
52400080000271	0	БК6	2271	5445,72	127,97	23,8	ГОСТ 25395-90
51200080000271	0	БК6-М	2271	7145,4	170,27	23,8	ГОСТ 25395-90
51600080000271	0	БК6-ОМ	2271	7145,4	170,27	23,8	ГОСТ 25395-90
52500080000271	0	БК8	2271	5445,72	127,97	23,5	ГОСТ 25395-90
61200080000271	0	Т14К8	2271	5650,69	114,31	18,00	ГОСТ 25395-90
61300080000271	0	Т15К6	2271	5650,69	114,31	18,00	ГОСТ 25395-90
61400080000271	0	Т30К4	2271	5650,69	114,31	15,2	ГОСТ 25395-90
61100080000271	0	Т5К10	2271	5650,69	114,31	20,5	ГОСТ 25395-90
55100080000272	0	БК10-ХО	2272	7153,4	161,74	23,2	ГОСТ 25395-90
52400080000272	0	БК6	2272	5451,87	121,58	22,6	ГОСТ 25395-90
51200080000272	0	БК6-М	2272	7153,4	161,74	22,6	ГОСТ 25395-90

51600080000272	0	BK6-OM	2272	7153,4	161,74	22,6	ГОСТ 25395-90
52500080000272	0	BK8	2272	5451,87	121,58	22,3	ГОСТ 25395-90
61200080000272	0	T14K8	2272	5657,96	108,63	17,4	ГОСТ 25395-90
61300080000272	0	T15K6	2272	5657,96	108,63	17,3	ГОСТ 25395-90
61400080000272	0	T30K4	2272	5657,96	108,63	14,7	ГОСТ 25395-90
61100080000272	0	T5K10	2272	5657,96	108,63	19,5	ГОСТ 25395-90
55100080000291	0	BK10-XO	2291	7112,65	216,94	30,71	ГОСТ 25395-90
51100080000291	0	BK3-M	2291	7112,65	216,94	31,5	ГОСТ 25395-90
52400080000291	0	BK6	2291	5419,17	165,28	31,00	ГОСТ 25395-90
52500080000291	0	BK8	2291	5419,17	165,28	30,5	ГОСТ 25395-90
61200080000291	0	T14K8	2291	5604,22	170,93	25,00	ГОСТ 25395-90
61300080000291	0	T15K6	2291	5619,16	147,56	25,00	ГОСТ 25395-90
61400080000291	0	T30K4	2291	5619,16	147,56	19,8	ГОСТ 25395-90
61100080000291	0	T5K10	2291	5619,16	147,56	26,5	ГОСТ 25395-90
52500080000292	0	BK8	2292	5422,22	159,96	29,5	ГОСТ 25395-90
61300080000292	0	T15K6	2292	5622,78	142,82	22,7	ГОСТ 25395-90
61100080000292	0	T5K10	2292	5622,78	142,82	25,7	ГОСТ 25395-90
55100080000311	0	BK10-XO	2311	7089,12	269,60	37,76	ГОСТ 25395-90
52700080000311	0	BK15	2311	0,00	0,00	36,2	ГОСТ 25395-90
51100080000311	0	BK3-M	2311	7089,12	269,60	39,5	ГОСТ 25395-90
52400080000311	0	BK6	2311	5402,28	202,59	38,00	ГОСТ 25395-90
51200080000311	0	BK6-M	2311	7089,12	269,60	38,00	ГОСТ 25395-90
51600080000311	0	BK6-OM	2311	7089,12	269,60	38,00	ГОСТ 25395-90
52500080000311	0	BK8	2311	5402,28	202,59	37,5	ГОСТ 25395-90
61200080000311	0	T14K8	2311	5599,05	180,79	29,00	ГОСТ 25395-90
61300080000311	0	T15K6	2311	5599,05	180,79	29,00	ГОСТ 25395-90
61400080000311	0	T30K4	2311	5599,05	180,79	24,5	ГОСТ 25395-90
61100080000311	0	T5K10	2311	5599,05	180,79	32,5	ГОСТ 25395-90
62100080000311	0	TT7K12	2311	10603,26	353,94	33,5	ГОСТ 25395-90
55100080000312	0	BK10-XO	2312	7094,78	254,77	35,66	ГОСТ 25395-90
52400080000312	0	BK6	2312	5406,65	191,45	35,89	ГОСТ 25395-90
51200080000312	0	BK6-M	2312	7094,78	254,77	35,89	ГОСТ 25395-90
51600080000312	0	BK6-OM	2312	7094,78	254,77	35,89	ГОСТ 25395-90
52500080000312	0	BK8	2312	5406,65	191,45	35,41	ГОСТ 25395-90
61200080000312	0	T14K8	2312	5591,26	197,99	27,6	ГОСТ 25395-90
61300080000312	0	T15K6	2312	5604,25	170,87	27,52	ГОСТ 25395-90
61400080000312	0	T30K4	2312	5604,25	170,87	23,4	ГОСТ 25395-90
61100080000312	0	T5K10	2312	5604,25	170,87	30,9	ГОСТ 25395-90
55100080000351	0	BK10-XO	2351	7494,21	509,16	67,47	ГОСТ 25395-90
52200080000351	0	BK3	2351	5711,14	382,65	68,00	ГОСТ 25395-90
51100080000351	0	BK3-M	2351	7494,21	509,16	68,00	ГОСТ 25395-90
52400080000351	0	BK6	2351	5711,14	382,65	67,00	ГОСТ 25395-90
51200080000351	0	BK6-M	2351	7494,21	509,16	67,00	ГОСТ 25395-90
51600080000351	0	BK6-OM	2351	7494,21	509,16	67,00	ГОСТ 25395-90
52500080000351	0	BK8	2351	5711,14	382,65	67,00	ГОСТ 25395-90
53500080000351	0	BK8-BK	2351	5592,23	374,68	67,00	ГОСТ 25395-90
52900080000351	0	ВПТ-331	2351	0,00	0,00	67,00	ГОСТ 25395-90
61200080000351	0	T14K8	2351	5921,28	341,60	51,00	ГОСТ 25395-90
61300080000351	0	T15K6	2351	5921,28	341,60	51,00	ГОСТ 25395-90
61400080000351	0	T30K4	2351	5921,28	341,60	43,00	ГОСТ 25395-90
61100080000351	0	T5K10	2351	5921,28	341,60	58,00	ГОСТ 25395-90
62100080000351	0	TT7K12	2351	11132,44	663,83	59,00	ГОСТ 25395-90
52400080000352	0	BK6	2352	5717,98	356,29	63,17	ГОСТ 25395-90
51200080000352	0	BK6-M	2352	7503,06	474,04	63,17	ГОСТ 25395-90
51600080000352	0	BK6-OM	2352	7503,06	474,04	63,17	ГОСТ 25395-90
52500080000352	0	BK8	2352	5717,98	356,29	62,31	ГОСТ 25395-90
61200080000352	0	T14K8	2352	5929,45	318,12	48,65	ГОСТ 25395-90
61300080000352	0	T15K6	2352	5929,45	318,12	48,44	ГОСТ 25395-90
61400080000352	0	T30K4	2352	5929,45	318,12	41,19	ГОСТ 25395-90
61100080000352	0	T5K10	2352	5929,45	318,12	54,42	ГОСТ 25395-90
62100080000352	0	TT7K12	2352	11145,44	618,13	56,12	ГОСТ 25395-90
55100080000411	0	BK10-XO	2411	7131,1	187,98	26,18	ГОСТ 25395-90
52400080000411	0	BK6	2411	5434,66	141,30	26,5	ГОСТ 25395-90
52500080000411	0	BK8	2411	5434,66	141,30	26,00	ГОСТ 25395-90
61300080000411	0	T15K6	2411	5637,53	126,22	20,00	ГОСТ 25395-90
61400080000411	0	T30K4	2411	5620,23	146,13	17,00	ГОСТ 25395-90
61100080000411	0	T5K10	2411	5637,53	126,22	22,5	ГОСТ 25395-90
52500080000412	0	BK8	2412	5438,83	135,97	25,00	ГОСТ 25395-90
61100080000412	0	T5K10	2412	5637,53	126,22	21,5	ГОСТ 25395-90
52500080000431	0	BK8	2431	5762,1	246,62	42,8	ГОСТ 25395-90
61200080000431	0	T14K8	2431	5982,12	220,44	33,00	ГОСТ 25395-90

61300080000431	0	T15K6	2431	5982,12	220,44	32,5	ГОСТ 25395-90
61100080000431	0	T5K10	2431	5982,12	220,44	37,00	ГОСТ 25395-90
52700080000451	0	BK15	2451	0,00	0,00	52,16	ГОСТ 25395-90
51100080000451	0	BK3-M	2451	7522,43	411,93	56,00	ГОСТ 25395-90
52400080000451	0	BK6	2451	5379,48	290,49	55,00	ГОСТ 25395-90
51600080000451	0	BK6-OM	2451	7524,47	406,32	55,00	ГОСТ 25395-90
52500080000451	0	BK8	2451	5732,94	309,58	54,00	ГОСТ 25395-90
61200080000451	0	T14K8	2451	5947,34	276,49	42,00	ГОСТ 25395-90
61300080000451	0	T15K6	2451	5947,34	276,49	41,5	ГОСТ 25395-90
61100080000451	0	T5K10	2451	5947,34	276,49	47,00	ГОСТ 25395-90
55100080000511	0	BK10-XO	2511	7458,51	726,01	96,67	ГОСТ 25395-90
52200080000511	0	BK3	2511	5683,57	545,62	98,00	ГОСТ 25395-90
51100080000511	0	BK3-M	2511	7458,51	726,01	98,00	ГОСТ 25395-90
52400080000511	0	BK6	2511	5683,57	545,62	97,00	ГОСТ 25395-90
51200080000511	0	BK6-M	2511	7458,51	726,01	97,00	ГОСТ 25395-90
51600080000511	0	BK6-OM	2511	7458,51	726,01	97,00	ГОСТ 25395-90
52500080000511	0	BK8	2511	5683,57	545,62	96,00	ГОСТ 25395-90
52900080000511	0	БПТ-331	2511	0,00	0,00	96,00	ГОСТ 25395-90
61200080000511	0	T14K8	2511	5888,3	486,73	74,00	ГОСТ 25395-90
61300080000511	0	T15K6	2511	5888,3	486,73	73,00	ГОСТ 25395-90
61100080000511	0	T5K10	2511	5888,3	486,73	87,5	ГОСТ 25395-90
62100080000511	0	ТТ7К12	2511	11079,88	946,67	86,00	ГОСТ 25395-90
55100080000512	0	BK10-XO	2512	7032,49	639,53	91,58	ГОСТ 25395-90
51100080000512	0	BK3-M	2512	7463,12	688,17	94,37	ГОСТ 25395-90
52400080000512	0	BK6	2512	5687,13	517,19	92,19	ГОСТ 25395-90
51200080000512	0	BK6-M	2512	7463,12	688,17	92,19	ГОСТ 25395-90
51600080000512	0	BK6-OM	2512	7463,12	688,17	92,19	ГОСТ 25395-90
52500080000512	0	BK8	2512	5687,13	517,19	90,94	ГОСТ 25395-90
61300080000512	0	T15K6	2512	5892,57	461,39	70,7	ГОСТ 25395-90
61100080000512	0	T5K10	2512	5892,57	461,39	79,42	ГОСТ 25395-90
55100080000611	0	BK10-XO	2611	8183,58	18,17	2,2	ГОСТ 25395-90
51100080000611	0	BK3-M	2611	8183,58	18,17	2,27	ГОСТ 25395-90
52400080000611	0	BK6	2611	6243,67	13,67	2,22	ГОСТ 25395-90
51200080000611	0	BK6-M	2611	8183,58	18,17	2,22	ГОСТ 25395-90
51600080000611	0	BK6-OM	2611	8183,58	18,17	2,22	ГОСТ 25395-90
52500080000611	0	BK8	2611	6243,67	13,67	2,19	ГОСТ 25395-90
52900080000611	0	БПТ-331	2611	0,00	0,00	2,19	ГОСТ 25395-90
61300080000611	0	T15K6	2611	6555,35	12,39	1,7	ГОСТ 25395-90
61400080000611	0	T30K4	2611	6555,35	12,39	1,45	ГОСТ 25395-90
61100080000611	0	T5K10	2611	6555,35	12,39	1,9	ГОСТ 25395-90
55100080000631	0	BK10-XO	2631	7723,74	32,75	4,21	ГОСТ 25395-90
51100080000631	0	BK3-M	2631	7723,74	32,75	4,33	ГОСТ 25395-90
52400080000631	0	BK6	2631	5891,23	24,63	4,23	ГОСТ 25395-90
51200080000631	0	BK6-M	2631	7723,74	32,75	4,23	ГОСТ 25395-90
51600080000631	0	BK6-OM	2631	7723,74	32,75	4,23	ГОСТ 25395-90
52500080000631	0	BK8	2631	5891,23	24,63	4,18	ГОСТ 25395-90
52900080000631	0	БПТ-331	2631	0,00	0,00	4,18	ГОСТ 25395-90
61200080000631	0	T14K8	2631	6166,06	22,20	3,26	ГОСТ 25395-90
61300080000631	0	T15K6	2631	6166,06	22,20	3,25	ГОСТ 25395-90
61400080000631	0	T30K4	2631	6166,06	22,20	2,9	ГОСТ 25395-90
61100080000631	0	T5K10	2631	6166,06	22,20	3,65	ГОСТ 25395-90
55100080000651	0	BK10-XO	2651	7357,57	69,68	9,91	ГОСТ 25395-90
51100080000651	0	BK3-M	2651	7357,57	69,68	9,69	ГОСТ 25395-90
52400080000651	0	BK6	2651	5609,3	52,39	9,47	ГОСТ 25395-90
51200080000651	0	BK6-M	2651	7357,57	69,68	9,47	ГОСТ 25395-90
51600080000651	0	BK6-OM	2651	7357,57	69,68	9,47	ГОСТ 25395-90
52500080000651	0	BK8	2651	5609,3	52,39	9,34	ГОСТ 25395-90
61200080000651	0	T14K8	2651	5842,92	46,98	7,3	ГОСТ 25395-90
61300080000651	0	T15K6	2651	5842,92	46,98	7,26	ГОСТ 25395-90
61400080000651	0	T30K4	2651	5842,92	46,98	6,18	ГОСТ 25395-90
61100080000651	0	T5K10	2651	5842,92	46,98	8,16	ГОСТ 25395-90
62100080000651	0	ТТ7К12	2651	10940,05	102,18	8,42	ГОСТ 25395-90
53600080002671	0	BK10-KC	2671	8388,14	146,96	17,22	ГОСТ 25395-90
55100080000671	0	BK10-XO	2671	7195,35	127,86	17,64	ГОСТ 25395-90
51100080000671	0	BK3-M	2671	7195,35	127,86	18,18	ГОСТ 25395-90
52400080000671	0	BK6	2671	5484,29	96,08	17,76	ГОСТ 25395-90
51200080000671	0	BK6-M	2671	7195,35	127,86	17,76	ГОСТ 25395-90
51600080000671	0	BK6-OM	2671	7195,35	127,86	17,76	ГОСТ 25395-90
52500080000671	0	BK8	2671	5484,29	96,08	17,52	ГОСТ 25395-90
53300080000671	0	BK8-B	2671	5677,48	99,47	17,52	ГОСТ 25395-90
61200080000671	0	T14K8	2671	5696,35	85,90	13,68	ГОСТ 25395-90

61300080000671	0	T15K6	2671	5696,35	85,90	13,62	ГОСТ 25395-90
61400080000671	0	T30K4	2671	5696,35	85,90	11,58	ГОСТ 25395-90
61100080000671	0	T5K10	2671	5696,35	85,90	15,3	ГОСТ 25395-90
55100080000691	0	BK10-XO	2691	7459,7	53,64	7,12	ГОСТ 25395-90
52400080000691	0	BK6	2691	5694,38	39,58	7,12	ГОСТ 25395-90
51600080000691	0	BK6-OM	2691	7467,86	52,65	7,12	ГОСТ 25395-90
52500080000691	0	BK8	2691	5694,38	39,58	7,6	ГОСТ 25395-90
61300080000691	0	T15K6	2691	5941,73	35,53	5,85	ГОСТ 25395-90
61100080000691	0	T5K10	2691	5941,73	35,53	6,05	ГОСТ 25395-90
62100080000691	0	TT7K12	2691	11084,84	77,04	6,1	ГОСТ 25395-90
52500080000692	0	BK8	2692	5708,82	37,96	6,65	ГОСТ 25395-90
69104710120408	0	ВП1255	031.4-120408	19820,82	163,72	8,61	ГОСТ 19052-80
61304710150416	0	T15K6	031.4-150416	11109,28	122,87	11,2	ГОСТ 19052-80
52503630090304	0	BK8	03111-090304	8419,46	35,45	4,21	ГОСТ 19049-80
69103630090304	0	ВП1255	03111-090304	17457,2	65,64	3,91	ГОСТ 19049-80
61303630090304	0	T15K6	03111-090304	10062,56	32,50	3,28	ГОСТ 19049-80
61103630090304	0	T5K10	03111-090304	10062,56	32,50	3,69	ГОСТ 19049-80
52503630090308	0	BK8	03111-090308	8419,46	35,45	4,19	ГОСТ 19049-80
69103630090308	0	ВП1255	03111-090308	17457,2	65,64	3,89	ГОСТ 19049-80
61203630090308	0	T14K8	03111-090308	10062,56	32,50	3,33	ГОСТ 19049-80
61303630090308	0	T15K6	03111-090308	10062,56	32,50	3,27	ГОСТ 19049-80
61103630090308	0	T5K10	03111-090308	10062,56	32,50	3,67	ГОСТ 19049-80
52503630120304	0	BK8	03111-120304	8292,93	61,87	7,48	ГОСТ 19049-80
59103630120304	0	ВП3115	03111-120304	11610,04	86,61	7,58	ГОСТ 19049-80
61303630120304	0	T15K6	03111-120304	9887,66	73,96	5,84	ГОСТ 19049-80
61403630120304	0	T30K4	03111-120304	12815,84	95,86	4,97	ГОСТ 19049-80
61103630120304	0	T5K10	03111-120304	9887,66	73,96	6,56	ГОСТ 19049-80
52503630120308	0	BK8	03111-120308	8292,93	61,87	7,46	ГОСТ 19049-80
61203630120308	0	T14K8	03111-120308	9952,68	57,03	5,93	ГОСТ 19049-80
61303630120308	0	T15K6	03111-120308	9952,68	57,03	5,83	ГОСТ 19049-80
61103630120308	0	T5K10	03111-120308	9952,68	57,03	6,54	ГОСТ 19049-80
52403630120312	0	BK6	03111-120312	8292,93	61,87	7,53	ГОСТ 19049-80
52503630120312	0	BK8	03111-120312	8292,93	61,87	7,43	ГОСТ 19049-80
69103630120312	0	ВП1255	03111-120312	17222,92	114,53	6,76	ГОСТ 19049-80
59103630120312	0	ВП3115	03111-120312	11610,04	86,61	7,53	ГОСТ 19049-80
61203630120312	0	T14K8	03111-120312	9952,68	57,03	5,9	ГОСТ 19049-80
61303630120312	0	T15K6	03111-120312	9952,68	57,03	5,8	ГОСТ 19049-80
61103630120312	0	T5K10	03111-120312	9952,68	57,03	6,51	ГОСТ 19049-80
52503630120316	0	BK8	03111-120316	8292,93	61,87	7,39	ГОСТ 19049-80
69103630120316	0	ВП1255	03111-120316	17222,92	114,53	6,87	ГОСТ 19049-80
61303630120316	0	T15K6	03111-120316	9952,68	57,03	5,77	ГОСТ 19049-80
51103630120408	0	BK3-M	03111-120408	12150,21	121,02	11,6	ГОСТ 19049-80
52403630120408	0	BK6	03111-120408	8179,95	91,62	11,3	ГОСТ 19049-80
51603630120408	0	BK6-OM	03111-120408	12150,21	121,02	11,3	ГОСТ 19049-80
52503630120408	0	BK8	03111-120408	8179,95	91,62	11,2	ГОСТ 19049-80
69103630120408	0	ВП1255	03111-120408	17008,41	169,91	10,41	ГОСТ 19049-80
59103630120408	0	ВП3115	03111-120408	11451,87	128,26	11,3	ГОСТ 19049-80
59203630120408	0	ВП3325	03111-120408	11451,87	128,26	11,2	ГОСТ 19049-80
61203630120408	0	T14K8	03111-120408	9850,22	84,71	8,88	ГОСТ 19049-80
61303630120408	0	T15K6	03111-120408	9850,22	84,71	8,72	ГОСТ 19049-80
61403630120408	0	T30K4	03111-120408	13043,92	146,09	7,42	ГОСТ 19049-80
61103630120408	0	T5K10	03111-120408	9850,22	84,71	9,79	ГОСТ 19049-80
62103630120408	0	TT7K12	03111-120408	14580,22	145,22	10,09	ГОСТ 19049-80
51103630120412	0	BK3-M	03111-120412	12150,21	121,02	11,73	ГОСТ 19049-80
52403630120412	0	BK6	03111-120412	8179,95	91,62	11,3	ГОСТ 19049-80
51603630120412	0	BK6-OM	03111-120412	12150,21	121,02	11,3	ГОСТ 19049-80
52503630120412	0	BK8	03111-120412	8179,95	91,62	11,1	ГОСТ 19049-80
69103630120412	0	ВП1255	03111-120412	17008,41	169,91	10,32	ГОСТ 19049-80
59103630120412	0	ВП3115	03111-120412	11451,87	128,26	11,3	ГОСТ 19049-80
59203630120412	0	ВП3325	03111-120412	11451,87	128,26	11,1	ГОСТ 19049-80
61203630120412	0	T14K8	03111-120412	9850,22	84,71	8,84	ГОСТ 19049-80
61303630120412	0	T15K6	03111-120412	9850,22	84,71	8,69	ГОСТ 19049-80
61103630120412	0	T5K10	03111-120412	9850,22	84,71	9,75	ГОСТ 19049-80
52403630120424	0	BK6	03111-120424	8179,95	91,62	11,2	ГОСТ 19049-80
52503630120424	0	BK8	03111-120424	8179,95	91,62	11,00	ГОСТ 19049-80
69103630120424	0	ВП1255	03111-120424	17008,41	169,91	10,23	ГОСТ 19049-80
59103630120424	0	ВП3115	03111-120424	11451,87	128,26	11,2	ГОСТ 19049-80
61303630120424	0	T15K6	03111-120424	9850,22	84,71	8,66	ГОСТ 19049-80
61103630120424	0	T5K10	03111-120424	9779,11	107,57	9,71	ГОСТ 19049-80
52503630150408	0	BK8	03111-150408	8042,43	139,94	17,5	ГОСТ 19049-80
61303630150408	0	T15K6	03111-150408	9719,16	129,85	13,6	ГОСТ 19049-80

61103630150408	0	T5K10	03111-150408	9719,16	129,85	15,3	ГОСТ 19049-80
52503630150412	0	BK8	03111-150412	8042,43	139,94	17,4	ГОСТ 19049-80
69103630150412	0	ВП1255	03111-150412	16741,93	259,83	16,18	ГОСТ 19049-80
59103630150412	0	ВП3115	03111-150412	11259,35	195,91	17,7	ГОСТ 19049-80
61203630150412	0	T14K8	03111-150412	9719,16	129,85	13,8	ГОСТ 19049-80
61303630150412	0	T15K6	03111-150412	9719,16	129,85	13,6	ГОСТ 19049-80
61103630150412	0	T5K10	03111-150412	9719,16	129,85	15,3	ГОСТ 19049-80
52403630150416	0	BK6	03111-150416	8042,43	139,94	17,6	ГОСТ 19049-80
52503630150416	0	BK8	03111-150416	8042,43	139,94	17,4	ГОСТ 19049-80
69103630150416	0	ВП1255	03111-150416	16741,93	259,83	16,18	ГОСТ 19049-80
59103630150416	0	ВП3115	03111-150416	11259,35	195,91	17,6	ГОСТ 19049-80
59203630150416	0	ВП3325	03111-150416	11259,35	195,91	17,4	ГОСТ 19049-80
61303630150416	0	T15K6	03111-150416	9719,16	129,85	13,6	ГОСТ 19049-80
61103630150416	0	T5K10	03111-150416	9719,16	129,85	15,2	ГОСТ 19049-80
52403631150416	0	BK6	03111-150416(S=6,35)	7949,52	184,43	23,48	ГОСТ 19049-80
52403630150424	0	BK6	03111-150424	8042,43	139,94	17,4	ГОСТ 19049-80
52503630150424	0	BK8	03111-150424	8042,43	139,94	17,2	ГОСТ 19049-80
59103630150424	0	ВП3115	03111-150424	11259,35	195,91	17,4	ГОСТ 19049-80
52503630190412	0	BK8	03111-190412	7924,28	198,90	25,1	ГОСТ 19049-80
69103630190412	0	ВП1255	03111-190412	16507,72	369,61	23,34	ГОСТ 19049-80
59103630190412	0	ВП3115	03111-190412	11093,94	278,46	25,5	ГОСТ 19049-80
59203630190412	0	ВП3325	03111-190412	11093,94	278,46	25,1	ГОСТ 19049-80
61203630190412	0	T14K8	03111-190412	9600,48	185,10	20,00	ГОСТ 19049-80
61303630190412	0	T15K6	03111-190412	9600,48	185,10	19,6	ГОСТ 19049-80
61103630190412	0	T5K10	03111-190412	9600,48	185,10	22,00	ГОСТ 19049-80
52403630190416	0	BK6	03111-190416	7924,28	198,90	25,4	ГОСТ 19049-80
52503630190416	0	BK8	03111-190416	7924,28	198,90	25,1	ГОСТ 19049-80
69103630190416	0	ВП1255	03111-190416	16507,72	369,61	23,34	ГОСТ 19049-80
59103630190416	0	ВП3115	03111-190416	11093,94	278,46	25,4	ГОСТ 19049-80
59203630190416	0	ВП3325	03111-190416	11093,94	278,46	25,1	ГОСТ 19049-80
61303630190416	0	T15K6	03111-190416	9600,48	185,10	19,6	ГОСТ 19049-80
61103630190416	0	T5K10	03111-190416	9600,48	185,10	22,00	ГОСТ 19049-80
52503630190424	0	BK8	03111-190424	7924,28	198,90	24,9	ГОСТ 19049-80
61203630190424	0	T14K8	03111-190424	9600,48	185,10	19,8	ГОСТ 19049-80
61203670120404	0	T14K8	03113-120404	9888,36	73,77	7,74	ГОСТ 19051-80
52403670120408	0	BK6	03113-120408	8221,26	79,91	9,85	ГОСТ 19051-80
52503670120408	0	BK8	03113-120408	8221,26	79,91	9,72	ГОСТ 19051-80
69103670120408	0	ВП1255	03113-120408	17087,21	148,15	9,03	ГОСТ 19051-80
59103670120408	0	ВП3115	03113-120408	11509,7	111,87	9,85	ГОСТ 19051-80
61203670120408	0	T14K8	03113-120408	9888,36	73,77	7,72	ГОСТ 19051-80
61303670120408	0	T15K6	03113-120408	9888,36	73,77	7,59	ГОСТ 19051-80
61103670120408	0	T5K10	03113-120408	9888,36	73,77	8,52	ГОСТ 19051-80
52403670120412	0	BK6	03113-120412	8221,26	79,91	9,8	ГОСТ 19051-80
52503670120412	0	BK8	03113-120412	8221,26	79,91	9,67	ГОСТ 19051-80
69103670120412	0	ВП1255	03113-120412	17087,21	148,15	8,99	ГОСТ 19051-80
59103670120412	0	ВП3115	03113-120412	11509,7	111,87	9,88	ГОСТ 19051-80
61303670120412	0	T15K6	03113-120412	9888,36	73,77	7,55	ГОСТ 19051-80
61103670120412	0	T5K10	03113-120412	9817,1	94,93	8,48	ГОСТ 19051-80
52403670150412	0	BK6	03113-150412	8085,68	122,90	15,4	ГОСТ 19051-80
52503670150412	0	BK8	03113-150412	8085,68	122,90	15,2	ГОСТ 19051-80
69103670150412	0	ВП1255	03113-150412	16826,33	228,17	14,13	ГОСТ 19051-80
59103670150412	0	ВП3115	03113-150412	11319,9	172,06	15,4	ГОСТ 19051-80
61203670150412	0	T14K8	03113-150412	9761,19	113,91	12,1	ГОСТ 19051-80
61303670150412	0	T15K6	03113-150412	9761,19	113,91	11,9	ГОСТ 19051-80
61103670150412	0	T5K10	03113-150412	9761,19	113,91	13,4	ГОСТ 19051-80
62103670150412	0	ТТ7К12	03113-150412	14354,54	221,06	13,82	ГОСТ 19051-80
52403670150416	0	BK6	03113-150416	8085,68	122,90	15,4	ГОСТ 19051-80
52503670150416	0	BK8	03113-150416	8085,68	122,90	15,2	ГОСТ 19051-80
69103670150416	0	ВП1255	03113-150416	16826,33	228,17	14,13	ГОСТ 19051-80
59103670150416	0	ВП3115	03113-150416	11319,9	172,06	15,4	ГОСТ 19051-80
61203670150416	0	T14K8	03113-150416	9761,19	113,91	12,00	ГОСТ 19051-80
61303670150416	0	T15K6	03113-150416	9761,19	113,91	11,8	ГОСТ 19051-80
61103670150416	0	T5K10	03113-150416	9761,19	113,91	13,3	ГОСТ 19051-80
69103670190612	0	ВП1255	03113-190612	16424,7	418,99	26,97	ГОСТ 19051-80
59103670190612	0	ВП3115	03113-190612	11036,08	315,63	29,3	ГОСТ 19051-80
61203670190612	0	T14K8	03113-190612	9557,77	209,89	23,00	ГОСТ 19051-80
52403670190616	0	BK6	03113-190616	7882,95	225,45	29,3	ГОСТ 19051-80
52503670190616	0	BK8	03113-190616	7882,95	225,45	28,9	ГОСТ 19051-80
69103670190616	0	ВП1255	03113-190616	16424,7	418,99	26,87	ГОСТ 19051-80
59103670190616	0	ВП3115	03113-190616	11036,08	315,63	29,3	ГОСТ 19051-80
59203670190616	0	ВП3325	03113-190616	11036,08	315,63	28,89	ГОСТ 19051-80

61303670190616	0	T15K6	03113-190616	9557,77	209,89	22,5	ГОСТ 19051-80
52403670190624	0	BK6	03113-190624	7882,95	225,45	29,00	ГОСТ 19051-80
59103670190624	0	ВП3115	03113-190624	11036,08	315,63	29,00	ГОСТ 19051-80
52503670250716	0	BK8	03113-250716	7967,86	530,66	66,9	ГОСТ 19051-80
61303670250716	0	T15K6	03113-250716	9637,46	492,96	52,2	ГОСТ 19051-80
61103690250716	0	T5K10	03113-250716	9637,46	492,96	58,6	ГОСТ 19051-80
52503690250724	0	BK8	03113-250724	7648,24	511,67	66,6	ГОСТ 19051-80
61103690250724	0	T5K10	03113-250724	9235,05	615,05	58,4	ГОСТ 19051-80
52403700090304	0	BK6	03114-090304	8929,72	31,43	3,57	ГОСТ 19052-80
51203700090304	0	BK6-M	03114-090304	13195,28	41,30	3,57	ГОСТ 19052-80
51603700090304	0	BK6-OM	03114-090304	13195,28	41,30	3,57	ГОСТ 19052-80
52503700090304	0	BK8	03114-090304	8929,72	31,43	3,52	ГОСТ 19052-80
69103700090304	0	ВП1255	03114-090304	18472,06	58,00	3,27	ГОСТ 19052-80
59203700090304	0	ВП3325	03114-090304	12501,54	44,01	3,52	ГОСТ 19052-80
61203700090304	0	T14K8	03114-090304	10583,11	28,57	2,8	ГОСТ 19052-80
61303700090304	0	T15K6	03114-090304	10583,11	28,57	2,75	ГОСТ 19052-80
61103700090304	0	T5K10	03114-090304	10583,11	28,57	3,09	ГОСТ 19052-80
62103700090304	0	ТТ7К12	03114-090304	15834,31	49,56	3,24	ГОСТ 19052-80
52403700090308	0	BK6	03114-090308	8929,72	31,43	3,55	ГОСТ 19052-80
52503700090308	0	BK8	03114-090308	8929,72	31,43	3,5	ГОСТ 19052-80
69103700090308	0	ВП1255	03114-090308	18472,06	58,00	3,27	ГОСТ 19052-80
59103700090308	0	ВП3115	03114-090308	12501,54	44,01	3,55	ГОСТ 19052-80
59203700090308	0	ВП3325	03114-090308	12501,54	44,01	3,5	ГОСТ 19052-80
61203700090308	0	T14K8	03114-090308	10583,11	28,57	2,79	ГОСТ 19052-80
61303700090308	0	T15K6	03114-090308	10583,11	28,57	2,74	ГОСТ 19052-80
61103700090308	0	T5K10	03114-090308	10583,11	28,57	3,07	ГОСТ 19052-80
55103700120404	0	BK10-XO	03114-120404	12797,27	118,37	9,16	ГОСТ 19052-80
52503700120404	0	BK8	03114-120404	8670,68	80,29	9,25	ГОСТ 19052-80
69103700120404	0	ВП1255	03114-120404	17989,78	148,60	8,61	ГОСТ 19052-80
59203700120404	0	ВП3325	03114-120404	12138,88	112,41	9,26	ГОСТ 19052-80
61203700120404	0	T14K8	03114-120404	10357,21	73,64	7,36	ГОСТ 19052-80
61303700120404	0	T15K6	03114-120404	10357,21	73,64	7,23	ГОСТ 19052-80
61103700120404	0	T5K10	03114-120404	10357,21	73,64	8,12	ГОСТ 19052-80
55103700120408	0	BK10-XO	03114-120408	12796,76	118,50	9,16	ГОСТ 19052-80
52403700120408	0	BK6	03114-120408	8670,68	80,29	9,39	ГОСТ 19052-80
51603700120408	0	BK6-OM	03114-120408	12851,63	105,77	9,39	ГОСТ 19052-80
52503700120408	0	BK8	03114-120408	8670,68	80,29	9,25	ГОСТ 19052-80
69103700120408	0	ВП1255	03114-120408	17989,78	148,60	8,61	ГОСТ 19052-80
59103700120408	0	ВП3115	03114-120408	12138,88	112,41	9,39	ГОСТ 19052-80
59203700120408	0	ВП3325	03114-120408	12138,88	112,41	9,26	ГОСТ 19052-80
61203700120408	0	T14K8	03114-120408	10357,21	73,64	7,36	ГОСТ 19052-80
61303700120408	0	T15K6	03114-120408	10357,21	73,64	7,23	ГОСТ 19052-80
61103700120408	0	T5K10	03114-120408	10357,21	73,64	8,12	ГОСТ 19052-80
62403700120408	0	ТТ20К9	03114-120408	24481,1	187,77	7,77	ГОСТ 19052-80
62103700120408	0	ТТ7К12	03114-120408	15421,93	126,92	8,34	ГОСТ 19052-80
52403700120412	0	BK6	03114-120412	8670,68	80,29	9,34	ГОСТ 19052-80
51603700120412	0	BK6-OM	03114-120412	12851,63	105,77	9,34	ГОСТ 19052-80
52503700120412	0	BK8	03114-120412	8670,68	80,29	9,21	ГОСТ 19052-80
69103700120412	0	ВП1255	03114-120412	17989,78	148,60	8,6	ГОСТ 19052-80
59103700120412	0	ВП3115	03114-120412	12138,88	112,41	9,34	ГОСТ 19052-80
59203700120412	0	ВП3325	03114-120412	12138,88	112,41	9,21	ГОСТ 19052-80
61203700120412	0	T14K8	03114-120412	10357,21	73,64	7,32	ГОСТ 19052-80
61303700120412	0	T15K6	03114-120412	10357,21	73,64	7,2	ГОСТ 19052-80
61403700120412	0	T30K4	03114-120412	10357,21	73,64	6,12	ГОСТ 19052-80
61103700120412	0	T5K10	03114-120412	10357,21	73,64	8,08	ГОСТ 19052-80
52403700150412	0	BK6	03114-150412	8512,07	122,57	14,6	ГОСТ 19052-80
52503700150412	0	BK8	03114-150412	8512,07	122,57	14,4	ГОСТ 19052-80
69103700150412	0	ВП1255	03114-150412	17685,8	227,09	13,39	ГОСТ 19052-80
59103700150412	0	ВП3115	03114-150412	11916,84	171,60	14,6	ГОСТ 19052-80
59203700150412	0	ВП3325	03114-150412	11916,84	171,60	14,4	ГОСТ 19052-80
61203700150412	0	T14K8	03114-150412	10209,33	112,92	11,5	ГОСТ 19052-80
61303700150412	0	T15K6	03114-150412	10209,33	112,92	11,3	ГОСТ 19052-80
61403700150412	0	T30K4	03114-150412	10209,33	112,92	9,57	ГОСТ 19052-80
61103700150412	0	T5K10	03114-150412	10209,33	112,92	12,7	ГОСТ 19052-80
62103700150412	0	ТТ7К12	03114-150412	15161,34	194,07	12,97	ГОСТ 19052-80
52403700150416	0	BK6	03114-150416	8512,07	122,57	14,6	ГОСТ 19052-80
51603700150416	0	BK6-OM	03114-150416	12634,47	161,72	14,6	ГОСТ 19052-80
52503700150416	0	BK8	03114-150416	8512,07	122,57	14,4	ГОСТ 19052-80
69103700150416	0	ВП1255	03114-150416	17685,8	227,09	13,39	ГОСТ 19052-80
59103700150416	0	ВП3115	03114-150416	11916,84	171,60	14,6	ГОСТ 19052-80
59203700150416	0	ВП3325	03114-150416	11916,84	171,60	14,4	ГОСТ 19052-80

61203700150416	0	T14K8	03114-150416	10209,33	112,92	11,4	ГОСТ 19052-80
61303700150416	0	T15K6	03114-150416	10209,33	112,92	11,2	ГОСТ 19052-80
61103700150416	0	T5K10	03114-150416	10209,33	112,92	12,6	ГОСТ 19052-80
62103700150416	0	TT7K12	03114-150416	15161,34	194,07	12,97	ГОСТ 19052-80
52503700150612	0	BK8	03114-150612	8401,32	161,39	19,21	ГОСТ 19052-80
52403700190612	0	BK6	03114-190612	8261,7	228,02	28,00	ГОСТ 19052-80
51603700190612	0	BK6-OM	03114-190612	12280,89	301,37	28,00	ГОСТ 19052-80
52503700190612	0	BK8	03114-190612	8261,7	228,02	27,6	ГОСТ 19052-80
69103700190612	0	ВП1255	03114-190612	17190,6	423,23	25,66	ГОСТ 19052-80
59103700190612	0	ВП3115	03114-190612	11566,33	319,23	28,00	ГОСТ 19052-80
61203700190612	0	T14K8	03114-190612	9959,54	211,14	21,9	ГОСТ 19052-80
61303700190612	0	T15K6	03114-190612	9959,54	211,14	21,6	ГОСТ 19052-80
61103700190612	0	T5K10	03114-190612	9959,54	211,14	24,2	ГОСТ 19052-80
62103700190612	0	TT7K12	03114-190612	14737,04	361,65	25,37	ГОСТ 19052-80
52403700190616	0	BK6	03114-190616	8261,7	228,02	27,9	ГОСТ 19052-80
52503700190616	0	BK8	03114-190616	8261,7	228,02	27,5	ГОСТ 19052-80
69103700190616	0	ВП1255	03114-190616	17190,6	423,23	25,57	ГОСТ 19052-80
59203700190616	0	ВП3325	03114-190616	11566,33	319,23	27,5	ГОСТ 19052-80
61203700190616	0	T14K8	03114-190616	9959,54	211,14	21,9	ГОСТ 19052-80
61303700190616	0	T15K6	03114-190616	9959,54	211,14	21,5	ГОСТ 19052-80
61103700190616	0	T5K10	03114-190616	9959,54	211,14	24,1	ГОСТ 19052-80
52403700190624	0	BK6	03114-190624	8261,7	228,02	27,5	ГОСТ 19052-80
52503700190624	0	BK8	03114-190624	8261,7	228,02	27,2	ГОСТ 19052-80
61203700190624	0	T14K8	03114-190624	9959,54	211,14	21,6	ГОСТ 19052-80
61303700190624	0	T15K6	03114-190624	9959,54	211,14	21,2	ГОСТ 19052-80
61103700190624	0	T5K10	03114-190624	9959,54	211,14	23,8	ГОСТ 19052-80
52403700250716	0	BK6	03114-250716	8307,47	525,86	64,4	ГОСТ 19052-80
51203700250716	0	BK6-M	03114-250716	12339,59	694,35	64,4	ГОСТ 19052-80
51603700250716	0	BK6-OM	03114-250716	12339,59	694,35	64,4	ГОСТ 19052-80
52503700250716	0	BK8	03114-250716	8307,47	525,86	63,5	ГОСТ 19052-80
69103700250716	0	ВП1255	03114-250716	17272,9	975,23	59,05	ГОСТ 19052-80
59103700250716	0	ВП3115	03114-250716	11630,39	736,20	27,5	ГОСТ 19052-80
59203700250716	0	ВП3325	03114-250716	11630,39	736,20	63,5	ГОСТ 19052-80
61203700250716	0	T14K8	03114-250716	9998,61	486,03	50,5	ГОСТ 19052-80
61303700250716	0	T15K6	03114-250716	9998,61	486,03	49,6	ГОСТ 19052-80
61103700250716	0	T5K10	03114-250716	9998,61	486,03	55,7	ГОСТ 19052-80
62103700250716	0	TT7K12	03114-250716	14807,49	833,22	58,51	ГОСТ 19052-80
52403700250724	0	BK6	03114-250724	8307,47	525,86	64,2	ГОСТ 19052-80
51603700250724	0	BK6-OM	03114-250724	12339,59	694,35	64,2	ГОСТ 19052-80
52503700250724	0	BK8	03114-250724	8307,47	525,86	63,3	ГОСТ 19052-80
69103700250724	0	ВП1255	03114-250724	17272,9	975,23	58,89	ГОСТ 19052-80
59103700250724	0	ВП3115	03114-250724	11630,39	736,20	64,2	ГОСТ 19052-80
59203700250724	0	ВП3325	03114-250724	11630,39	736,20	63,3	ГОСТ 19052-80
61303700250724	0	T15K6	03114-250724	9998,61	486,03	49,4	ГОСТ 19052-80
61103700250724	0	T5K10	03114-250724	9998,61	486,03	55,5	ГОСТ 19052-80
52403680120408	0	BK6	03123-120408	9557,54	92,90	9,85	ГОСТ 19051-80
52503680120408	0	BK8	03123-120408	9557,54	92,90	9,72	ГОСТ 19051-80
52503680120412	0	BK8	03123-120412	9557,54	92,90	9,67	ГОСТ 19051-80
59203680120412	0	ВП3325	03123-120412	13380,49	130,06	9,67	ГОСТ 19051-80
61303680120412	0	T15K6	03123-120412	11291,44	84,23	7,55	ГОСТ 19051-80
61103680120412	0	T5K10	03123-120412	11291,44	84,23	8,48	ГОСТ 19051-80
61103680190612	0	T5K10	03123-190612	10215,32	296,24	25,4	ГОСТ 19051-80
52503680190616	0	BK8	03123-190616	9001,75	257,45	28,9	ГОСТ 19051-80
59103680190616	0	ВП3115	03123-190616	12602,39	360,43	29,3	ГОСТ 19051-80
59203680190616	0	ВП3325	03123-190616	12602,39	360,43	28,9	ГОСТ 19051-80
52403710090304	0	BK6	03124-090304	9934,68	34,97	2,75	ГОСТ 19052-80
59203710090304	0	ВП3325	03124-090304	13908,48	48,96	3,52	ГОСТ 19052-80
61303710090304	0	T15K6	03124-090304	11621,00	31,38	2,75	ГОСТ 19052-80
61103710090304	0	T5K10	03124-090304	11621,00	31,38	3,09	ГОСТ 19052-80
52503710090308	0	BK8	03124-090308	9934,68	34,97	3,5	ГОСТ 19052-80
69103710090308	0	ВП1255	03124-090308	20481,08	64,31	3,27	ГОСТ 19052-80
61303710090308	0	T15K6	03124-090308	11621,00	31,38	2,74	ГОСТ 19052-80
61103710090308	0	T5K10	03124-090308	11621,00	31,38	3,07	ГОСТ 19052-80
52503710120404	0	BK8	03124-120404	9580,04	88,71	9,25	ГОСТ 19052-80
69103710120404	0	ВП1255	03124-120404	19820,82	163,72	8,61	ГОСТ 19052-80
59203710120404	0	ВП3325	03124-120404	13411,98	124,19	9,26	ГОСТ 19052-80
61203710120404	0	T14K8	03124-120404	10726,85	99,33	7,36	ГОСТ 19052-80
61303710120404	0	T15K6	03124-120404	11311,73	80,43	7,23	ГОСТ 19052-80
61103710120404	0	T5K10	03124-120404	11311,73	80,43	8,12	ГОСТ 19052-80
51103710120408	0	BK3-M	03124-120408	14160,13	116,54	9,61	ГОСТ 19052-80
52403710120408	0	BK6	03124-120408	9580,04	88,71	9,39	ГОСТ 19052-80

52503710120408	0	BK8	03124-120408	9580,04	88,71	9,25	ГОСТ 19052-80
69103710120408	0	ВН1255	03124-120408	19820,82	163,72	8,61	ГОСТ 19052-80
59103710120408	0	ВН3115	03124-120408	13411,98	124,19	9,39	ГОСТ 19052-80
61203710120408	0	Т14К8	03124-120408	11311,73	80,43	7,36	ГОСТ 19052-80
61303710120408	0	Т15К6	03124-120408	11311,73	80,43	7,23	ГОСТ 19052-80
61103710120408	0	Т5К10	03124-120408	11311,73	80,43	8,12	ГОСТ 19052-80
52503710120412	0	BK8	03124-120412	9580,04	88,71	9,21	ГОСТ 19052-80
69103710120412	0	ВН1255	03124-120412	19820,82	163,72	8,6	ГОСТ 19052-80
61203710120412	0	Т14К8	03124-120412	11311,73	80,43	7,32	ГОСТ 19052-80
61303710120412	0	Т15К6	03124-120412	11311,73	80,43	7,2	ГОСТ 19052-80
61103710120412	0	Т5К10	03124-120412	11311,73	80,43	8,08	ГОСТ 19052-80
52403710150412	0	BK6	03124-150412	9362,9	134,83	14,6	ГОСТ 19052-80
52503710150412	0	BK8	03124-150412	9362,9	134,83	14,4	ГОСТ 19052-80
69103710150412	0	ВН1255	03124-150412	19404,65	249,16	13,39	ГОСТ 19052-80
59103710150412	0	ВН3115	03124-150412	13108,00	188,76	14,6	ГОСТ 19052-80
59203710150412	0	ВН3325	03124-150412	13108,00	188,76	14,4	ГОСТ 19052-80
61203710150412	0	Т14К8	03124-150412	11109,28	122,87	11,5	ГОСТ 19052-80
61303710150412	0	Т15К6	03124-150412	11109,28	122,87	11,3	ГОСТ 19052-80
61103710150412	0	Т5К10	03124-150412	11109,28	122,87	12,7	ГОСТ 19052-80
62103710150412	0	ТТ7К12	03124-150412	16635,37	212,93	12,97	ГОСТ 19052-80
52403710150416	0	BK6	03124-150416	9362,9	134,83	14,6	ГОСТ 19052-80
52503710150416	0	BK8	03124-150416	9362,9	134,83	14,4	ГОСТ 19052-80
69103710150416	0	ВН1255	03124-150416	19404,65	249,16	13,39	ГОСТ 19052-80
59103710150416	0	ВН3115	03124-150416	13108,00	188,76	14,6	ГОСТ 19052-80
61203710150416	0	Т14К8	03124-150416	11109,28	122,87	11,4	ГОСТ 19052-80
61303710150416	0	Т15К6	03124-150416	11109,28	122,87	11,2	ГОСТ 19052-80
61103710150416	0	Т5К10	03124-150416	11109,28	122,87	12,6	ГОСТ 19052-80
61303710150612	0	Т15К6	03124-150612	10961,73	161,69	15,07	ГОСТ 19052-80
61103710150612	0	Т5К10	03124-150612	11027,2	143,46	16,94	ГОСТ 19052-80
52503710190612	0	BK8	03124-190612	9411,00	259,74	27,6	ГОСТ 19052-80
69103710190612	0	ВН1255	03124-190612	19519,4	480,57	25,66	ГОСТ 19052-80
61203710190612	0	Т14К8	03124-190612	11184,85	237,12	21,9	ГОСТ 19052-80
61303710190612	0	Т15К6	03124-190612	11184,85	237,12	21,6	ГОСТ 19052-80
61103710190612	0	Т5К10	03124-190612	11184,85	237,12	24,2	ГОСТ 19052-80
62103710190612	0	ТТ7К12	03124-190612	16734,39	410,66	24,87	ГОСТ 19052-80
52503710190616	0	BK8	03124-190616	9411,00	259,74	27,5	ГОСТ 19052-80
69103710190616	0	ВН1255	03124-190616	19519,4	480,57	25,57	ГОСТ 19052-80
59103710190616	0	ВН3115	03124-190616	13175,33	363,64	27,9	ГОСТ 19052-80
61303710190616	0	Т15К6	03124-190616	11184,85	237,12	21,5	ГОСТ 19052-80
61103710190616	0	Т5К10	03124-190616	11184,85	237,12	24,1	ГОСТ 19052-80
52503710190624	0	BK8	03124-190624	9411,00	259,74	27,2	ГОСТ 19052-80
69103710190624	0	ВН1255	03124-190624	19519,4	480,57	25,29	ГОСТ 19052-80
61303710190624	0	Т15К6	03124-190624	11184,85	237,12	21,2	ГОСТ 19052-80
61103710190624	0	Т5К10	03124-190624	11184,85	237,12	23,8	ГОСТ 19052-80
52503710250716	0	BK8	03124-250716	9310,29	589,34	63,5	ГОСТ 19052-80
61103710250716	0	Т5К10	03124-250716	11065,66	537,90	55,7	ГОСТ 19052-80
52503710250724	0	BK8	03124-250724	9310,29	589,34	63,3	ГОСТ 19052-80
61303710250724	0	Т15К6	03124-250724	11065,66	537,90	49,4	ГОСТ 19052-80
61103710250724	0	Т5К10	03124-250724	11065,66	537,90	55,5	ГОСТ 19052-80
59103640090304	0	ВН3115	03131-090304	16867,9	71,01	4,26	ГОСТ 19049-80
61203640090304	0	Т14К8	03131-090304	12028,64	50,64	3,34	ГОСТ 19049-80
61303640090304	0	Т15К6	03131-090304	13823,89	44,65	3,28	ГОСТ 19049-80
51103640090308	0	BK3-M	03131-090308	17663,05	66,06	4,36	ГОСТ 19049-80
52403640090308	0	BK6	03131-090308	12048,56	50,72	4,24	ГОСТ 19049-80
59103640090308	0	ВН3115	03131-090308	16867,9	71,01	4,24	ГОСТ 19049-80
61103640090308	0	Т5К10	03131-090308	13823,89	44,65	3,67	ГОСТ 19049-80
62103640090308	0	ТТ7К12	03131-090308	18301,48	76,68	3,76	ГОСТ 19049-80
51603640120300	0	BK6-OM	03131-120300	17210,5	114,11	7,59	ГОСТ 19049-80
52503640120300	0	BK8	03131-120300	11706,94	87,33	7,49	ГОСТ 19049-80
61103640120300	0	Т5К10	03131-120300	13527,22	77,51	6,56	ГОСТ 19049-80
52503640120304	0	BK8	03131-120304	11706,94	87,33	7,48	ГОСТ 19049-80
59103640120304	0	ВН3115	03131-120304	16389,64	122,27	7,58	ГОСТ 19049-80
61303640120304	0	Т15К6	03131-120304	13527,22	77,51	5,84	ГОСТ 19049-80
52503640120308	0	BK8	03131-120308	11706,94	87,33	7,46	ГОСТ 19049-80
61103640120308	0	Т5К10	03131-120308	13527,22	77,51	6,54	ГОСТ 19049-80
62403640120308	0	ТТ20К9	03131-120308	33171,76	205,00	6,28	ГОСТ 19049-80
52403640120312	0	BK6	03131-120312	11706,94	87,33	7,53	ГОСТ 19049-80
52503640120312	0	BK8	03131-120312	11706,94	87,33	7,43	ГОСТ 19049-80
61303640120312	0	Т15К6	03131-120312	13527,22	77,51	5,8	ГОСТ 19049-80
62103640120312	0	ТТ7К12	03131-120312	20652,56	136,93	6,72	ГОСТ 19049-80
52403640120408	0	BK6	03131-120408	11401,89	127,70	11,3	ГОСТ 19049-80

52503640120408	0	BK8	03131-120408	11401,89	127,70	11,2	ГОСТ 19049-80
59203640120408	0	ВП3325	03131-120408	15962,57	178,78	11,2	ГОСТ 19049-80
61303640120408	0	T15K6	03131-120408	13250,59	113,96	8,72	ГОСТ 19049-80
61103640120408	0	T5K10	03131-120408	13250,59	113,96	9,79	ГОСТ 19049-80
52403640120412	0	BK6	03131-120412	11401,89	127,70	11,3	ГОСТ 19049-80
51603640120412	0	BK6-OM	03131-120412	16797,3	167,30	11,3	ГОСТ 19049-80
52503640120412	0	BK8	03131-120412	11401,89	127,70	11,1	ГОСТ 19049-80
69103640120412	0	ВП1255	03131-120412	23511,37	234,88	10,32	ГОСТ 19049-80
59103640120412	0	ВП3115	03131-120412	15962,57	178,78	11,3	ГОСТ 19049-80
59203640120412	0	ВП3325	03131-120412	15962,57	178,78	11,1	ГОСТ 19049-80
61303640120412	0	T15K6	03131-120412	13250,59	113,96	8,69	ГОСТ 19049-80
61103640120412	0	T5K10	03131-120412	13250,59	113,96	9,75	ГОСТ 19049-80
61303640120424	0	T15K6	03131-120424	13250,59	113,96	8,66	ГОСТ 19049-80
52503640150408	0	BK8	03131-150408	11030,59	191,93	17,5	ГОСТ 19049-80
61303640150408	0	T15K6	03131-150408	12896,73	172,30	13,6	ГОСТ 19049-80
52503640150412	0	BK8	03131-150412	11030,59	191,93	17,4	ГОСТ 19049-80
59203640150412	0	ВП3325	03131-150412	15442,75	268,70	17,4	ГОСТ 19049-80
61303640150412	0	T15K6	03131-150412	12896,73	172,30	13,6	ГОСТ 19049-80
52403640150416	0	BK6	03131-150416	11030,59	191,93	17,6	ГОСТ 19049-80
52503640190400	0	BK8	03131-190400	11142,57	279,68	25,21	ГОСТ 19049-80
59103640190400	0	ВП3115	03131-190400	15599,51	391,55	25,6	ГОСТ 19049-80
61103640190400	0	T5K10	03131-190400	13039,62	251,40	22,1	ГОСТ 19049-80
69103640190412	0	ВП1255	03131-190412	23036,11	515,78	23,34	ГОСТ 19049-80
61103640190412	0	T5K10	03131-190412	13039,62	251,40	22,00	ГОСТ 19049-80
62103640190412	0	ТТ7К12	03131-190412	19751,28	440,65	22,69	ГОСТ 19049-80
52403640190416	0	BK6	03131-190416	11142,57	279,68	25,4	ГОСТ 19049-80
51603640190416	0	BK6-OM	03131-190416	16459,43	367,21	25,4	ГОСТ 19049-80
59103640190416	0	ВП3115	03131-190416	15599,51	391,55	25,4	ГОСТ 19049-80
59203640190416	0	ВП3325	03131-190416	15599,51	391,55	25,1	ГОСТ 19049-80
61303640190416	0	T15K6	03131-190416	13039,62	251,40	19,6	ГОСТ 19049-80
61103640190416	0	T5K10	03131-190416	9514,18	238,81	22,06	ГОСТ 19049-80
61303690140412	0	T15K6	03133-140412	13197,97	121,69	9,6	ГОСТ 19051-80
51603650090304	0	BK6-OM	03311-090304	15364,26	50,24	3,74	ГОСТ 19050-80
52503650090304	0	BK8	03311-090304	10446,72	38,44	3,68	ГОСТ 19050-80
69103650090304	0	ВП1255	03311-090304	21507,97	70,55	3,43	ГОСТ 19050-80
59203650090304	0	ВП3325	03311-090304	14625,33	53,82	3,68	ГОСТ 19050-80
61303650090304	0	T15K6	03311-090304	12152,32	34,39	2,88	ГОСТ 19050-80
61103650090304	0	T5K10	03311-090304	12152,32	34,39	3,23	ГОСТ 19050-80
62103650090304	0	ТТ7К12	03311-090304	18437,09	60,29	3,34	ГОСТ 19050-80
52403650090308	0	BK6	03311-090308	10446,72	38,44	3,73	ГОСТ 19050-80
52503650090308	0	BK8	03311-090308	10446,72	38,44	3,68	ГОСТ 19050-80
69103650090308	0	ВП1255	03311-090308	21507,97	70,55	3,43	ГОСТ 19050-80
59103650090308	0	ВП3115	03311-090308	14625,33	53,82	3,73	ГОСТ 19050-80
61203650090308	0	T14K8	03311-090308	12152,32	34,39	2,92	ГОСТ 19050-80
61303650090308	0	T15K6	03311-090308	12152,32	34,39	2,87	ГОСТ 19050-80
61103650090308	0	T5K10	03311-090308	12152,32	34,39	3,22	ГОСТ 19050-80
51103650120304	0	BK3-M	03311-120304	14341,36	86,34	7,06	ГОСТ 19050-80
52403650120304	0	BK6	03311-120304	9715,2	65,77	6,88	ГОСТ 19050-80
51603650120304	0	BK6-OM	03311-120304	14341,36	86,34	6,87	ГОСТ 19050-80
52503650120304	0	BK8	03311-120304	9715,2	65,77	6,78	ГОСТ 19050-80
69103650120304	0	ВП1255	03311-120304	20075,22	121,25	6,3	ГОСТ 19050-80
59103650120304	0	ВП3115	03311-120304	13601,21	92,08	6,87	ГОСТ 19050-80
59203650120304	0	ВП3325	03311-120304	13601,21	92,08	6,78	ГОСТ 19050-80
61203650120304	0	T14K8	03311-120304	11432,39	59,45	5,39	ГОСТ 19050-80
61303650120304	0	T15K6	03311-120304	11432,39	59,45	5,29	ГОСТ 19050-80
61103650120304	0	T5K10	03311-120304	11432,39	59,45	5,94	ГОСТ 19050-80
52403650120308	0	BK6	03311-120308	9715,2	65,77	6,86	ГОСТ 19050-80
51603650120308	0	BK6-OM	03311-120308	14341,36	86,34	6,86	ГОСТ 19050-80
52503650120308	0	BK8	03311-120308	9715,2	65,77	6,77	ГОСТ 19050-80
69103650120308	0	ВП1255	03311-120308	20075,22	121,25	6,3	ГОСТ 19050-80
61303650120308	0	T15K6	03311-120308	11432,39	59,45	5,29	ГОСТ 19050-80
61103650120308	0	T5K10	03311-120308	11432,39	59,45	5,93	ГОСТ 19050-80
52403650120312	0	BK6	03311-120312	9715,2	65,77	6,83	ГОСТ 19050-80
52503650120312	0	BK8	03311-120312	9715,2	65,77	6,75	ГОСТ 19050-80
69103650120312	0	ВП1255	03311-120312	20075,22	121,25	6,27	ГОСТ 19050-80
59203650120312	0	ВП3325	03311-120312	13601,21	92,08	6,75	ГОСТ 19050-80
61203650120312	0	T14K8	03311-120312	11432,39	59,45	5,36	ГОСТ 19050-80
61303650120312	0	T15K6	03311-120312	11432,39	59,45	5,27	ГОСТ 19050-80
61103650120312	0	T5K10	03311-120312	11432,39	59,45	5,92	ГОСТ 19050-80
52403650120408	0	BK6	03311-120408	9539,48	96,35	10,3	ГОСТ 19050-80
52503650120408	0	BK8	03311-120408	9539,48	96,35	10,1	ГОСТ 19050-80

59103650120408	0	ВП3115	03311-120408	13355,21	134,89	10,3	ГОСТ 19050-80
61203650120408	0	Т14К8	03311-120408	11274,46	87,49	8,05	ГОСТ 19050-80
61303650120408	0	Т15К6	03311-120408	11274,46	87,49	7,9	ГОСТ 19050-80
61103650120408	0	Т5К10	03311-120408	11274,46	87,49	8,95	ГОСТ 19050-80
52403650150408	0	БК6	03311-150408	9324,6	144,53	15,8	ГОСТ 19050-80
52503650150408	0	БК8	03311-150408	9324,6	144,53	15,5	ГОСТ 19050-80
69103650150408	0	ВП1255	03311-150408	19329,5	267,33	14,41	ГОСТ 19050-80
59203650150408	0	ВП3325	03311-150408	13054,38	202,34	15,5	ГОСТ 19050-80
61303650150408	0	Т15К6	03311-150408	11072,69	131,77	12,1	ГОСТ 19050-80
61103650150408	0	Т5К10	03311-150408	11072,69	131,77	13,6	ГОСТ 19050-80
52403650150412	0	БК6	03311-150412	9324,6	144,53	15,7	ГОСТ 19050-80
52503650150412	0	БК8	03311-150412	9324,6	144,53	15,5	ГОСТ 19050-80
69103650150412	0	ВП1255	03311-150412	19329,5	267,33	14,41	ГОСТ 19050-80
59103650150412	0	ВП3115	03311-150412	13054,38	202,34	15,7	ГОСТ 19050-80
59203650150412	0	ВП3325	03311-150412	13054,38	202,34	15,5	ГОСТ 19050-80
61203650150412	0	Т14К8	03311-150412	11072,69	131,77	12,3	ГОСТ 19050-80
61303650150412	0	Т15К6	03311-150412	11072,69	131,77	12,1	ГОСТ 19050-80
61103650150412	0	Т5К10	03311-150412	11072,69	131,77	13,6	ГОСТ 19050-80
62103650150412	0	ТТ7К12	03311-150412	16571,44	228,35	13,96	ГОСТ 19050-80
52403650150416	0	БК6	03311-150416	9324,6	144,53	15,7	ГОСТ 19050-80
52503650150416	0	БК8	03311-150416	9324,6	144,53	15,5	ГОСТ 19050-80
69103650150416	0	ВП1255	03311-150416	19329,5	267,33	14,41	ГОСТ 19050-80
59103650150416	0	ВП3115	03311-150416	13054,38	202,34	15,7	ГОСТ 19050-80
61303650150416	0	Т15К6	03311-150416	10614,51	128,44	12,1	ГОСТ 19050-80
61403650150416	0	Т30К4	03311-150416	11072,69	131,77	10,3	ГОСТ 19050-80
61103650150416	0	Т5К10	03311-150416	11072,69	131,77	13,6	ГОСТ 19050-80
52403650190408	0	БК6	03311-190408	9525,99	217,19	23,1	ГОСТ 19050-80
52503650190408	0	БК8	03311-190408	9525,99	217,19	22,8	ГОСТ 19050-80
69103650190408	0	ВП1255	03311-190408	19749,56	401,71	21,2	ГОСТ 19050-80
59103650190408	0	ВП3115	03311-190408	13336,32	304,07	23,1	ГОСТ 19050-80
61303650190408	0	Т15К6	03311-190408	11303,13	197,92	17,1	ГОСТ 19050-80
61103650190408	0	Т5К10	03311-190408	11303,13	197,92	20,00	ГОСТ 19050-80
52403650190412	0	БК6	03311-190412	9525,99	217,19	23,1	ГОСТ 19050-80
52503650190412	0	БК8	03311-190412	9525,99	217,19	22,8	ГОСТ 19050-80
69103650190412	0	ВП1255	03311-190412	19749,56	401,71	21,2	ГОСТ 19050-80
59103650190412	0	ВП3115	03311-190412	13336,32	304,07	23,1	ГОСТ 19050-80
61203650190412	0	Т14К8	03311-190412	11303,13	197,92	18,1	ГОСТ 19050-80
61303650190412	0	Т15К6	03311-190412	11303,13	197,92	17,8	ГОСТ 19050-80
61403650190412	0	Т30К4	03311-190412	11303,13	197,92	15,15	ГОСТ 19050-80
61103650190412	0	Т5К10	03311-190412	11303,13	197,92	20,00	ГОСТ 19050-80
55103650190416	0	БК10-ХО	03311-190416	12871,28	293,47	20,97	ГОСТ 19050-80
51603650190416	0	БК6-ОМ	03311-190416	12871,28	293,47	23,1	ГОСТ 19050-80
61303650190416	0	Т15К6	03311-190416	11303,13	197,92	17,8	ГОСТ 19050-80
69103650250616	0	ВП1255	03311-250616	18769,77	904,33	48,5	ГОСТ 19050-80
61303650250616	0	Т15К6	03311-250616	10788,24	447,50	42,2	ГОСТ 19050-80
61103650250616	0	Т5К10	03311-250616	10788,24	447,50	47,4	ГОСТ 19050-80
52503650250620	0	БК8	03311-250620	9045,12	488,53	54,00	ГОСТ 19050-80
62603650250620	0	МС 146	03311-250620	0,00	0,00	48,5	ГОСТ 19050-80
61103650250620	0	Т5К10	03311-250620	10788,24	447,50	47,3	ГОСТ 19050-80
69103660090300	0	ВП1255	03331-090300	24843,39	81,49	3,31	ГОСТ 19050-80
61303660090300	0	Т15К6	03331-090300	13877,38	39,27	2,88	ГОСТ 19050-80
61103660090300	0	Т5К10	03331-090300	13877,38	39,27	3,23	ГОСТ 19050-80
52503660090304	0	БК8	03331-090304	12113,17	44,58	3,68	ГОСТ 19050-80
69103660090304	0	ВП1255	03331-090304	24843,39	81,49	3,31	ГОСТ 19050-80
59103660090304	0	ВП3115	03331-090304	16958,35	62,41	3,74	ГОСТ 19050-80
61303660090304	0	Т15К6	03331-090304	13877,38	39,27	2,88	ГОСТ 19050-80
61103660090304	0	Т5К10	03331-090304	13877,38	39,27	3,23	ГОСТ 19050-80
52503660090308	0	БК8	03331-090308	12113,17	44,58	3,67	ГОСТ 19050-80
69103660090308	0	ВП1255	03331-090308	24843,39	81,49	3,3	ГОСТ 19050-80
59103660090308	0	ВП3115	03331-090308	16958,35	62,41	3,73	ГОСТ 19050-80
61203660090308	0	Т14К8	03331-090308	13877,38	39,27	2,92	ГОСТ 19050-80
61303660090308	0	Т15К6	03331-090308	13877,38	39,27	2,87	ГОСТ 19050-80
61103660090308	0	Т5К10	03331-090308	13877,38	39,27	3,22	ГОСТ 19050-80
62403660090308	0	ТТ20К9	03331-090308	34188,00	104,27	3,15	ГОСТ 19050-80
52403660120300	0	БК6	03331-120300	11772,54	79,70	6,88	ГОСТ 19050-80
51603660120300	0	БК6-ОМ	03331-120300	17297,65	104,13	6,88	ГОСТ 19050-80
52503660120300	0	БК8	03331-120300	11772,54	79,70	6,78	ГОСТ 19050-80
69103660120300	0	ВП1255	03331-120300	24212,38	146,24	6,3	ГОСТ 19050-80
61303660120300	0	Т15К6	03331-120300	13585,2	70,64	5,3	ГОСТ 19050-80
52403660120304	0	БК6	03331-120304	11772,54	79,70	6,87	ГОСТ 19050-80
51603660120304	0	БК6-ОМ	03331-120304	17297,65	104,13	6,87	ГОСТ 19050-80

52503660120304	0	BK8	03331-120304	11772,54	79,70	6,77	ГОСТ 19050-80
59103660120304	0	ВП3115	03331-120304	16481,46	111,58	6,87	ГОСТ 19050-80
59203660120304	0	ВП3325	03331-120304	16481,46	111,58	6,78	ГОСТ 19050-80
61203660120304	0	T14K8	03331-120304	13585,2	70,64	5,39	ГОСТ 19050-80
61303660120304	0	T15K6	03331-120304	13585,2	70,64	5,29	ГОСТ 19050-80
61103660120304	0	T5K10	03331-120304	13585,2	70,64	5,94	ГОСТ 19050-80
52403660120308	0	BK6	03331-120308	11772,54	79,70	6,86	ГОСТ 19050-80
51603660120308	0	BK6-OM	03331-120308	17297,65	104,13	6,86	ГОСТ 19050-80
52503660120308	0	BK8	03331-120308	11772,54	79,70	6,77	ГОСТ 19050-80
69103660120308	0	ВП1255	03331-120308	24212,38	146,24	6,07	ГОСТ 19050-80
59203660120308	0	ВП3325	03331-120308	16481,46	111,58	6,77	ГОСТ 19050-80
61203660120308	0	T14K8	03331-120308	13585,2	70,64	5,38	ГОСТ 19050-80
61303660120308	0	T15K6	03331-120308	13585,2	70,64	5,29	ГОСТ 19050-80
61103660120308	0	T5K10	03331-120308	13585,2	70,64	5,93	ГОСТ 19050-80
62403660120308	0	ТТ20K9	03331-120308	23421,03	135,84	5,8	ГОСТ 19050-80
55103660120312	0	BK10-XO	03331-120312	14978,69	100,96	6,21	ГОСТ 19050-80
52403660120312	0	BK6	03331-120312	11772,54	79,70	6,83	ГОСТ 19050-80
51603660120312	0	BK6-OM	03331-120312	17297,65	104,13	6,83	ГОСТ 19050-80
52503660120312	0	BK8	03331-120312	11772,54	79,70	6,74	ГОСТ 19050-80
69103660120312	0	ВП1255	03331-120312	24212,38	146,24	6,05	ГОСТ 19050-80
59203660120312	0	ВП3325	03331-120312	16481,46	111,58	6,75	ГОСТ 19050-80
61303660120312	0	T15K6	03331-120312	13585,2	70,64	5,27	ГОСТ 19050-80
61103660120312	0	T5K10	03331-120312	13585,2	70,64	5,92	ГОСТ 19050-80
51603660120408	0	BK6-OM	03331-120408	16909,04	151,84	10,3	ГОСТ 19050-80
52503660120408	0	BK8	03331-120408	11483,74	115,99	10,1	ГОСТ 19050-80
69103660120408	0	ВП1255	03331-120408	23667,48	213,24	9,05	ГОСТ 19050-80
59103660120408	0	ВП3115	03331-120408	16077,16	162,38	10,3	ГОСТ 19050-80
61303660120408	0	T15K6	03331-120408	13325,63	103,41	7,9	ГОСТ 19050-80
61103660120408	0	T5K10	03331-120408	13325,63	103,41	8,95	ГОСТ 19050-80
52503660150408	0	BK8	03331-150408	11130,6	172,52	15,5	ГОСТ 19050-80
59203660150408	0	ВП3325	03331-150408	15582,75	241,53	15,5	ГОСТ 19050-80
61103660150408	0	T5K10	03331-150408	12994,04	154,63	13,6	ГОСТ 19050-80
52503660150412	0	BK8	03331-150412	11130,6	172,52	15,5	ГОСТ 19050-80
59203660150412	0	ВП3325	03331-150412	15582,75	241,53	15,5	ГОСТ 19050-80
61203660150412	0	T14K8	03331-150412	12994,04	154,63	12,3	ГОСТ 19050-80
61303660150412	0	T15K6	03331-150412	12994,04	154,63	12,1	ГОСТ 19050-80
61103660150412	0	T5K10	03331-150412	12994,04	154,63	13,6	ГОСТ 19050-80
52503660150416	0	BK8	03331-150416	11130,6	172,52	15,5	ГОСТ 19050-80
61303660150416	0	T15K6	03331-150416	12994,04	154,63	12,1	ГОСТ 19050-80
61103660150416	0	T5K10	03331-150416	12994,04	154,63	13,6	ГОСТ 19050-80
52503660190400	0	BK8	03331-190400	9523,33	218,08	22,9	ГОСТ 19050-80
61303660190400	0	T15K6	03331-190400	12661,5	221,70	17,8	ГОСТ 19050-80
61103660190400	0	T5K10	03331-190400	12661,5	221,70	20,00	ГОСТ 19050-80
62403660190400	0	ТТ20K9	03331-190400	30727,22	580,13	19,21	ГОСТ 19050-80
52503660190408	0	BK8	03331-190408	10794,85	246,12	22,8	ГОСТ 19050-80
69103660190408	0	ВП1255	03331-190408	22325,67	454,10	20,5	ГОСТ 19050-80
61303660190408	0	T15K6	03331-190408	12661,5	221,70	17,1	ГОСТ 19050-80
55103660190412	0	BK10-XO	03331-190412	12059,02	1324,80	20,97	ГОСТ 19050-80
52403660190412	0	BK6	03331-190412	10794,85	246,12	23,1	ГОСТ 19050-80
51603660190412	0	BK6-OM	03331-190412	15951,32	323,33	23,1	ГОСТ 19050-80
52503660190412	0	BK8	03331-190412	10794,85	246,12	22,8	ГОСТ 19050-80
69103660190412	0	ВП1255	03331-190412	22325,67	454,10	20,5	ГОСТ 19050-80
59203660190412	0	ВП3325	03331-190412	15112,72	344,57	22,8	ГОСТ 19050-80
61303660190412	0	T15K6	03331-190412	12661,5	221,70	17,8	ГОСТ 19050-80
61403660190412	0	T30K4	03331-190412	12661,5	221,70	15,15	ГОСТ 19050-80
61103660190412	0	T5K10	03331-190412	12661,5	221,70	20,00	ГОСТ 19050-80
52740610000351	0	BK15	035Д-1	10027,09	45,52	4,7	ТУ 48-19-304-81
52540610000351	0	BK8	035Д-1	9986,9	47,94	4,8	ТУ 48-19-304-81
52740610000353	0	BK15	035Д-3	9636,96	75,65	7,8	ТУ 48-19-304-81
52440610000353	0	BK6	035Д-3	9589,21	80,74	8,2	ТУ 48-19-304-81
52540610000353	0	BK8	035Д-3	9598,92	79,67	8,3	ТУ 48-19-304-81
52740610000355	0	BK15	035Д-5	8908,42	280,62	31,5	ТУ 48-19-304-81
52540610000361	0	BK8	036Д-1	10606,55	20,15	1,9	ТУ 48-19-304-81
52740610000362	0	BK15	036Д-2	10401,26	27,56	3,4	ТУ 48-19-304-81
52540610000362	0	BK8	036Д-2	10364,94	29,02	2,8	ТУ 48-19-304-81
52740610000363	0	BK15	036Д-3	10291,94	32,11	3,6	ТУ 48-19-304-81
52540610000363	0	BK8	036Д-3	10253,35	33,84	3,3	ТУ 48-19-304-81
52540610000371	0	BK8	037Д-1	9582,83	81,45	8,5	ТУ 48-19-304-81
52740610000372	0	BK15	037Д-2	10401,26	27,56	2,8	ТУ 48-19-304-81
52440610000372	0	BK6	037Д-2	10355,49	29,41	2,6	ТУ 48-19-304-81
52540610000372	0	BK8	037Д-2	10364,94	29,02	2,8	ТУ 48-19-304-81

52740610000373	0	BK15	037Д-3	10291,94	32,11	3,6	ТУ 48-19-304-81
52540610000373	0	BK8	037Д-3	10253,35	33,84	3,3	ТУ 48-19-304-81
52740610000390	0	BK15	039Д	8933,44	262,02	30,00	ТУ 48-19-304-81
52440610000390	0	BK6	039Д	8909,18	280,02	31,00	ТУ 48-19-304-81
52540610000390	0	BK8	039Д	8913,92	276,33	31,00	ТУ 48-19-304-81
52503770090304	0	BK8	05113-090304	8443,38	31,07	3,68	ГОСТ 19057-80
61303770090304	0	T15K6	05113-090304	10084,89	28,04	2,87	ГОСТ 19057-80
61103770090304	0	T5K10	05113-090304	10084,89	28,04	3,22	ГОСТ 19057-80
61103770090308	0	T5K10	05113-090308	10084,89	28,04	3,2	ГОСТ 19057-80
61303770120404	0	T15K6	05113-120404	9814,72	95,69	7,61	ГОСТ 19057-80
52503770120408	0	BK8	05113-120408	8223,9	79,20	9,71	ГОСТ 19057-80
61303770120408	0	T15K6	05113-120408	9890,45	73,19	7,59	ГОСТ 19057-80
61103770120408	0	T5K10	05113-120408	9815,91	95,31	8,52	ГОСТ 19057-80
52403770120412	0	BK6	05113-120412	8223,9	79,20	9,8	ГОСТ 19057-80
61303770120412	0	T15K6	05113-120412	9817,4	94,84	7,55	ГОСТ 19057-80
61103770120412	0	T5K10	05113-120412	9890,45	73,19	8,47	ГОСТ 19057-80
52503770160412	0	BK8	05113-160412	8085,68	122,90	15,2	ГОСТ 19057-80
69103770160412	0	БП1255	05113-160412	16832,74	225,90	13,56	ГОСТ 19057-80
61303770160412	0	T15K6	05113-160412	9764,08	112,87	11,9	ГОСТ 19057-80
61103770160412	0	T5K10	05113-160412	9678,00	147,11	13,3	ГОСТ 19057-80
52403770190612	0	BK6	05113-190612	7879,69	227,72	29,3	ГОСТ 19057-80
61303770190612	0	T15K6	05113-190612	9944,78	218,88	22,6	ГОСТ 19057-80
61103770190612	0	T5K10	05113-190612	9944,96	218,79	25,4	ГОСТ 19057-80
52503810090304	0	BK8	05114-090304	8931,41	31,17	3,51	ГОСТ 19059-80
69103810090304	0	БП1255	05114-090304	18475,52	57,46	3,26	ГОСТ 19059-80
61303810090304	0	T15K6	05114-090304	10584,33	28,37	2,74	ГОСТ 19059-80
61103810090304	0	T5K10	05114-090304	10584,33	28,37	3,08	ГОСТ 19059-80
69103810090308	0	БП1255	05114-090308	18475,52	57,46	3,24	ГОСТ 19059-80
61303810090308	0	T15K6	05114-090308	10584,33	28,37	2,73	ГОСТ 19059-80
61103810090308	0	T5K10	05114-090308	10584,33	28,37	3,06	ГОСТ 19059-80
52403810120404	0	BK6	05114-120404	8669,95	80,46	9,43	ГОСТ 19059-80
52503810120404	0	BK8	05114-120404	8669,95	80,46	9,31	ГОСТ 19059-80
69103810120404	0	БП1255	05114-120404	17988,24	148,94	8,65	ГОСТ 19059-80
61203810120404	0	T14K8	05114-120404	10356,35	73,84	7,39	ГОСТ 19059-80
61303810120404	0	T15K6	05114-120404	10356,35	73,84	7,27	ГОСТ 19059-80
61103810120404	0	T5K10	05114-120404	10356,35	73,84	8,16	ГОСТ 19059-80
52403810120408	0	BK6	05114-120408	8669,95	80,46	9,4	ГОСТ 19059-80
52503810120408	0	BK8	05114-120408	8669,95	80,46	9,28	ГОСТ 19059-80
69103810120408	0	БП1255	05114-120408	17988,24	148,94	8,63	ГОСТ 19059-80
59103810120408	0	БП3115	05114-120408	12137,87	112,64	9,4	ГОСТ 19059-80
59203810120408	0	БП3325	05114-120408	12137,87	112,64	9,28	ГОСТ 19059-80
61203810120408	0	T14K8	05114-120408	10356,35	73,84	7,37	ГОСТ 19059-80
61303810120408	0	T15K6	05114-120408	10356,35	73,84	7,24	ГОСТ 19059-80
61103810120408	0	T5K10	05114-120408	10356,35	73,84	8,13	ГОСТ 19059-80
62103810120408	0	ТТ7К12	05114-120408	15420,6	127,22	8,36	ГОСТ 19059-80
52403810120412	0	BK6	05114-120412	8669,95	80,46	9,36	ГОСТ 19059-80
52503810120412	0	BK8	05114-120412	8669,95	80,46	9,23	ГОСТ 19059-80
69103810120412	0	БП1255	05114-120412	17988,24	148,94	8,6	ГОСТ 19059-80
61203810120412	0	T14K8	05114-120412	10356,35	73,84	7,33	ГОСТ 19059-80
61303810120412	0	T15K6	05114-120412	10356,35	73,84	7,21	ГОСТ 19059-80
61103810120412	0	T5K10	05114-120412	10356,35	73,84	8,09	ГОСТ 19059-80
62103810120412	0	ТТ7К12	05114-120412	16120,48	148,79	8,6	ГОСТ 19059-80
52503810160412	0	BK8	05114-160412	8509,46	123,39	14,5	ГОСТ 19059-80
69103810160412	0	БП1255	05114-160412	17680,67	228,61	13,48	ГОСТ 19059-80
59103810160412	0	БП3115	05114-160412	11913,18	172,74	14,7	ГОСТ 19059-80
59203810160412	0	БП3325	05114-160412	11913,18	172,74	14,5	ГОСТ 19059-80
61203810160412	0	T14K8	05114-160412	10206,72	113,70	11,5	ГОСТ 19059-80
61303810160412	0	T15K6	05114-160412	10206,72	113,70	11,3	ГОСТ 19059-80
61403810160412	0	T30K4	05114-160412	10206,72	113,70	9,64	ГОСТ 19059-80
61103810160412	0	T5K10	05114-160412	10206,72	113,70	12,7	ГОСТ 19059-80
52403810160416	0	BK6	05114-160416	8509,46	123,39	14,7	ГОСТ 19059-80
52503810160416	0	BK8	05114-160416	8509,46	123,39	14,5	ГОСТ 19059-80
69103810160416	0	БП1255	05114-160416	17680,67	228,61	13,48	ГОСТ 19059-80
61303810160416	0	T15K6	05114-160416	10206,72	113,70	11,3	ГОСТ 19059-80
61403810160416	0	T30K4	05114-160416	10206,72	113,70	9,64	ГОСТ 19059-80
61103810160416	0	T5K10	05114-160416	10206,72	113,70	12,7	ГОСТ 19059-80
52503810190608	0	BK8	05114-190608	8261,7	228,02	27,7	ГОСТ 19059-80
69103810190608	0	БП1255	05114-190608	17190,6	423,23	25,76	ГОСТ 19059-80
59103810190608	0	БП3115	05114-190608	11566,33	319,23	28,1	ГОСТ 19059-80
59203810190608	0	БП3325	05114-190608	11566,33	319,23	27,7	ГОСТ 19059-80
61303810190608	0	T15K6	05114-190608	9959,54	211,14	21,6	ГОСТ 19059-80

61103810190608	0	T5K10	05114-190608	9959,54	211,14	24,3	ГОСТ 19059-80
52403810190612	0	BK6	05114-190612	8261,7	228,02	28,00	ГОСТ 19059-80
52503810190612	0	BK8	05114-190612	8261,7	228,02	27,6	ГОСТ 19059-80
69103810190612	0	БП1255	05114-190612	17190,6	423,23	25,66	ГОСТ 19059-80
59103810190612	0	БП3115	05114-190612	11566,33	319,23	28,00	ГОСТ 19059-80
59203810190612	0	БП3325	05114-190612	11566,33	319,23	27,6	ГОСТ 19059-80
61203810190612	0	T14K8	05114-190612	9959,54	211,14	22,00	ГОСТ 19059-80
61303810190612	0	T15K6	05114-190612	9959,54	211,14	21,6	ГОСТ 19059-80
61103810190612	0	T5K10	05114-190612	9959,54	211,14	24,2	ГОСТ 19059-80
62103810190612	0	ТТ7К12	05114-190612	14737,31	361,51	25,49	ГОСТ 19059-80
52403810190616	0	BK6	05114-190616	8263,08	227,23	27,9	ГОСТ 19059-80
52503810190616	0	BK8	05114-190616	8261,7	228,02	27,3	ГОСТ 19059-80
69103810190616	0	БП1255	05114-190616	17190,6	423,23	25,57	ГОСТ 19059-80
59203810190616	0	БП3325	05114-190616	11566,33	319,23	27,5	ГОСТ 19059-80
61203810190616	0	T14K8	05114-190616	9959,54	211,14	21,9	ГОСТ 19059-80
61303810190616	0	T15K6	05114-190616	9959,54	211,14	21,5	ГОСТ 19059-80
61103810190616	0	T5K10	05114-190616	9959,54	211,14	24,2	ГОСТ 19059-80
62103810190616	0	ТТ7К12	05114-190616	14658,51	406,04	24,5	ГОСТ 19059-80
52503810190624	0	BK8	05114-190624	8261,7	228,02	27,3	ГОСТ 19059-80
69103810190624	0	БП1255	05114-190624	17190,6	423,23	25,39	ГОСТ 19059-80
61203810190624	0	T14K8	05114-190624	9855,27	272,99	21,7	ГОСТ 19059-80
61303810190624	0	T15K6	05114-190624	9959,54	211,14	21,3	ГОСТ 19059-80
61103810190624	0	T5K10	05114-190624	9959,54	211,14	23,9	ГОСТ 19059-80
52503780120404	0	BK8	05123-120404	9561,89	92,08	9,75	ГОСТ 19057-80
52403780120408	0	BK6	05123-120408	9561,89	92,08	9,85	ГОСТ 19057-80
52503780120408	0	BK8	05123-120408	9561,89	92,08	9,71	ГОСТ 19057-80
61303780120408	0	T15K6	05123-120408	10707,61	103,97	7,59	ГОСТ 19057-80
61103780120408	0	T5K10	05123-120408	11294,88	83,58	8,52	ГОСТ 19057-80
52503780120412	0	BK8	05123-120412	9561,89	92,08	9,66	ГОСТ 19057-80
69103780160412	0	БП1255	05123-160412	19360,08	259,81	13,54	ГОСТ 19057-80
61303780160412	0	T15K6	05123-160412	13769,42	209,30	11,9	ГОСТ 19057-80
61103780160412	0	T5K10	05123-160412	11087,27	128,17	13,3	ГОСТ 19057-80
52503780190612	0	BK8	05123-190612	9388,87	268,99	28,9	ГОСТ 19057-80
61103780190612	0	T5K10	05123-190612	10216,87	295,27	24,5	ГОСТ 19057-80
62103780190616	0	ТТ7К12	05123-190616	14712,8	374,73	25,9	ГОСТ 19057-80
69103820090304	0	БП1255	05124-090304	20485,82	63,71	3,26	ГОСТ 19059-80
61303820090304	0	T15K6	05124-090304	11622,68	31,15	2,74	ГОСТ 19059-80
61303820090308	0	T15K6	05124-090308	11622,68	31,15	2,73	ГОСТ 19059-80
52403820120404	0	BK6	05124-120404	9579,04	88,89	9,43	ГОСТ 19059-80
52503820120404	0	BK8	05124-120404	9579,04	88,89	9,31	ГОСТ 19059-80
69103820120404	0	БП1255	05124-120404	19818,71	164,10	8,65	ГОСТ 19059-80
61303820120404	0	T15K6	05124-120404	11310,56	80,64	7,24	ГОСТ 19059-80
61403820120404	0	T30K4	05124-120404	11310,56	80,64	6,19	ГОСТ 19059-80
61103820120404	0	T5K10	05124-120404	11310,56	80,64	8,16	ГОСТ 19059-80
52403820120408	0	BK6	05124-120408	9579,04	88,89	9,4	ГОСТ 19059-80
52503820120408	0	BK8	05124-120408	9579,04	88,89	9,28	ГОСТ 19059-80
69103820120408	0	БП1255	05124-120408	19818,71	164,10	8,63	ГОСТ 19059-80
59203820120408	0	БП3325	05124-120408	13410,59	124,45	9,28	ГОСТ 19059-80
61203820120408	0	T14K8	05124-120408	11310,56	80,64	7,37	ГОСТ 19059-80
61303820120408	0	T15K6	05124-120408	11310,56	80,64	7,24	ГОСТ 19059-80
61403820120408	0	T30K4	05124-120408	11310,56	80,64	6,17	ГОСТ 19059-80
61103820120408	0	T5K10	05124-120408	11310,56	80,64	8,13	ГОСТ 19059-80
62103820120408	0	ТТ7К12	05124-120408	16990,32	140,17	8,36	ГОСТ 19059-80
52403820120412	0	BK6	05124-120412	9579,04	88,89	9,36	ГОСТ 19059-80
52503820120412	0	BK8	05124-120412	9579,04	88,89	9,23	ГОСТ 19059-80
69103820120412	0	БП1255	05124-120412	19818,71	164,10	8,6	ГОСТ 19059-80
59203820120412	0	БП3325	05124-120412	13410,59	124,45	9,23	ГОСТ 19059-80
61203820120412	0	T14K8	05124-120412	11310,56	80,64	7,33	ГОСТ 19059-80
61303820120412	0	T15K6	05124-120412	11310,56	80,64	7,21	ГОСТ 19059-80
61103820120412	0	T5K10	05124-120412	11310,56	80,64	8,09	ГОСТ 19059-80
52503820160412	0	BK8	05124-160412	9359,32	135,71	14,5	ГОСТ 19059-80
69103820160412	0	БП1255	05124-160412	19397,63	250,81	13,48	ГОСТ 19059-80
61103820160412	0	T5K10	05124-160412	11105,71	123,72	12,7	ГОСТ 19059-80
61303820160416	0	T15K6	05124-160416	11105,71	123,72	11,3	ГОСТ 19059-80
61103820160416	0	T5K10	05124-160416	11105,71	123,72	12,7	ГОСТ 19059-80
61103820160612	0	T5K10	05124-160612	11105,71	123,72	12,7	ГОСТ 19059-80
52403820190608	0	BK6	05124-190608	9411,00	259,74	28,1	ГОСТ 19059-80
52503820190608	0	BK8	05124-190608	9411,00	259,74	27,7	ГОСТ 19059-80
59203820190608	0	БП3325	05124-190608	13175,33	363,64	27,7	ГОСТ 19059-80
61303820190608	0	T15K6	05124-190608	11184,85	237,12	21,6	ГОСТ 19059-80
61103820190608	0	T5K10	05124-190608	11184,85	237,12	24,3	ГОСТ 19059-80

52503820190612	0	BK8	05124-190612	9411,00	259,74	27,6	ГОСТ 19059-80
69103820190612	0	БП1255	05124-190612	19519,4	480,57	25,66	ГОСТ 19059-80
59203820190612	0	БП3325	05124-190612	13175,33	363,64	27,6	ГОСТ 19059-80
61303820190612	0	T15K6	05124-190612	11184,85	237,12	21,6	ГОСТ 19059-80
61403820190612	0	T30K4	05124-190612	11184,85	237,12	18,34	ГОСТ 19059-80
61103820190612	0	T5K10	05124-190612	11184,85	237,12	24,2	ГОСТ 19059-80
62103820190612	0	TT7K12	05124-190612	16734,39	410,66	24,87	ГОСТ 19059-80
52403820190616	0	BK6	05124-190616	9411,00	259,74	27,9	ГОСТ 19059-80
52503820190616	0	BK8	05124-190616	9411,00	259,74	27,3	ГОСТ 19059-80
59203820190616	0	БП3325	05124-190616	13175,33	363,64	27,5	ГОСТ 19059-80
61203820190616	0	T14K8	05124-190616	10235,98	283,54	21,9	ГОСТ 19059-80
61303820190616	0	T15K6	05124-190616	11184,85	237,12	21,5	ГОСТ 19059-80
61103820190616	0	T5K10	05124-190616	11184,85	237,12	24,2	ГОСТ 19059-80
62103820190616	0	TT7K12	05124-190616	15296,16	423,70	24,5	ГОСТ 19059-80
61303820190624	0	T15K6	05124-190624	11184,85	237,12	21,3	ГОСТ 19059-80
55100090000010	0	BK10-XO	6010	8429,31	14,08	1,66	ГОСТ 25397-90
51100090000010	0	BK3-M	6010	8429,31	14,08	1,7	ГОСТ 25397-90
52400090000010	0	BK6	6010	6430,62	10,61	1,67	ГОСТ 25397-90
51200090000010	0	BK6-M	6010	8429,31	14,08	1,67	ГОСТ 25397-90
51600090000010	0	BK6-OM	6010	8429,31	14,08	1,67	ГОСТ 25397-90
52500090000010	0	BK8	6010	6430,62	10,61	1,65	ГОСТ 25397-90
61200090000010	0	T14K8	6010	6758,74	9,60	1,27	ГОСТ 25397-90
61300090000010	0	T15K6	6010	6758,74	9,60	1,26	ГОСТ 25397-90
61400090000010	0	T30K4	6010	6758,74	9,60	1,08	ГОСТ 25397-90
61100090000010	0	T5K10	6010	6758,74	9,60	1,43	ГОСТ 25397-90
55100090000030	0	BK10-XO	6030	8097,64	20,00	2,62	ГОСТ 25397-90
51100090000030	0	BK3-M	6030	8097,64	20,00	2,51	ГОСТ 25397-90
52400090000030	0	BK6	6030	6177,00	15,07	2,73	ГОСТ 25397-90
51200090000030	0	BK6-M	6030	8097,64	20,00	2,7	ГОСТ 25397-90
51600090000030	0	BK6-OM	6030	8097,64	20,00	2,46	ГОСТ 25397-90
52500090000030	0	BK8	6030	6177,00	15,07	2,7	ГОСТ 25397-90
61200090000030	0	T14K8	6030	6484,41	13,62	1,88	ГОСТ 25397-90
61300090000030	0	T15K6	6030	6484,41	13,62	2,1	ГОСТ 25397-90
61400090000030	0	T30K4	6030	6484,41	13,62	1,8	ГОСТ 25397-90
61100090000030	0	T5K10	6030	6484,41	13,62	2,3	ГОСТ 25397-90
55100090000050	0	BK10-XO	6050	7633,03	38,01	4,94	ГОСТ 25397-90
51100090000050	0	BK3-M	6050	7633,03	38,01	5,05	ГОСТ 25397-90
52400090000050	0	BK6	6050	5821,45	28,58	4,97	ГОСТ 25397-90
51200090000050	0	BK6-M	6050	7633,03	38,01	4,97	ГОСТ 25397-90
51600090000050	0	BK6-OM	6050	7633,03	38,01	4,97	ГОСТ 25397-90
52500090000050	0	BK8	6050	5821,45	28,58	4,91	ГОСТ 25397-90
61200090000050	0	T14K8	6050	6086,81	25,75	3,78	ГОСТ 25397-90
61300090000050	0	T15K6	6050	6086,81	25,75	3,76	ГОСТ 25397-90
61400090000050	0	T30K4	6050	6086,81	25,75	3,4	ГОСТ 25397-90
61100090000050	0	T5K10	6050	6086,81	25,75	4,5	ГОСТ 25397-90
55100090000060	0	BK10-XO	6060	7633,03	38,01	4,94	ГОСТ 25397-90
51100090000060	0	BK3-M	6060	7633,03	38,01	5,05	ГОСТ 25397-90
52400090000060	0	BK6	6060	5821,45	28,58	4,97	ГОСТ 25397-90
51200090000060	0	BK6-M	6060	7633,03	38,01	4,97	ГОСТ 25397-90
51600090000060	0	BK6-OM	6060	7633,03	38,01	4,97	ГОСТ 25397-90
52500090000060	0	BK8	6060	5821,45	28,58	4,91	ГОСТ 25397-90
61200090000060	0	T14K8	6060	6086,81	25,75	3,78	ГОСТ 25397-90
61300090000060	0	T15K6	6060	6086,81	25,75	3,76	ГОСТ 25397-90
61400090000060	0	T30K4	6060	6086,81	25,75	3,4	ГОСТ 25397-90
61100090000060	0	T5K10	6060	6086,81	25,75	4,5	ГОСТ 25397-90
55100090000090	0	BK10-XO	6090	7291,73	85,75	11,68	ГОСТ 25397-90
52200090000090	0	BK3	6090	5558,53	64,48	11,9	ГОСТ 25397-90
51100090000090	0	BK3-M	6090	7291,73	85,75	11,9	ГОСТ 25397-90
52400090000090	0	BK6	6090	5558,53	64,48	11,7	ГОСТ 25397-90
51200090000090	0	BK6-M	6090	7291,73	85,75	11,7	ГОСТ 25397-90
51600090000090	0	BK6-OM	6090	7291,73	85,75	11,7	ГОСТ 25397-90
52500090000090	0	BK8	6090	5558,53	64,48	11,6	ГОСТ 25397-90
61200090000090	0	T14K8	6090	5783,52	57,78	8,94	ГОСТ 25397-90
61300090000090	0	T15K6	6090	5783,52	57,78	8,88	ГОСТ 25397-90
61400090000090	0	T30K4	6090	5783,52	57,78	7,55	ГОСТ 25397-90
61100090000090	0	T5K10	6090	5783,52	57,78	10,1	ГОСТ 25397-90
62100090000090	0	TT7K12	6090	10853,66	125,90	10,41	ГОСТ 25397-90
55100090000100	0	BK10-XO	6100	7291,73	85,75	11,68	ГОСТ 25397-90
51100090000100	0	BK3-M	6100	7291,73	85,75	11,9	ГОСТ 25397-90
52400090000100	0	BK6	6100	5558,53	64,48	11,7	ГОСТ 25397-90
51200090000100	0	BK6-M	6100	7295,56	84,63	11,7	ГОСТ 25397-90

51600090000100	0	BK6-OM	6100	7291,73	85,75	11,7	ГОСТ 25397-90
52500090000100	0	BK8	6100	5558,53	64,48	11,6	ГОСТ 25397-90
61200090000100	0	T14K8	6100	5783,52	57,78	8,94	ГОСТ 25397-90
61300090000100	0	T15K6	6100	5783,52	57,78	8,88	ГОСТ 25397-90
61400090000100	0	T30K4	6100	5783,52	57,78	7,55	ГОСТ 25397-90
61100090000100	0	T5K10	6100	5783,52	57,78	10,1	ГОСТ 25397-90
55100090000130	0	BK10-XO	6130	7151,96	163,21	22,66	ГОСТ 25397-90
51100090000130	0	BK3-M	6130	7151,96	163,21	23,2	ГОСТ 25397-90
52400090000130	0	BK6	6130	5450,8	122,64	22,8	ГОСТ 25397-90
51200090000130	0	BK6-M	6130	7151,96	163,21	22,8	ГОСТ 25397-90
51600090000130	0	BK6-OM	6130	7151,96	163,21	22,8	ГОСТ 25397-90
52500090000130	0	BK8	6130	5450,8	122,64	22,5	ГОСТ 25397-90
61200090000130	0	T14K8	6130	5656,71	109,57	17,3	ГОСТ 25397-90
61300090000130	0	T15K6	6130	5656,71	109,57	17,2	ГОСТ 25397-90
61400090000130	0	T30K4	6130	5656,71	109,57	14,6	ГОСТ 25397-90
61100090000130	0	T5K10	6130	5656,71	109,57	19,5	ГОСТ 25397-90
55100090000140	0	BK10-XO	6140	7151,96	163,21	22,66	ГОСТ 25397-90
52400090000140	0	BK6	6140	5450,8	122,64	22,8	ГОСТ 25397-90
51200090000140	0	BK6-M	6140	7151,96	163,21	22,8	ГОСТ 25397-90
51600090000140	0	BK6-OM	6140	7151,96	163,21	22,8	ГОСТ 25397-90
52500090000140	0	BK8	6140	5450,8	122,64	22,5	ГОСТ 25397-90
61200090000140	0	T14K8	6140	5656,71	109,57	17,3	ГОСТ 25397-90
61300090000140	0	T15K6	6140	5656,71	109,57	17,2	ГОСТ 25397-90
61100090000140	0	T5K10	6140	5656,71	109,57	19,5	ГОСТ 25397-90
55100090000170	0	BK10-XO	6170	7589,05	283,98	37,16	ГОСТ 25397-90
51100090000170	0	BK3-M	6170	7589,05	283,98	38,00	ГОСТ 25397-90
52400090000170	0	BK6	6170	5784,39	213,44	37,4	ГОСТ 25397-90
51200090000170	0	BK6-M	6170	7589,05	283,98	37,4	ГОСТ 25397-90
51600090000170	0	BK6-OM	6170	7589,05	283,98	37,4	ГОСТ 25397-90
52500090000170	0	BK8	6170	5784,39	213,44	36,9	ГОСТ 25397-90
61200090000170	0	T14K8	6170	6008,69	190,90	28,4	ГОСТ 25397-90
61300090000170	0	T15K6	6170	6008,69	190,90	28,3	ГОСТ 25397-90
61100090000170	0	T5K10	6170	6008,69	190,90	32,1	ГОСТ 25397-90
62100090000170	0	TT7K12	6170	11238,00	414,68	33,12	ГОСТ 25397-90
55100090000180	0	BK10-XO	6180	7589,05	283,98	37,16	ГОСТ 25397-90
51100090000180	0	BK3-M	6180	7589,05	283,98	38,00	ГОСТ 25397-90
52400090000180	0	BK6	6180	5784,39	213,44	37,4	ГОСТ 25397-90
51600090000180	0	BK6-OM	6180	7589,05	283,98	37,4	ГОСТ 25397-90
52500090000180	0	BK8	6180	5784,39	213,44	36,9	ГОСТ 25397-90
61300090000180	0	T15K6	6180	6008,69	190,90	28,3	ГОСТ 25397-90
61100090000180	0	T5K10	6180	6008,69	190,90	32,1	ГОСТ 25397-90
51100090000270	0	BK3-M	6270	7499,71	486,73	66,00	ГОСТ 25397-90
51600090000270	0	BK6-OM	6270	7499,71	486,73	65,00	ГОСТ 25397-90
52500090000270	0	BK8	6270	5715,4	365,79	64,00	ГОСТ 25397-90
61300090000270	0	T15K6	6270	5926,39	326,54	48,8	ГОСТ 25397-90
61100090000270	0	T5K10	6270	5926,39	326,54	55,00	ГОСТ 25397-90
51600090000280	0	BK6-OM	6280	7499,71	486,73	65,00	ГОСТ 25397-90
52500090000280	0	BK8	6280	5715,4	365,79	64,00	ГОСТ 25397-90
61300090000280	0	T15K6	6280	5910,56	378,28	48,8	ГОСТ 25397-90
61100090000280	0	T5K10	6280	5926,39	326,54	55,00	ГОСТ 25397-90
55100090000290	0	BK10-XO	6290	7454,41	763,41	101,7	ГОСТ 25397-90
51600090000290	0	BK6-OM	6290	7454,41	763,41	102,00	ГОСТ 25397-90
52500090000290	0	BK8	6290	5680,4	573,72	101,00	ГОСТ 25397-90
61300090000290	0	T15K6	6290	5884,51	511,72	77,00	ГОСТ 25397-90
61100090000290	0	T5K10	6290	5884,51	511,72	88,00	ГОСТ 25397-90
55100090000300	0	BK10-XO	6300	7454,41	763,41	101,7	ГОСТ 25397-90
52400090000300	0	BK6	6300	5680,4	573,72	102,00	ГОСТ 25397-90
51600090000300	0	BK6-OM	6300	7454,41	763,41	102,00	ГОСТ 25397-90
52500090000300	0	BK8	6300	5680,4	573,72	101,00	ГОСТ 25397-90
61300090000300	0	T15K6	6300	5884,51	511,72	77,00	ГОСТ 25397-90
61100090000300	0	T5K10	6300	5884,51	511,72	88,00	ГОСТ 25397-90
55100090000330	0	BK10-XO	6330	8110,55	19,71	2,42	ГОСТ 25397-90
52400090000330	0	BK6	6330	6187,01	14,85	2,44	ГОСТ 25397-90
51200090000330	0	BK6-M	6330	8110,55	19,71	2,44	ГОСТ 25397-90
51600090000330	0	BK6-OM	6330	8110,55	19,71	2,44	ГОСТ 25397-90
52500090000330	0	BK8	6330	6187,01	14,85	2,6	ГОСТ 25397-90
61300090000330	0	T15K6	6330	6493,95	13,44	2,00	ГОСТ 25397-90
61400090000330	0	T30K4	6330	6493,95	13,44	1,7	ГОСТ 25397-90
61100090000330	0	T5K10	6330	6493,95	13,44	2,1	ГОСТ 25397-90
55100090000340	0	BK10-XO	6340	8110,55	19,71	2,42	ГОСТ 25397-90
51100090000340	0	BK3-M	6340	8110,55	19,71	2,49	ГОСТ 25397-90

51200090000340	0	BK6-M	6340	8110,55	19,71	2,44	ГОСТ 25397-90
51600090000340	0	BK6-OM	6340	8110,55	19,71	2,44	ГОСТ 25397-90
52500090000340	0	BK8	6340	6187,01	14,85	2,6	ГОСТ 25397-90
61300090000340	0	T15K6	6340	6493,95	13,44	2,00	ГОСТ 25397-90
61400090000340	0	T30K4	6340	6493,95	13,44	1,7	ГОСТ 25397-90
61100090000340	0	T5K10	6340	6493,95	13,44	2,1	ГОСТ 25397-90
55100090000350	0	BK10-XO	6350	7648,43	37,02	4,8	ГОСТ 25397-90
52200090000350	0	BK3	6350	5833,47	27,83	4,95	ГОСТ 25397-90
51100090000350	0	BK3-M	6350	7648,43	37,02	4,95	ГОСТ 25397-90
52400090000350	0	BK6	6350	5833,47	27,83	4,84	ГОСТ 25397-90
51200090000350	0	BK6-M	6350	7648,43	37,02	5,1	ГОСТ 25397-90
51600090000350	0	BK6-OM	6350	7648,43	37,02	4,84	ГОСТ 25397-90
52500090000350	0	BK8	6350	5833,47	27,83	4,77	ГОСТ 25397-90
61200090000350	0	T14K8	6350	6100,4	25,07	3,73	ГОСТ 25397-90
61300090000350	0	T15K6	6350	6100,4	25,07	3,71	ГОСТ 25397-90
61400090000350	0	T30K4	6350	6100,4	25,07	3,15	ГОСТ 25397-90
61100090000350	0	T5K10	6350	6100,4	25,07	4,17	ГОСТ 25397-90
55100090000360	0	BK10-XO	6360	7648,43	37,02	4,8	ГОСТ 25397-90
52200090000360	0	BK3	6360	5833,47	27,83	4,95	ГОСТ 25397-90
52400090000360	0	BK6	6360	5833,47	27,83	4,84	ГОСТ 25397-90
51200090000360	0	BK6-M	6360	7656,4	36,52	4,84	ГОСТ 25397-90
51600090000360	0	BK6-OM	6360	7648,43	37,02	4,84	ГОСТ 25397-90
52500090000360	0	BK8	6360	5833,47	27,83	4,77	ГОСТ 25397-90
61300090000360	0	T15K6	6360	6101,56	25,02	3,71	ГОСТ 25397-90
61400090000360	0	T30K4	6360	6101,56	25,02	3,15	ГОСТ 25397-90
61100090000360	0	T5K10	6360	6101,56	25,02	4,17	ГОСТ 25397-90
55100090000370	0	BK10-XO	6370	7339,58	73,47	9,94	ГОСТ 25397-90
51100090000370	0	BK3-M	6370	7339,58	73,47	161,00	ГОСТ 25397-90
52400090000370	0	BK6	6370	5595,5	55,23	9,99	ГОСТ 25397-90
51200090000370	0	BK6-M	6370	7339,58	73,47	10,56	ГОСТ 25397-90
51600090000370	0	BK6-OM	6370	7339,58	73,47	9,99	ГОСТ 25397-90
52500090000370	0	BK8	6370	5595,5	55,23	9,87	ГОСТ 25397-90
61300090000370	0	T15K6	6370	5827,05	49,47	7,66	ГОСТ 25397-90
61400090000370	0	T30K4	6370	5827,05	49,47	6,51	ГОСТ 25397-90
61100090000370	0	T5K10	6370	5827,05	49,47	8,61	ГОСТ 25397-90
55100090000380	0	BK10-XO	6380	7339,58	73,47	9,94	ГОСТ 25397-90
52400090000380	0	BK6	6380	5595,5	55,23	9,99	ГОСТ 25397-90
51200090000380	0	BK6-M	6380	7339,58	73,47	10,56	ГОСТ 25397-90
51600090000380	0	BK6-OM	6380	7339,58	73,47	9,99	ГОСТ 25397-90
52500090000380	0	BK8	6380	5595,5	55,23	9,87	ГОСТ 25397-90
61300090000380	0	T15K6	6380	5827,05	49,47	7,66	ГОСТ 25397-90
61400090000380	0	T30K4	6380	5827,05	49,47	6,51	ГОСТ 25397-90
61100090000380	0	T5K10	6380	5827,05	49,47	8,61	ГОСТ 25397-90
55100090000390	0	BK10-XO	6390	7194,48	128,42	17,72	ГОСТ 25397-90
52400090000390	0	BK6	6390	5483,61	96,51	17,84	ГОСТ 25397-90
51200090000390	0	BK6-M	6390	7194,48	128,42	19,00	ГОСТ 25397-90
51600090000390	0	BK6-OM	6390	7194,48	128,42	17,84	ГОСТ 25397-90
52500090000390	0	BK8	6390	5483,61	96,51	18,6	ГОСТ 25397-90
61300090000390	0	T15K6	6390	5695,54	86,29	13,68	ГОСТ 25397-90
61400090000390	0	T30K4	6390	5695,54	86,29	12,6	ГОСТ 25397-90
61100090000390	0	T5K10	6390	5695,54	86,29	15,37	ГОСТ 25397-90
55100090000400	0	BK10-XO	6400	7194,48	128,42	17,72	ГОСТ 25397-90
52400090000400	0	BK6	6400	5483,61	96,51	17,84	ГОСТ 25397-90
51200090000400	0	BK6-M	6400	7194,48	128,42	19,00	ГОСТ 25397-90
51600090000400	0	BK6-OM	6400	7194,48	128,42	17,84	ГОСТ 25397-90
52500090000400	0	BK8	6400	5483,61	96,51	18,6	ГОСТ 25397-90
61300090000400	0	T15K6	6400	5695,54	86,29	13,68	ГОСТ 25397-90
61400090000400	0	T30K4	6400	5695,54	86,29	12,6	ГОСТ 25397-90
61100090000400	0	T5K10	6400	5695,54	86,29	15,37	ГОСТ 25397-90
55100090000410	0	BK10-XO	6410	7636,86	232,24	30,2	ГОСТ 25397-90
52400090000410	0	BK6	6410	5821,28	174,58	30,4	ГОСТ 25397-90
51600090000410	0	BK6-OM	6410	7636,86	232,24	30,4	ГОСТ 25397-90
52500090000410	0	BK8	6410	5821,28	174,58	29,99	ГОСТ 25397-90
61300090000410	0	T15K6	6410	6052,59	156,28	23,31	ГОСТ 25397-90
61400090000410	0	T30K4	6410	6052,59	156,28	19,82	ГОСТ 25397-90
61100090000410	0	T5K10	6410	6052,59	156,28	26,2	ГОСТ 25397-90
55100090000420	0	BK10-XO	6420	7636,86	232,24	30,2	ГОСТ 25397-90
52400090000420	0	BK6	6420	5821,28	174,58	30,4	ГОСТ 25397-90
51600090000420	0	BK6-OM	6420	7636,86	232,24	20,4	ГОСТ 25397-90
52500090000420	0	BK8	6420	5821,28	174,58	29,99	ГОСТ 25397-90
61300090000420	0	T15K6	6420	5605,8	168,12	23,31	ГОСТ 25397-90

61100090000420	0	T5K10	6420	6052,59	156,28	26,2	ГОСТ 25397-90
55100100000010	0	BK10-XO	7010	8258,38	16,76	2,01	ГОСТ 25426-90
52200100000010	0	BK3	7010	6301,78	12,60	2,05	ГОСТ 25426-90
51100100000010	0	BK3-M	7010	8258,38	16,76	2,05	ГОСТ 25426-90
52400100000010	0	BK6	7010	6301,78	12,60	2,01	ГОСТ 25426-90
51200100000010	0	BK6-M	7010	8258,38	16,76	2,01	ГОСТ 25426-90
51600100000010	0	BK6-OM	7010	8258,38	16,76	2,01	ГОСТ 25426-90
52500100000010	0	BK8	7010	6301,78	12,60	2,00	ГОСТ 25426-90
61200100000010	0	T14K8	7010	6620,8	11,39	1,54	ГОСТ 25426-90
61300100000010	0	T15K6	7010	6620,8	11,39	1,53	ГОСТ 25426-90
61400100000010	0	T30K4	7010	6620,8	11,39	1,3	ГОСТ 25426-90
61100100000010	0	T5K10	7010	6620,8	11,39	1,73	ГОСТ 25426-90
62100100000010	0	TT7K12	7010	12249,84	21,80	1,79	ГОСТ 25426-90
55100100000030	0	BK10-XO	7030	11429,41	11,77	1,03	ГОСТ 25426-90
51100100000030	0	BK3-M	7030	11429,41	11,77	1,05	ГОСТ 25426-90
52400100000030	0	BK6	7030	8723,43	8,90	1,03	ГОСТ 25426-90
51200100000030	0	BK6-M	7030	11429,41	11,77	1,03	ГОСТ 25426-90
51600100000030	0	BK6-OM	7030	11429,41	11,77	1,03	ГОСТ 25426-90
52500100000030	0	BK8	7030	8723,43	8,90	1,02	ГОСТ 25426-90
61200100000030	0	T14K8	7030	9260,39	8,15	0,79	ГОСТ 25426-90
61300100000030	0	T15K6	7030	9260,39	8,15	0,79	ГОСТ 25426-90
61400100000030	0	T30K4	7030	9260,39	8,15	0,67	ГОСТ 25426-90
61100100000030	0	T5K10	7030	9260,39	8,15	0,89	ГОСТ 25426-90
55100100000040	0	BK10-XO	07040 (СНЯТА, НЕ ЗА	7099,00	7,31	1,00	ГОСТ 25426-90
55100100000050	0	BK10-XO	7050	8045,94	21,24	2,62	ГОСТ 25426-90
52200100000050	0	BK3	7050	6139,19	15,96	2,7	ГОСТ 25426-90
52400100000050	0	BK6	7050	6139,19	15,96	2,64	ГОСТ 25426-90
51200100000050	0	BK6-M	7050	8045,94	21,24	2,64	ГОСТ 25426-90
51600100000050	0	BK6-OM	7050	8045,94	21,24	2,64	ГОСТ 25426-90
52500100000050	0	BK8	7050	6139,19	15,96	2,6	ГОСТ 25426-90
61200100000050	0	T14K8	7050	6442,23	14,43	2,03	ГОСТ 25426-90
61300100000050	0	T15K6	7050	6442,23	14,43	2,02	ГОСТ 25426-90
61400100000050	0	T30K4	7050	6442,23	14,43	1,72	ГОСТ 25426-90
61100100000050	0	T5K10	7050	6442,23	14,43	2,27	ГОСТ 25426-90
62100100000050	0	TT7K12	7050	11962,99	27,63	2,34	ГОСТ 25426-90
55100100000060	0	BK10-XO	7060	8045,94	21,24	2,62	ГОСТ 25426-90
52200100000060	0	BK3	7060	6139,19	15,96	2,7	ГОСТ 25426-90
52400100000060	0	BK6	7060	6139,19	15,96	2,64	ГОСТ 25426-90
51600100000060	0	BK6-OM	7060	8045,94	21,24	2,64	ГОСТ 25426-90
52500100000060	0	BK8	7060	6139,19	15,96	2,6	ГОСТ 25426-90
61200100000060	0	T14K8	7060	6442,23	14,43	2,03	ГОСТ 25426-90
61300100000060	0	T15K6	7060	6442,23	14,43	2,02	ГОСТ 25426-90
61400100000060	0	T30K4	7060	6442,23	14,43	1,72	ГОСТ 25426-90
61100100000060	0	T5K10	7060	6442,23	14,43	2,27	ГОСТ 25426-90
55100100000070	0	BK10-XO	7070	7602,34	40,14	5,25	ГОСТ 25426-90
52200100000070	0	BK3	7070	5797,53	30,21	5,41	ГОСТ 25426-90
51100100000070	0	BK3-M	7070	7602,34	40,14	5,41	ГОСТ 25426-90
52400100000070	0	BK6	7070	5797,53	30,21	5,28	ГОСТ 25426-90
51200100000070	0	BK6-M	7070	7602,34	40,14	5,28	ГОСТ 25426-90
51600100000070	0	BK6-OM	7070	7602,34	40,14	5,28	ГОСТ 25426-90
52500100000070	0	BK8	7070	5797,53	30,21	5,21	ГОСТ 25426-90
61200100000070	0	T14K8	7070	6059,4	27,21	4,07	ГОСТ 25426-90
61300100000070	0	T15K6	7070	6059,4	27,21	4,05	ГОСТ 25426-90
61400100000070	0	T30K4	7070	6059,4	27,21	3,45	ГОСТ 25426-90
61100100000070	0	T5K10	7070	6059,4	27,21	4,55	ГОСТ 25426-90
62100100000070	0	TT7K12	7070	11341,42	52,62	4,69	ГОСТ 25426-90
55100100000080	0	BK10-XO	7080	7602,34	40,14	5,25	ГОСТ 25426-90
52200100000080	0	BK3	7080	5797,53	30,21	5,41	ГОСТ 25426-90
51100100000080	0	BK3-M	7080	7602,34	40,14	5,41	ГОСТ 25426-90
52400100000080	0	BK6	7080	5797,53	30,21	5,28	ГОСТ 25426-90
51600100000080	0	BK6-OM	7080	7602,34	40,14	5,28	ГОСТ 25426-90
52500100000080	0	BK8	7080	5797,53	30,21	5,21	ГОСТ 25426-90
61200100000080	0	T14K8	7080	6059,4	27,21	4,07	ГОСТ 25426-90
61300100000080	0	T15K6	7080	6059,4	27,21	4,05	ГОСТ 25426-90
61400100000080	0	T30K4	7080	6059,4	27,21	3,45	ГОСТ 25426-90
61100100000080	0	T5K10	7080	6059,4	27,21	4,55	ГОСТ 25426-90
62100100000080	0	TT7K12	7080	11341,42	52,62	4,69	ГОСТ 25426-90
55100100000090	0	BK10-XO	7090	7434,76	56,88	7,59	ГОСТ 25426-90
51100100000090	0	BK3-M	7090	7434,76	56,88	7,82	ГОСТ 25426-90
52400100000090	0	BK6	7090	5668,95	42,74	7,64	ГОСТ 25426-90
51200100000090	0	BK6-M	7090	7434,76	56,88	7,64	ГОСТ 25426-90

51600100000090	0	BK6-OM	7090	7434,76	56,88	7,64	ГОСТ 25426-90
52500100000090	0	BK8	7090	5668,95	42,74	7,54	ГОСТ 25426-90
61200100000090	0	T14K8	7090	5912,2	38,37	5,89	ГОСТ 25426-90
61300100000090	0	T15K6	7090	5912,2	38,37	5,86	ГОСТ 25426-90
61400100000090	0	T30K4	7090	5912,2	38,37	4,98	ГОСТ 25426-90
61100100000090	0	T5K10	7090	5912,2	38,37	6,58	ГОСТ 25426-90
62100100000090	0	TT7K12	7090	11104,34	74,51	6,79	ГОСТ 25426-90
55100100000100	0	BK10-XO	7100	7434,76	56,88	7,59	ГОСТ 25426-90
52200100000100	0	BK3	7100	5668,95	42,74	7,82	ГОСТ 25426-90
51100100000100	0	BK3-M	7100	7434,76	56,88	7,82	ГОСТ 25426-90
52400100000100	0	BK6	7100	5668,95	42,74	7,64	ГОСТ 25426-90
51200100000100	0	BK6-M	7100	7434,76	56,88	7,64	ГОСТ 25426-90
51600100000100	0	BK6-OM	7100	7434,76	56,88	7,64	ГОСТ 25426-90
52500100000100	0	BK8	7100	5668,95	42,74	7,54	ГОСТ 25426-90
61200100000100	0	T14K8	7100	5912,2	38,37	5,89	ГОСТ 25426-90
61300100000100	0	T15K6	7100	5912,2	38,37	5,86	ГОСТ 25426-90
61400100000100	0	T30K4	7100	5912,2	38,37	4,98	ГОСТ 25426-90
61100100000100	0	T5K10	7100	5912,2	38,37	6,58	ГОСТ 25426-90
62100100000100	0	TT7K12	7100	11104,34	74,51	6,79	ГОСТ 25426-90
55100100000110	0	BK10-XO	7110	7315,12	79,30	10,76	ГОСТ 25426-90
52200100000110	0	BK3	7110	5576,61	59,61	11,09	ГОСТ 25426-90
51100100000110	0	BK3-M	7110	7315,12	79,30	11,09	ГОСТ 25426-90
52400100000110	0	BK6	7110	5576,61	59,61	10,83	ГОСТ 25426-90
51200100000110	0	BK6-M	7110	7315,12	79,30	11,4	ГОСТ 25426-90
51600100000110	0	BK6-OM	7110	7315,12	79,30	10,83	ГОСТ 25426-90
52500100000110	0	BK8	7110	5576,61	59,61	10,69	ГОСТ 25426-90
61200100000110	0	T14K8	7110	5804,85	53,40	8,34	ГОСТ 25426-90
61300100000110	0	T15K6	7110	5804,85	53,40	8,3	ГОСТ 25426-90
61400100000110	0	T30K4	7110	5804,85	53,40	7,06	ГОСТ 25426-90
61100100000110	0	T5K10	7110	5804,85	53,40	9,33	ГОСТ 25426-90
62100100000110	0	TT7K12	7110	10932,26	103,97	9,62	ГОСТ 25426-90
55100100000120	0	BK10-XO	7120	7315,12	79,30	10,76	ГОСТ 25426-90
51100100000120	0	BK3-M	7120	7315,12	79,30	11,09	ГОСТ 25426-90
52400100000120	0	BK6	7120	5576,61	59,61	10,83	ГОСТ 25426-90
51200100000120	0	BK6-M	7120	7315,12	79,30	11,4	ГОСТ 25426-90
51600100000120	0	BK6-OM	7120	7315,12	79,30	10,83	ГОСТ 25426-90
52500100000120	0	BK8	7120	5576,61	59,61	10,69	ГОСТ 25426-90
61200100000120	0	T14K8	7120	5804,56	53,46	8,34	ГОСТ 25426-90
61300100000120	0	T15K6	7120	5804,56	53,46	8,3	ГОСТ 25426-90
61400100000120	0	T30K4	7120	5804,56	53,46	7,06	ГОСТ 25426-90
61100100000120	0	T5K10	7120	5804,56	53,46	9,33	ГОСТ 25426-90
62100100000120	0	TT7K12	7120	10884,43	116,35	9,62	ГОСТ 25426-90
55100100000130	0	BK10-XO	7130	7240,13	104,26	14,3	ГОСТ 25426-90
51100100000130	0	BK3-M	7130	7240,13	104,26	14,74	ГОСТ 25426-90
52400100000130	0	BK6	7130	5518,8	78,37	14,4	ГОСТ 25426-90
51200100000130	0	BK6-M	7130	7240,13	104,26	14,4	ГОСТ 25426-90
51600100000130	0	BK6-OM	7130	7240,13	104,26	14,4	ГОСТ 25426-90
52500100000130	0	BK8	7130	5518,8	78,37	14,2	ГОСТ 25426-90
61200100000130	0	T14K8	7130	5736,9	70,16	11,09	ГОСТ 25426-90
61300100000130	0	T15K6	7130	5736,9	70,16	11,04	ГОСТ 25426-90
61400100000130	0	T30K4	7130	5736,9	70,16	9,39	ГОСТ 25426-90
61100100000130	0	T5K10	7130	5736,9	70,16	12,4	ГОСТ 25426-90
62100100000130	0	TT7K12	7130	10823,52	136,81	12,79	ГОСТ 25426-90
55100100000140	0	BK10-XO	7140	7240,13	104,26	14,3	ГОСТ 25426-90
52200100000140	0	BK3	7140	5518,8	78,37	14,74	ГОСТ 25426-90
52400100000140	0	BK6	7140	5518,8	78,37	14,4	ГОСТ 25426-90
51200100000140	0	BK6-M	7140	7240,13	104,26	14,4	ГОСТ 25426-90
51600100000140	0	BK6-OM	7140	7240,13	104,26	14,4	ГОСТ 25426-90
52500100000140	0	BK8	7140	5518,8	78,37	14,2	ГОСТ 25426-90
61200100000140	0	T14K8	7140	5736,9	70,16	11,09	ГОСТ 25426-90
61300100000140	0	T15K6	7140	5736,9	70,16	11,04	ГОСТ 25426-90
61400100000140	0	T30K4	7140	5736,9	70,16	9,39	ГОСТ 25426-90
61100100000140	0	T5K10	7140	5736,9	70,16	12,4	ГОСТ 25426-90
62100100000140	0	TT7K12	7140	10823,52	136,81	12,79	ГОСТ 25426-90
55100100000150	0	BK10-XO	7150	7180,49	138,15	19,11	ГОСТ 25426-90
52200100000150	0	BK3	7150	5472,74	103,87	19,75	ГОСТ 25426-90
51100100000150	0	BK3-M	7150	7180,49	138,15	19,75	ГОСТ 25426-90
52400100000150	0	BK6	7150	5472,74	103,87	19,24	ГОСТ 25426-90
51200100000150	0	BK6-M	7150	7180,49	138,15	19,24	ГОСТ 25426-90
51600100000150	0	BK6-OM	7150	7180,49	138,15	19,24	ГОСТ 25426-90
52500100000150	0	BK8	7150	5472,74	103,87	18,98	ГОСТ 25426-90

61200100000150	0	T14K8	7150	5682,67	92,85	14,82	ГОСТ 25426-90
61300100000150	0	T15K6	7150	5682,67	92,85	14,76	ГОСТ 25426-90
61400100000150	0	T30K4	7150	5682,67	92,85	12,55	ГОСТ 25426-90
61100100000150	0	T5K10	7150	5682,67	92,85	16,58	ГОСТ 25426-90
62100100000150	0	TT7K12	7150	10736,78	181,34	17,1	ГОСТ 25426-90
55100100000160	0	BK10-XO	7160	7180,49	138,15	19,11	ГОСТ 25426-90
51100100000160	0	BK3-M	7160	7180,49	138,15	19,75	ГОСТ 25426-90
52400100000160	0	BK6	7160	5472,74	103,87	19,24	ГОСТ 25426-90
51200100000160	0	BK6-M	7160	7180,49	138,15	19,24	ГОСТ 25426-90
51600100000160	0	BK6-OM	7160	7180,49	138,15	19,24	ГОСТ 25426-90
52500100000160	0	BK8	7160	5472,74	103,87	18,98	ГОСТ 25426-90
61200100000160	0	T14K8	7160	5682,67	92,85	14,82	ГОСТ 25426-90
61300100000160	0	T15K6	7160	5682,67	92,85	14,76	ГОСТ 25426-90
61400100000160	0	T30K4	7160	5682,67	92,85	12,55	ГОСТ 25426-90
61100100000160	0	T5K10	7160	5682,67	92,85	16,58	ГОСТ 25426-90
62100100000160	0	TT7K12	7160	10736,78	181,34	17,1	ГОСТ 25426-90
55100100000170	0	BK10-XO	7170	7136,15	181,33	25,24	ГОСТ 25426-90
51100100000170	0	BK3-M	7170	7136,15	181,33	26,01	ГОСТ 25426-90
52400100000170	0	BK6	7170	5438,57	136,29	25,41	ГОСТ 25426-90
51200100000170	0	BK6-M	7170	7136,15	181,33	25,41	ГОСТ 25426-90
51600100000170	0	BK6-OM	7170	7136,15	181,33	25,41	ГОСТ 25426-90
52500100000170	0	BK8	7170	5438,57	136,29	25,06	ГОСТ 25426-90
61200100000170	0	T14K8	7170	5642,17	121,76	19,57	ГОСТ 25426-90
61300100000170	0	T15K6	7170	5642,17	121,76	19,48	ГОСТ 25426-90
61400100000170	0	T30K4	7170	5642,17	121,76	16,57	ГОСТ 25426-90
61100100000170	0	T5K10	7170	5642,17	121,76	21,89	ГОСТ 25426-90
55100100000180	0	BK10-XO	7180	7136,15	181,33	25,24	ГОСТ 25426-90
51200100000180	0	BK6-M	7180	7136,15	181,33	25,41	ГОСТ 25426-90
51600100000180	0	BK6-OM	7180	7136,15	181,33	25,41	ГОСТ 25426-90
52500100000180	0	BK8	7180	5438,57	136,29	25,06	ГОСТ 25426-90
61200100000180	0	T14K8	7180	5642,17	121,76	19,57	ГОСТ 25426-90
61300100000180	0	T15K6	7180	5642,17	121,76	19,48	ГОСТ 25426-90
61400100000180	0	T30K4	7180	5642,17	121,76	16,57	ГОСТ 25426-90
61100100000180	0	T5K10	7180	5642,17	121,76	21,89	ГОСТ 25426-90
62100100000180	0	TT7K12	7180	10672,15	237,99	22,57	ГОСТ 25426-90
55100100000330	0	BK10-XO	7330	7616,47	251,80	32,83	ГОСТ 25426-90
52200100000330	0	BK3	7330	5805,56	189,26	33,5	ГОСТ 25426-90
51100100000330	0	BK3-M	7330	7616,47	251,80	33,5	ГОСТ 25426-90
52400100000330	0	BK6	7330	5805,56	189,26	33,00	ГОСТ 25426-90
51200100000330	0	BK6-M	7330	7616,47	251,80	33,00	ГОСТ 25426-90
51600100000330	0	BK6-OM	7330	7616,47	251,80	33,00	ГОСТ 25426-90
52500100000330	0	BK8	7330	5805,56	189,26	32,6	ГОСТ 25426-90
61200100000330	0	T14K8	7330	6033,87	169,37	25,1	ГОСТ 25426-90
61300100000330	0	T15K6	7330	6033,87	169,37	24,9	ГОСТ 25426-90
61400100000330	0	T30K4	7330	6033,87	169,37	21,2	ГОСТ 25426-90
61100100000330	0	T5K10	7330	6033,87	169,37	28,3	ГОСТ 25426-90
62400100000330	0	TT20K9	7330	0,00	0,00	27,19	ГОСТ 25426-90
62100100000330	0	TT7K12	7330	11312,03	328,16	29,2	ГОСТ 25426-90
55100100000340	0	BK10-XO	7340	7616,47	251,80	32,83	ГОСТ 25426-90
51100100000340	0	BK3-M	7340	7616,47	251,80	33,5	ГОСТ 25426-90
52400100000340	0	BK6	7340	5805,56	189,26	33,00	ГОСТ 25426-90
51200100000340	0	BK6-M	7340	7616,47	251,80	33,00	ГОСТ 25426-90
51600100000340	0	BK6-OM	7340	7616,47	251,80	33,00	ГОСТ 25426-90
52500100000340	0	BK8	7340	5805,56	189,26	32,6	ГОСТ 25426-90
61200100000340	0	T14K8	7340	6033,87	169,37	25,1	ГОСТ 25426-90
61300100000340	0	T15K6	7340	6033,87	169,37	24,9	ГОСТ 25426-90
61400100000340	0	T30K4	7340	6033,87	169,37	21,2	ГОСТ 25426-90
61100100000340	0	T5K10	7340	6033,87	169,37	28,3	ГОСТ 25426-90
62100100000340	0	TT7K12	7340	11312,03	328,16	29,2	ГОСТ 25426-90
55100100000350	0	BK10-XO	7350	12363,19	8,04	0,64	ГОСТ 25426-90
52200100000350	0	BK3	7350	9442,77	6,04	0,66	ГОСТ 25426-90
51200100000350	0	BK6-M	7350	12363,19	8,04	0,65	ГОСТ 25426-90
51600100000350	0	BK6-OM	7350	12363,19	8,04	0,65	ГОСТ 25426-90
52500100000350	0	BK8	7350	9442,77	6,04	0,64	ГОСТ 25426-90
61300100000350	0	T15K6	7350	9994,82	5,50	0,49	ГОСТ 25426-90
61400100000350	0	T30K4	7350	9994,82	5,50	0,42	ГОСТ 25426-90
61100100000350	0	T5K10	7350	9994,82	5,50	0,6	ГОСТ 25426-90
62100100000350	0	TT7K12	7350	17753,78	10,12	0,57	ГОСТ 25426-90
55100100000370	0	BK10-XO	7370	7859,73	26,88	3,39	ГОСТ 25426-90
52200100000370	0	BK3	7370	5995,95	20,21	3,47	ГОСТ 25426-90
51100100000370	0	BK3-M	7370	7859,73	26,88	3,47	ГОСТ 25426-90

52400100000370	0	BK6	7370	5995,95	20,21	3,75	ГОСТ 25426-90
51200100000370	0	BK6-M	7370	7859,73	26,88	3,4	ГОСТ 25426-90
51600100000370	0	BK6-OM	7370	7859,73	26,88	3,4	ГОСТ 25426-90
52500100000370	0	BK8	7370	5995,95	20,21	3,7	ГОСТ 25426-90
61200100000370	0	T14K8	7370	6284,15	18,22	2,59	ГОСТ 25426-90
61300100000370	0	T15K6	7370	6284,15	18,22	2,85	ГОСТ 25426-90
61400100000370	0	T30K4	7370	6284,15	18,22	2,52	ГОСТ 25426-90
61100100000370	0	T5K10	7370	6284,15	18,22	3,25	ГОСТ 25426-90
52503851704051	0	BK8	08116-170405-130	10988,26	109,55	10,2	ГОСТ 19062-80
61303851704051	0	T15K6	08116-170405-130	12800,82	98,05	7,97	ГОСТ 19062-80
61103851704051	0	T5K10	08116-170405-130	12800,82	98,05	8,94	ГОСТ 19062-80
52503851704101	0	BK8	08116-170410-130	10988,26	109,55	10,1	ГОСТ 19062-80
61303851704101	0	T15K6	08116-170410-130	12800,82	98,05	7,9	ГОСТ 19062-80
61103851704101	0	T5K10	08116-170410-130	12800,82	98,05	8,87	ГОСТ 19062-80
69104101704102	0	BP11255	08116-170410-236	22666,36	201,50	9,54	ГОСТ 19062-80
61304101704102	0	T15K6	08116-170410-236	12800,82	98,05	7,94	ГОСТ 19062-80
61303851704151	0	T15K6	08116-170415-130	10696,77	106,65	7,79	ГОСТ 19062-80
52503851906051	0	BK8	08116-190605-130	10658,53	166,27	15,9	ГОСТ 19062-80
61303851906051	0	T15K6	08116-190605-130	12491,08	149,64	12,4	ГОСТ 19062-80
61103851906051	0	T5K10	08116-190605-130	10492,00	166,82	13,9	ГОСТ 19062-80
52504101906051	0	BK8	08116-190605-230	10658,53	166,27	15,9	ГОСТ 19062-80
61304101906051	0	T15K6	08116-190605-230	12491,08	149,64	12,4	ГОСТ 19062-80
61104101906051	0	T5K10	08116-190605-230	12491,08	149,64	13,9	ГОСТ 19062-80
52503851906101	0	BK8	08116-190610-130	10658,53	166,27	15,7	ГОСТ 19062-80
61303851906101	0	T15K6	08116-190610-130	12491,08	149,64	12,3	ГОСТ 19062-80
61103851906101	0	T5K10	08116-190610-130	12491,08	149,64	13,8	ГОСТ 19062-80
52503851906102	0	BK8	08116-190610-136	10658,53	166,27	15,8	ГОСТ 19062-80
69103851906102	0	BP11255	08116-190610-136	22030,24	306,66	14,2	ГОСТ 19062-80
61303851906102	0	T15K6	08116-190610-136	12491,08	149,64	12,3	ГОСТ 19062-80
61403851906102	0	T30K4	08116-190610-136	12491,08	149,64	10,5	ГОСТ 19062-80
61103851906102	0	T5K10	08116-190610-136	12491,08	149,64	13,8	ГОСТ 19062-80
52504101906101	0	BK8	08116-190610-230	10658,53	166,27	15,7	ГОСТ 19062-80
61304101906101	0	T15K6	08116-190610-230	12491,08	149,64	12,3	ГОСТ 19062-80
61104101906101	0	T5K10	08116-190610-230	12491,08	149,64	13,8	ГОСТ 19062-80
52504101906102	0	BK8	08116-190610-236	8893,37	139,63	15,7	ГОСТ 19062-80
61304101906102	0	T15K6	08116-190610-236	12491,08	149,64	12,3	ГОСТ 19062-80
61104101906102	0	T5K10	08116-190610-236	12491,08	149,64	13,8	ГОСТ 19062-80
52503851906151	0	BK8	08116-190615-130	10658,53	166,27	15,6	ГОСТ 19062-80
61303851906151	0	T15K6	08116-190615-130	12491,08	149,64	12,1	ГОСТ 19062-80
61103851906151	0	T5K10	08116-190615-130	12491,08	149,64	13,6	ГОСТ 19062-80
52503851906152	0	BK8	08116-190615-136	10658,53	166,27	15,6	ГОСТ 19062-80
61303851906152	0	T15K6	08116-190615-136	12491,08	149,64	12,2	ГОСТ 19062-80
61103851906152	0	T5K10	08116-190615-136	12491,08	149,64	13,7	ГОСТ 19062-80
52504101906151	0	BK8	08116-190615-230	10658,53	166,27	15,6	ГОСТ 19062-80
61304101906151	0	T15K6	08116-190615-230	12491,08	149,64	12,1	ГОСТ 19062-80
61104101906151	0	T5K10	08116-190615-230	12491,08	149,64	13,6	ГОСТ 19062-80
52504101906152	0	BK8	08116-190615-236	10658,53	166,27	15,6	ГОСТ 19062-80
61304101906152	0	T15K6	08116-190615-236	12491,08	149,64	12,2	ГОСТ 19062-80
61104101906152	0	T5K10	08116-190615-236	12491,08	149,64	13,7	ГОСТ 19062-80
55100120000051	0	BK10-XO	10051	8085,03	20,29	2,49	ГОСТ 25396-90
52200120000051	0	BK3	10051	6169,65	15,24	2,53	ГОСТ 25396-90
51100120000051	0	BK3-M	10051	8085,03	20,29	2,53	ГОСТ 25396-90
52400120000051	0	BK6	10051	6169,65	15,24	2,5	ГОСТ 25396-90
51200120000051	0	BK6-M	10051	8085,03	20,29	2,5	ГОСТ 25396-90
51600120000051	0	BK6-OM	10051	8085,03	20,29	2,5	ГОСТ 25396-90
52500120000051	0	BK8	10051	6169,65	15,24	2,47	ГОСТ 25396-90
61200120000051	0	T14K8	10051	6478,16	13,73	1,9	ГОСТ 25396-90
61300120000051	0	T15K6	10051	6478,16	13,73	1,89	ГОСТ 25396-90
61400120000051	0	T30K4	10051	6478,16	13,73	1,7	ГОСТ 25396-90
61100120000051	0	T5K10	10051	6478,16	13,73	2,14	ГОСТ 25396-90
55100120000061	0	BK10-XO	10061	8085,03	20,29	2,49	ГОСТ 25396-90
52200120000061	0	BK3	10061	6169,65	15,24	2,53	ГОСТ 25396-90
51100120000061	0	BK3-M	10061	8085,03	20,29	2,53	ГОСТ 25396-90
52400120000061	0	BK6	10061	6169,65	15,24	2,5	ГОСТ 25396-90
51200120000061	0	BK6-M	10061	8085,03	20,29	2,5	ГОСТ 25396-90
51600120000061	0	BK6-OM	10061	8085,03	20,29	2,5	ГОСТ 25396-90
52500120000061	0	BK8	10061	6169,65	15,24	2,47	ГОСТ 25396-90
61300120000061	0	T15K6	10061	6478,16	13,73	1,89	ГОСТ 25396-90
61400120000061	0	T30K4	10061	6478,16	13,73	1,7	ГОСТ 25396-90
61100120000061	0	T5K10	10061	6478,16	13,73	2,14	ГОСТ 25396-90
53631510000331	0	BK10-KC	1010-0331	7630,38	133,07	19,35	ГОСТ 10284-84

5283170000331	0	BK20	1010-0331	8809,79	144,57	16,98	TY 48-4207-5-91
53831510000331	0	BK20-KC	1010-0331	8809,79	144,57	18,34	ГОСТ 10284-84
53831510033110	0	BK20-KC	1010-0331*10	9110,32	87,64	11,46	ГОСТ 10284-84
53631510000332	0	BK10-KC	1010-0332	7080,55	122,28	19,17	ГОСТ 10284-84
52731510000332	0	BK15	1010-0332	7069,12	127,60	17,44	ГОСТ 10284-84
52736220000332	0	BK15	1010-0332	8482,75	153,20	17,44	TY 48-19-161-90
52831700000332	0	BK20	1010-0332	8165,88	132,78	16,82	TY 48-4207-5-91
53831510000332	0	BK20-KC	1010-0332	8165,88	132,78	18,17	ГОСТ 10284-84
53631510000333	0	BK10-KC	1010-0333	7080,55	122,28	19,17	ГОСТ 10284-84
52731510000333	0	BK15	1010-0333	7068,98	127,67	17,44	ГОСТ 10284-84
52831700000333	0	BK20	1010-0333	8165,88	132,78	16,82	TY 48-4207-5-91
53831510000333	0	BK20-KC	1010-0333	8165,88	132,78	18,17	ГОСТ 10284-84
53831510033310	0	BK20-KC	1010-0333*10	8354,53	79,62	11,35	ГОСТ 10284-84
53631510000334	0	BK10-KC	1010-0334	7082,08	121,60	19,06	ГОСТ 10284-84
52831700000334	0	BK20	1010-0334	8167,61	132,07	16,72	TY 48-4207-5-91
53831510000334	0	BK20-KC	1010-0334	8167,61	132,07	18,07	ГОСТ 10284-84
53631510000335	0	BK10-KC	1010-0335	7083,92	120,78	18,92	ГОСТ 10284-84
52731510000335	0	BK15	1010-0335	7072,26	126,10	17,22	ГОСТ 10284-84
52831700000335	0	BK20	1010-0335	8169,94	131,13	16,6	TY 48-4207-5-91
53831510000335	0	BK20-KC	1010-0335	8169,94	131,13	17,93	ГОСТ 10284-84
52531510000335	0	BK8	1010-0335	7170,69	127,78	17,82	ГОСТ 10284-84
53831510033510	0	BK20-KC	1010-0335*10	8359,49	78,66	11,21	ГОСТ 10284-84
53631510000346	0	BK10-KC	1010-0346	7164,75	1180,46	182,88	ГОСТ 10284-84
52731510000346	0	BK15	1010-0346	7164,75	1180,46	179,19	ГОСТ 10284-84
52831700000346	0	BK20	1010-0346	8249,21	1279,53	160,45	TY 48-4207-5-91
53831510000346	0	BK20-KC	1010-0346	8249,21	1279,53	173,29	ГОСТ 10284-84
53831510034610	0	BK20-KC	1010-0346*10	8479,06	328,90	43,32	ГОСТ 10284-84
53631510034620	0	BK10-KC	1010-0346*20	7231,57	595,95	91,44	ГОСТ 10284-84
52731510034620	0	BK15	1010-0346*20	7231,57	595,95	89,6	ГОСТ 10284-84
52831700034620	0	BK20	1010-0346*20	8330,43	646,36	80,23	TY 48-4207-5-91
53831510034620	0	BK20-KC	1010-0346*20	8330,43	646,36	86,65	ГОСТ 10284-84
53631510034630	0	BK10-KC	1010-0346*30	7187,47	888,16	137,16	ГОСТ 10284-84
52831700034630	0	BK20	1010-0346*30	8276,87	962,85	120,34	TY 48-4207-5-91
53831510034630	0	BK20-KC	1010-0346*30	8276,87	962,85	129,97	ГОСТ 10284-84
53631510000347	0	BK10-KC	1010-0347	7165,13	1173,94	181,86	ГОСТ 10284-84
52731510000347	0	BK15	1010-0347	7165,13	1173,94	178,2	ГОСТ 10284-84
52831700000347	0	BK20	1010-0347	8249,67	1272,51	159,56	TY 48-4207-5-91
53831510000347	0	BK20-KC	1010-0347	8249,67	1272,51	172,32	ГОСТ 10284-84
52531510000347	0	BK8	1010-0347	6787,91	1162,84	171,31	ГОСТ 10284-84
53831510034710	0	BK20-KC	1010-0347*10	8480,73	327,02	43,08	ГОСТ 10284-84
53831510034720	0	BK20-KC	1010-0347*20	8331,37	642,60	86,16	ГОСТ 10284-84
52431510034720	0	BK6	1010-0347*20	6840,66	591,72	87,7	ГОСТ 10284-84
53631510034730	0	BK10-KC	1010-0347*30	7187,97	883,33	136,39	ГОСТ 10284-84
52831700034730	0	BK20	1010-0347*30	8277,47	957,62	119,67	TY 48-4207-5-91
53831510034730	0	BK20-KC	1010-0347*30	8277,47	957,62	129,24	ГОСТ 10284-84
53631510000371	0	BK10-KC	1010-0371	6789,96	1045,99	170,99	ГОСТ 10284-84
52731510000371	0	BK15	1010-0371	6789,96	1045,99	167,54	ГОСТ 10284-84
52831700000371	0	BK20	1010-0371	7816,3	1133,52	150,02	TY 48-4207-5-91
53831510000371	0	BK20-KC	1010-0371	7816,3	1133,52	162,02	ГОСТ 10284-84
53831510037110	0	BK20-KC	1010-0371*10	7961,09	300,61	45,00	ГОСТ 10284-84
53631510037120	0	BK10-KC	1010-0371*20	6821,91	613,56	95,00	ГОСТ 10284-84
53831510037120	0	BK20-KC	1010-0371*20	7855,14	665,17	90,01	ГОСТ 10284-84
53831510037126	0	BK20-KC	1010-0371*26	7842,5	770,05	117,02	ГОСТ 10284-84
53631510037130	0	BK10-KC	1010-0371*30	6796,44	916,77	142,48	ГОСТ 10284-84
53831510037130	0	BK20-KC	1010-0371*30	7824,19	993,59	135,02	ГОСТ 10284-84
53831510037146	0	BK20-KC	1010-0371*46	7807,36	1347,08	205,63	ГОСТ 10284-84
53631510000381	0	BK10-KC	1010-0381	7478,3	3793,44	563,05	ГОСТ 10284-84
53831510000381	0	BK20-KC	1010-0381	8607,44	4110,48	533,52	ГОСТ 10284-84
53831510038140	0	BK20-KC	1010-0381*40	8617,49	3291,62	426,82	ГОСТ 10284-84
53631510000471	0	BK10-KC	1010-0471	7341,21	320,59	48,47	ГОСТ 10284-84
53831510000471	0	BK20-KC	1010-0471	8463,14	347,92	45,93	ГОСТ 10284-84
53631510000472	0	BK10-KC	1010-0472	7344,3	316,32	47,81	ГОСТ 10284-84
53831510000472	0	BK20-KC	1010-0472	8466,84	343,33	45,31	ГОСТ 10284-84
53631510000473	0	BK10-KC	1010-0473	7346,82	312,90	47,27	ГОСТ 10284-84
52831720000473	0	BK20	1010-0473	8469,94	339,56	41,48	TY 48-4207-5-91
53831510000473	0	BK20-KC	1010-0473	8469,94	339,56	44,8	ГОСТ 10284-84
53631510000474	0	BK10-KC	1010-0474	7241,68	553,48	84,83	ГОСТ 10284-84
52831720000474	0	BK20	1010-0474	8342,72	600,26	74,43	TY 48-4207-5-91
53831510000474	0	BK20-KC	1010-0474	8342,72	600,26	80,38	ГОСТ 10284-84
53631510000475	0	BK10-KC	1010-0475	7244,61	542,26	83,08	ГОСТ 10284-84
52831720000475	0	BK20	1010-0475	8346,25	588,16	72,9	TY 48-4207-5-91

53831510000475	0	BK20-KC	1010-0475	8346,25	588,16	78,73	ГОСТ 10284-84
53631510000477	0	BK10-KC	1010-0477	7210,37	708,85	109,12	ГОСТ 10284-84
52731510000477	0	BK15	1010-0477	7210,37	708,85	106,92	ГОСТ 10284-84
53831510000477	0	BK20-KC	1010-0477	8304,7	768,60	103,4	ГОСТ 10284-84
53631510000479	0	BK10-KC	1010-0479	7153,38	1410,36	218,84	ГОСТ 10284-84
52831750000479	0	BK20	1010-0479	8235,36	1528,57	192,01	ТУ 48-4207-5-91
53831510000479	0	BK20-KC	1010-0479	8235,36	1528,57	207,36	ГОСТ 10284-84
52831750000481	0	BK20	1010-0481	8219,3	1969,84	248,71	ТУ 48-4207-5-91
53831510000481	0	BK20-KC	1010-0481	8219,3	1969,84	267,75	ГОСТ 10284-84
53631510000482	0	BK10-KC	1010-0482	7134,51	2075,50	322,9	ГОСТ 10284-84
53831510000482	0	BK20-KC	1010-0482	8212,36	2249,12	305,96	ГОСТ 10284-84
53831510000483	0	BK20-KC	1010-0483	8205,24	2629,53	358,04	ГОСТ 10284-84
53831510000484	0	BK20-KC	1010-0484	8204,45	2679,74	364,9	ГОСТ 10284-84
52831750000485	0	BK20	1010-0485	8193,71	3617,52	247,92	ТУ 48-4207-5-91
53831510000485	0	BK20-KC	1010-0485	8193,71	3617,52	493,26	ГОСТ 10284-84
53831510000486	0	BK20-KC	1010-0486	8196,72	3294,67	449,06	ГОСТ 10284-84
53631510000494	0	BK10-KC	1010-0494	6937,35	233,44	37,35	ГОСТ 10284-84
52731510000494	0	BK15	1010-0494	6937,35	233,44	36,59	ГОСТ 10284-84
53831510000494	0	BK20-KC	1010-0494	7994,66	253,27	35,39	ГОСТ 10284-84
53631510000495	0	BK10-KC	1010-0495	6868,71	375,65	60,71	ГОСТ 10284-84
52731510000495	0	BK15	1010-0495	6868,71	375,65	59,49	ГОСТ 10284-84
52831760000495	0	BK20	1010-0495	7911,87	407,38	52,9	ТУ 48-4207-5-91
53831510000495	0	BK20-KC	1010-0495	7911,87	407,38	57,52	ГОСТ 10284-84
53631510000498	0	BK10-KC	1010-0498	6826,34	579,62	94,25	ГОСТ 10284-84
53831510000498	0	BK20-KC	1010-0498	7860,53	628,37	89,31	ГОСТ 10284-84
53631510000502	0	BK10-KC	1010-0502	6793,19	977,27	159,68	ГОСТ 10284-84
53831510000502	0	BK20-KC	1010-0502	7820,24	1059,10	151,31	ГОСТ 10284-84
53631510000508	0	BK10-KC	1010-0508	8093,86	56,98	7,82	ГОСТ 10284-84
52831700000508	0	BK20	1010-0508	9353,96	62,02	6,8	ТУ 48-4207-5-91
53831510000508	0	BK20-KC	1010-0508	9353,96	62,02	7,41	ГОСТ 10284-84
53631510000509	0	BK10-KC	1010-0509	7334,05	330,91	50,08	ГОСТ 10284-84
52831820000509	0	BK20	1010-0509	8454,54	359,06	43,94	ТУ 48-4207-5-91
53831510000509	0	BK20-KC	1010-0509	8454,54	359,06	47,46	ГОСТ 10284-84
53631510000510	0	BK10-KC	1010-0510	7223,14	636,43	97,79	ГОСТ 10284-84
52831820000510	0	BK20	1010-0510	8320,22	690,08	90,55	ТУ 48-4207-5-91
53831510000510	0	BK20-KC	1010-0510	8320,22	690,08	92,66	ГОСТ 10284-84
53631510000511	0	BK10-KC	1010-0511	7172,05	1068,06	165,29	ГОСТ 10284-84
53831510000511	0	BK20-KC	1010-0511	8258,1	1157,70	156,62	ГОСТ 10284-84
53631510000512	0	BK10-KC	1010-0512	7141,45	1769,72	275,07	ГОСТ 10284-84
52731510000512	0	BK15	1010-0512	6771,14	1754,40	250,27	ГОСТ 10284-84
52831780000512	0	BK20	1010-0512	8220,82	1917,92	241,34	ТУ 48-4207-5-91
53831510000512	0	BK20-KC	1010-0512	8220,82	1917,92	260,65	ГОСТ 10284-84
53631510000513	0	BK10-KC	1010-0513	7135,78	2012,00	312,96	ГОСТ 10284-84
52831780000513	0	BK20	1010-0513	8208,89	2419,98	272,7	ТУ 48-4207-5-91
53831510000513	0	BK20-KC	1010-0513	8213,91	2180,30	296,56	ГОСТ 10284-84
53631510000514	0	BK10-KC	1010-0514	7117,98	3512,22	547,69	ГОСТ 10284-84
52831820000514	0	BK20	1010-0514	8192,18	3805,43	480,53	ТУ 48-4207-5-91
53831510000514	0	BK20-KC	1010-0514	8192,18	3805,43	518,97	ГОСТ 10284-84
52831750000544	0	BK20	1010-0544	8633,12	2510,51	456,72	ТУ 48-4207-5-91
53831510000544	0	BK20-KC	1010-0544	8633,12	2510,51	323,46	ГОСТ 10284-84
53631510000545	0	BK10-KC	1010-0545	7501,09	2243,50	330,52	ГОСТ 10284-84
52831750000545	0	BK20	1010-0545	8635,26	2431,43	289,99	ТУ 48-4207-5-91
53831510000545	0	BK20-KC	1010-0545	8635,26	2431,43	313,19	ГОСТ 10284-84
53631510000546	0	BK10-KC	1010-0546	7502,68	2181,40	321,31	ГОСТ 10284-84
52831750000546	0	BK20	1010-0546	8637,19	2364,17	281,91	ТУ 48-4207-5-91
53831510000546	0	BK20-KC	1010-0546	8637,19	2364,17	304,46	ГОСТ 10284-84
53631510000549	0	BK10-KC	1010-0549	7216,32	673,21	103,1	ГОСТ 10284-84
52831760000549	0	BK20	1010-0549	8311,92	730,04	90,45	ТУ 48-4207-5-91
53831510000549	0	BK20-KC	1010-0549	8311,92	730,04	97,69	ГОСТ 10284-84
53631510000550	0	BK10-KC	1010-0550	7213,39	690,32	105,76	ГОСТ 10284-84
52831760000550	0	BK20	1010-0550	8308,36	748,58	92,79	ТУ 48-4207-5-91
53831510000550	0	BK20-KC	1010-0550	8308,36	748,58	100,21	ГОСТ 10284-84
53631510000551	0	BK10-KC	1010-0551	7200,33	778,00	119,4	ГОСТ 10284-84
53831510000551	0	BK20-KC	1010-0551	8292,5	843,51	113,14	ГОСТ 10284-84
53631510000552	0	BK10-KC	1010-0552	7160,52	1256,74	193,96	ГОСТ 10284-84
52831760000552	0	BK20	1010-0552	8244,06	1362,17	170,17	ТУ 48-4207-5-91
53831510000552	0	BK20-KC	1010-0552	8244,06	1362,17	183,78	ГОСТ 10284-84
52831760000553	0	BK20	1010-0553	8238,91	1456,14	182,03	ТУ 48-4207-5-91
53831510000553	0	BK20-KC	1010-0553	8238,91	1456,14	196,59	ГОСТ 10284-84
53831510000554	0	BK20-KC	1010-0554	8234,12	1555,67	210,15	ГОСТ 10284-84
53631510000701	0	BK10-KC	1010-0701	7849,66	85,80	12,13	ГОСТ 10284-84

52731510000701	0	BK15	1010-0701	7849,66	85,80	11,88	ГОСТ 10284-84
52831700000701	0	BK20	1010-0701	9068,8	93,32	10,64	ТУ 48-4207-5-91
53831510000701	0	BK20-KC	1010-0701	9068,8	93,32	11,49	ГОСТ 10284-84
53631510000702	0	BK10-KC	1010-0702	6899,26	297,01	47,78	ГОСТ 10284-84
52731510000702	0	BK15	1010-0702	6899,26	297,01	46,82	ГОСТ 10284-84
52831700000702	0	BK20	1010-0702	7948,81	322,09	41,92	ТУ 48-4207-5-91
53831510000702	0	BK20-KC	1010-0702	7948,81	322,09	45,27	ГОСТ 10284-84
53831511200702	0	BK20-KC	1010-0702*12	8112,02	158,18	18,04	ГОСТ 10284-84
53631510070220	0	BK10-KC	1010-0702*20	6944,34	224,37	34,13	ГОСТ 10284-84
52831700070220	0	BK20	1010-0702*20	8006,41	239,71	29,94	ТУ 48-4207-5-91
53831510070220	0	BK20-KC	1010-0702*20	8003,05	243,45	32,34	ГОСТ 10284-84
53631510000703	0	BK10-KC	1010-0703	6900,14	295,19	47,49	ГОСТ 10284-84
52731510000703	0	BK15	1010-0703	6900,14	295,19	46,53	ГОСТ 10284-84
52831700000703	0	BK20	1010-0703	7949,82	320,22	41,66	ТУ 48-4207-5-91
53831510000703	0	BK20-KC	1010-0703	7949,82	320,22	44,99	ГОСТ 10284-84
52531510000703	0	BK8	1010-0703	6932,76	310,10	44,73	ГОСТ 10284-84
52831700070320	0	BK20	1010-0703*20	8007,69	238,31	29,76	ТУ 48-4207-5-91
53831510070320	0	BK20-KC	1010-0703*20	8029,43	216,55	32,14	ГОСТ 10284-84
53631510000704	0	BK10-KC	1010-0704	6879,39	344,18	55,53	ГОСТ 10284-84
52731510000704	0	BK15	1010-0704	6879,39	344,18	54,41	ГОСТ 10284-84
52831700000704	0	BK20	1010-0704	7924,79	373,26	48,72	ТУ 48-4207-5-91
53831510000704	0	BK20-KC	1010-0704	7924,79	373,26	52,62	ГОСТ 10284-84
53831510070410	0	BK20-KC	1010-0704*10	8175,69	128,85	18,79	ГОСТ 10284-84
53831511200704	0	BK20-KC	1010-0704*12	8071,75	182,83	20,96	ГОСТ 10284-84
53831510070418	0	BK20-KC	1010-0704*18	8017,92	227,63	33,83	ГОСТ 10284-84
53631510070420	0	BK10-KC	1010-0704*20	6919,46	259,89	39,67	ГОСТ 10284-84
53831510070420	0	BK20-KC	1010-0704*20	7973,13	281,93	37,58	ГОСТ 10284-84
53631510000705	0	BK10-KC	1010-0705	6773,44	1621,29	265,68	ГОСТ 10284-84
52731510000705	0	BK15	1010-0705	7755,42	1941,18	241,7	ГОСТ 10284-84
52831700000705	0	BK20	1010-0705	7796,18	1756,79	233,1	ТУ 48-4207-5-91
53831510000705	0	BK20-KC	1010-0705	7796,18	1756,79	251,75	ГОСТ 10284-84
53631510070520	0	BK10-KC	1010-0705*20	6783,39	1218,70	189,77	ГОСТ 10284-84
53831510070520	0	BK20-KC	1010-0705*20	7808,31	1320,70	179,82	ГОСТ 10284-84
53631510000706	0	BK10-KC	1010-0706	7225,97	622,23	95,58	ГОСТ 10284-84
52731510000706	0	BK15	1010-0706	7225,97	622,23	93,66	ГОСТ 10284-84
52831700000706	0	BK20	1010-0706	8323,64	674,80	83,86	ТУ 48-4207-5-91
53831510000706	0	BK20-KC	1010-0706	8323,64	674,80	90,57	ГОСТ 10284-84
52431510000706	0	BK6	1010-0706	6836,57	615,57	90,96	ГОСТ 10284-84
52531510000706	0	BK8	1010-0706	6836,57	615,57	90,04	ГОСТ 10284-84
53831510070610	0	BK20-KC	1010-0706*10	8693,5	183,43	25,15	ГОСТ 10284-84
52531510070610	0	BK8	1010-0706*10	7065,35	176,70	25,01	ГОСТ 10284-84
53831510070618	0	BK20-KC	1010-0706*18	8484,88	322,43	45,28	ГОСТ 10284-84
53631510070620	0	BK10-KC	1010-0706*20	7311,67	367,56	53,1	ГОСТ 10284-84
52831700070620	0	BK20	1010-0706*20	8431,23	392,81	46,59	ТУ 48-4207-5-91
53831510070620	0	BK20-KC	1010-0706*20	8427,43	398,87	50,32	ГОСТ 10284-84
53631510070630	0	BK10-KC	1010-0706*30	7243,56	546,24	79,65	ГОСТ 10284-84
52831700070630	0	BK20	1010-0706*30	8347,7	583,34	69,88	ТУ 48-4207-5-91
53831510070630	0	BK20-KC	1010-0706*30	8345,00	592,41	75,47	ГОСТ 10284-84
52831700070645	0	BK20	1010-0706*45	9923,85	1233,53	115,00	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
53631510000707	0	BK10-KC	1010-0707	7224,71	628,48	96,55	ГОСТ 10284-84
52731510000707	0	BK15	1010-0707	7224,71	628,48	94,61	ГОСТ 10284-84
52831700000707	0	BK20	1010-0707	8322,13	681,50	84,71	ТУ 48-4207-5-91
53831510000707	0	BK20-KC	1010-0707	8322,13	681,50	91,49	ГОСТ 10284-84
53631510070710	0	BK10-KC	1010-0707*10	7489,89	190,24	26,82	ГОСТ 10284-84
53831510070710	0	BK20-KC	1010-0707*10	8641,91	206,63	25,41	ГОСТ 10284-84
53631510070720	0	BK10-KC	1010-0707*20	7309,68	371,19	53,64	ГОСТ 10284-84
52831700070720	0	BK20	1010-0707*20	8428,8	396,66	47,06	ТУ 48-4207-5-91
53831510070720	0	BK20-KC	1010-0707*20	8425,02	402,80	50,82	ГОСТ 10284-84
53631510070730	0	BK10-KC	1010-0707*30	7242,14	551,71	80,46	ГОСТ 10284-84
52831700070730	0	BK20	1010-0707*30	8345,96	589,14	70,59	ТУ 48-4207-5-91
53831510070730	0	BK20-KC	1010-0707*30	8343,29	598,30	76,24	ГОСТ 10284-84
53631510000708	0	BK10-KC	1010-0708	7227,77	613,57	94,23	ГОСТ 10284-84
52731510000708	0	BK15	1010-0708	7227,77	613,57	92,33	ГОСТ 10284-84
52831700000708	0	BK20	1010-0708	8325,82	665,40	82,68	ТУ 48-4207-5-91
53831510000708	0	BK20-KC	1010-0708	8325,82	665,40	89,29	ГОСТ 10284-84
53831510070810	0	BK20-KC	1010-0708*10	8699,26	181,12	24,81	ГОСТ 10284-84
53631510070820	0	BK10-KC	1010-0708*20	7314,5	362,51	52,35	ГОСТ 10284-84
52831700070820	0	BK20	1010-0708*20	8434,71	387,41	45,93	ТУ 48-4207-5-91
53831510070820	0	BK20-KC	1010-0708*20	8430,86	393,38	49,6	ГОСТ 10284-84
53831510070826	0	BK20-KC	1010-0708*26	8397,06	454,37	64,49	ГОСТ 10284-84
53831510070828	0	BK20-KC	1010-0708*28	8371,05	514,74	73,29	ГОСТ 10284-84

53631510070830	0	BK10-KC	1010-0708*30	7245,56	538,71	78,53	ГОСТ 10284-84
52831700070830	0	BK20	1010-0708*30	8350,15	575,33	68,9	ТУ 48-4207-5-91
53831510070830	0	BK20-KC	1010-0708*30	8347,43	584,24	74,41	ГОСТ 10284-84
53631510000709	0	BK10-KC	1010-0709	7132,65	2176,38	338,69	ГОСТ 10284-84
52731510000709	0	BK15	1010-0709	7130,98	2274,78	308,16	ГОСТ 10284-84
52831700000709	0	BK20	1010-0709	8210,08	2358,43	297,16	ТУ 48-4207-5-91
53831510000709	0	BK20-KC	1010-0709	8210,08	2358,43	320,93	ГОСТ 10284-84
53631510070920	0	BK10-KC	1010-0709*20	7159,57	1275,41	188,16	ГОСТ 10284-84
52831700070920	0	BK20	1010-0709*20	8244,13	1361,02	165,09	ТУ 48-4207-5-91
53831510070920	0	BK20-KC	1010-0709*20	8242,9	1382,33	178,3	ГОСТ 10284-84
53631510070930	0	BK10-KC	1010-0709*30	7138,05	1907,36	282,24	ГОСТ 10284-84
52831700070930	0	BK20	1010-0709*30	8217,52	2034,90	247,63	ТУ 48-4207-5-91
53831510070930	0	BK20-KC	1010-0709*30	8216,68	2066,91	267,44	ГОСТ 10284-84
53631510000711	0	BK10-KC	1010-0711	7199,48	784,45	120,94	ГОСТ 10284-84
52731510000711	0	BK15	1010-0711	7199,48	784,45	118,5	ГОСТ 10284-84
52831700000711	0	BK20	1010-0711	8291,47	850,46	106,11	ТУ 48-4207-5-91
53831510000711	0	BK20-KC	1010-0711	8291,47	850,46	114,6	ГОСТ 10284-84
53631510071110	0	BK10-KC	1010-0711*10	7420,92	236,06	33,6	ГОСТ 10284-84
52831700071110	0	BK20	1010-0711*10	8564,49	252,48	29,48	ТУ 48-4207-5-91
53831510071110	0	BK20-KC	1010-0711*10	8559,2	256,26	31,84	ГОСТ 10284-84
53831510071116	0	BK20-KC	1010-0711*16	8452,89	361,28	50,94	ГОСТ 10284-84
53631510071120	0	BK10-KC	1010-0711*20	7269,31	462,40	67,19	ГОСТ 10284-84
52831700071120	0	BK20	1010-0711*20	8379,32	493,96	58,95	ТУ 48-4207-5-91
53831510071120	0	BK20-KC	1010-0711*20	8376,18	501,65	63,67	ГОСТ 10284-84
53831510071126	0	BK20-KC	1010-0711*26	8348,79	579,74	82,76	ГОСТ 10284-84
53631510071130	0	BK10-KC	1010-0711*30	7213,72	688,33	100,79	ГОСТ 10284-84
52731510071130	0	BK15	1010-0711*30	7213,72	688,33	98,74	ГОСТ 10284-84
52831700071130	0	BK20	1010-0711*30	8310,98	734,86	88,42	ТУ 48-4207-5-91
53831510071130	0	BK20-KC	1010-0711*30	8308,78	746,38	95,49	ГОСТ 10284-84
53631510000712	0	BK10-KC	1010-0712	7190,49	859,62	132,7	ГОСТ 10284-84
52731510000712	0	BK15	1010-0712	7190,49	859,62	130,02	ГОСТ 10284-84
52831700000712	0	BK20	1010-0712	8280,54	931,97	116,43	ТУ 48-4207-5-91
53831510000712	0	BK20-KC	1010-0712	8280,54	931,97	125,74	ГОСТ 10284-84
52531510000712	0	BK8	1010-0712	6808,18	851,02	125,00	ГОСТ 10284-84
53831510071210	0	BK20-KC	1010-0712*10	8580,61	241,54	31,44	ГОСТ 10284-84
53631510071220	0	BK10-KC	1010-0712*20	7279,66	435,25	66,36	ГОСТ 10284-84
52831700071220	0	BK20	1010-0712*20	8388,73	472,20	58,21	ТУ 48-4207-5-91
53831510071220	0	BK20-KC	1010-0712*20	8388,73	472,20	62,87	ГОСТ 10284-84
53631510071230	0	BK10-KC	1010-0712*30	7220,95	647,79	99,52	ГОСТ 10284-84
52831700071230	0	BK20	1010-0712*30	8317,55	702,50	87,32	ТУ 48-4207-5-91
53831510071230	0	BK20-KC	1010-0712*30	8317,55	702,50	94,31	ГОСТ 10284-84
53631510000713	0	BK10-KC	1010-0713	7163,34	1204,94	186,71	ГОСТ 10284-84
52731510000713	0	BK15	1010-0713	7163,34	1204,94	182,95	ГОСТ 10284-84
52831700000713	0	BK20	1010-0713	8247,49	1306,07	163,81	ТУ 48-4207-5-91
53831510000713	0	BK20-KC	1010-0713	8247,49	1306,07	176,93	ГОСТ 10284-84
53831510071310	0	BK20-KC	1010-0713*10	8473,18	335,71	44,23	ГОСТ 10284-84
52531510071310	0	BK8	1010-0713*10	6935,77	305,17	44,00	ГОСТ 10284-84
53631510071320	0	BK10-KC	1010-0713*20	7228,86	608,38	93,36	ГОСТ 10284-84
53831510071320	0	BK20-KC	1010-0713*20	8327,16	659,76	88,46	ГОСТ 10284-84
52431510071320	0	BK6	1010-0713*20	6837,91	607,55	90,05	ГОСТ 10284-84
53631510071330	0	BK10-KC	1010-0713*30	7185,59	906,82	140,03	ГОСТ 10284-84
52831700071330	0	BK20	1010-0713*30	8274,58	983,10	122,86	ТУ 48-4207-5-91
53831510071330	0	BK20-KC	1010-0713*30	8274,58	983,10	132,69	ГОСТ 10284-84
53631510000714	0	BK10-KC	1010-0714	7164,3	1188,13	184,08	ГОСТ 10284-84
52731510000714	0	BK15	1010-0714	7164,3	1188,13	180,37	ГОСТ 10284-84
52831700000714	0	BK20	1010-0714	8248,67	1287,78	161,5	ТУ 48-4207-5-91
53831510000714	0	BK20-KC	1010-0714	8248,67	1287,78	174,42	ГОСТ 10284-84
53831510071410	0	BK20-KC	1010-0714*10	8477,41	330,79	43,61	ГОСТ 10284-84
52531510071410	0	BK8	1010-0714*10	6938,52	300,78	43,35	ГОСТ 10284-84
53831510071420	0	BK20-KC	1010-0714*20	8329,52	650,04	87,21	ГОСТ 10284-84
53631510071430	0	BK10-KC	1010-0714*30	7186,91	893,69	138,06	ГОСТ 10284-84
52831700071430	0	BK20	1010-0714*30	8276,18	968,81	121,13	ТУ 48-4207-5-91
53831510071430	0	BK20-KC	1010-0714*30	8276,18	968,81	130,82	ГОСТ 10284-84
53631510000715	0	BK10-KC	1010-0715	7192,38	842,73	130,05	ГОСТ 10284-84
52731510000715	0	BK15	1010-0715	7192,38	842,73	127,43	ГОСТ 10284-84
52831700000715	0	BK20	1010-0715	8282,84	913,60	114,11	ТУ 48-4207-5-91
53831510000715	0	BK20-KC	1010-0715	8282,84	913,60	123,24	ГОСТ 10284-84
52531510000715	0	BK8	1010-0715	6809,69	834,26	122,51	ГОСТ 10284-84
52731510071510	0	BK15	1010-0715*10	7444,96	218,06	32,52	ГОСТ 10284-84
53831510071510	0	BK20-KC	1010-0715*10	8588,06	236,77	30,81	ГОСТ 10284-84
53631510071520	0	BK10-KC	1010-0715*20	7283,23	426,58	65,03	ГОСТ 10284-84

52831700071520	0	BK20	1010-0715*20	8393,05	462,79	57,05	TY 48-4207-5-91
53831510071520	0	BK20-KC	1010-0715*20	8393,05	462,79	61,61	ГОСТ 10284-84
53631510071530	0	BK10-KC	1010-0715*30	7223,48	634,66	97,55	ГОСТ 10284-84
52831700071530	0	BK20	1010-0715*30	8320,64	688,20	85,58	TY 48-4207-5-91
53831510071530	0	BK20-KC	1010-0715*30	8320,64	688,20	92,42	ГОСТ 10284-84
53631510000716	0	BK10-KC	1010-0716	7129,21	2390,07	372,11	ГОСТ 10284-84
52731510000716	0	BK15	1010-0716	7129,21	2390,07	364,62	ГОСТ 10284-84
52831700000716	0	BK20	1010-0716	8205,89	2589,86	326,48	TY 48-4207-5-91
53831510000716	0	BK20-KC	1010-0716	8205,89	2589,86	352,6	ГОСТ 10284-84
52531510000716	0	BK8	1010-0716	6759,22	2369,31	350,53	ГОСТ 10284-84
53831510071610	0	BK20-KC	1010-0716*10	8327,79	657,15	88,15	ГОСТ 10284-84
53631510071620	0	BK10-KC	1010-0716*20	7163,56	1200,97	186,06	ГОСТ 10284-84
52831700071620	0	BK20	1010-0716*20	8247,76	1301,74	163,24	TY 48-4207-5-91
53831510071620	0	BK20-KC	1010-0716*20	8247,76	1301,74	176,3	ГОСТ 10284-84
53631510071630	0	BK10-KC	1010-0716*30	7140,76	1796,04	279,08	ГОСТ 10284-84
52831700071630	0	BK20	1010-0716*30	8219,98	1946,41	244,86	TY 48-4207-5-91
53831510071630	0	BK20-KC	1010-0716*30	8219,98	1946,41	264,45	ГОСТ 10284-84
53631510000717	0	BK10-KC	1010-0717	7152,05	1443,07	223,96	ГОСТ 10284-84
52731510000717	0	BK15	1010-0717	7152,05	1443,07	219,45	ГОСТ 10284-84
52831700000717	0	BK20	1010-0717	8233,74	1564,00	196,5	TY 48-4207-5-91
53831510000717	0	BK20-KC	1010-0717	8233,74	1564,00	212,22	ГОСТ 10284-84
52531510000717	0	BK8	1010-0717	6777,45	1430,04	213,1	ГОСТ 10284-84
53831510071710	0	BK20-KC	1010-0717*10	8426,62	400,18	53,05	ГОСТ 10284-84
53631510071720	0	BK10-KC	1010-0717*20	7207,52	727,24	111,99	ГОСТ 10284-84
53831510071720	0	BK20-KC	1010-0717*20	8301,24	788,53	106,11	ГОСТ 10284-84
53631510071730	0	BK10-KC	1010-0717*30	7170,81	1085,66	167,97	ГОСТ 10284-84
52831700071730	0	BK20	1010-0717*30	8256,59	1176,81	147,37	TY 48-4207-5-91
53831510071730	0	BK20-KC	1010-0717*30	8256,59	1176,81	159,16	ГОСТ 10284-84
53631510000718	0	BK10-KC	1010-0718	7166,18	1156,69	179,16	ГОСТ 10284-84
52731510000718	0	BK15	1010-0718	7166,18	1156,69	173,25	ГОСТ 10284-84
52831700000718	0	BK20	1010-0718	8250,94	1253,81	157,19	TY 48-4207-5-91
53831510000718	0	BK20-KC	1010-0718	8250,94	1253,81	169,77	ГОСТ 10284-84
52531510000718	0	BK8	1010-0718	6501,31	615,02	170,5	ГОСТ 10284-84
53831510071810	0	BK20-KC	1010-0718*10	8484,8	322,51	42,44	ГОСТ 10284-84
52531510071810	0	BK8	1010-0718*10	6943,62	292,95	42,19	ГОСТ 10284-84
53631510071820	0	BK10-KC	1010-0718*20	7234,22	584,24	89,59	ГОСТ 10284-84
52831700071820	0	BK20	1010-0718*20	8333,66	633,61	78,6	TY 48-4207-5-91
53831510071820	0	BK20-KC	1010-0718*20	8333,66	633,61	84,89	ГОСТ 10284-84
52431510071820	0	BK6	1010-0718*20	6844,43	571,24	86,4	ГОСТ 10284-84
52531510071820	0	BK8	1010-0718*20	6844,43	571,24	85,25	ГОСТ 10284-84
52531510071825	0	BK8	1010-0718*25	6489,75	759,30	117,00	ГОСТ 10284-84
53631510071830	0	BK10-KC	1010-0718*30	7189,35	870,20	134,37	ГОСТ 10284-84
52831700071830	0	BK20	1010-0718*30	8279,15	943,41	117,89	TY 48-4207-5-91
53831510071830	0	BK20-KC	1010-0718*30	8279,15	943,41	127,32	ГОСТ 10284-84
53631510000719	0	BK10-KC	1010-0719	7129,7	2356,94	366,93	ГОСТ 10284-84
52731510000719	0	BK15	1010-0719	7128,15	2464,20	333,9	ГОСТ 10284-84
52831700000719	0	BK20	1010-0719	8206,49	2553,94	321,95	TY 48-4207-5-91
53831510000719	0	BK20-KC	1010-0719	8206,49	2553,94	347,7	ГОСТ 10284-84
53831510071910	0	BK20-KC	1010-0719*10	8329,98	648,16	86,92	ГОСТ 10284-84
52831700071920	0	BK20	1010-0719*20	8248,93	1283,78	160,97	TY 48-4207-5-91
53831510071920	0	BK20-KC	1010-0719*20	8248,93	1283,78	173,85	ГОСТ 10284-84
53631510071930	0	BK10-KC	1010-0719*30	7141,41	1771,21	275,19	ГОСТ 10284-84
52831700071930	0	BK20	1010-0719*30	8220,77	1919,47	241,45	TY 48-4207-5-91
53831510071930	0	BK20-KC	1010-0719*30	8220,77	1919,47	260,77	ГОСТ 10284-84
53631510000721	0	BK10-KC	1010-0721	7130,17	2326,01	362,09	ГОСТ 10284-84
52731510000721	0	BK15	1010-0721	7130,17	2326,01	362,09	ГОСТ 10284-84
52831700000721	0	BK20	1010-0721	9843,32	3356,57	317,7	TY 48-4207-5-91
53831510000721	0	BK20-KC	1010-0721	8207,07	2520,47	343,11	ГОСТ 10284-84
52531510000721	0	BK8	1010-0721	6759,99	2305,77	341,09	ГОСТ 10284-84
53831510072110	0	BK20-KC	1010-0721*10	8332,03	639,98	85,77	ГОСТ 10284-84
53631510072120	0	BK10-KC	1010-0721*20	7165,42	1169,18	181,05	ГОСТ 10284-84
52831700072120	0	BK20	1010-0721*20	8250,03	1267,29	158,85	TY 48-4207-5-91
53831510072120	0	BK20-KC	1010-0721*20	8250,03	1267,29	171,56	ГОСТ 10284-84
53631510072130	0	BK10-KC	1010-0721*30	7142,04	1747,73	271,57	ГОСТ 10284-84
52831700072130	0	BK20	1010-0721*30	8221,54	1894,00	238,27	TY 48-4207-5-91
53831510072130	0	BK20-KC	1010-0721*30	8221,54	1894,00	257,33	ГОСТ 10284-84
53631510000722	0	BK10-KC	1010-0722	7130,34	2315,43	360,44	ГОСТ 10284-84
52731510000722	0	BK15	1010-0722	7130,34	2315,43	353,17	ГОСТ 10284-84
52831700000722	0	BK20	1010-0722	9843,52	3342,17	316,24	TY 48-4207-5-91
53831510000722	0	BK20-KC	1010-0722	8207,27	2509,04	341,54	ГОСТ 10284-84
52531510000722	0	BK8	1010-0722	6760,12	2295,26	339,53	ГОСТ 10284-84

53631510072210	0	BK10-KC	1010-0722*10	7233,5	587,36	90,12	ГОСТ 10284-84
53831510072210	0	BK20-KC	1010-0722*10	8332,8	636,96	85,38	ГОСТ 10284-84
53631510072220	0	BK10-KC	1010-0722*20	7165,75	1163,65	180,22	ГОСТ 10284-84
53831510072220	0	BK20-KC	1010-0722*20	8250,43	1261,33	170,77	ГОСТ 10284-84
53631510072230	0	BK10-KC	1010-0722*30	7142,27	1739,43	270,33	ГОСТ 10284-84
52731510072230	0	BK15	1010-0722*30	7142,27	1739,43	270,33	ГОСТ 10284-84
52831700072230	0	BK20	1010-0722*30	8221,82	1885,02	237,18	ТУ 48-4207-5-91
53831510072230	0	BK20-KC	1010-0722*30	8221,82	1885,02	256,15	ГОСТ 10284-84
53631510000723	0	BK10-KC	1010-0723	7480,16	3591,97	533,08	ГОСТ 10284-84
52731510000723	0	BK15	1010-0723	7480,16	3591,97	533,08	ГОСТ 10284-84
52831700000723	0	BK20	1010-0723	8609,71	3892,19	467,71	ТУ 48-4207-5-91
53831510000723	0	BK20-KC	1010-0723	8609,71	3892,19	505,13	ГОСТ 10284-84
52531510000723	0	BK8	1010-0723	7051,68	3541,07	502,16	ГОСТ 10284-84
53631510072310	0	BK10-KC	1010-0723*10	7235,42	579,05	88,85	ГОСТ 10284-84
53831510072310	0	BK20-KC	1010-0723*10	8335,13	627,97	84,19	ГОСТ 10284-84
55131510072312	0	BK10-XO	1010-0723*12	8320,54	832,89	99,4	ГОСТ 10284-84
53631510072320	0	BK10-KC	1010-0723*20	7166,77	1147,11	177,69	ГОСТ 10284-84
52831700072320	0	BK20	1010-0723*20	8251,67	1243,36	155,9	ТУ 48-4207-5-91
53831510072320	0	BK20-KC	1010-0723*20	8251,67	1243,36	168,37	ГОСТ 10284-84
53631510072330	0	BK10-KC	1010-0723*30	7142,94	1715,31	266,54	ГОСТ 10284-84
52831700072330	0	BK20	1010-0723*30	8222,63	1858,89	233,85	ТУ 48-4207-5-91
53831510072330	0	BK20-KC	1010-0723*30	8222,63	1858,89	252,56	ГОСТ 10284-84
53631510072340	0	BK10-KC	1010-0723*40	7130,86	2282,73	355,38	ГОСТ 10284-84
52831700072340	0	BK20	1010-0723*40	9844,2	3295,54	311,81	ТУ 48-4207-5-91
53831510072340	0	BK20-KC	1010-0723*40	8207,9	2473,53	336,75	ГОСТ 10284-84
53631510072350	0	BK10-KC	1010-0723*50	7123,54	2850,77	444,24	ГОСТ 10284-84
52831700072350	0	BK20	1010-0723*50	8198,97	3088,96	389,76	ТУ 48-4207-5-91
53831510072350	0	BK20-KC	1010-0723*50	8198,97	3088,96	420,94	ГОСТ 10284-84
53631510000724	0	BK10-KC	1010-0724	7480,93	3513,87	521,36	ГОСТ 10284-84
52731510000724	0	BK15	1010-0724	7480,93	3513,87	521,36	ГОСТ 10284-84
52831700000724	0	BK20	1010-0724	8610,66	3807,55	457,43	ТУ 48-4207-5-91
53831510000724	0	BK20-KC	1010-0724	8610,66	3807,55	494,02	ГОСТ 10284-84
52531510000724	0	BK8	1010-0724	7052,3	3463,53	491,12	ГОСТ 10284-84
53831510072410	0	BK20-KC	1010-0724*10	8338,74	614,48	82,34	ГОСТ 10284-84
53631510072420	0	BK10-KC	1010-0724*20	7168,35	1122,28	173,78	ГОСТ 10284-84
52831700072420	0	BK20	1010-0724*20	8253,6	1216,42	152,48	ТУ 48-4207-5-91
53831510072420	0	BK20-KC	1010-0724*20	8253,6	1216,42	164,68	ГОСТ 10284-84
53631510072430	0	BK10-KC	1010-0724*30	7144,02	1677,99	260,68	ГОСТ 10284-84
52831700072430	0	BK20	1010-0724*30	8223,95	1818,48	228,71	ТУ 48-4207-5-91
53831510072430	0	BK20-KC	1010-0724*30	8223,95	1818,48	247,01	ГОСТ 10284-84
53631510072440	0	BK10-KC	1010-0724*40	7131,67	2233,00	347,58	ГОСТ 10284-84
53831510072440	0	BK20-KC	1010-0724*40	8208,89	2419,74	329,35	ГОСТ 10284-84
53631510072450	0	BK10-KC	1010-0724*50	7124,19	2788,69	434,46	ГОСТ 10284-84
53831510072450	0	BK20-KC	1010-0724*50	8199,77	3021,70	411,69	ГОСТ 10284-84
53631510000725	0	BK10-KC	1010-0725	7475,94	4083,73	606,32	ГОСТ 10284-84
52731510000725	0	BK15	1010-0725	7474,6	4269,49	551,7	ГОСТ 10284-84
52831700000725	0	BK20	1010-0725	8604,57	4424,90	531,97	ТУ 48-4207-5-91
53831510000725	0	BK20-KC	1010-0725	8604,57	4424,90	574,53	ГОСТ 10284-84
52531510000725	0	BK8	1010-0725	7048,32	4025,72	571,16	ГОСТ 10284-84
53631510072510	0	BK10-KC	1010-0725*10	7219,22	657,09	101,06	ГОСТ 10284-84
53831510072510	0	BK20-KC	1010-0725*10	8315,44	712,55	95,75	ГОСТ 10284-84
53631510072520	0	BK10-KC	1010-0725*20	7158,19	1303,15	202,11	ГОСТ 10284-84
53831510072520	0	BK20-KC	1010-0725*20	8241,23	1412,38	191,51	ГОСТ 10284-84
53631510072530	0	BK10-KC	1010-0725*30	7137,11	1949,29	303,17	ГОСТ 10284-84
52831700072530	0	BK20	1010-0725*30	8215,53	2112,38	266,00	ТУ 48-4207-5-91
53831510072530	0	BK20-KC	1010-0725*30	8215,53	2112,38	287,27	ГОСТ 10284-84
53631510072540	0	BK10-KC	1010-0725*40	7126,43	2595,38	404,21	ГОСТ 10284-84
52831700072540	0	BK20	1010-0725*40	8202,5	2812,31	354,65	ТУ 48-4207-5-91
53831510072540	0	BK20-KC	1010-0725*40	8202,5	2812,31	383,02	ГОСТ 10284-84
53631510072550	0	BK10-KC	1010-0725*50	7119,99	3240,80	505,27	ГОСТ 10284-84
52831700072550	0	BK20	1010-0725*50	8194,64	3511,40	431,31	ТУ 48-4207-5-91
53831510072550	0	BK20-KC	1010-0725*50	8194,64	3511,40	478,77	ГОСТ 10284-84
53631510000726	0	BK10-KC	1010-0726	7476,2	4049,56	601,23	ГОСТ 10284-84
52731510000726	0	BK15	1010-0726	7476,2	4049,56	621,71	ГОСТ 10284-84
52831700000726	0	BK20	1010-0726	8604,89	4387,89	527,5	ТУ 48-4207-5-91
53831510000726	0	BK20-KC	1010-0726	8604,89	4387,89	569,7	ГОСТ 10284-84
53631510072620	0	BK10-KC	1010-0726*20	7158,7	1292,79	200,4	ГОСТ 10284-84
52831700072620	0	BK20	1010-0726*20	8241,84	1401,20	175,83	ТУ 48-4207-5-91
53831510072620	0	BK20-KC	1010-0726*20	8241,84	1401,20	189,9	ГОСТ 10284-84
53631510072630	0	BK10-KC	1010-0726*30	7137,48	1932,76	300,62	ГОСТ 10284-84
52831700072630	0	BK20	1010-0726*30	8215,98	2094,42	263,75	ТУ 48-4207-5-91

53831510072630	0	BK20-KC	1010-0726*30	8215,98	2094,42	284,85	ГОСТ 10284-84
53631510072640	0	BK10-KC	1010-0726*40	7126,71	2573,31	400,82	ГОСТ 10284-84
52831700072640	0	BK20	1010-0726*40	8202,84	2788,39	351,67	ТУ 48-4207-5-91
53831510072640	0	BK20-KC	1010-0726*40	8202,84	2788,39	379,8	ГОСТ 10284-84
53631510072650	0	BK10-KC	1010-0726*50	7120,2	3213,85	501,02	ГОСТ 10284-84
52831700072650	0	BK20	1010-0726*50	8194,9	3482,26	439,58	ТУ 48-4207-5-91
53831510072650	0	BK20-KC	1010-0726*50	8194,9	3482,26	474,75	ГОСТ 10284-84
53631510000727	0	BK10-KC	1010-0727	7476,63	3995,28	593,14	ГОСТ 10284-84
52731510000727	0	BK15	1010-0727	7476,63	3995,28	581,18	ГОСТ 10284-84
52831700000727	0	BK20	1010-0727	8605,4	4329,12	520,4	ТУ 48-4207-5-91
53831510000727	0	BK20-KC	1010-0727	8605,4	4329,12	562,03	ГОСТ 10284-84
52531510000727	0	BK8	1010-0727	6748,8	3770,55	564,45	ГОСТ 10284-84
53631510072710	0	BK10-KC	1010-0727*10	7221,8	643,32	98,85	ГОСТ 10284-84
53831510072710	0	BK20-KC	1010-0727*10	8318,59	697,60	93,67	ГОСТ 10284-84
53631510072720	0	BK10-KC	1010-0727*20	7159,56	1275,55	197,72	ГОСТ 10284-84
52831700072720	0	BK20	1010-0727*20	8242,89	1382,50	173,47	ТУ 48-4207-5-91
53831510072720	0	BK20-KC	1010-0727*20	8242,89	1382,50	187,35	ГОСТ 10284-84
53631510072730	0	BK10-KC	1010-0727*30	7138,06	1907,22	296,57	ГОСТ 10284-84
52831700072730	0	BK20	1010-0727*30	8216,68	2066,74	260,2	ТУ 48-4207-5-91
53831510072730	0	BK20-KC	1010-0727*30	8216,68	2066,74	281,02	ГОСТ 10284-84
52831700072740	0	BK20	1010-0727*40	8203,38	2751,00	346,93	ТУ 48-4207-5-91
53831510072740	0	BK20-KC	1010-0727*40	8203,38	2751,00	374,7	ГОСТ 10284-84
53631510072750	0	BK10-KC	1010-0727*50	7120,56	3171,07	494,28	ГОСТ 10284-84
52831700072750	0	BK20	1010-0727*50	8195,33	3435,89	433,67	ТУ 48-4207-5-91
53831510072750	0	BK20-KC	1010-0727*50	8195,33	3435,89	468,36	ГОСТ 10284-84
53631510000728	0	BK10-KC	1010-0728	7467,9	5524,38	821,1	ГОСТ 10284-84
52731510000728	0	BK15	1010-0728	7467,9	5524,38	849,07	ГОСТ 10284-84
52831700000728	0	BK20	1010-0728	8594,75	5985,56	720,41	ТУ 48-4207-5-91
53831510000728	0	BK20-KC	1010-0728	8594,75	5985,56	778,04	ГОСТ 10284-84
52531510000728	0	BK8	1010-0728	7109,3	5495,49	781,4	ГОСТ 10284-84
53631510072810	0	BK10-KC	1010-0728*10	7187,68	886,10	136,85	ГОСТ 10284-84
53831510072810	0	BK20-KC	1010-0728*10	8277,12	960,64	129,68	ГОСТ 10284-84
52831700072820	0	BK20	1010-0728*20	8221,11	1908,20	240,14	ТУ 48-4207-5-91
53831510072820	0	BK20-KC	1010-0728*20	8221,11	1908,20	259,35	ГОСТ 10284-84
53631510072830	0	BK10-KC	1010-0728*30	7125,94	2635,46	410,55	ГОСТ 10284-84
52831700072830	0	BK20	1010-0728*30	8201,91	2855,66	360,22	ТУ 48-4207-5-91
53831510072830	0	BK20-KC	1010-0728*30	8201,91	2855,66	389,03	ГОСТ 10284-84
53631510072840	0	BK10-KC	1010-0728*40	7117,99	3510,66	547,4	ГОСТ 10284-84
52831700072840	0	BK20	1010-0728*40	8192,2	3803,80	480,28	ТУ 48-4207-5-91
53831510072840	0	BK20-KC	1010-0728*40	8192,2	3803,80	518,7	ГОСТ 10284-84
53631510072850	0	BK10-KC	1010-0728*50	7113,2	4385,21	684,26	ГОСТ 10284-84
52831700072850	0	BK20	1010-0728*50	8186,34	4751,19	600,34	ТУ 48-4207-5-91
53831510072850	0	BK20-KC	1010-0728*50	8186,34	4751,19	648,38	ГОСТ 10284-84
53631510000729	0	BK10-KC	1010-0729	7468,3	5430,20	807,06	ГОСТ 10284-84
52731510000729	0	BK15	1010-0729	7467,29	5677,38	734,3	ГОСТ 10284-84
52831700000729	0	BK20	1010-0729	8595,23	5883,52	708,1	ТУ 48-4207-5-91
53831510000729	0	BK20-KC	1010-0729	8595,23	5883,52	764,75	ГОСТ 10284-84
53831510072910	0	BK20-KC	1010-0729*10	8279,01	944,55	127,46	ГОСТ 10284-84
53631510072920	0	BK10-KC	1010-0729*20	7142,5	1731,13	269,02	ГОСТ 10284-84
53831510072920	0	BK20-KC	1010-0729*20	8222,09	1876,12	254,91	ГОСТ 10284-84
53631510072930	0	BK10-KC	1010-0729*30	7126,49	2591,26	403,53	ГОСТ 10284-84
52831700072930	0	BK20	1010-0729*30	8202,57	2807,82	354,06	ТУ 48-4207-5-91
53831510072930	0	BK20-KC	1010-0729*30	8202,57	2807,82	382,37	ГОСТ 10284-84
53631510072940	0	BK10-KC	1010-0729*40	7118,41	3450,65	538,05	ГОСТ 10284-84
52831700072940	0	BK20	1010-0729*40	8192,71	3738,74	472,06	ТУ 48-4207-5-91
53831510072940	0	BK20-KC	1010-0729*40	8192,71	3738,74	509,82	ГОСТ 10284-84
53631510072950	0	BK10-KC	1010-0729*50	7472,92	4528,44	672,55	ГОСТ 10284-84
52831700072950	0	BK20	1010-0729*50	8600,87	4906,63	590,08	ТУ 48-4207-5-91
53831510072950	0	BK20-KC	1010-0729*50	8600,87	4906,63	637,29	ГОСТ 10284-84
53631510000731	0	BK10-KC	1010-0731	7468,39	5408,39	803,81	ГОСТ 10284-84
52731510000731	0	BK15	1010-0731	7468,39	5408,39	831,2	ГОСТ 10284-84
52831700000731	0	BK20	1010-0731	8595,35	5859,88	705,24	ТУ 48-4207-5-91
53831510000731	0	BK20-KC	1010-0731	8595,35	5859,88	761,66	ГОСТ 10284-84
53831510073110	0	BK20-KC	1010-0731*10	8279,46	940,80	133,97	ГОСТ 10284-84
53831510073120	0	BK20-KC	1010-0731*20	8222,33	1868,61	253,89	ГОСТ 10284-84
53631510073130	0	BK10-KC	1010-0731*30	7126,62	2580,90	401,91	ГОСТ 10284-84
52831700073130	0	BK20	1010-0731*30	8202,72	2796,64	352,62	ТУ 48-4207-5-91
53831510073130	0	BK20-KC	1010-0731*30	8202,72	2796,64	380,83	ГОСТ 10284-84
53631510073140	0	BK10-KC	1010-0731*40	7118,5	3436,81	535,87	ГОСТ 10284-84
52831700073140	0	BK20	1010-0731*40	8192,83	3723,80	470,16	ТУ 48-4207-5-91
53831510073140	0	BK20-KC	1010-0731*40	8192,83	3723,80	507,77	ГОСТ 10284-84

53631510073150	0	BK10-KC	1010-0731*50	7473,03	4510,35	669,85	ГОСТ 10284-84
52831700073150	0	BK20	1010-0731*50	8601,01	4887,01	587,7	ТУ 48-4207-5-91
53831510073150	0	BK20-KC	1010-0731*50	8601,01	4887,01	634,72	ГОСТ 10284-84
53631510000732	0	BK10-KC	1010-0732	7468,8	5316,22	790,06	ГОСТ 10284-84
52731510000732	0	BK15	1010-0732	7467,77	5558,26	718,8	ГОСТ 10284-84
52831700000732	0	BK20	1010-0732	8595,84	5759,99	693,18	ТУ 48-4207-5-91
53831510000732	0	BK20-KC	1010-0732	8595,84	5759,99	748,63	ГОСТ 10284-84
53831510073210	0	BK20-KC	1010-0732*10	8281,44	924,71	124,77	ГОСТ 10284-84
53631510073220	0	BK10-KC	1010-0732*20	7143,53	1694,59	263,36	ГОСТ 10284-84
53831510073220	0	BK20-KC	1010-0732*20	8223,36	1836,44	249,54	ГОСТ 10284-84
53631510073230	0	BK10-KC	1010-0732*30	7127,19	2536,07	395,03	ГОСТ 10284-84
52831700073230	0	BK20	1010-0732*30	8203,43	2747,98	346,59	ТУ 48-4207-5-91
53831510073230	0	BK20-KC	1010-0732*30	8203,43	2747,98	374,32	ГОСТ 10284-84
52831700073240	0	BK20	1010-0732*40	8193,35	3660,21	462,12	ТУ 48-4207-5-91
53831510073240	0	BK20-KC	1010-0732*40	8193,35	3660,21	499,09	ГОСТ 10284-84
53631510073250	0	BK10-KC	1010-0732*50	7473,52	4432,84	658,39	ГОСТ 10284-84
52831700073250	0	BK20	1010-0732*50	8601,61	4803,05	577,65	ТУ 48-4207-5-91
53831510073250	0	BK20-KC	1010-0732*50	8601,61	4803,05	623,86	ГОСТ 10284-84
53631510000733	0	BK10-KC	1010-0733	7468,93	5286,51	785,64	ГОСТ 10284-84
52731510000733	0	BK15	1010-0733	7467,89	5526,99	714,8	ГОСТ 10284-84
52831700000733	0	BK20	1010-0733	8596,00	5727,86	689,3	ТУ 48-4207-5-91
53831510000733	0	BK20-KC	1010-0733	8596,00	5727,86	744,44	ГОСТ 10284-84
53831510073310	0	BK20-KC	1010-0733*10	8282,04	919,89	124,07	ГОСТ 10284-84
53631510073320	0	BK10-KC	1010-0733*20	7143,79	1685,58	261,88	ГОСТ 10284-84
53831510073320	0	BK20-KC	1010-0733*20	8223,67	1826,72	248,15	ГОСТ 10284-84
53631510073330	0	BK10-KC	1010-0733*30	7127,37	2522,23	392,82	ГОСТ 10284-84
52831700073330	0	BK20	1010-0733*30	8203,65	2733,05	344,65	ТУ 48-4207-5-91
53831510073330	0	BK20-KC	1010-0733*30	8203,65	2733,05	372,22	ГОСТ 10284-84
52831700073340	0	BK20	1010-0733*40	8610,47	3824,51	459,53	ТУ 48-4207-5-91
53831510073340	0	BK20-KC	1010-0733*40	8610,47	3824,51	496,29	ГОСТ 10284-84
53631510073350	0	BK10-KC	1010-0733*50	7473,68	4408,20	654,7	ГОСТ 10284-84
52831700073350	0	BK20	1010-0733*50	8601,8	4776,41	574,41	ТУ 48-4207-5-91
53831510073350	0	BK20-KC	1010-0733*50	8601,8	4776,41	620,36	ГОСТ 10284-84
53631510000734	0	BK10-KC	1010-0734	7469,61	5140,06	763,81	ГОСТ 10284-84
52731510000734	0	BK15	1010-0734	7469,61	5140,06	763,81	ГОСТ 10284-84
52831700000734	0	BK20	1010-0734	8596,83	5569,20	670,15	ТУ 48-4207-5-91
53831510000734	0	BK20-KC	1010-0734	8596,83	5569,20	723,76	ГОСТ 10284-84
52531510000734	0	BK8	1010-0734	7043,27	5067,63	719,5	ГОСТ 10284-84
53631510073410	0	BK10-KC	1010-0734*10	7194,44	824,99	127,3	ГОСТ 10284-84
53831510073410	0	BK20-KC	1010-0734*10	8285,34	894,40	120,63	ГОСТ 10284-84
53831510073420	0	BK20-KC	1010-0734*20	8225,39	1775,86	241,25	ГОСТ 10284-84
53631510073430	0	BK10-KC	1010-0734*30	7128,32	2452,50	381,91	ГОСТ 10284-84
52831700073430	0	BK20	1010-0734*30	8204,8	2657,53	335,07	ТУ 48-4207-5-91
53831510073430	0	BK20-KC	1010-0734*30	8204,8	2657,53	361,88	ГОСТ 10284-84
53631510073440	0	BK10-KC	1010-0734*40	7481,78	3432,42	509,21	ГОСТ 10284-84
52831700073440	0	BK20	1010-0734*40	8611,69	3719,30	446,76	ТУ 48-4207-5-91
53831510073440	0	BK20-KC	1010-0734*40	8611,69	3719,30	482,5	ГОСТ 10284-84
53631510073450	0	BK10-KC	1010-0734*50	7474,49	4285,80	636,51	ГОСТ 10284-84
52831700073450	0	BK20	1010-0734*50	8602,8	4643,79	558,46	ТУ 48-4207-5-91
53831510073450	0	BK20-KC	1010-0734*50	8602,8	4643,79	603,13	ГОСТ 10284-84
53631510000735	0	BK10-KC	1010-0735	7459,1	8989,40	1337,69	ГОСТ 10284-84
52831700000735	0	BK20	1010-0735	8583,99	9739,05	1173,65	ТУ 48-4207-5-91
53831510000735	0	BK20-KC	1010-0735	8583,99	9739,05	1267,54	ГОСТ 10284-84
53831510073510	0	BK20-KC	1010-0735*10	8222,29	1869,75	211,93	ГОСТ 10284-84
53831510073520	0	BK20-KC	1010-0735*20	8198,82	3101,70	423,86	ГОСТ 10284-84
53631510073530	0	BK10-KC	1010-0735*30	7113,63	4287,88	668,84	ГОСТ 10284-84
52831700073530	0	BK20	1010-0735*30	8186,88	4645,73	586,83	ТУ 48-4207-5-91
53831510073530	0	BK20-KC	1010-0735*30	8186,88	4645,73	635,79	ГОСТ 10284-84
53631510073540	0	BK10-KC	1010-0735*40	7466,09	6000,50	891,79	ГОСТ 10284-84
52831700073540	0	BK20	1010-0735*40	8592,54	6501,29	782,44	ТУ 48-4207-5-91
53831510073540	0	BK20-KC	1010-0735*40	8592,54	6501,29	845,04	ГОСТ 10284-84
53631510073550	0	BK10-KC	1010-0735*50	7461,9	7496,37	1114,74	ГОСТ 10284-84
52831510073550	0	BK20	1010-0735*50	8586,87	8339,57	971,2	ТУ 48-4207-5-91
53831510073550	0	BK20-KC	1010-0735*50	8587,41	8121,72	1056,28	ГОСТ 10284-84
53631510000736	0	BK10-KC	1010-0736	7459,21	8918,82	1327,17	ГОСТ 10284-84
52831700000736	0	BK20	1010-0736	8584,13	9662,64	1164,42	ТУ 48-4207-5-91
53831510000736	0	BK20-KC	1010-0736	8584,13	9662,64	1257,57	ГОСТ 10284-84
53831510073610	0	BK20-KC	1010-0736*10	8234,6	1545,14	209,6	ГОСТ 10284-84
53831510073620	0	BK20-KC	1010-0736*20	8199,11	3077,04	419,19	ГОСТ 10284-84
53631510073630	0	BK10-KC	1010-0736*30	7113,79	4253,41	663,58	ГОСТ 10284-84
53831510073630	0	BK20-KC	1010-0736*30	8187,07	4608,34	628,79	ГОСТ 10284-84

53631510073640	0	BK10-KC	1010-0736*40	7466,26	5951,96	884,78	ГОСТ 10284-84
53831510073640	0	BK20-KC	1010-0736*40	8592,75	6448,69	838,38	ГОСТ 10284-84
53831510073650	0	BK20-KC	1010-0736*50	8587,58	8056,61	1047,98	ГОСТ 10284-84
53831510073670	0	BK20-KC	1010-0736*70	8579,46	13220,10	1425,2	ГОСТ 10284-84
53631510000737	0	BK10-KC	1010-0737	7459,35	8831,49	1314,14	ГОСТ 10284-84
52731510000737	0	BK15	1010-0737	7459,35	8831,49	1358,92	ГОСТ 10284-84
52831700000737	0	BK20	1010-0737	8584,3	9567,97	1153,00	ТУ 48-4207-5-91
53831510000737	0	BK20-KC	1010-0737	8584,3	9567,97	1245,24	ГОСТ 10284-84
53831510073720	0	BK20-KC	1010-0737*20	8199,46	3047,08	415,08	ГОСТ 10284-84
53631510073730	0	BK10-KC	1010-0737*30	7113,99	4211,98	657,07	ГОСТ 10284-84
52831700073730	0	BK20	1010-0737*30	8187,31	4563,53	576,5	ТУ 48-4207-5-91
53831510073730	0	BK20-KC	1010-0737*30	8187,31	4563,53	622,62	ГОСТ 10284-84
53631510073740	0	BK10-KC	1010-0737*40	7466,47	5893,96	876,1	ГОСТ 10284-84
52831700073740	0	BK20	1010-0737*40	8593,00	6385,89	768,66	ТУ 48-4207-5-91
53831510073740	0	BK20-KC	1010-0737*40	8593,00	6385,89	830,15	ГОСТ 10284-84
53631510073750	0	BK10-KC	1010-0737*50	7462,2	7363,85	1095,12	ГОСТ 10284-84
52831700073750	0	BK20	1010-0737*50	8587,78	7978,14	960,83	ТУ 48-4207-5-91
53831510073750	0	BK20-KC	1010-0737*50	8587,78	7978,14	1037,7	ГОСТ 10284-84
53631510000738	0	BK10-KC	1010-0738	7459,59	8682,44	1291,93	ГОСТ 10284-84
52731510000738	0	BK15	1010-0738	7459,59	8682,44	1291,93	ГОСТ 10284-84
52831700000738	0	BK20	1010-0738	8584,6	9406,57	1133,5	ТУ 48-4207-5-91
53831510000738	0	BK20-KC	1010-0738	8584,6	9406,57	1224,23	ГОСТ 10284-84
52831700073816	0	BK20	1010-0738*16	9340,05	3221,38	1133,5	ТУ 48-4207-5-91
53631510073820	0	BK10-KC	1010-0738*20	7124,46	2763,86	430,64	ГОСТ 10284-84
53831510073820	0	BK20-KC	1010-0738*20	8200,1	2994,76	408,06	ГОСТ 10284-84
53631510073830	0	BK10-KC	1010-0738*30	7114,34	4139,48	1291,93	ГОСТ 10284-84
53831510073830	0	BK20-KC	1010-0738*30	8187,74	4485,00	612,09	ГОСТ 10284-84
53631510073840	0	BK10-KC	1010-0738*40	7466,85	5792,56	861,29	ГОСТ 10284-84
52831700073840	0	BK20	1010-0738*40	8593,46	6276,06	755,67	ТУ 48-4207-5-91
53831510073840	0	BK20-KC	1010-0738*40	8593,46	6276,06	816,12	ГОСТ 10284-84
53631510073850	0	BK10-KC	1010-0738*50	7462,5	7237,06	1076,61	ГОСТ 10284-84
52831700073850	0	BK20	1010-0738*50	8588,15	7840,81	944,59	ТУ 48-4207-5-91
53831510073850	0	BK20-KC	1010-0738*50	8588,15	7840,81	1020,16	ГОСТ 10284-84
53631510000739	0	BK10-KC	1010-0739	7459,85	8529,45	1269,12	ГОСТ 10284-84
52831700000739	0	BK20	1010-0739	8584,92	9240,81	1113,49	ТУ 48-4207-5-91
53831510000739	0	BK20-KC	1010-0739	8584,92	9240,81	1202,57	ГОСТ 10284-84
53831510073910	0	BK20-KC	1010-0739*10	8237,81	1477,86	200,43	ГОСТ 10284-84
53831510073920	0	BK20-KC	1010-0739*20	8200,76	2942,43	423,04	ГОСТ 10284-84
53831510073930	0	BK20-KC	1010-0739*30	8188,18	4406,47	601,29	ГОСТ 10284-84
52831700073940	0	BK20	1010-0739*40	8593,93	6166,15	742,33	ТУ 48-4207-5-91
53831510073940	0	BK20-KC	1010-0739*40	8593,93	6166,15	801,72	ГОСТ 10284-84
53831510073950	0	BK20-KC	1010-0739*50	8588,53	7703,48	1002,14	ГОСТ 10284-84
53631510000741	0	BK10-KC	1010-0741	7459,97	8461,55	1258,99	ГОСТ 10284-84
52731510000741	0	BK15	1010-0741	7459,97	8461,55	1233,62	ГОСТ 10284-84
52831700000741	0	BK20	1010-0741	8585,06	9167,22	1104,6	ТУ 48-4207-5-91
53831510000741	0	BK20-KC	1010-0741	8585,06	9167,22	1192,97	ГОСТ 10284-84
53831510074120	0	BK20-KC	1010-0741*20	8201,05	2919,98	397,66	ГОСТ 10284-84
53631510074130	0	BK10-KC	1010-0741*30	7114,86	4035,98	629,5	ГОСТ 10284-84
52831700074130	0	BK20	1010-0741*30	8188,38	4372,84	552,3	ТУ 48-4207-5-91
53831510074130	0	BK20-KC	1010-0741*30	8188,38	4372,84	596,48	ГОСТ 10284-84
53631510074140	0	BK10-KC	1010-0741*40	7467,41	5647,67	839,32	ГОСТ 10284-84
52831700074140	0	BK20	1010-0741*40	8594,14	6119,12	736,4	ТУ 48-4207-5-91
53831510074140	0	BK20-KC	1010-0741*40	8594,14	6119,12	795,31	ГОСТ 10284-84
52831700074150	0	BK20	1010-0741*50	8588,7	7644,63	920,5	ТУ 48-4207-5-91
53831510074150	0	BK20-KC	1010-0741*50	8588,7	7644,63	994,14	ГОСТ 10284-84
53631510000742	0	BK10-KC	1010-0742	7460,29	8284,58	1232,61	ГОСТ 10284-84
52831700000742	0	BK20	1010-0742	8585,45	8975,58	1081,46	ТУ 48-4207-5-91
53831510000742	0	BK20-KC	1010-0742	8585,45	8975,58	1167,98	ГОСТ 10284-84
53831510074210	0	BK20-KC	1010-0742*10	8240,00	1435,24	194,66	ГОСТ 10284-84
53831510074220	0	BK20-KC	1010-0742*20	8201,89	2857,13	389,33	ГОСТ 10284-84
53831510074230	0	BK20-KC	1010-0742*30	8188,94	4279,37	583,99	ГОСТ 10284-84
52831700074240	0	BK20	1010-0742*40	8594,74	5988,81	720,97	ТУ 48-4207-5-91
53831510074240	0	BK20-KC	1010-0742*40	8594,74	5988,81	778,66	ГОСТ 10284-84
53631510074250	0	BK10-KC	1010-0742*50	7463,34	6904,56	1027,18	ГОСТ 10284-84
53831510074250	0	BK20-KC	1010-0742*50	8589,18	7480,57	973,32	ГОСТ 10284-84
53631510000743	0	BK10-KC	1010-0743	7460,57	8136,05	1210,46	ГОСТ 10284-84
52831700000743	0	BK20	1010-0743	8585,79	8814,61	1062,03	ТУ 48-4207-5-91
53831510000743	0	BK20-KC	1010-0743	8585,79	8814,61	1146,99	ГОСТ 10284-84
52531510000743	0	BK8	1010-0743	7036,06	8022,94	1151,9	ГОСТ 10284-84
52831700074310	0	BK20	1010-0743*10	10400,91	1977,21	175,8	ТУ 48-4207-5-91
53831510074310	0	BK20-KC	1010-0743*10	8241,33	1410,50	201,74	ГОСТ 10284-84

53831510074320	0	BK20-KC	1010-0743*20	8202,57	2807,82	382,33	ГОСТ 10284-84
53631510074330	0	BK10-KC	1010-0743*30	7115,7	3880,69	605,23	ГОСТ 10284-84
53831510074330	0	BK20-KC	1010-0743*30	8189,4	4204,60	573,49	ГОСТ 10284-84
53631510074340	0	BK10-KC	1010-0743*40	7468,3	5430,35	806,98	ГОСТ 10284-84
52831700074340	0	BK20	1010-0743*40	8595,23	5883,70	708,02	ТУ 48-4207-5-91
53831510074340	0	BK20-KC	1010-0743*40	8595,23	5883,70	764,66	ГОСТ 10284-84
52831700074350	0	BK20	1010-0743*50	10302,83	10662,40	957,2	ТУ 48-4207-5-91
53831510074350	0	BK20-KC	1010-0743*50	8589,57	7350,35	955,82	ГОСТ 10284-84
53631510000744	0	BK10-KC	1010-0744	7457,34	10275,24	1529,39	ГОСТ 10284-84
52831700000744	0	BK20	1010-0744	8581,84	11131,94	1341,85	ТУ 48-4207-5-91
53831510000744	0	BK20-KC	1010-0744	8581,84	11131,94	1449,2	ГОСТ 10284-84
53831510074410	0	BK20-KC	1010-0744*10	8225,32	1778,15	241,53	ГОСТ 10284-84
53631510074420	0	BK10-KC	1010-0744*20	7119,76	3269,82	509,79	ГОСТ 10284-84
53831510074420	0	BK20-KC	1010-0744*20	8194,35	3542,83	483,06	ГОСТ 10284-84
53831510074430	0	BK20-KC	1010-0744*30	8183,88	5307,49	724,59	ГОСТ 10284-84
53831510074440	0	BK20-KC	1010-0744*40	8589,34	7427,20	966,12	ГОСТ 10284-84
53831510074450	0	BK20-KC	1010-0744*50	8584,84	9279,19	1207,66	ГОСТ 10284-84
53631510000745	0	BK10-KC	1010-0745	7457,56	10091,72	1502,03	ГОСТ 10284-84
52731510000745	0	BK15	1010-0745	7457,56	10091,72	1471,76	ГОСТ 10284-84
52831700000745	0	BK20	1010-0745	8582,12	10933,10	1317,84	ТУ 48-4207-5-91
53831510000745	0	BK20-KC	1010-0745	8582,12	10933,19	1423,27	ГОСТ 10284-84
52831700074520	0	BK20	1010-0745*20	8194,91	3480,79	439,28	ТУ 48-4207-5-91
53831510074520	0	BK20-KC	1010-0745*20	8194,91	3480,79	474,42	ГОСТ 10284-84
53831510074530	0	BK20-KC	1010-0745*30	8184,25	5214,02	711,63	ГОСТ 10284-84
53831510074540	0	BK20-KC	1010-0745*40	8589,74	7296,21	948,84	ГОСТ 10284-84
52831700074550	0	BK20	1010-0745*50	8585,17	9115,99	1098,2	ТУ 48-4207-5-91
53831510074550	0	BK20-KC	1010-0745*50	8585,17	9115,99	1186,06	ГОСТ 10284-84
53631510000746	0	BK10-KC	1010-0746	7453,42	15059,94	2242,74	ГОСТ 10284-84
52831700000746	0	BK20	1010-0746	8577,06	16315,03	1697,72	ТУ 48-4207-5-91
53831510000746	0	BK20-KC	1010-0746	8577,06	16315,03	2125,14	ГОСТ 10284-84
53831510074610	0	BK20-KC	1010-0746*10	8205,81	2594,35	354,19	ГОСТ 10284-84
53831510074620	0	BK20-KC	1010-0746*20	8184,35	5190,11	708,38	ГОСТ 10284-84
61331510074620	0	T15K6	1010-0746*20	6436,8	4532,92	545,59	ГОСТ 10284-84
53831510074630	0	BK20-KC	1010-0746*30	8177,16	7778,69	1062,57	ГОСТ 10284-84
53631510074640	0	BK10-KC	1010-0746*40	7457,61	10047,72	1495,16	ГОСТ 10284-84
53831510074640	0	BK20-KC	1010-0746*40	8582,18	10885,55	1416,75	ГОСТ 10284-84
53631510074650	0	BK10-KC	1010-0746*50	7455,1	12554,91	1868,95	ГОСТ 10284-84
52831700074650	0	BK20	1010-0746*50	8579,11	13601,41	1730,51	ТУ 48-4207-5-91
53831510074650	0	BK20-KC	1010-0746*50	8579,11	13601,41	1770,95	ГОСТ 10284-84
52531510074650	0	BK8	1010-0746*50	6746,65	12648,61	1874,8	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
53631510000747	0	BK10-KC	1010-0747	7453,85	14331,81	2134,18	ГОСТ 10284-84
52831700000747	0	BK20	1010-0747	8577,58	15526,28	1872,47	ТУ 48-4207-5-91
53831510000747	0	BK20-KC	1010-0747	8577,58	15526,28	2022,27	ГОСТ 10284-84
53831510074710	0	BK20-KC	1010-0747*10	8207,85	2476,14	337,05	ГОСТ 10284-84
53631510074720	0	BK10-KC	1010-0747*20	7112,46	4558,52	711,4	ГОСТ 10284-84
52831700074720	0	BK20	1010-0747*20	8185,45	4938,85	624,16	ТУ 48-4207-5-91
53831510074720	0	BK20-KC	1010-0747*20	8185,45	4938,85	674,09	ГОСТ 10284-84
52831700074730	0	BK20	1010-0747*30	8177,9	7401,08	936,24	ТУ 48-4207-5-91
53831510074730	0	BK20-KC	1010-0747*30	8177,9	7401,08	1011,14	ГОСТ 10284-84
52831700074740	0	BK20	1010-0747*40	8582,97	10356,64	1248,31	ТУ 48-4207-5-91
53831510074740	0	BK20-KC	1010-0747*40	8582,97	10356,64	1348,17	ГОСТ 10284-84
53631510074750	0	BK10-KC	1010-0747*50	7455,61	11952,90	1778,48	ГОСТ 10284-84
53831510074750	0	BK20-KC	1010-0747*50	8579,73	12949,30	1685,22	ГОСТ 10284-84
53631510000748	0	BK10-KC	1010-0748	7454,38	13515,24	2012,44	ГОСТ 10284-84
52731510000748	0	BK15	1010-0748	7454,38	13515,24	1912,96	ГОСТ 10284-84
52831700000748	0	BK20	1010-0748	8578,23	14641,76	1765,66	ТУ 48-4207-5-91
53831510000748	0	BK20-KC	1010-0748	8578,23	14641,76	1906,91	ГОСТ 10284-84
52531510000748	0	BK8	1010-0748	7030,75	14043,71	1915,1	ГОСТ 10284-84
53831510074810	0	BK20-KC	1010-0748*10	8210,55	2335,24	317,82	ГОСТ 10284-84
53831510074820	0	BK20-KC	1010-0748*20	8186,82	4656,99	635,63	ГОСТ 10284-84
53831510074830	0	BK20-KC	1010-0748*30	8178,82	6978,58	953,46	ГОСТ 10284-84
53631510074840	0	BK10-KC	1010-0748*40	7459,06	9014,05	1341,63	ГОСТ 10284-84
53831510074840	0	BK20-KC	1010-0748*40	8583,95	9765,70	1271,28	ГОСТ 10284-84
53831510074850	0	BK20-KC	1010-0748*50	8580,52	12202,27	1589,09	ГОСТ 10284-84
53631510000751	0	BK10-KC	1010-0751	7849,66	85,80	12,13	ГОСТ 10284-84
52731510000751	0	BK15	1010-0751	7200,94	82,23	11,03	ГОСТ 10284-84
52736230000751	0	BK15	1010-0751	9391,97	107,35	11,04	ТУ 48-19-161-90
52831710000751	0	BK20	1010-0751	9068,8	93,32	10,64	ТУ 48-4207-5-91
53831510000751	0	BK20-KC	1010-0751	9068,8	93,32	11,49	ГОСТ 10284-84
53631510000752	0	BK10-KC	1010-0752	7629,9	133,22	19,38	ГОСТ 10284-84
52831710000752	0	BK20	1010-0752	8809,18	144,73	17,00	ТУ 48-4207-5-91

53831510000752	0	BK20-KC	1010-0752	8809,18	144,73	18,36	ГОСТ 10284-84
53631510000753	0	BK10-KC	1010-0753	7079,04	122,96	19,28	ГОСТ 10284-84
52831710000753	0	BK20	1010-0753	8164,16	133,48	16,91	ТУ 48-4207-5-91
53831510000753	0	BK20-KC	1010-0753	8164,16	133,48	18,26	ГОСТ 10284-84
53631510000754	0	BK10-KC	1010-0754	6993,32	174,97	27,77	ГОСТ 10284-84
52831710000754	0	BK20	1010-0754	8061,88	189,86	24,36	ТУ 48-4207-5-91
53831510000754	0	BK20-KC	1010-0754	8061,88	189,86	26,31	ГОСТ 10284-84
53831510075420	0	BK20-KC	1010-0754*20	7988,88	260,44	30,2	ГОСТ 10284-84
53631510000755	0	BK10-KC	1010-0755	6995,76	173,01	27,45	ГОСТ 10284-84
52831700000755	0	BK20	1010-0755	8064,78	187,75	24,09	ТУ 48-4207-5-91
53831510000755	0	BK20-KC	1010-0755	8064,78	187,75	26,02	ГОСТ 10284-84
53831510075526	0	BK20-KC	1010-0755*26	7973,72	281,07	42,01	ГОСТ 10284-84
53631510000756	0	BK10-KC	1010-0756	6857,71	414,21	67,05	ГОСТ 10284-84
52731510000756	0	BK15	1010-0756	6857,71	414,21	65,7	ГОСТ 10284-84
52831710000756	0	BK20	1010-0756	7898,54	449,19	58,83	ТУ 48-4207-5-91
53831510000756	0	BK20-KC	1010-0756	7898,54	449,19	63,54	ГОСТ 10284-84
52531510000756	0	BK8	1010-0756	6530,3	412,71	63,2	ГОСТ 10284-84
53631510075610	0	BK10-KC	1010-0756*10	6990,18	177,55	26,82	ГОСТ 10284-84
53831510075610	0	BK20-KC	1010-0756*10	8058,1	192,67	25,41	ГОСТ 10284-84
53631510000757	0	BK10-KC	1010-0757	6857,87	413,60	66,94	ГОСТ 10284-84
52731510000757	0	BK15	1010-0757	6857,87	413,60	65,59	ГОСТ 10284-84
52831700000757	0	BK20	1010-0757	7898,77	448,41	58,73	ТУ 48-4207-5-91
53831510000757	0	BK20-KC	1010-0757	7898,77	448,41	63,43	ГОСТ 10284-84
53631510075720	0	BK10-KC	1010-0757*20	6877,72	348,77	53,57	ГОСТ 10284-84
53831510075740	0	BK20-KC	1010-0757*40	7855,28	664,16	100,76	ГОСТ 10284-84
53631510000758	0	BK10-KC	1010-0758	6858,81	410,02	66,36	ГОСТ 10284-84
52731510000758	0	BK15	1010-0758	6858,81	410,02	65,02	ГОСТ 10284-84
53831510000758	0	BK20-KC	1010-0758	7899,89	444,61	62,88	ГОСТ 10284-84
53631510075810	0	BK10-KC	1010-0758*10	6996,45	172,46	26,03	ГОСТ 10284-84
52731510075810	0	BK15	1010-0758*10	6996,45	172,46	26,03	ГОСТ 10284-84
53631510075820	0	BK10-KC	1010-0758*20	6878,82	345,73	53,08	ГОСТ 10284-84
53831510075820	0	BK20-KC	1010-0758*20	7924,12	374,89	50,31	ГОСТ 10284-84
53831510075840	0	BK20-KC	1010-0758*40	7856,07	658,50	99,9	ГОСТ 10284-84
53631510000759	0	BK10-KC	1010-0759	6860,5	403,74	65,32	ГОСТ 10284-84
52731510000759	0	BK15	1010-0759	6860,5	403,74	64,00	ГОСТ 10284-84
52831710000759	0	BK20	1010-0759	7901,95	437,77	57,31	ТУ 48-4207-5-91
53831510000759	0	BK20-KC	1010-0759	7901,95	437,77	61,89	ГОСТ 10284-84
53831510075910	0	BK20-KC	1010-0759*10	8094,6	168,12	24,75	ГОСТ 10284-84
53631510075920	0	BK10-KC	1010-0759*20	6880,8	340,39	52,25	ГОСТ 10284-84
53831510075920	0	BK20-KC	1010-0759*20	7918,29	389,74	45,53	ГОСТ 10284-84
53631510000761	0	BK10-KC	1010-0761	6789,88	1047,68	171,27	ГОСТ 10284-84
52731510000761	0	BK15	1010-0761	6789,88	1047,68	167,81	ГОСТ 10284-84
52831700000761	0	BK20	1010-0761	7816,21	1135,38	150,27	ТУ 48-4207-5-91
53831510000761	0	BK20-KC	1010-0761	7816,21	1135,38	162,29	ГОСТ 10284-84
53831510076110	0	BK20-KC	1010-0761*10	7960,8	301,08	45,08	ГОСТ 10284-84
53631510076120	0	BK10-KC	1010-0761*20	6821,79	614,51	95,15	ГОСТ 10284-84
53831510076120	0	BK20-KC	1010-0761*20	7855,01	666,10	90,16	ГОСТ 10284-84
53831510076126	0	BK20-KC	1010-0761*26	7842,38	771,22	117,2	ГОСТ 10284-84
53831510076130	0	BK20-KC	1010-0761*30	7825,77	969,46	135,24	ГОСТ 10284-84
53831510076146	0	BK20-KC	1010-0761*46	7807,23	1350,57	206,17	ГОСТ 10284-84
53631510000762	0	BK10-KC	1010-0762	7162,83	1214,03	188,13	ГОСТ 10284-84
52731510000762	0	BK15	1010-0762	7162,83	1214,03	184,33	ГОСТ 10284-84
52831700000762	0	BK20	1010-0762	8246,87	1315,87	165,06	ТУ 48-4207-5-91
53831510000762	0	BK20-KC	1010-0762	8246,87	1315,87	178,26	ГОСТ 10284-84
53831510076210	0	BK20-KC	1010-0762*10	7951,48	317,18	44,56	ГОСТ 10284-84
53831510076220	0	BK20-KC	1010-0762*20	7860,72	627,13	89,13	ГОСТ 10284-84
53631510076230	0	BK10-KC	1010-0762*30	6799,58	864,70	141,09	ГОСТ 10284-84
53831510076230	0	BK20-KC	1010-0762*30	7828,01	937,17	133,69	ГОСТ 10284-84
53631510000763	0	BK10-KC	1010-0763	7166,13	1157,47	179,28	ГОСТ 10284-84
52731510000763	0	BK15	1010-0763	7166,13	1157,47	175,66	ГОСТ 10284-84
52831700000763	0	BK20	1010-0763	8250,89	1254,63	157,3	ТУ 48-4207-5-91
53831510000763	0	BK20-KC	1010-0763	8250,89	1254,63	169,88	ГОСТ 10284-84
53831510076310	0	BK20-KC	1010-0763*10	7959,91	302,56	42,47	ГОСТ 10284-84
53631510076320	0	BK10-KC	1010-0763*20	6830,39	551,62	89,64	ГОСТ 10284-84
53831510076320	0	BK20-KC	1010-0763*20	7865,45	598,01	84,94	ГОСТ 10284-84
53631510076330	0	BK10-KC	1010-0763*30	6802,3	824,03	134,46	ГОСТ 10284-84
52831710076330	0	BK20	1010-0763*30	7831,32	893,08	124,5	ТУ 48-4207-5-91
53831510076330	0	BK20-KC	1010-0763*30	7831,32	893,08	127,41	ГОСТ 10284-84
53631510000764	0	BK10-KC	1010-0764	7164,5	1184,72	183,55	ГОСТ 10284-84
52731510000764	0	BK15	1010-0764	7164,5	1184,72	179,84	ГОСТ 10284-84
52831700000764	0	BK20	1010-0764	8248,91	1284,11	161,04	ТУ 48-4207-5-91

53831510000764	0	BK20-KC	1010-0764	8248,91	1284,11	173,92	ГОСТ 10284-84
53831510076410	0	BK20-KC	1010-0764*10	7955,69	309,72	43,48	ГОСТ 10284-84
53831510076420	0	BK20-KC	1010-0764*20	7863,09	612,22	86,96	ГОСТ 10284-84
53631510076430	0	BK10-KC	1010-0764*30	6800,95	843,73	137,66	ГОСТ 10284-84
52831700076430	0	BK20	1010-0764*30	7829,68	914,43	120,78	ТУ 48-4207-5-91
53831510076430	0	BK20-KC	1010-0764*30	7829,68	914,43	130,44	ГОСТ 10284-84
53631510000765	0	BK10-KC	1010-0765	7165,21	1172,59	181,65	ГОСТ 10284-84
52731510000765	0	BK15	1010-0765	7165,21	1172,59	177,98	ГОСТ 10284-84
52831700000765	0	BK20	1010-0765	8249,78	1270,96	159,37	ТУ 48-4207-5-91
53831510000765	0	BK20-KC	1010-0765	8249,78	1270,96	172,12	ГОСТ 10284-84
53831510076510	0	BK20-KC	1010-0765*10	7957,55	306,52	43,03	ГОСТ 10284-84
53631510076520	0	BK10-KC	1010-0765*20	6829,31	558,84	90,83	ГОСТ 10284-84
53831510076520	0	BK20-KC	1010-0765*20	7864,13	605,85	86,07	ГОСТ 10284-84
53631510076530	0	BK10-KC	1010-0765*30	6801,53	835,16	136,23	ГОСТ 10284-84
53831510076530	0	BK20-KC	1010-0765*30	7830,38	905,19	129,09	ГОСТ 10284-84
53631510000766	0	BK10-KC	1010-0766	7166,56	1150,38	178,17	ГОСТ 10284-84
52731510000766	0	BK15	1010-0766	7166,56	1150,38	178,17	ГОСТ 10284-84
52831510000766	0	BK20	1010-0766	8251,42	1246,87	155,23	ТУ 48-4207-5-91
53831510000766	0	BK20-KC	1010-0766	8251,42	1246,87	168,83	ГОСТ 10284-84
53831510076610	0	BK20-KC	1010-0766*10	7960,95	300,84	42,21	ГОСТ 10284-84
53831510076620	0	BK20-KC	1010-0766*20	7866,06	594,44	84,41	ГОСТ 10284-84
53831510076630	0	BK20-KC	1010-0766*30	7831,72	888,12	126,62	ГОСТ 10284-84
53631510000767	0	BK10-KC	1010-0767	7130,76	2288,76	356,27	ГОСТ 10284-84
52731510000767	0	BK15	1010-0767	7130,76	2288,76	349,09	ГОСТ 10284-84
52831700000767	0	BK20	1010-0767	8207,78	2480,14	312,58	ТУ 48-4207-5-91
53831510000767	0	BK20-KC	1010-0767	8207,78	2480,14	337,59	ГОСТ 10284-84
53831510076720	0	BK20-KC	1010-0767*20	7814,04	1181,01	168,79	ГОСТ 10284-84
53631510076730	0	BK10-KC	1010-0767*30	6773,27	1630,46	267,2	ГОСТ 10284-84
53831510076730	0	BK20-KC	1010-0767*30	7795,97	1766,72	253,2	ГОСТ 10284-84
53631510000768	0	BK10-KC	1010-0768	7487,15	2992,32	443,61	ГОСТ 10284-84
53831510000768	0	BK20-KC	1010-0768	8618,25	3242,62	420,35	ГОСТ 10284-84
53831510076820	0	BK20-KC	1010-0768*20	8251,77	1241,89	168,15	ГОСТ 10284-84
53831510076830	0	BK20-KC	1010-0768*30	8222,71	1856,61	252,21	ГОСТ 10284-84
53631510000769	0	BK10-KC	1010-0769	7487,56	2963,50	439,31	ГОСТ 10284-84
52731510000769	0	BK15	1010-0769	7487,56	2963,50	430,46	ГОСТ 10284-84
52831710000769	0	BK20	1010-0769	8618,75	3211,35	385,44	ТУ 48-4207-5-91
53831510000769	0	BK20-KC	1010-0769	8618,75	3211,35	416,28	ГОСТ 10284-84
53831510076920	0	BK20-KC	1010-0769*20	8252,62	1229,89	166,51	ГОСТ 10284-84
53831510076930	0	BK20-KC	1010-0769*30	8223,28	1838,73	249,76	ГОСТ 10284-84
53631510076940	0	BK10-KC	1010-0769*40	7498,04	2373,95	351,45	ГОСТ 10284-84
53631510000771	0	BK10-KC	1010-0771	7488,79	2879,37	426,77	ГОСТ 10284-84
53831510000771	0	BK20-KC	1010-0771	8620,25	3120,27	404,4	ГОСТ 10284-84
53831510077110	0	BK20-KC	1010-0771*10	8341,65	604,02	80,88	ГОСТ 10284-84
53631510077120	0	BK10-KC	1010-0771*20	7169,63	1102,90	170,7	ГОСТ 10284-84
53631510077130	0	BK10-KC	1010-0771*30	7144,91	1648,33	256,06	ГОСТ 10284-84
53831510077130	0	BK20-KC	1010-0771*30	8225,03	1786,31	242,63	ГОСТ 10284-84
53831510077140	0	BK20-KC	1010-0771*40	8633,38	2500,57	323,51	ГОСТ 10284-84
53631510000772	0	BK10-KC	1010-0772	7478,28	3795,15	563,3	ГОСТ 10284-84
53831510000772	0	BK20-KC	1010-0772	8607,43	4112,28	533,76	ГОСТ 10284-84
53831510077230	0	BK20-KC	1010-0772*30	8210,17	2353,94	294,5	ГОСТ 10284-84
53831510077240	0	BK20-KC	1010-0772*40	8617,45	3294,02	427,01	ГОСТ 10284-84
53631510000773	0	BK10-KC	1010-0773	7479,28	3684,81	546,85	ГОСТ 10284-84
53831510000773	0	BK20-KC	1010-0773	8608,63	3992,77	518,18	ГОСТ 10284-84
53631510077320	0	BK10-KC	1010-0773*20	7153,42	1409,44	218,74	ГОСТ 10284-84
53831510077320	0	BK20-KC	1010-0773*20	8235,41	1527,59	207,27	ГОСТ 10284-84
53831510077340	0	BK20-KC	1010-0773*40	8618,97	3197,47	414,54	ГОСТ 10284-84
53631510000774	0	BK10-KC	1010-0774	7471,81	4716,28	700,63	ГОСТ 10284-84
53831510000774	0	BK20-KC	1010-0774	8599,52	5110,18	663,9	ГОСТ 10284-84
53631510077420	0	BK10-KC	1010-0774*20	7140,58	1802,93	280,25	ГОСТ 10284-84
53631510000775	0	BK10-KC	1010-0775	7471,88	4704,22	698,82	ГОСТ 10284-84
52831730000775	0	BK20	1010-0775	8599,61	5097,07	662,18	ТУ 48-4207-5-91
53831510000775	0	BK20-KC	1010-0775	8599,61	5097,07	662,18	ГОСТ 10284-84
52531510000775	0	BK8	1010-0775	7045,08	4637,71	665,00	ГОСТ 10284-84
53631510077540	0	BK10-KC	1010-0775*40	7478,53	3767,16	559,06	ГОСТ 10284-84
53831510077540	0	BK20-KC	1010-0775*40	8607,73	4081,96	529,75	ГОСТ 10284-84
53631510000781	0	BK10-KC	1010-0781	7515,85	176,85	26,11	ГОСТ 10284-84
53831510000781	0	BK20-KC	1010-0781	8672,97	192,11	24,74	ГОСТ 10284-84
53631510000782	0	BK10-KC	1010-0782	7516,29	176,63	25,93	ГОСТ 10284-84
53631510000783	0	BK10-KC	1010-0783	7518,38	175,63	22,72	ГОСТ 10284-84
53631510000784	0	BK10-KC	1010-0784	7518,68	175,49	25,91	ГОСТ 10284-84
53831510000784	0	BK20-KC	1010-0784	8676,38	190,62	24,55	ГОСТ 10284-84

53631510000785	0	BK10-KC	1010-0785	7519,13	175,27	25,88	ГОСТ 10284-84
53831510000785	0	BK20-KC	1010-0785	8676,76	190,45	24,52	ГОСТ 10284-84
53631510000786	0	BK10-KC	1010-0786	7384,51	268,94	40,42	ГОСТ 10284-84
53831510000786	0	BK20-KC	1010-0786	8515,3	291,99	38,31	ГОСТ 10284-84
53631510000787	0	BK10-KC	1010-0787	7384,72	268,73	40,39	ГОСТ 10284-84
53831510000787	0	BK20-KC	1010-0787	8515,57	291,74	38,28	ГОСТ 10284-84
53631510000788	0	BK10-KC	1010-0788	7385,00	268,44	40,35	ГОСТ 10284-84
53831510000788	0	BK20-KC	1010-0788	8515,93	291,42	38,23	ГОСТ 10284-84
53631510000789	0	BK10-KC	1010-0789	7318,83	355,04	53,85	ГОСТ 10284-84
53831510000789	0	BK20-KC	1010-0789	8436,1	385,28	51,03	ГОСТ 10284-84
53631510000791	0	BK10-KC	1010-0791	7387,13	266,31	40,01	ГОСТ 10284-84
53831510000791	0	BK20-KC	1010-0791	8518,47	289,12	37,92	ГОСТ 10284-84
53631510000792	0	BK10-KC	1010-0792	7387,42	266,02	39,97	ГОСТ 10284-84
53831510000792	0	BK20-KC	1010-0792	8518,84	288,79	37,88	ГОСТ 10284-84
53631510000793	0	BK10-KC	1010-0793	7387,85	265,59	39,91	ГОСТ 10284-84
53831510000793	0	BK20-KC	1010-0793	8519,29	288,38	37,81	ГОСТ 10284-84
53631510000794	0	BK10-KC	1010-0794	7388,21	265,24	39,85	ГОСТ 10284-84
53831510000794	0	BK20-KC	1010-0794	8519,75	287,97	37,77	ГОСТ 10284-84
53631510000795	0	BK10-KC	1010-0795	7388,57	264,88	39,79	ГОСТ 10284-84
53831510000795	0	BK20-KC	1010-0795	8520,21	287,56	37,7	ГОСТ 10284-84
53631510000796	0	BK10-KC	1010-0796	7267,16	468,44	71,55	ГОСТ 10284-84
53831510000796	0	BK20-KC	1010-0796	8373,58	508,19	67,8	ГОСТ 10284-84
53631510000797	0	BK10-KC	1010-0797	7267,36	467,87	71,46	ГОСТ 10284-84
53831510000797	0	BK20-KC	1010-0797	8373,84	507,54	67,72	ГОСТ 10284-84
53631510000798	0	BK10-KC	1010-0798	7200,79	774,52	119,38	ГОСТ 10284-84
53831510000798	0	BK20-KC	1010-0798	8293,07	839,67	113,12	ГОСТ 10284-84
53631510000799	0	BK10-KC	1010-0799	7200,87	773,95	119,3	ГОСТ 10284-84
53831510000799	0	BK20-KC	1010-0799	8293,16	839,10	113,04	ГОСТ 10284-84
53631510000801	0	BK10-KC	1010-0801	7200,94	773,38	119,21	ГОСТ 10284-84
53831510000801	0	BK20-KC	1010-0801	8293,24	838,53	112,96	ГОСТ 10284-84
53631510000802	0	BK10-KC	1010-0802	7268,55	464,53	70,93	ГОСТ 10284-84
53831510000802	0	BK20-KC	1010-0802	8375,3	503,86	67,22	ГОСТ 10284-84
53631510000803	0	BK10-KC	1010-0803	7268,85	463,68	70,8	ГОСТ 10284-84
53831510000803	0	BK20-KC	1010-0803	8375,66	502,96	67,09	ГОСТ 10284-84
53631510000804	0	BK10-KC	1010-0804	7171,66	1073,53	166,15	ГОСТ 10284-84
52831730000804	0	BK20	1010-0804	8257,62	1163,66	145,77	ТУ 48-4207-5-91
53831510000804	0	BK20-KC	1010-0804	8257,62	1163,66	157,43	ГОСТ 10284-84
53831510080430	0	BK20-KC	1010-0804*30	7831,82	886,80	134,95	ГОСТ 10284-84
53631510000805	0	BK10-KC	1010-0805	7171,72	1072,67	166,02	ГОСТ 10284-84
53831510000805	0	BK20-KC	1010-0805	8257,69	1162,77	157,31	ГОСТ 10284-84
53631510000806	0	BK10-KC	1010-0806	7171,77	1071,96	165,91	ГОСТ 10284-84
53831510000806	0	BK20-KC	1010-0806	8257,75	1162,03	157,22	ГОСТ 10284-84
53631510000807	0	BK10-KC	1010-0807	7171,82	1071,25	165,79	ГОСТ 10284-84
53831510000807	0	BK20-KC	1010-0807	8257,82	1161,21	157,1	ГОСТ 10284-84
53631510000808	0	BK10-KC	1010-0808	7171,87	1070,47	165,67	ГОСТ 10284-84
52831730000808	0	BK20	1010-0808	8257,89	1160,32	145,36	ТУ 48-4207-5-91
53831510000808	0	BK20-KC	1010-0808	8257,89	1160,32	156,99	ГОСТ 10284-84
53631510000809	0	BK10-KC	1010-0809	7171,93	1069,69	165,55	ГОСТ 10284-84
52731510000809	0	BK15	1010-0809	7171,93	1069,69	162,22	ГОСТ 10284-84
52831730000809	0	BK20	1010-0809	8257,96	1159,50	145,25	ТУ 48-4207-5-91
53831510000809	0	BK20-KC	1010-0809	8257,96	1159,50	156,87	ГОСТ 10284-84
53631510000811	0	BK10-KC	1010-0811	7172,04	1068,20	165,32	ГОСТ 10284-84
52831730000811	0	BK20	1010-0811	8258,09	1157,87	145,04	ТУ 48-4207-5-91
53831510000811	0	BK20-KC	1010-0811	8258,09	1157,87	156,64	ГОСТ 10284-84
53631510000812	0	BK10-KC	1010-0812	7241,83	552,91	84,75	ГОСТ 10284-84
53831510000812	0	BK20-KC	1010-0812	8342,89	599,69	80,31	ГОСТ 10284-84
53631510000813	0	BK10-KC	1010-0813	7206,35	735,05	113,22	ГОСТ 10284-84
53831510000813	0	BK20-KC	1010-0813	8299,82	796,95	107,28	ГОСТ 10284-84
53631510000814	0	BK10-KC	1010-0814	7206,54	733,77	113,02	ГОСТ 10284-84
53831510000814	0	BK20-KC	1010-0814	8300,04	795,64	107,09	ГОСТ 10284-84
53631510000815	0	BK10-KC	1010-0815	7206,72	732,56	112,83	ГОСТ 10284-84
53831510000815	0	BK20-KC	1010-0815	8300,27	794,25	106,91	ГОСТ 10284-84
53631510000816	0	BK10-KC	1010-0816	7185,72	905,54	139,88	ГОСТ 10284-84
52831730000816	0	BK20	1010-0816	9380,42	1344,31	132,55	ТУ 48-4207-5-91
53831510000816	0	BK20-KC	1010-0816	8274,73	981,71	132,55	ГОСТ 10284-84
53631510000817	0	BK10-KC	1010-0817	7170,22	1094,18	169,38	ГОСТ 10284-84
53831510000817	0	BK20-KC	1010-0817	8255,87	1186,04	160,5	ГОСТ 10284-84
53631510000818	0	BK10-KC	1010-0818	7159,59	1274,98	197,66	ГОСТ 10284-84
53831510000818	0	BK20-KC	1010-0818	8242,92	1381,93	187,29	ГОСТ 10284-84
53631510000819	0	BK10-KC	1010-0819	7154,57	1382,33	214,46	ГОСТ 10284-84
53831510000819	0	BK20-KC	1010-0819	8236,81	1498,19	203,21	ГОСТ 10284-84

53631510000822	0	BK10-KC	1010-0822	7209,12	716,80	110,37	ГОСТ 10284-84
53831510000822	0	BK20-KC	1010-0822	8303,17	777,26	104,58	ГОСТ 10284-84
53631510000823	0	BK10-KC	1010-0823	7187,7	885,88	136,8	ГОСТ 10284-84
53831510000823	0	BK20-KC	1010-0823	8277,15	960,40	130,04	ГОСТ 10284-84
53631510000824	0	BK10-KC	1010-0824	7171,86	1070,69	165,7	ГОСТ 10284-84
53831510000824	0	BK20-KC	1010-0824	8257,87	1160,56	157,02	ГОСТ 10284-84
53631510000825	0	BK10-KC	1010-0825	7159,18	1283,14	198,94	ГОСТ 10284-84
52731510000825	0	BK15	1010-0825	7159,18	1283,14	194,93	ГОСТ 10284-84
53831510000825	0	BK20-KC	1010-0825	8242,42	1390,74	188,5	ГОСТ 10284-84
53631510000826	0	BK10-KC	1010-0826	7155,9	1352,25	209,75	ГОСТ 10284-84
53831510000826	0	BK20-KC	1010-0826	8238,43	1465,62	198,75	ГОСТ 10284-84
53631510000827	0	BK10-KC	1010-0827	7152,95	1420,86	220,48	ГОСТ 10284-84
53831510000827	0	BK20-KC	1010-0827	8234,84	1539,91	208,93	ГОСТ 10284-84
53631510000829	0	BK10-KC	1010-0829	7142,93	1715,73	266,62	ГОСТ 10284-84
53831510000829	0	BK20-KC	1010-0829	8222,62	1859,38	252,64	ГОСТ 10284-84
53631510000831	0	BK10-KC	1010-0831	7136,02	2000,23	311,13	ГОСТ 10284-84
53831510000831	0	BK20-KC	1010-0831	8214,2	2167,56	294,81	ГОСТ 10284-84
53631510000832	0	BK10-KC	1010-0832	7132,8	2167,80	337,34	ГОСТ 10284-84
53831510000832	0	BK20-KC	1010-0832	8210,27	2349,04	319,65	ГОСТ 10284-84
53631510000833	0	BK10-KC	1010-0833	7130,95	2276,91	354,41	ГОСТ 10284-84
53831510000833	0	BK20-KC	1010-0833	8208,01	2467,25	335,83	ГОСТ 10284-84
53631510000834	0	BK10-KC	1010-0834	7132,81	2166,95	337,21	ГОСТ 10284-84
53831510000834	0	BK20-KC	1010-0834	8210,29	2348,14	319,53	ГОСТ 10284-84
53831510000835	0	BK20-KC	1010-0835	8626,83	2775,86	359,49	ГОСТ 10284-84
53831510000836	0	BK20-KC	1010-0836	8620,8	3088,49	400,25	ГОСТ 10284-84
53631510000843	0	BK10-KC	1010-0843	7763,85	100,70	14,4	ГОСТ 10284-84
53831510000843	0	BK20-KC	1010-0843	8967,71	109,50	13,64	ГОСТ 10284-84
53631510000846	0	BK10-KC	1010-0846	7768,73	99,75	12,55	ГОСТ 10284-84
52831510000846	0	BK20	1010-0846	8908,75	120,89	12,56	ТУ 48-4207-5-91
53831510000846	0	BK20-KC	1010-0846	8973,36	108,49	13,51	ГОСТ 10284-84
53631510000847	0	BK10-KC	1010-0847	7643,11	129,32	18,78	ГОСТ 10284-84
53831510000847	0	BK20-KC	1010-0847	8824,63	140,58	17,8	ГОСТ 10284-84
53631510000848	0	BK10-KC	1010-0848	7643,61	129,18	18,76	ГОСТ 10284-84
53831510000848	0	BK20-KC	1010-0848	8825,26	140,41	17,78	ГОСТ 10284-84
53631510000849	0	BK10-KC	1010-0849	7644,62	128,89	18,72	ГОСТ 10284-84
53831510000849	0	BK20-KC	1010-0849	8826,53	140,08	17,73	ГОСТ 10284-84
53631510000851	0	BK10-KC	1010-0851	7645,63	128,60	18,67	ГОСТ 10284-84
52831720000851	0	BK20	1010-0851	8827,48	139,83	17,29	ТУ 48-4207-5-91
53831510000851	0	BK20-KC	1010-0851	8827,48	139,83	17,69	ГОСТ 10284-84
53631510000852	0	BK10-KC	1010-0852	7416,02	240,06	35,93	ГОСТ 10284-84
53831510000852	0	BK20-KC	1010-0852	8553,17	260,70	34,05	ГОСТ 10284-84
53631510000853	0	BK10-KC	1010-0853	7416,45	239,70	35,88	ГОСТ 10284-84
53831510000853	0	BK20-KC	1010-0853	8553,72	260,29	34,00	ГОСТ 10284-84
53631510000854	0	BK10-KC	1010-0854	7416,88	239,34	35,82	ГОСТ 10284-84
53831510000854	0	BK20-KC	1010-0854	8554,27	259,88	33,94	ГОСТ 10284-84
53631510000855	0	BK10-KC	1010-0855	7417,32	238,99	35,76	ГОСТ 10284-84
53831510000855	0	BK20-KC	1010-0855	8554,82	259,47	33,88	ГОСТ 10284-84
53631510000856	0	BK10-KC	1010-0856	7417,75	238,63	35,7	ГОСТ 10284-84
53831510000856	0	BK20-KC	1010-0856	8555,38	259,06	33,84	ГОСТ 10284-84
53631510000857	0	BK10-KC	1010-0857	7391,41	262,10	39,36	ГОСТ 10284-84
53831510000857	0	BK20-KC	1010-0857	8523,66	284,52	37,29	ГОСТ 10284-84
53631510000858	0	BK10-KC	1010-0858	7392,07	261,46	39,26	ГОСТ 10284-84
53831510000858	0	BK20-KC	1010-0858	8524,41	283,86	37,2	ГОСТ 10284-84
53631510000859	0	BK10-KC	1010-0859	7392,67	260,89	39,17	ГОСТ 10284-84
53831510000859	0	BK20-KC	1010-0859	8525,17	283,21	37,12	ГОСТ 10284-84
53631510000861	0	BK10-KC	1010-0861	7393,26	260,32	39,09	ГОСТ 10284-84
53831510000861	0	BK20-KC	1010-0861	8525,84	282,63	37,03	ГОСТ 10284-84
53631510000862	0	BK10-KC	1010-0862	7369,35	285,19	42,95	ГОСТ 10284-84
53831510000862	0	BK20-KC	1010-0862	8497,09	309,55	40,71	ГОСТ 10284-84
53631510000863	0	BK10-KC	1010-0863	7369,85	284,62	42,87	ГОСТ 10284-84
53831510000863	0	BK20-KC	1010-0863	8497,65	308,97	40,62	ГОСТ 10284-84
53631510000864	0	BK10-KC	1010-0864	7293,96	402,33	61,23	ГОСТ 10284-84
52831720000864	0	BK20	1010-0864	8406,04	436,53	53,72	ТУ 48-4207-5-91
53831510000864	0	BK20-KC	1010-0864	8406,04	436,53	58,02	ГОСТ 10284-84
53631510000865	0	BK10-KC	1010-0865	7294,36	401,48	61,1	ГОСТ 10284-84
53831510000865	0	BK20-KC	1010-0865	8406,51	435,63	57,89	ГОСТ 10284-84
53631510000866	0	BK10-KC	1010-0866	7294,66	400,84	60,99	ГОСТ 10284-84
52831510000866	0	BK20	1010-0866	8382,59	486,19	53,7	ТУ 48-4207-5-91
53831510000866	0	BK20-KC	1010-0866	8406,9	434,89	57,79	ГОСТ 10284-84
53631510000867	0	BK10-KC	1010-0867	7276,28	443,78	67,69	ГОСТ 10284-84
53831510000867	0	BK20-KC	1010-0867	8384,67	481,36	64,14	ГОСТ 10284-84

53631510000868	0	BK10-KC	1010-0868	7276,56	443,07	67,59	ГОСТ 10284-84
52831510000868	0	BK20	1010-0868	8362,6	537,72	59,5	ТУ 48-4207-5-91
53831510000868	0	BK20-KC	1010-0868	8384,99	480,63	64,04	ГОСТ 10284-84
53631510000869	0	BK10-KC	1010-0869	7353,82	303,79	45,86	ГОСТ 10284-84
53831510000869	0	BK20-KC	1010-0869	8478,34	329,72	43,45	ГОСТ 10284-84
53631510000871	0	BK10-KC	1010-0871	7242,38	550,78	84,41	ГОСТ 10284-84
53831510000871	0	BK20-KC	1010-0871	8343,57	597,32	79,98	ГОСТ 10284-84
53631510000872	0	BK10-KC	1010-0872	7242,56	550,07	84,3	ГОСТ 10284-84
52731510000872	0	BK15	1010-0872	7242,56	550,07	82,61	ГОСТ 10284-84
53831510000872	0	BK20-KC	1010-0872	8343,78	596,58	79,89	ГОСТ 10284-84
53631510000873	0	BK10-KC	1010-0873	7201,82	766,92	118,21	ГОСТ 10284-84
52831720000873	0	BK20	1010-0873	8294,3	831,59	103,71	ТУ 48-4207-5-91
53831510000873	0	BK20-KC	1010-0873	8294,3	831,59	112,01	ГОСТ 10284-84
53631510000874	0	BK10-KC	1010-0874	7298,1	393,66	59,88	ГОСТ 10284-84
53831510000874	0	BK20-KC	1010-0874	8411,06	427,11	56,73	ГОСТ 10284-84
53631510000875	0	BK10-KC	1010-0875	7279,63	435,32	66,38	ГОСТ 10284-84
52831720000875	0	BK20	1010-0875	8388,69	472,28	58,24	ТУ 48-4207-5-91
53831510000875	0	BK20-KC	1010-0875	8388,69	472,28	62,9	ГОСТ 10284-84
53631510000876	0	BK10-KC	1010-0876	7264,25	476,90	72,87	ГОСТ 10284-84
52831720000876	0	BK20	1010-0876	8370,05	517,35	63,93	ТУ 48-4207-5-91
53831510000876	0	BK20-KC	1010-0876	8370,05	517,35	69,04	ГОСТ 10284-84
53631510000877	0	BK10-KC	1010-0877	7245,22	539,99	82,73	ГОСТ 10284-84
53831510000877	0	BK20-KC	1010-0877	8346,99	585,71	78,39	ГОСТ 10284-84
53631510000878	0	BK10-KC	1010-0878	7230,29	601,78	92,38	ГОСТ 10284-84
53831510000878	0	BK20-KC	1010-0878	8328,9	652,57	87,54	ГОСТ 10284-84
53631510000879	0	BK10-KC	1010-0879	7222,03	642,11	98,69	ГОСТ 10284-84
52731510000879	0	BK15	1010-0879	7222,03	642,11	96,7	ГОСТ 10284-84
52831720000879	0	BK20	1010-0879	8318,87	696,29	86,59	ТУ 48-4207-5-91
53831510000879	0	BK20-KC	1010-0879	8318,87	696,29	93,52	ГОСТ 10284-84
53631510000881	0	BK10-KC	1010-0881	7222,51	639,63	98,3	ГОСТ 10284-84
52831720000881	0	BK20	1010-0881	8319,46	693,59	86,25	ТУ 48-4207-5-91
53831510000881	0	BK20-KC	1010-0881	8319,46	693,59	93,15	ГОСТ 10284-84
53631510000882	0	BK10-KC	1010-0882	7201,99	765,64	118,00	ГОСТ 10284-84
53831510000882	0	BK20-KC	1010-0882	8294,52	830,12	111,81	ГОСТ 10284-84
53631510000883	0	BK10-KC	1010-0883	7281,16	431,55	65,78	ГОСТ 10284-84
53831510000883	0	BK20-KC	1010-0883	8390,59	468,11	62,34	ГОСТ 10284-84
53631510000884	0	BK10-KC	1010-0884	7246,41	535,58	82,04	ГОСТ 10284-84
53831510000884	0	BK20-KC	1010-0884	8348,44	580,88	77,74	ГОСТ 10284-84
53631510000885	0	BK10-KC	1010-0885	7222,53	639,55	98,29	ГОСТ 10284-84
53831510000885	0	BK20-KC	1010-0885	8319,46	693,59	93,14	ГОСТ 10284-84
53631510000886	0	BK10-KC	1010-0886	7205,12	743,42	114,52	ГОСТ 10284-84
53831510000886	0	BK20-KC	1010-0886	8298,33	806,02	108,52	ГОСТ 10284-84
53631510000887	0	BK10-KC	1010-0887	7191,85	847,42	130,79	ГОСТ 10284-84
52731510000887	0	BK15	1010-0887	7191,85	847,42	128,15	ГОСТ 10284-84
53831510000887	0	BK20-KC	1010-0887	8282,18	918,74	123,93	ГОСТ 10284-84
53631510000891	0	BK10-KC	1010-0891	7175,04	1027,82	159,01	ГОСТ 10284-84
53631510000892	0	BK10-KC	1010-0892	7165,52	1167,41	180,84	ГОСТ 10284-84
53831510000892	0	BK20-KC	1010-0892	8250,15	1265,41	171,35	ГОСТ 10284-84
53631510000893	0	BK10-KC	1010-0893	7245,79	537,85	82,39	ГОСТ 10284-84
53831510000893	0	BK20-KC	1010-0893	8347,7	583,34	78,07	ГОСТ 10284-84
53631510000894	0	BK10-KC	1010-0894	7220,07	652,48	100,31	ГОСТ 10284-84
53831510000894	0	BK20-KC	1010-0894	8316,48	707,57	95,05	ГОСТ 10284-84
53631510000895	0	BK10-KC	1010-0895	7205,98	737,53	113,61	ГОСТ 10284-84
53831510000895	0	BK20-KC	1010-0895	8299,38	799,64	107,64	ГОСТ 10284-84
53631510000896	0	BK10-KC	1010-0896	7188,14	881,70	136,14	ГОСТ 10284-84
53831510000896	0	BK20-KC	1010-0896	8277,68	955,82	129,01	ГОСТ 10284-84
53631510000897	0	BK10-KC	1010-0897	7175,2	1025,70	158,67	ГОСТ 10284-84
53831510000897	0	BK20-KC	1010-0897	8261,94	1111,89	150,36	ГОСТ 10284-84
53631510000898	0	BK10-KC	1010-0898	7169,1	1110,85	171,99	ГОСТ 10284-84
53831510000898	0	BK20-KC	1010-0898	8254,51	1204,08	162,97	ГОСТ 10284-84
53631510000899	0	BK10-KC	1010-0899	7165,65	1165,28	180,5	ГОСТ 10284-84
53831510000899	0	BK20-KC	1010-0899	8250,31	1263,04	171,04	ГОСТ 10284-84
53631510000901	0	BK10-KC	1010-0901	7246,79	534,16	81,82	ГОСТ 10284-84
52731510000901	0	BK15	1010-0901	7246,79	534,16	80,17	ГОСТ 10284-84
52831720000901	0	BK20	1010-0901	8348,89	579,41	71,79	ТУ 48-4207-5-91
53831510000901	0	BK20-KC	1010-0901	8348,89	579,41	77,53	ГОСТ 10284-84
53631510000902	0	BK10-KC	1010-0902	7220,86	648,29	99,65	ГОСТ 10284-84
53831510000902	0	BK20-KC	1010-0902	8317,44	702,99	94,42	ГОСТ 10284-84
53631510000903	0	BK10-KC	1010-0903	7206,64	733,06	112,9	ГОСТ 10284-84
53831510000903	0	BK20-KC	1010-0903	8300,18	794,82	106,98	ГОСТ 10284-84
53831510090310	0	BK20-KC	1010-0903*10	8485,63	321,61	45,17	ГОСТ 10284-84

53831510090320	0	BK20-KC	1010-0903*20	8334,19	631,56	90,32	ГОСТ 10284-84
53631510000904	0	BK10-KC	1010-0904	7189,09	872,68	134,74	ГОСТ 10284-84
53831510000904	0	BK20-KC	1010-0904	8278,83	946,10	127,68	ГОСТ 10284-84
53631510000905	0	BK10-KC	1010-0905	7173,46	1048,62	162,26	ГОСТ 10284-84
53831510000905	0	BK20-KC	1010-0905	8259,82	1136,72	153,75	ГОСТ 10284-84
53631510000906	0	BK10-KC	1010-0906	7165,74	1163,79	180,27	ГОСТ 10284-84
53831510000906	0	BK20-KC	1010-0906	8250,42	1261,49	170,82	ГОСТ 10284-84
52831720000907	0	BK20	1010-0907	8237,44	1485,21	186,51	ТУ 48-4207-5-91
53831510000907	0	BK20-KC	1010-0907	8237,44	1485,21	201,43	ГОСТ 10284-84
53831510000909	0	BK20-KC	1010-0909	8237,53	1483,58	201,21	ГОСТ 10284-84
53831510000911	0	BK20-KC	1010-0911	8227,57	1715,53	232,95	ГОСТ 10284-84
52531510000911	0	BK8	1010-0911	6773,41	1568,72	231,6	ГОСТ 10284-84
53831510000912	0	BK20-KC	1010-0912	8222,71	1856,61	252,26	ГОСТ 10284-84
53831510000913	0	BK20-KC	1010-0913	8219,93	1948,04	264,76	ГОСТ 10284-84
53831510000914	0	BK20-KC	1010-0914	8213,75	2186,83	297,44	ГОСТ 10284-84
53631510000915	0	BK10-KC	1010-0915	7135,77	2012,29	313,02	ГОСТ 10284-84
53831510000915	0	BK20-KC	1010-0915	8213,9	2180,63	296,6	ГОСТ 10284-84
53631510000916	0	BK10-KC	1010-0916	7195,31	817,67	126,13	ГОСТ 10284-84
52731510000916	0	BK15	1010-0916	7195,31	817,67	130,43	ГОСТ 10284-84
52831720000916	0	BK20	1010-0916	8286,4	886,48	110,67	ТУ 48-4207-5-91
53831510000916	0	BK20-KC	1010-0916	8286,4	886,48	119,52	ГОСТ 10284-84
53631510000917	0	BK10-KC	1010-0917	7177,82	992,98	153,55	ГОСТ 10284-84
53831510000917	0	BK20-KC	1010-0917	8265,12	1076,45	145,51	ГОСТ 10284-84
53631510000918	0	BK10-KC	1010-0918	7168,29	1123,20	173,92	ГОСТ 10284-84
53831510000918	0	BK20-KC	1010-0918	8253,52	1217,48	164,81	ГОСТ 10284-84
53631510000919	0	BK10-KC	1010-0919	7156,28	1343,66	208,41	ГОСТ 10284-84
53831510000919	0	BK20-KC	1010-0919	8238,9	1456,31	197,48	ГОСТ 10284-84
53631510000921	0	BK10-KC	1010-0921	7143,39	1699,48	264,07	ГОСТ 10284-84
53831510000921	0	BK20-KC	1010-0921	8223,18	1841,75	250,23	ГОСТ 10284-84
53831510000922	0	BK20-KC	1010-0922	8220,34	1934,00	262,84	ГОСТ 10284-84
53631510000923	0	BK10-KC	1010-0923	7157,78	1311,66	203,41	ГОСТ 10284-84
52831720000923	0	BK20	1010-0923	8240,72	1421,69	178,46	ТУ 48-4207-5-91
53831510000923	0	BK20-KC	1010-0923	8240,72	1421,69	192,74	ГОСТ 10284-84
53831510000924	0	BK20-KC	1010-0924	8203,00	2777,05	378,23	ГОСТ 10284-84
53831510000925	0	BK20-KC	1010-0925	8198,63	3118,27	424,93	ГОСТ 10284-84
53631510000926	0	BK10-KC	1010-0926	7482,56	3360,87	498,55	ГОСТ 10284-84
53831510000926	0	BK20-KC	1010-0926	8612,64	3641,77	472,4	ГОСТ 10284-84
53631510000927	0	BK10-KC	1010-0927	7145,93	1615,34	250,91	ГОСТ 10284-84
52731510000927	0	BK15	1010-0927	7145,93	1615,34	259,45	ГОСТ 10284-84
52831720000927	0	BK20	1010-0927	8226,28	1750,64	220,14	ТУ 48-4207-5-91
53831510000927	0	BK20-KC	1010-0927	8226,28	1750,64	237,75	ГОСТ 10284-84
53631510000928	0	BK10-KC	1010-0928	7146,21	1606,68	249,56	ГОСТ 10284-84
53831510000928	0	BK20-KC	1010-0928	8226,62	1741,25	236,47	ГОСТ 10284-84
53631510000929	0	BK10-KC	1010-0929	7146,44	1599,45	248,42	ГОСТ 10284-84
52831720000929	0	BK20	1010-0929	8226,91	1733,41	217,96	ТУ 48-4207-5-91
53831510000929	0	BK20-KC	1010-0929	8226,91	1733,41	235,4	ГОСТ 10284-84
53631510000931	0	BK10-KC	1010-0931	7137,89	1914,38	297,69	ГОСТ 10284-84
53831510000931	0	BK20-KC	1010-0931	8216,48	2074,58	282,09	ГОСТ 10284-84
53831510000932	0	BK20-KC	1010-0932	8209,03	2412,31	328,31	ГОСТ 10284-84
53631510000933	0	BK10-KC	1010-0933	7492,18	2671,41	395,77	ГОСТ 10284-84
53831510000933	0	BK20-KC	1010-0933	8624,38	2894,95	375,02	ГОСТ 10284-84
53631510000934	0	BK10-KC	1010-0934	7482,79	3339,80	495,42	ГОСТ 10284-84
53831510000934	0	BK20-KC	1010-0934	8612,93	3619,07	469,44	ГОСТ 10284-84
53631510000935	0	BK10-KC	1010-0935	7160,66	1254,05	194,39	ГОСТ 10284-84
53831510000935	0	BK20-KC	1010-0935	8244,24	1359,23	184,19	ГОСТ 10284-84
53831510000936	0	BK20-KC	1010-0936	8615,02	3461,51	448,9	ГОСТ 10284-84
53631510000937	0	BK10-KC	1010-0937	7148,18	1547,58	240,31	ГОСТ 10284-84
52731510000937	0	BK15	1010-0937	7148,18	1547,58	248,5	ГОСТ 10284-84
52831720000937	0	BK20	1010-0937	8229,02	1677,24	222,51	ТУ 48-4207-5-91
53831510000937	0	BK20-KC	1010-0937	8229,02	1677,24	227,71	ГОСТ 10284-84
53631510000938	0	BK10-KC	1010-0938	7148,55	1537,08	238,67	ГОСТ 10284-84
53831510000938	0	BK20-KC	1010-0938	8229,47	1665,89	226,15	ГОСТ 10284-84
53631510000939	0	BK10-KC	1010-0939	7148,91	1526,72	237,05	ГОСТ 10284-84
52731510000939	0	BK15	1010-0939	7148,91	1526,72	232,28	ГОСТ 10284-84
53831510000939	0	BK20-KC	1010-0939	8229,91	1654,62	224,62	ГОСТ 10284-84
53831510000941	0	BK20-KC	1010-0941	8219,08	1977,59	268,82	ГОСТ 10284-84
53831510000942	0	BK20-KC	1010-0942	8219,4	1966,33	267,28	ГОСТ 10284-84
53631510000943	0	BK10-KC	1010-0943	7494,5	2545,36	376,97	ГОСТ 10284-84
53831510000943	0	BK20-KC	1010-0943	8627,21	2758,38	357,21	ГОСТ 10284-84
53631510000944	0	BK10-KC	1010-0944	7494,71	2534,48	375,35	ГОСТ 10284-84
53831510000944	0	BK20-KC	1010-0944	8627,47	2746,64	355,68	ГОСТ 10284-84

53631510000945	0	BK10-KC	1010-0945	7484,79	3171,16	470,28	ГОСТ 10284-84
53831510000945	0	BK20-KC	1010-0945	8615,37	3436,33	445,62	ГОСТ 10284-84
53631510000946	0	BK10-KC	1010-0946	7484,93	3160,21	468,64	ГОСТ 10284-84
53831510000946	0	BK20-KC	1010-0946	8615,53	3424,50	444,07	ГОСТ 10284-84
53631510000947	0	BK10-KC	1010-0947	7134,19	2092,03	325,49	ГОСТ 10284-84
52831720000947	0	BK20	1010-0947	8211,97	2267,00	285,58	ТУ 48-4207-5-91
53831510000947	0	BK20-KC	1010-0947	8211,97	2267,00	308,43	ГОСТ 10284-84
53831510000948	0	BK20-KC	1010-0948	8212,44	2245,53	305,48	ГОСТ 10284-84
53631510000949	0	BK10-KC	1010-0949	7134,85	2057,98	320,16	ГОСТ 10284-84
53831510000949	0	BK20-KC	1010-0949	8212,78	2230,10	303,37	ГОСТ 10284-84
53831510000951	0	BK20-KC	1010-0951	8198,57	3123,49	425,64	ГОСТ 10284-84
53831510000953	0	BK20-KC	1010-0953	8606,54	4204,64	545,8	ГОСТ 10284-84
52731510000954	0	BK15	1010-0954	7132,53	2182,77	351,26	ГОСТ 10284-84
52831720000954	0	BK20	1010-0954	8209,94	2365,29	314,52	ТУ 48-4207-5-91
53831510000954	0	BK20-KC	1010-0954	8209,94	2365,29	321,87	ГОСТ 10284-84
53831510000955	0	BK20-KC	1010-0955	8210,3	2347,49	319,43	ГОСТ 10284-84
53831510000956	0	BK20-KC	1010-0956	8210,66	2329,69	317,00	ГОСТ 10284-84
53631510000957	0	BK10-KC	1010-0957	7120,12	3223,92	502,58	ГОСТ 10284-84
53831510000957	0	BK20-KC	1010-0957	8194,8	3493,12	476,23	ГОСТ 10284-84
52831720000958	0	BK20	1010-0958	8194,96	3475,32	438,69	ТУ 48-4207-5-91
53831510000958	0	BK20-KC	1010-0958	8194,96	3475,32	473,79	ГОСТ 10284-84
53631510000959	0	BK10-KC	1010-0959	7113,66	4281,43	668,04	ГОСТ 10284-84
52831720000959	0	BK20	1010-0959	8186,91	4638,71	618,56	ТУ 48-4207-5-91
53831510000959	0	BK20-KC	1010-0959	8186,91	4638,71	633,02	ГОСТ 10284-84
53631510000961	0	BK10-KC	1010-0961	7467,5	5624,89	836,08	ГОСТ 10284-84
53831510000961	0	BK20-KC	1010-0961	8594,25	6094,36	792,24	ГОСТ 10284-84
52831720000962	0	BK20	1010-0962	8594,34	6075,68	731,3	ТУ 48-4207-5-91
53831510000962	0	BK20-KC	1010-0962	8594,34	6075,68	789,8	ГОСТ 10284-84
53831510000963	0	BK20-KC	1010-0963	8192,95	3708,46	505,7	ГОСТ 10284-84
53631510000964	0	BK10-KC	1010-0964	7114,58	4091,38	638,31	ГОСТ 10284-84
53831510000964	0	BK20-KC	1010-0964	8188,03	4432,84	604,84	ГОСТ 10284-84
52831720000965	0	BK20	1010-0965	8184,49	5157,29	651,84	ТУ 48-4207-5-91
53831510000965	0	BK20-KC	1010-0965	8184,49	5157,29	703,99	ГОСТ 10284-84
53831510000966	0	BK20-KC	1010-0966	8181,82	5881,66	803,13	ГОСТ 10284-84
53831510000967	0	BK20-KC	1010-0967	8179,73	6605,95	902,26	ГОСТ 10284-84
53831510000968	0	BK20-KC	1010-0968	8590,53	7053,34	1001,42	ГОСТ 10284-84
53831510000971	0	BK20-KC	1010-0971	8188,99	4270,80	582,66	ГОСТ 10284-84
53831510000972	0	BK20-KC	1010-0972	8183,86	5311,57	725,11	ГОСТ 10284-84
53831510000973	0	BK20-KC	1010-0973	8176,83	7964,56	1088,21	ГОСТ 10284-84
53831510000974	0	BK20-KC	1010-0974	8177,35	7677,23	1048,89	ГОСТ 10284-84
52731510000975	0	BK15	1010-0975	7106,23	6860,07	1049,92	ГОСТ 10284-84
53831510000975	0	BK20-KC	1010-0975	8177,84	7432,10	1015,34	ГОСТ 10284-84
53631510000981	0	BK10-KC	1010-0981	7177,09	1001,92	154,95	ГОСТ 10284-84
52831740000981	0	BK20	1010-0981	8264,23	1086,09	135,00	ТУ 48-4207-5-91
53831510000981	0	BK20-KC	1010-0981	8264,23	1086,09	146,83	ГОСТ 10284-84
53831510098120	0	BK20-KC	1010-0981*20	8351,33	571,56	81,57	ГОСТ 10284-84
53631510000982	0	BK10-KC	1010-0982	7148,48	1539,07	238,97	ГОСТ 10284-84
52831740000982	0	BK20	1010-0982	8229,39	1667,93	208,21	ТУ 48-4207-5-91
53831510000982	0	BK20-KC	1010-0982	8229,39	1667,93	226,44	ГОСТ 10284-84
53631510000983	0	BK10-KC	1010-0983	7151,33	1461,52	226,84	ГОСТ 10284-84
52731510000983	0	BK15	1010-0983	7148,33	1543,32	210,04	ГОСТ 10284-84
53831510000983	0	BK20-KC	1010-0983	8232,86	1584,00	214,95	ГОСТ 10284-84
52831740000984	0	BK20	1010-0984	8211,92	2269,20	285,85	ТУ 48-4207-5-91
53831510000984	0	BK20-KC	1010-0984	8211,92	2269,20	308,72	ГОСТ 10284-84
53831510098420	0	BK20-KC	1010-0984*20	8255,72	1188,00	171,51	ГОСТ 10284-84
53631510000985	0	BK10-KC	1010-0985	7123,65	2840,13	442,53	ГОСТ 10284-84
53831510000985	0	BK20-KC	1010-0985	8199,1	3077,37	419,32	ГОСТ 10284-84
52731510000986	0	BK15	1010-0986	7108,87	5652,26	773,62	ГОСТ 10284-84
52831740000986	0	BK20	1010-0986	8182,09	5798,16	733,05	ТУ 48-4207-5-91
53831510000986	0	BK20-KC	1010-0986	8182,09	5798,16	791,69	ГОСТ 10284-84
53831510098620	0	BK20-KC	1010-0986*20	8203,76	2725,29	395,92	ГОСТ 10284-84
53631510000991	0	BK10-KC	1010-0991	7592,61	839,44	122,18	ГОСТ 10284-84
52831750000991	0	BK20	1010-0991	8746,69	910,44	107,2	ТУ 48-4207-5-91
53831510000991	0	BK20-KC	1010-0991	8746,69	910,44	115,78	ГОСТ 10284-84
53631510000992	0	BK10-KC	1010-0992	7598,52	806,28	117,26	ГОСТ 10284-84
52831790000992	0	BK20	1010-0992	8753,89	874,43	102,88	ТУ 48-4207-5-91
53831510000992	0	BK20-KC	1010-0992	8753,89	874,43	111,11	ГОСТ 10284-84
52831790000993	0	BK20	1010-0993	8760,33	844,50	99,28	ТУ 48-4207-5-91
53831510000993	0	BK20-KC	1010-0993	8760,33	844,50	107,22	ГОСТ 10284-84
53631510000994	0	BK10-KC	1010-0994	7501,89	2211,86	325,83	ГОСТ 10284-84
53831510000994	0	BK20-KC	1010-0994	8636,23	2397,16	308,74	ГОСТ 10284-84

53631510000995	0	BK10-KC	1010-0995	7505,09	2092,87	308,17	ГОСТ 10284-84
52831750000995	0	BK20	1010-0995	8640,13	2268,29	270,38	ТУ 48-4207-5-91
53831510000995	0	BK20-KC	1010-0995	8640,13	2268,29	292,01	ГОСТ 10284-84
53631510000996	0	BK10-KC	1010-0996	7493,58	2593,60	382,48	ГОСТ 10284-84
52731510000996	0	BK15	1010-0996	7493,58	2593,60	374,77	ГОСТ 10284-84
52831750000996	0	BK20	1010-0996	8626,1	2810,64	335,58	ТУ 48-4207-5-91
53831510000996	0	BK20-KC	1010-0996	8626,1	2810,64	362,43	ГОСТ 10284-84
52831750000997	0	BK20	1010-0997	8627,29	2754,87	328,87	ТУ 48-4207-5-91
53831510000997	0	BK20-KC	1010-0997	8627,29	2754,87	355,18	ГОСТ 10284-84
53631510001651	0	BK10-KC	1010-1651	7209,06	717,16	110,42	ГОСТ 10284-84
52731510001651	0	BK15	1010-1651	7204,28	749,25	100,5	ГОСТ 10284-84
52831720001651	0	BK20	1010-1651	8303,12	777,59	96,88	ТУ 48-4207-5-91
53831510001651	0	BK20-KC	1010-1651	8303,12	777,59	104,63	ГОСТ 10284-84
53631510001652	0	BK10-KC	1010-1652	7166,84	1145,98	177,49	ГОСТ 10284-84
52731510001652	0	BK15	1010-1652	7163,74	1197,78	161,5	ГОСТ 10284-84
52831720001652	0	BK20	1010-1652	8251,75	1242,22	155,72	ТУ 48-4207-5-91
53831510001652	0	BK20-KC	1010-1652	8251,75	1242,22	168,18	ГОСТ 10284-84
53631510001653	0	BK10-KC	1010-1653	7155,15	1368,99	212,37	ГОСТ 10284-84
52831750001653	0	BK20	1010-1653	8237,52	1483,74	186,33	ТУ 48-4207-5-91
53831510001653	0	BK20-KC	1010-1653	8237,52	1483,74	201,24	ГОСТ 10284-84
53631510001654	0	BK10-KC	1010-1654	7133,99	2102,60	327,14	ГОСТ 10284-84
52831750001654	0	BK20	1010-1654	8211,72	2278,51	287,03	ТУ 48-4207-5-91
53831510001654	0	BK20-KC	1010-1654	8211,72	2278,51	309,99	ГОСТ 10284-84
52731510001655	0	BK15	1010-1655	7476,59	3999,23	520,44	ГОСТ 10284-84
53831510001655	0	BK20-KC	1010-1655	8607,51	4103,37	532,6	ГОСТ 10284-84
52731510001657	0	BK15	1010-1657	7469,44	5175,58	674,17	ГОСТ 10284-84
53831510001657	0	BK20-KC	1010-1657	8598,3	5309,79	689,93	ГОСТ 10284-84
53831510001659	0	BK20-KC	1010-1659	8596,48	5635,34	732,38	ГОСТ 10284-84
53831510001665	0	BK20-KC	1010-1665	8588,51	7710,42	1003,00	ГОСТ 10284-84
53631510001671	0	BK10-KC	1010-1671	7217,72	78,24	12,03	ГОСТ 10284-84
52831760001671	0	BK20	1010-1671	8328,26	84,95	10,56	ТУ 48-4207-5-91
53831510001671	0	BK20-KC	1010-1671	8328,26	84,95	11,4	ГОСТ 10284-84
53631510001672	0	BK10-KC	1010-1672	7218,62	78,03	12,00	ГОСТ 10284-84
52731510001672	0	BK15	1010-1672	7218,62	78,03	11,76	ГОСТ 10284-84
52831760001672	0	BK20	1010-1672	8329,01	84,79	10,53	ТУ 48-4207-5-91
53831510001672	0	BK20-KC	1010-1672	8329,01	84,79	11,37	ГОСТ 10284-84
53631510001673	0	BK10-KC	1010-1673	6993,4	174,90	27,76	ГОСТ 10284-84
52831760001673	0	BK20	1010-1673	8061,99	189,78	24,35	ТУ 48-4207-5-91
53831510001673	0	BK20-KC	1010-1673	8061,99	189,78	26,3	ГОСТ 10284-84
53631510001674	0	BK10-KC	1010-1674	6935,94	235,34	37,66	ГОСТ 10284-84
52731510001674	0	BK15	1010-1674	6935,94	235,34	36,9	ГОСТ 10284-84
52831760001674	0	BK20	1010-1674	7992,99	255,30	33,04	ТУ 48-4207-5-91
53831510001674	0	BK20-KC	1010-1674	7992,99	255,30	35,68	ГОСТ 10284-84
53631510001675	0	BK10-KC	1010-1675	6827,67	570,11	92,79	ГОСТ 10284-84
53831510001675	0	BK20-KC	1010-1675	7862,15	618,04	87,93	ГОСТ 10284-84
53631510001676	0	BK10-KC	1010-1676	6826,41	579,08	94,15	ГОСТ 10284-84
53831510001676	0	BK20-KC	1010-1676	7860,62	627,75	89,22	ГОСТ 10284-84
53831510001677	0	BK20-KC	1010-1677	7861,48	622,24	88,43	ГОСТ 10284-84
53631510001678	0	BK10-KC	1010-1678	6803,51	807,17	131,68	ГОСТ 10284-84
53831510001678	0	BK20-KC	1010-1678	7832,79	874,84	124,78	ГОСТ 10284-84
53631510001679	0	BK10-KC	1010-1679	6793,43	972,62	158,91	ГОСТ 10284-84
52831750001679	0	BK20	1010-1679	7820,53	1054,05	139,43	ТУ 48-4207-5-91
53831510001679	0	BK20-KC	1010-1679	7820,53	1054,05	150,58	ГОСТ 10284-84
53831510001681	0	BK20-KC	1010-1681	7822,37	1022,77	146,08	ГОСТ 10284-84
52731510001682	0	BK15	1010-1682	6792,54	990,35	141,85	ГОСТ 10284-84
53831510001682	0	BK20-KC	1010-1682	7822,76	1016,41	145,16	ГОСТ 10284-84
53631510001683	0	BK10-KC	1010-1683	6765,39	2204,03	361,61	ГОСТ 10284-84
52731510001683	0	BK15	1010-1683	6762,45	2535,92	362,00	ГОСТ 10284-84
53831510001683	0	BK20-KC	1010-1683	7786,36	2388,08	342,64	ГОСТ 10284-84
53631510001685	0	BK10-KC	1010-1685	6765,57	2186,63	358,74	ГОСТ 10284-84
52831750001685	0	BK20	1010-1685	7786,58	2369,22	315,75	ТУ 48-4207-5-91
53831510001685	0	BK20-KC	1010-1685	7786,58	2369,22	339,93	ГОСТ 10284-84
53631510001692	0	BK10-KC	1010-1692	6761,18	2710,63	445,00	ГОСТ 10284-84
53831510001692	0	BK20-KC	1010-1692	7781,23	2936,87	421,66	ГОСТ 10284-84
52831750001694	0	BK20	1010-1694	7777,61	3499,85	314,75	ТУ 48-4207-5-91
53831510001694	0	BK20-KC	1010-1694	7777,61	3499,85	502,74	ГОСТ 10284-84
53831510001695	0	BK20-KC	1010-1695	7777,77	3471,61	498,67	ГОСТ 10284-84
53831510001696	0	BK20-KC	1010-1696	7774,09	4303,11	618,4	ГОСТ 10284-84
53831510001697	0	BK20-KC	1010-1697	7774,38	4222,73	606,83	ГОСТ 10284-84
53831510001698	0	BK20-KC	1010-1698	7774,75	4126,21	592,93	ГОСТ 10284-84
53631510001701	0	BK10-KC	1010-1701	6866,41	383,15	61,66	ГОСТ 10284-84

52831770001701	0	BK20	1010-1701	7909,1	415,46	54,1	TY 48-4207-5-91
53831510001701	0	BK20-KC	1010-1701	7909,1	415,46	58,43	ГОСТ 10284-84
53631510001702	0	BK10-KC	1010-1702	6810,6	720,15	116,85	ГОСТ 10284-84
52831740001702	0	BK20	1010-1702	7839,12	803,67	102,52	TY 48-4207-5-91
53831510001702	0	BK20-KC	1010-1702	7841,41	780,53	110,72	ГОСТ 10284-84
53631510001703	0	BK10-KC	1010-1703	6814,2	682,51	110,68	ГОСТ 10284-84
52831770001703	0	BK20	1010-1703	7845,79	739,78	97,11	TY 48-4207-5-91
53831510001703	0	BK20-KC	1010-1703	7845,79	739,78	104,88	ГОСТ 10284-84
53631510001704	0	BK10-KC	1010-1704	6811,61	709,16	115,05	ГОСТ 10284-84
52831770001704	0	BK20	1010-1704	7842,64	768,66	94,98	TY 48-4207-5-91
53831510001704	0	BK20-KC	1010-1704	7842,64	768,66	109,02	ГОСТ 10284-84
53631510001705	0	BK10-KC	1010-1705	6796,48	915,96	148,93	ГОСТ 10284-84
52831770001705	0	BK20	1010-1705	7824,24	992,74	130,67	TY 48-4207-5-91
53831510001705	0	BK20-KC	1010-1705	7824,24	992,74	141,12	ГОСТ 10284-84
53631510001706	0	BK10-KC	1010-1706	6797,04	906,32	147,34	ГОСТ 10284-84
52831770001706	0	BK20	1010-1706	7824,92	982,26	121,65	TY 48-4207-5-91
53831510001706	0	BK20-KC	1010-1706	7824,92	982,26	139,62	ГОСТ 10284-84
53631510001707	0	BK10-KC	1010-1707	6797,3	901,87	146,62	ГОСТ 10284-84
52831770001707	0	BK20	1010-1707	7825,24	977,45	128,64	TY 48-4207-5-91
53831510001707	0	BK20-KC	1010-1707	7825,24	977,45	138,93	ГОСТ 10284-84
53631510001708	0	BK10-KC	1010-1708	6764,99	2244,29	366,62	ГОСТ 10284-84
52831770001708	0	BK20	1010-1708	7785,87	2431,68	321,66	TY 48-4207-5-91
53831510001708	0	BK20-KC	1010-1708	7785,87	2431,68	347,39	ГОСТ 10284-84
52531510001708	0	BK8	1010-1708	6456,19	2237,00	346,49	ГОСТ 10284-84
53631510001709	0	BK10-KC	1010-1709	6765,07	2236,46	365,33	ГОСТ 10284-84
53831510001709	0	BK20-KC	1010-1709	7785,97	2423,15	346,17	ГОСТ 10284-84
53631510001711	0	BK10-KC	1010-1711	6765,22	2220,95	362,78	ГОСТ 10284-84
52831740001711	0	BK20	1010-1711	7786,15	2406,39	318,3	TY 48-4207-5-91
53831510001711	0	BK20-KC	1010-1711	7786,15	2406,39	343,76	ГОСТ 10284-84
52531510001711	0	BK8	1010-1711	6456,37	2213,70	342,87	ГОСТ 10284-84
53631510001712	0	BK10-KC	1010-1712	6765,44	2199,58	359,28	ГОСТ 10284-84
52831740001712	0	BK20	1010-1712	7786,42	2383,19	315,23	TY 48-4207-5-91
53831510001712	0	BK20-KC	1010-1712	7786,42	2383,19	340,45	ГОСТ 10284-84
53631510001713	0	BK10-KC	1010-1713	6754,1	4403,20	720,44	ГОСТ 10284-84
52831740001713	0	BK20	1010-1713	7772,58	4770,34	632,09	TY 48-4207-5-91
53831510001713	0	BK20-KC	1010-1713	7772,58	4770,34	682,66	ГОСТ 10284-84
53631510001714	0	BK10-KC	1010-1714	6751,96	5419,26	886,96	ГОСТ 10284-84
53831510001714	0	BK20-KC	1010-1714	7769,97	5870,99	840,46	ГОСТ 10284-84
53631510001715	0	BK10-KC	1010-1715	6750,66	6301,27	1031,52	ГОСТ 10284-84
53831510001715	0	BK20-KC	1010-1715	7768,38	6826,46	977,43	ГОСТ 10284-84
53631510001716	0	BK10-KC	1010-1716	6748,23	9055,25	1482,89	ГОСТ 10284-84
53831510001716	0	BK20-KC	1010-1716	7765,41	9809,73	1405,13	ГОСТ 10284-84
53631510001717	0	BK10-KC	1010-1717	6748,31	8925,18	1461,51	ГОСТ 10284-84
53831510001717	0	BK20-KC	1010-1717	7765,51	9668,84	1384,93	ГОСТ 10284-84
53831510001718	0	BK20-KC	1010-1718	7765,66	9460,52	1355,07	ГОСТ 10284-84
53631510001721	0	BK10-KC	1010-1721	7392,49	48,64	7,27	ГОСТ 10284-84
52831770001721	0	BK20	1010-1721	8532,41	52,82	6,38	TY 48-4207-5-91
53831510001721	0	BK20-KC	1010-1721	8532,41	52,82	6,89	ГОСТ 10284-84
52531510001721	0	BK8	1010-1721	7376,62	50,68	6,87	ГОСТ 10284-84
53631510001722	0	BK10-KC	1010-1722	7326,9	57,74	8,7	ГОСТ 10284-84
53831510001722	0	BK20-KC	1010-1722	8455,78	62,74	8,25	ГОСТ 10284-84
52531510001722	0	BK8	1010-1722	6912,35	56,89	8,23	ГОСТ 10284-84
53631510001723	0	BK10-KC	1010-1723	7336,12	56,34	8,48	ГОСТ 10284-84
52836740001723	0	BK20	1010-1723	12090,56	96,85	7,41	TY 48-19-126-74
53831510001723	0	BK20-KC	1010-1723	8466,61	61,21	8,04	ГОСТ 10284-84
53631510001724	0	BK10-KC	1010-1724	7313,6	59,83	9,04	ГОСТ 10284-84
52831770001724	0	BK20	1010-1724	12106,00	95,64	7,9	TY 48-4207-5-91
53831510001724	0	BK20-KC	1010-1724	8440,4	64,99	8,56	ГОСТ 10284-84
53631510001725	0	BK10-KC	1010-1725	7349,03	54,46	8,2	ГОСТ 10284-84
52831770001725	0	BK20	1010-1725	8481,38	59,20	7,19	TY 48-4207-5-91
53831510001725	0	BK20-KC	1010-1725	8481,38	59,20	7,77	ГОСТ 10284-84
53631510001726	0	BK10-KC	1010-1726	7368,18	51,80	7,77	ГОСТ 10284-84
52831780001726	0	BK20	1010-1726	8504,42	56,21	6,81	TY 48-4207-5-91
53831510001726	0	BK20-KC	1010-1726	8504,42	56,21	7,35	ГОСТ 10284-84
52531510001726	0	BK8	1010-1726	6959,64	48,93	7,3	ГОСТ 10284-84
53631510001727	0	BK10-KC	1010-1727	7394,18	48,43	7,24	ГОСТ 10284-84
52831740001727	0	BK20	1010-1727	8534,49	52,57	6,35	TY 48-4207-5-91
53831510001727	0	BK20-KC	1010-1727	8534,49	52,57	6,86	ГОСТ 10284-84
52531510001727	0	BK8	1010-1727	6972,97	46,93	6,8	ГОСТ 10284-84
53631510001728	0	BK10-KC	1010-1728	7172,17	89,80	13,83	ГОСТ 10284-84
52831770001728	0	BK20	1010-1728	8274,31	97,55	12,14	TY 48-4207-5-91

53831510001728	0	BK20-KC	1010-1728	8274,31	97,55	13,11	ГОСТ 10284-84
52531510001728	0	BK8	1010-1728	6785,2	88,75	13,08	ГОСТ 10284-84
53631510001729	0	BK10-KC	1010-1729	7185,83	86,09	13,23	ГОСТ 10284-84
52831740001729	0	BK20	1010-1729	8290,47	93,52	11,61	ТУ 48-4207-5-91
53831510001729	0	BK20-KC	1010-1729	8290,47	93,52	12,54	ГОСТ 10284-84
52531510001729	0	BK8	1010-1729	6800,63	83,72	12,5	ГОСТ 10284-84
53631510001731	0	BK10-KC	1010-1731	7193,53	84,09	12,92	ГОСТ 10284-84
52831740001731	0	BK20	1010-1731	8299,78	91,30	11,33	ТУ 48-4207-5-91
53831510001731	0	BK20-KC	1010-1731	8299,78	91,30	12,24	ГОСТ 10284-84
53631510001732	0	BK10-KC	1010-1732	7211,21	79,76	12,23	ГОСТ 10284-84
52831780001732	0	BK20	1010-1732	8320,13	86,70	10,73	ТУ 48-4207-5-91
53831510001732	0	BK20-KC	1010-1732	8320,13	86,70	11,59	ГОСТ 10284-84
52531510001732	0	BK8	1010-1732	6821,43	77,56	11,6	ГОСТ 10284-84
53631510001733	0	BK10-KC	1010-1733	7243,33	72,65	11,09	ГОСТ 10284-84
52831780001733	0	BK20	1010-1733	8358,25	78,90	9,73	ТУ 48-4207-5-91
53831510001733	0	BK20-KC	1010-1733	8358,25	78,90	10,51	ГОСТ 10284-84
52531510001733	0	BK8	1010-1733	6847,96	70,60	10,5	ГОСТ 10284-84
53631510001734	0	BK10-KC	1010-1734	6965,48	200,40	31,8	ГОСТ 10284-84
52831740001734	0	BK20	1010-1734	8028,42	217,49	27,9	ТУ 48-4207-5-91
53831510001734	0	BK20-KC	1010-1734	8028,42	217,49	30,13	ГОСТ 10284-84
52531510001734	0	BK8	1010-1734	6617,27	198,85	30,05	ГОСТ 10284-84
53631510001735	0	BK10-KC	1010-1735	6971,86	194,03	30,75	ГОСТ 10284-84
52831740001735	0	BK20	1010-1735	8036,12	210,55	26,98	ТУ 48-4207-5-91
53831510001735	0	BK20-KC	1010-1735	8036,12	210,55	29,14	ГОСТ 10284-84
53631510001736	0	BK10-KC	1010-1736	6976,56	189,55	30,02	ГОСТ 10284-84
52831740001736	0	BK20	1010-1736	8041,84	205,63	26,34	ТУ 48-4207-5-91
53831510001736	0	BK20-KC	1010-1736	8041,84	205,63	28,45	ГОСТ 10284-84
52531510001736	0	BK8	1010-1736	6628,84	185,08	28,4	ГОСТ 10284-84
53631510001737	0	BK10-KC	1010-1737	6885,84	327,42	52,54	ГОСТ 10284-84
52831740001737	0	BK20	1010-1737	7932,6	355,06	46,1	ТУ 48-4207-5-91
53831510001737	0	BK20-KC	1010-1737	7932,6	355,06	49,79	ГОСТ 10284-84
52531510001737	0	BK8	1010-1737	6554,76	320,33	49,6	ГОСТ 10284-84
53631510001738	0	BK10-KC	1010-1738	6891,48	313,98	50,34	ГОСТ 10284-84
52831740001738	0	BK20	1010-1738	7939,4	340,52	44,17	ТУ 48-4207-5-91
53831510001738	0	BK20-KC	1010-1738	7939,4	340,52	47,7	ГОСТ 10284-84
52531510001738	0	BK8	1010-1738	6559,36	307,11	47,6	ГОСТ 10284-84
53631510001739	0	BK10-KC	1010-1739	6894,67	306,81	49,17	ГОСТ 10284-84
52831770001739	0	BK20	1010-1739	7943,25	332,74	43,14	ТУ 48-4207-5-91
53831510001739	0	BK20-KC	1010-1739	7943,25	332,74	46,59	ГОСТ 10284-84
53631510001741	0	BK10-KC	1010-1741	6830,59	550,34	89,04	ГОСТ 10284-84
52731510001741	0	BK15	1010-1741	6830,59	550,34	87,24	ГОСТ 10284-84
52831740001741	0	BK20	1010-1741	7865,68	596,61	78,12	ТУ 48-4207-5-91
53831510001741	0	BK20-KC	1010-1741	7865,68	596,61	84,37	ГОСТ 10284-84
53631510001742	0	BK10-KC	1010-1742	6808,79	740,52	120,19	ГОСТ 10284-84
52831740001742	0	BK20	1010-1742	7839,22	802,66	105,45	ТУ 48-4207-5-91
53831510001742	0	BK20-KC	1010-1742	7839,22	802,66	113,89	ГОСТ 10284-84
53631510001743	0	BK10-KC	1010-1743	6809,5	732,43	118,85	ГОСТ 10284-84
52731510001743	0	BK15	1010-1743	6809,5	732,43	115,7	ГОСТ 10284-84
52831740001743	0	BK20	1010-1743	7840,08	793,81	104,28	ТУ 48-4207-5-91
53831510001743	0	BK20-KC	1010-1743	7840,08	793,81	112,62	ГОСТ 10284-84
53631510001744	0	BK10-KC	1010-1744	6811,33	712,13	115,54	ГОСТ 10284-84
52831740001744	0	BK20	1010-1744	7842,31	771,84	101,37	ТУ 48-4207-5-91
53831510001744	0	BK20-KC	1010-1744	7842,31	771,84	109,48	ГОСТ 10284-84
53631510001745	0	BK10-KC	1010-1745	6790,95	1023,87	166,61	ГОСТ 10284-84
52831740001745	0	BK20	1010-1745	7817,52	1109,54	146,18	ТУ 48-4207-5-91
53831510001745	0	BK20-KC	1010-1745	7817,52	1109,54	157,87	ГОСТ 10284-84
53631510001746	0	BK10-KC	1010-1746	6791,76	1006,61	163,78	ГОСТ 10284-84
52731510001746	0	BK15	1010-1746	6785,25	1164,35	164,00	ГОСТ 10284-84
52831740001746	0	BK20	1010-1746	7818,5	1090,91	143,7	ТУ 48-4207-5-91
53831510001746	0	BK20-KC	1010-1746	7818,5	1090,91	155,2	ГОСТ 10284-84
52531510001746	0	BK8	1010-1746	6477,59	1002,73	154,8	ГОСТ 10284-84
53631510001747	0	BK10-KC	1010-1747	6792,82	984,82	160,22	ГОСТ 10284-84
52831740001747	0	BK20	1010-1747	7819,79	1067,24	140,57	ТУ 48-4207-5-91
53831510001747	0	BK20-KC	1010-1747	7819,79	1067,24	151,82	ГОСТ 10284-84
53631510001748	0	BK10-KC	1010-1748	6793,98	961,82	156,45	ГОСТ 10284-84
52831740001748	0	BK20	1010-1748	7821,2	1042,41	137,26	ТУ 48-4207-5-91
53831510001748	0	BK20-KC	1010-1748	7821,2	1042,41	148,24	ГОСТ 10284-84
53631510001749	0	BK10-KC	1010-1749	6779,96	1333,48	217,35	ГОСТ 10284-84
52831740001749	0	BK20	1010-1749	7804,12	1445,01	190,7	ТУ 48-4207-5-91
53831510001749	0	BK20-KC	1010-1749	7804,12	1445,01	205,96	ГОСТ 10284-84
53631510001751	0	BK10-KC	1010-1751	6781,32	1285,53	209,49	ГОСТ 10284-84

52831740001751	0	BK20	1010-1751	7805,78	1393,02	183,8	TY 48-4207-5-91
53831510001751	0	BK20-KC	1010-1751	7805,78	1393,02	198,5	ГОСТ 10284-84
53631510001752	0	BK10-KC	1010-1752	6772,97	1646,98	268,73	ГОСТ 10284-84
52731510001752	0	BK15	1010-1752	6772,97	1646,98	249,6	ГОСТ 10284-84
52831740001752	0	BK20	1010-1752	7795,6	1784,65	235,77	TY 48-4207-5-91
53831510001752	0	BK20-KC	1010-1752	7795,6	1784,65	254,63	ГОСТ 10284-84
53631510001753	0	BK10-KC	1010-1753	6774,61	1561,01	254,63	ГОСТ 10284-84
52831740001753	0	BK20	1010-1753	7797,6	1691,46	223,41	TY 48-4207-5-91
53831510001753	0	BK20-KC	1010-1753	7797,6	1691,46	241,28	ГОСТ 10284-84
53631510001754	0	BK10-KC	1010-1754	6766,21	2127,02	347,39	ГОСТ 10284-84
52831740001754	0	BK20	1010-1754	7787,36	2304,59	304,79	TY 48-4207-5-91
53831510001754	0	BK20-KC	1010-1754	7787,36	2304,59	329,17	ГОСТ 10284-84
53631510001755	0	BK10-KC	1010-1755	6760,46	2820,74	461,1	ГОСТ 10284-84
53831510001755	0	BK20-KC	1010-1755	7780,35	3056,12	436,91	ГОСТ 10284-84
53631510001756	0	BK10-KC	1010-1756	6755,82	3823,12	625,36	ГОСТ 10284-84
52831740001756	0	BK20	1010-1756	7774,69	4141,96	548,68	TY 48-4207-5-91
53831510001756	0	BK20-KC	1010-1756	7774,69	4141,96	592,57	ГОСТ 10284-84
53831510001757	0	BK20-KC	1010-1757	7775,81	3870,17	553,61	ГОСТ 10284-84
53831510001758	0	BK20-KC	1010-1758	7772,12	4934,36	706,18	ГОСТ 10284-84
53831510001759	0	BK20-KC	1010-1759	7773,78	4390,24	628,17	ГОСТ 10284-84
53631510001771	0	BK10-KC	1010-1771	7155,82	1353,95	209,09	ГОСТ 10284-84
53831510001771	0	BK20-KC	1010-1771	8238,33	1467,49	198,13	ГОСТ 10284-84
53631510001772	0	BK10-KC	1010-1772	7159,05	1285,69	198,46	ГОСТ 10284-84
53831510001772	0	BK20-KC	1010-1772	8242,27	1393,52	188,05	ГОСТ 10284-84
53631510001773	0	BK10-KC	1010-1773	7134,06	2099,13	325,16	ГОСТ 10284-84
53831510001773	0	BK20-KC	1010-1773	8211,81	2274,67	308,1	ГОСТ 10284-84
53831510001774	0	BK20-KC	1010-1774	8200,31	2977,62	403,89	ГОСТ 10284-84
53831510001775	0	BK20-KC	1010-1775	8188,95	4277,42	581,00	ГОСТ 10284-84
53831510001776	0	BK20-KC	1010-1776	8179,46	6711,00	912,61	ГОСТ 10284-84
53831510001777	0	BK20-KC	1010-1777	8178,34	7193,26	978,33	ГОСТ 10284-84
52831700001801	0	BK20	1010-1801	8573,96	23359,75	2974,34	TY 48-4207-5-91
53831510001801	0	BK20-KC	1010-1801	8573,96	23359,75	3043,85	ГОСТ 10284-84
53831510180110	0	BK20-KC	1010-1801*10	8192,86	3719,72	507,31	ГОСТ 10284-84
53831510180120	0	BK20-KC	1010-1801*20	8177,85	7425,73	1014,62	ГОСТ 10284-84
53831510180130	0	BK20-KC	1010-1801*30	8172,81	11132,10	1521,93	ГОСТ 10284-84
52831700180140	0	BK20	1010-1801*40	8577,55	15578,11	1878,92	TY 48-4207-5-91
53831510180140	0	BK20-KC	1010-1801*40	8577,55	15578,11	2029,23	ГОСТ 10284-84
53831510180150	0	BK20-KC	1010-1801*50	8575,4	19467,18	2536,54	ГОСТ 10284-84
53831510001802	0	BK20-KC	1010-1802	8574,78	20966,88	2731,8	ГОСТ 10284-84
52831700180230	0	BK20	1010-1802*30	8173,96	9991,85	1264,72	TY 48-4207-5-91
53831510180230	0	BK20-KC	1010-1802*30	8173,96	9991,85	1365,9	ГОСТ 10284-84
53831510180240	0	BK20-KC	1010-1802*40	8578,77	13982,03	1821,19	ГОСТ 10284-84
53831510180250	0	BK20-KC	1010-1802*50	8576,38	17473,26	2276,49	ГОСТ 10284-84
53631510001803	0	BK10-KC	1010-1803	7453,79	14427,11	2148,39	ГОСТ 10284-84
53831510001803	0	BK20-KC	1010-1803	8577,51	15629,51	2035,74	ГОСТ 10284-84
52531510001803	0	BK8	1010-1803	6441,44	13036,18	2023,8	ГОСТ 10284-84
53831510180340	0	BK20-KC	1010-1803*40	8582,86	10424,92	1357,16	ГОСТ 10284-84
53631510180350	0	BK10-KC	1010-1803*50	7455,54	12023,93	1790,33	ГОСТ 10284-84
53831510180350	0	BK20-KC	1010-1803*50	8579,65	13026,23	1696,44	ГОСТ 10284-84
53631510001804	0	BK10-KC	1010-1804	7454,31	13621,63	2028,3	ГОСТ 10284-84
53831510001804	0	BK20-KC	1010-1804	8578,14	14756,98	1921,95	ГОСТ 10284-84
53831510180410	0	BK20-KC	1010-1804*10	8210,17	2353,94	320,33	ГОСТ 10284-84
53831510180440	0	BK20-KC	1010-1804*40	8583,81	9844,17	1281,3	ГОСТ 10284-84
53831510180450	0	BK20-KC	1010-1804*50	8580,41	12300,36	1601,63	ГОСТ 10284-84
52831510001805	0	BK20	1010-1805	8588,87	7583,97	816,7	TY 48-4207-5-91
53831510001805	0	BK20-KC	1010-1805	8180,07	6473,71	884,16	ГОСТ 10284-84
53831510180510	0	BK20-KC	1010-1805*10	7791,14	2033,25	311,03	ГОСТ 10284-84
53831510180520	0	BK20-KC	1010-1805*20	7775,92	3845,81	589,44	ГОСТ 10284-84
53631510001806	0	BK10-KC	1010-1806	6773,21	1633,56	266,52	ГОСТ 10284-84
53831510001806	0	BK20-KC	1010-1806	7795,9	1770,06	252,55	ГОСТ 10284-84
53831510001807	0	BK20-KC	1010-1807	7914,52	399,92	60,22	ГОСТ 10284-84
53831510001808	0	BK20-KC	1010-1808	7910,79	410,49	61,85	ГОСТ 10284-84
53831510001809	0	BK20-KC	1010-1809	7895,05	461,47	69,66	ГОСТ 10284-84
52831760001810	0	BK20	1010-1810	8295,87	821,46	99,02	TY 48-4207-5-91
53831510001810	0	BK20-KC	1010-1810	7849,99	704,38	106,94	ГОСТ 10284-84
53831510001811	0	BK20-KC	1010-1811	7821,65	1034,80	157,67	ГОСТ 10284-84
53831510001812	0	BK20-KC	1010-1812	7839,67	798,00	121,31	ГОСТ 10284-84
52732010000351	0	BK15	1011-0351	8169,65	97,71	12,1	ГОСТ 19106-73
52832010000351	0	BK20	1011-0351	9412,31	108,99	11,77	ГОСТ 19106-73
52532010000351	0	BK8	1011-0351	6793,85	85,87	12,64	ГОСТ 19106-73
52732010000352	0	BK15	1011-0352	8103,72	120,91	15,12	ГОСТ 19106-73

52832010000352	0	BK20	1011-0352	9335,24	134,89	14,69	ГОСТ 19106-73
52532010000352	0	BK8	1011-0352	6740,28	106,29	15,77	ГОСТ 19106-73
52532013300352	0	BK8	1011-0352*3,3 (25*3	6805,08	82,34	12,1	ГОСТ 19106-73
52732010000353	0	BK15	1011-0353	8054,85	144,02	18,14	ГОСТ 19106-73
52832010000353	0	BK20	1011-0353	9278,17	160,61	17,6	ГОСТ 19106-73
53832011000353	0	BK20-KC	1011-0353	9772,09	171,01	16,2	ТЕХНИЧЕСКИЕ ТРЕБОВ
52532010000353	0	BK8	1011-0353	6700,74	126,64	18,9	ГОСТ 19106-73
52732010000354	0	BK15	1011-0354	8074,98	133,72	18,14	ГОСТ 19106-73
52832010000354	0	BK20	1011-0354	9301,79	149,11	17,6	ГОСТ 19106-73
52532010000354	0	BK8	1011-0354	6717,06	117,55	18,9	ГОСТ 19106-73
52732010000355	0	BK15	1011-0355	8018,53	166,14	22,68	ГОСТ 19106-73
52832010000355	0	BK20	1011-0355	9235,58	185,27	22,03	ГОСТ 19106-73
52532010000355	0	BK8	1011-0355	6671,47	146,11	23,65	ГОСТ 19106-73
52732010000356	0	BK15	1011-0356	7977,79	198,49	27,22	ГОСТ 19106-73
52832010000356	0	BK20	1011-0356	9187,71	221,33	26,46	ГОСТ 19106-73
52532010000356	0	BK8	1011-0356	6638,7	174,60	28,4	ГОСТ 19106-73
52732010000357	0	BK15	1011-0357	7923,41	262,34	36,29	ГОСТ 19106-73
52832010000357	0	BK20	1011-0357	9123,69	292,51	35,21	ГОСТ 19106-73
52532010000357	0	BK8	1011-0357	6595,13	230,83	37,8	ГОСТ 19106-73
52732010000358	0	BK15	1011-0358	8003,22	177,19	24,19	ГОСТ 19106-73
52832010000358	0	BK20	1011-0358	9217,67	197,53	23,54	ГОСТ 19106-73
52532010000358	0	BK8	1011-0358	6659,16	155,82	25,27	ГОСТ 19106-73
52732010000359	0	BK15	1011-0359	7916,31	273,35	37,8	ГОСТ 19106-73
52832010000359	0	BK20	1011-0359	9115,37	304,73	36,72	ГОСТ 19106-73
52532010000359	0	BK8	1011-0359	6589,46	240,52	39,42	ГОСТ 19106-73
52532017000359	0	BK8	1011-0359*7 (25*10*	6643,29	170,07	25,6	ТЕХНИЧЕСКИЕ ТРЕБОВ
52832010000361	0	BK20	1011-0361	9081,96	364,37	44,06	ГОСТ 19106-73
52532010000361	0	BK8	1011-0361	6566,85	287,63	47,3	ГОСТ 19106-73
52732010000362	0	BK15	1011-0362	7850,85	433,76	60,48	ГОСТ 19106-73
52832010000362	0	BK20	1011-0362	9038,09	483,45	58,75	ГОСТ 19106-73
52532010000362	0	BK8	1011-0362	6537,26	381,78	63,07	ГОСТ 19106-73
52832015000362	0	BK20	1011-0362*5 (25*5*1	9143,23	266,98	28,00	ГОСТ 19106-73
52732010000363	0	BK15	1011-0363	7827,55	540,57	75,6	ГОСТ 19106-73
52832010000363	0	BK20	1011-0363	9010,53	602,53	73,44	ГОСТ 19106-73
52532010000363	0	BK8	1011-0363	6518,75	475,87	78,84	ГОСТ 19106-73
52732014000363	0	BK15	1011-0363*4 (25*4*2	8869,32	314,86	34,3	ТЕХНИЧЕСКИЕ ТРЕБОВ
52732010000364	0	BK15	1011-0364	7808,56	672,24	94,5	ГОСТ 19106-73
52832010000364	0	BK20	1011-0364	8988,04	749,24	91,8	ГОСТ 19106-73
52532010000364	0	BK8	1011-0364	6503,67	591,83	98,6	ГОСТ 19106-73
52532015000364	0	BK8	1011-0364*5 (25*25*	6562,04	299,89	45,7	ТЕХНИЧЕСКИЕ ТРЕБОВ
52732010000365	0	BK15	1011-0365	7811,59	647,35	90,72	ГОСТ 19106-73
52832010000365	0	BK20	1011-0365	8991,63	721,49	88,13	ГОСТ 19106-73
52532010000365	0	BK8	1011-0365	6506,07	569,93	94,61	ГОСТ 19106-73
52832010000366	0	BK20	1011-0366	8974,11	879,46	117,5	ГОСТ 19106-73
52532010000366	0	BK8	1011-0366	6489,83	758,01	116,8	ГОСТ 19106-73
52732010000367	0	BK15	1011-0367	7778,52	1074,37	151,2	ГОСТ 19106-73
52832010000367	0	BK20	1011-0367	8952,46	1197,30	146,88	ГОСТ 19106-73
52532010000367	0	BK8	1011-0367	6479,88	946,06	157,68	ГОСТ 19106-73
52832010000368	0	BK20	1011-0368	8940,34	1494,56	183,6	ГОСТ 19106-73
52532010000368	0	BK8	1011-0368	6471,79	1181,10	197,1	ГОСТ 19106-73
52732010000369	0	BK15	1011-0369	7759,24	1714,72	241,92	ГОСТ 19106-73
52832010000369	0	BK20	1011-0369	8929,59	1910,75	235,01	ГОСТ 19106-73
52532010000369	0	BK8	1011-0369	6464,63	1510,14	252,29	ГОСТ 19106-73
52732010000371	0	BK15	1011-0371	7952,00	224,96	31,00	ГОСТ 19106-73
52832010000371	0	BK20	1011-0371	9157,38	250,82	30,13	ГОСТ 19106-73
52532010000371	0	BK8	1011-0371	6618,04	197,88	32,29	ГОСТ 19106-73
52732010000372	0	BK15	1011-0372	7855,74	416,20	58,1	ГОСТ 19106-73
52832010000372	0	BK20	1011-0372	9043,85	463,95	56,38	ГОСТ 19106-73
53832010000372	0	BK20-KC	1011-0372	9043,85	463,95	56,38	ГОСТ 19106-73
52532010000372	0	BK8	1011-0372	6541,15	366,30	60,48	ГОСТ 19106-73
52532013200372	0	BK8	1011-0372*3,2	6660,73	154,53	23,2	ГОСТ 19106-73
52732010000373	0	BK15	1011-0373	7835,53	498,89	69,66	ГОСТ 19106-73
52832010000373	0	BK20	1011-0373	9019,96	556,08	67,72	ГОСТ 19106-73
52532010000373	0	BK8	1011-0373	6525,08	439,14	72,68	ГОСТ 19106-73
52732010000374	0	BK15	1011-0374	7809,69	662,73	92,88	ГОСТ 19106-73
52832010000374	0	BK20	1011-0374	8989,38	738,66	90,29	ГОСТ 19106-73
52532010000374	0	BK8	1011-0374	6504,57	583,46	96,88	ГОСТ 19106-73
52532016200374	0	BK8	1011-0374*6,2	6900,49	374,01	54,2	ГОСТ 19106-73
52732010000375	0	BK15	1011-0375	7793,71	826,52	116,1	ГОСТ 19106-73
52832010000375	0	BK20	1011-0375	8970,46	921,09	112,86	ГОСТ 19106-73
52532010000375	0	BK8	1011-0375	6491,9	727,74	121,07	ГОСТ 19106-73

52532016000375	0	BK8	1011-0375*6 (32*6*2	6872,92	451,55	65,7	ГОСТ 19106-73
52732010000376	0	BK15	1011-0376	7780,62	1031,94	145,15	ГОСТ 19106-73
52832010000376	0	BK20	1011-0376	8954,94	1149,99	141,05	ГОСТ 19106-73
52532010000376	0	BK8	1011-0376	6481,54	908,71	151,42	ГОСТ 19106-73
52532014000376	0	BK8	1011-0376*4 (32*4*2	6559,65	306,34	46,7	ГОСТ 19106-73
52732010000377	0	BK15	1011-0377	7769,02	1318,48	185,76	ГОСТ 19106-73
52832010000377	0	BK20	1011-0377	8941,18	1469,30	180,47	ГОСТ 19106-73
52532010000377	0	BK8	1011-0377	6472,36	1161,14	193,75	ГОСТ 19106-73
52732010000378	0	BK15	1011-0378	7777,34	1099,95	154,87	ГОСТ 19106-73
52832010000378	0	BK20	1011-0378	8951,05	1225,76	150,34	ГОСТ 19106-73
53832010000378	0	BK20-KC	1011-0378	8946,09	1337,44	139,2	ГОСТ 19106-73
52532010000378	0	BK8	1011-0378	6478,94	968,60	149,5	ГОСТ 19106-73
52532014000378	0	BK8	1011-0378*4 (32*4*2	7333,19	332,19	45,3	ТЕХНИЧЕСКИЕ ТРЕБОВ
52732010000379	0	BK15	1011-0379	7767,34	1373,34	193,54	ГОСТ 19106-73
52832010000379	0	BK20	1011-0379	8939,19	1530,39	188,03	ГОСТ 19106-73
52532010000379	0	BK8	1011-0379	6471,03	1209,43	201,85	ГОСТ 19106-73
52732010000381	0	BK15	1011-0381	7758,48	1755,59	247,75	ГОСТ 19106-73
52832010000381	0	BK20	1011-0381	8928,68	1956,36	240,62	ГОСТ 19106-73
52532010000381	0	BK8	1011-0381	6464,03	1546,20	258,34	ГОСТ 19106-73
52732010000382	0	BK15	1011-0382	8375,3	296,32	38,66	ГОСТ 19106-73
52832010000382	0	BK20	1011-0382	9647,03	330,51	37,58	ГОСТ 19106-73
52532010000382	0	BK8	1011-0382	6967,65	260,59	40,39	ГОСТ 19106-73
52732017000382	0	BK15	1011-0382*7(40*8*7	8395,65	275,38	31,7	ГОСТ 19106-73
52732010000383	0	BK15	1011-0383	8246,18	546,06	72,58	ГОСТ 19106-73
52832010000383	0	BK20	1011-0383	9494,58	608,79	70,52	ГОСТ 19106-73
52532010000383	0	BK8	1011-0383	6864,78	480,53	75,6	ГОСТ 19106-73
53632010000384	0	BK10-KC	1011-0384	0,00	0,00	82,6	ГОСТ 19106-73
52732010000384	0	BK15	1011-0384	7815,04	620,98	87,05	ГОСТ 19106-73
52832010000384	0	BK20	1011-0384	8995,72	692,13	84,56	ГОСТ 19106-73
52532010000384	0	BK8	1011-0384	6508,81	546,74	90,72	ГОСТ 19106-73
61232010000384	0	T14K8	1011-0384	0,00	0,00	65,4	ГОСТ 19106-73
52732010000385	0	BK15	1011-0385	7793,71	826,52	116,21	ГОСТ 19106-73
52832010000385	0	BK20	1011-0385	8970,46	921,09	112,86	ГОСТ 19106-73
52532010000385	0	BK8	1011-0385	6491,9	727,74	121,07	ГОСТ 19106-73
52732016000385	0	BK15	1011-0385*6 (40*6*1	7849,21	439,95	53,8	ГОСТ 19106-73
52732010000386	0	BK15	1011-0386	7780,62	1031,94	145,15	ГОСТ 19106-73
52832010000386	0	BK20	1011-0386	8954,94	1149,99	140,94	ГОСТ 19106-73
52532010000386	0	BK8	1011-0386	6481,54	908,71	151,42	ГОСТ 19106-73
52732014000386	0	BK15	1011-0386*4 (40*4*2	8746,74	495,94	54,8	ТЕХНИЧЕСКИЕ ТРЕБОВ
52532016000386	0	BK8	1011-0386*6 (40*6*2	6846,86	558,70	81,6	ГОСТ 19106-73
52732010000387	0	BK15	1011-0387	7770,02	1287,80	181,44	ГОСТ 19106-73
52832010000387	0	BK20	1011-0387	8942,37	1435,07	176,26	ГОСТ 19106-73
52532010000387	0	BK8	1011-0387	6473,15	1134,10	189,22	ГОСТ 19106-73
52532014000387	0	BK8	1011-0387*4 (40*4*2	6537,26	381,78	58,4	ГОСТ 19106-73
52732010000388	0	BK15	1011-0388	7758,76	1740,29	215,00	ГОСТ 19106-73
52832010000388	0	BK20	1011-0388	8931,19	1835,00	225,61	ГОСТ 19106-73
52532010000388	0	BK8	1011-0388	6465,7	1450,26	242,24	ГОСТ 19106-73
52532014000388	0	BK8	1011-0388*4 (40*4*3	7219,64	654,82	90,7	ТЕХНИЧЕСКИЕ ТРЕБОВ
52732010000389	0	BK15	1011-0389	7767,36	1372,57	193,54	ГОСТ 19106-73
52832010000389	0	BK20	1011-0389	8939,21	1529,59	188,03	ГОСТ 19106-73
52532010000389	0	BK8	1011-0389	6471,04	1208,79	201,74	ГОСТ 19106-73
52732010000391	0	BK15	1011-0391	7752,09	2192,68	309,64	ГОСТ 19106-73
52832010000391	0	BK20	1011-0391	8921,09	2443,31	300,78	ГОСТ 19106-73
52532010000391	0	BK8	1011-0391	6458,98	1931,23	322,92	ГОСТ 19106-73
52732010000392	0	BK15	1011-0392	7746,93	2739,39	387,07	ГОСТ 19106-73
52832010000392	0	BK20	1011-0392	8914,97	3052,49	375,95	ГОСТ 19106-73
52532010000392	0	BK8	1011-0392	6454,9	2412,84	403,7	ГОСТ 19106-73
52732010000393	0	BK15	1011-0393	7759,24	1714,72	241,92	ГОСТ 19106-73
52832010000393	0	BK20	1011-0393	8929,59	1910,75	235,01	ГОСТ 19106-73
52532010000393	0	BK8	1011-0393	6464,63	1510,14	252,29	ГОСТ 19106-73
52732010000394	0	BK15	1011-0394	7746,93	2739,39	387,07	ГОСТ 19106-73
52832010000394	0	BK20	1011-0394	8914,97	3052,49	376,06	ГОСТ 19106-73
52532010000394	0	BK8	1011-0394	6454,9	2412,84	403,7	ГОСТ 19106-73
52732010000395	0	BK15	1011-0395	7742,78	3422,08	483,84	ГОСТ 19106-73
52832010000395	0	BK20	1011-0395	8910,04	3813,14	470,02	ГОСТ 19106-73
52532010000395	0	BK8	1011-0395	6451,63	3014,20	504,58	ГОСТ 19106-73
52732010000396	0	BK15	1011-0396	7752,7	2141,53	302,4	ГОСТ 19106-73
52832010000396	0	BK20	1011-0396	8921,82	2386,32	293,76	ГОСТ 19106-73
52532010000396	0	BK8	1011-0396	6459,46	1886,16	292,00	ГОСТ 19106-73
52732010000397	0	BK15	1011-0397	7747,43	2675,11	350,00	ГОСТ 19106-73
52832010000397	0	BK20	1011-0397	8915,56	2980,83	367,2	ГОСТ 19106-73

52832010000398	0	BK20	1011-0398	8910,04	3813,14	470,02	ГОСТ 19106-73
52532010000398	0	BK8	1011-0398	6451,63	3014,20	504,58	ГОСТ 19106-73
52732010000399	0	BK15	1011-0399	7739,44	4275,73	604,8	ГОСТ 19106-73
52832010000399	0	BK20	1011-0399	8906,08	4764,22	587,52	ГОСТ 19106-73
52532010000399	0	BK8	1011-0399	6448,99	3766,21	584,00	ГОСТ 19106-73
52732010000401	0	BK15	1011-0401	8321,95	367,66	48,38	ГОСТ 19106-73
52832010000401	0	BK20	1011-0401	9584,1	410,01	46,98	ГОСТ 19106-73
52532010000401	0	BK8	1011-0401	6925,08	323,40	50,44	ГОСТ 19106-73
52732010000402	0	BK15	1011-0402	8214,15	680,71	90,72	ГОСТ 19106-73
52832010000402	0	BK20	1011-0402	9456,67	758,80	88,13	ГОСТ 19106-73
52532010000402	0	BK8	1011-0402	6839,36	599,13	94,61	ГОСТ 19106-73
52732010004026	0	BK15	1011-0402*6	8762,98	461,81	50,4	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52732010000403	0	BK15	1011-0403	8192,43	814,49	108,86	ГОСТ 19106-73
52832010000403	0	BK20	1011-0403	9430,94	907,92	105,73	ГОСТ 19106-73
52532010000403	0	BK8	1011-0403	6822,13	717,01	113,51	ГОСТ 19106-73
52732010000404	0	BK15	1011-0404	7780,66	1031,17	145,15	ГОСТ 19106-73
52832010000404	0	BK20	1011-0404	8954,99	1149,19	141,05	ГОСТ 19106-73
52532010000404	0	BK8	1011-0404	6481,57	908,07	151,31	ГОСТ 19106-73
52732010000405	0	BK15	1011-0405	7770,02	1287,80	181,44	ГОСТ 19106-73
52832010000405	0	BK20	1011-0405	8942,37	1435,07	176,26	ГОСТ 19106-73
52532010000405	0	BK8	1011-0405	6473,15	1134,10	189,22	ГОСТ 19106-73
52732010000406	0	BK15	1011-0406	7761,41	1607,93	226,8	ГОСТ 19106-73
52832010000406	0	BK20	1011-0406	8932,16	1791,79	220,32	ГОСТ 19106-73
52532010000406	0	BK8	1011-0406	6466,34	1416,13	236,52	ГОСТ 19106-73
52732010000407	0	BK15	1011-0407	7753,8	2056,00	290,3	ГОСТ 19106-73
52832010000407	0	BK20	1011-0407	8923,12	2291,01	281,99	ГОСТ 19106-73
52532010000407	0	BK8	1011-0407	6460,33	1810,83	302,72	ГОСТ 19106-73
52532014000407	0	BK8	1011-0407*4 (50*4*3)	7203,28	756,34	105,00	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52732010000408	0	BK15	1011-0408	7759,24	1714,72	241,92	ГОСТ 19106-73
52832010000408	0	BK20	1011-0408	8929,59	1910,75	235,01	ГОСТ 19106-73
52532010000408	0	BK8	1011-0408	6464,63	1510,14	233,6	ГОСТ 19106-73
52732010000409	0	BK15	1011-0409	7752,7	2141,53	302,4	ГОСТ 19106-73
52832010000409	0	BK20	1011-0409	8921,82	2386,32	293,76	ГОСТ 19106-73
52532010000409	0	BK8	1011-0409	6459,46	1886,16	315,36	ГОСТ 19106-73
52732010000411	0	BK15	1011-0411	7745,81	2895,38	358,4	ГОСТ 19106-73
52832010000411	0	BK20	1011-0411	8914,97	3052,49	376,06	ГОСТ 19106-73
52532010000411	0	BK8	1011-0411	6454,9	2412,84	403,7	ГОСТ 19106-73
52732010000412	0	BK15	1011-0412	7739,44	4275,73	604,8	ГОСТ 19106-73
52832010000412	0	BK20	1011-0412	8906,08	4764,22	587,52	ГОСТ 19106-73
52532010000412	0	BK8	1011-0412	6448,99	3766,21	630,72	ГОСТ 19106-73
52732010000413	0	BK15	1011-0413	7736,76	5342,85	756,00	ГОСТ 19106-73
52832010000413	0	BK20	1011-0413	8902,9	5953,19	734,4	ГОСТ 19106-73
52532010000413	0	BK8	1011-0413	6446,88	4706,22	788,4	ГОСТ 19106-73
52732010000414	0	BK15	1011-0414	7734,41	6836,75	967,68	ГОСТ 19106-73
52832010000414	0	BK20	1011-0414	8900,1	7617,69	940,03	ГОСТ 19106-73
52732010000415	0	BK15	1011-0415	7736,76	5342,85	756,00	ГОСТ 19106-73
52832010000415	0	BK20	1011-0415	8902,9	5953,19	734,4	ГОСТ 19106-73
52532010000415	0	BK8	1011-0415	6446,88	4706,22	788,4	ГОСТ 19106-73
52732010000416	0	BK15	1011-0416	7734,5	6767,68	875,00	ГОСТ 19106-73
52832010000416	0	BK20	1011-0416	8900,34	7439,35	918,00	ГОСТ 19106-73
52532010000416	0	BK8	1011-0416	6445,18	5881,23	985,5	ГОСТ 19106-73
52732010000417	0	BK15	1011-0417	7732,72	8544,12	1209,6	ГОСТ 19106-73
52832010000417	0	BK20	1011-0417	8898,1	9519,99	1175,04	ГОСТ 19106-73
52532010000417	0	BK8	1011-0417	6443,69	7526,23	1261,44	ГОСТ 19106-73
52732010000418	0	BK15	1011-0418	8284,47	439,66	58,1	ГОСТ 19106-73
52832010000418	0	BK20	1011-0418	9539,83	490,25	56,38	ГОСТ 19106-73
52532010000418	0	BK8	1011-0418	6895,22	386,82	60,59	ГОСТ 19106-73
52732010000419	0	BK15	1011-0419	8192,43	814,49	108,86	ГОСТ 19106-73
52832010000419	0	BK20	1011-0419	9430,94	907,92	105,73	ГОСТ 19106-73
53832010000419	0	BK20-KC	1011-0419	9430,94	907,92	105,73	ГОСТ 19106-73
52532010000419	0	BK8	1011-0419	6822,13	717,01	113,51	ГОСТ 19106-73
52532010041906	0	BK8	1011-0419*6	6878,42	433,75	63,06	ГОСТ 19106-73
52732010000421	0	BK15	1011-0421	8174,00	975,08	130,68	ГОСТ 19106-73
52832010000421	0	BK20	1011-0421	9409,1	1086,85	126,9	ГОСТ 19106-73
52532010000421	0	BK8	1011-0421	6807,53	858,43	126,1	ГОСТ 19106-73
52732010000422	0	BK15	1011-0422	7771,82	1235,88	174,2	ГОСТ 19106-73
52832010000422	0	BK20	1011-0422	8944,51	1377,28	169,24	ГОСТ 19106-73
52532010000422	0	BK8	1011-0422	6474,58	1088,38	181,55	ГОСТ 19106-73
52732010000423	0	BK15	1011-0423	7762,86	1543,64	217,73	ГОСТ 19106-73
52832010000423	0	BK20	1011-0423	8933,88	1720,13	211,46	ГОСТ 19106-73
52532010000423	0	BK8	1011-0423	6467,49	1359,47	227,02	ГОСТ 19106-73

52732010000424	0	BK15	1011-0424	7755,62	1928,12	272,16	ГОСТ 19106-73
52832010000424	0	BK20	1011-0424	8925,28	2148,49	264,38	ГОСТ 19106-73
52532010000424	0	BK8	1011-0424	6461,76	1698,15	283,82	ГОСТ 19106-73
52732014000424	0	BK15	1011-0424*4 (60*4*2	8643,68	909,32	101,6	ТЕХНИЧЕСКИЕ ТРЕБОВА
52532016000424	0	BK8	1011-0424*6(60*6*2	6795,15	1028,79	151,4	ГОСТ 19106-73
52732010000425	0	BK15	1011-0425	7749,23	2466,04	348,41	ГОСТ 19106-73
52832010000425	0	BK20	1011-0425	8917,7	2747,90	338,36	ГОСТ 19106-73
52532010000425	0	BK8	1011-0425	6456,72	2172,04	363,31	ГОСТ 19106-73
52732010000426	0	BK15	1011-0426	7753,8	2056,00	290,3	ГОСТ 19106-73
52832010000426	0	BK20	1011-0426	8923,12	2291,01	281,99	ГОСТ 19106-73
52532010000426	0	BK8	1011-0426	6460,33	1810,83	302,72	ГОСТ 19106-73
52732010000427	0	BK15	1011-0427	7748,31	2568,41	362,88	ГОСТ 19106-73
52832010000427	0	BK20	1011-0427	8916,61	2861,96	352,51	ГОСТ 19106-73
52532010000427	0	BK8	1011-0427	6455,99	2262,18	378,43	ГОСТ 19106-73
52732010000428	0	BK15	1011-0428	7743,47	3285,40	464,4	ГОСТ 19106-73
52832010000428	0	BK20	1011-0428	8910,87	3660,85	451,22	ГОСТ 19106-73
52532010000428	0	BK8	1011-0428	6452,18	2893,80	448,5	ГОСТ 19106-73
52732010000429	0	BK15	1011-0429	7737,21	5129,46	725,76	ГОСТ 19106-73
52832010000429	0	BK20	1011-0429	8903,43	5715,38	705,02	ГОСТ 19106-73
52532010000429	0	BK8	1011-0429	6447,23	4518,22	756,86	ГОСТ 19106-73
52732010000431	0	BK15	1011-0431	7734,97	6409,97	907,2	ГОСТ 19106-73
52832010000431	0	BK20	1011-0431	8900,77	7142,15	881,28	ГОСТ 19106-73
52532010000431	0	BK8	1011-0431	6445,47	5646,23	946,08	ГОСТ 19106-73
52732010000432	0	BK15	1011-0432	7733,01	8202,79	1161,22	ГОСТ 19106-73
52832010000432	0	BK20	1011-0432	8898,43	9139,67	1128,06	ГОСТ 19106-73
52532010000432	0	BK8	1011-0432	6443,92	7225,56	1211,00	ГОСТ 19106-73
52732010000433	0	BK15	1011-0433	7734,97	6409,97	907,2	ГОСТ 19106-73
52832010000433	0	BK20	1011-0433	8900,77	7142,15	881,28	ГОСТ 19106-73
52532010000433	0	BK8	1011-0433	6445,47	5646,23	946,08	ГОСТ 19106-73
52732010000434	0	BK15	1011-0434	7733,17	8010,56	1134,00	ГОСТ 19106-73
52832010000434	0	BK20	1011-0434	8898,63	8925,51	1101,6	ГОСТ 19106-73
52532010000434	0	BK8	1011-0434	6444,05	7056,23	1182,6	ГОСТ 19106-73
52832010043428	0	BK20	1011-0434*28 (60*50	8897,07	10911,37	1142,4	ГОСТ 19106-73
52732010000435	0	BK15	1011-0435	7731,6	10251,40	1451,52	ГОСТ 19106-73
52832010000435	0	BK20	1011-0435	8896,76	11422,28	1410,05	ГОСТ 19106-73
52532010000435	0	BK8	1011-0435	6442,81	9030,24	1513,73	ГОСТ 19106-73
52732010000436	0	BK15	1011-0436	7735,34	6154,16	870,91	ГОСТ 19106-73
52832010000436	0	BK20	1011-0436	8901,21	6857,14	846,07	ГОСТ 19106-73
52532010000436	0	BK8	1011-0436	6445,76	5420,88	908,28	ГОСТ 19106-73
52732010000437	0	BK15	1011-0437	7733,07	8129,00	1008,00	ГОСТ 19106-73
52832010000437	0	BK20	1011-0437	8898,99	8568,84	1057,54	ГОСТ 19106-73
52532010000437	0	BK8	1011-0437	6444,28	6774,23	1135,3	ГОСТ 19106-73
52732010000438	0	BK15	1011-0438	7731,97	9611,15	1260,00	ГОСТ 19106-73
52832010000438	0	BK20	1011-0438	8897,86	9810,07	1321,92	ГОСТ 19106-73
52532010000438	0	BK8	1011-0438	6443,1	8466,24	1314,00	ГОСТ 19106-73
52732010000439	0	BK15	1011-0439	7730,66	12300,10	1741,82	ГОСТ 19106-73
52832010000439	0	BK20	1011-0439	8895,65	13704,81	1692,04	ГОСТ 19106-73
52532010000439	0	BK8	1011-0439	1774,26	2984,13	1681,9	ГОСТ 19106-73
52732010000441	0	BK15	1011-0441	8257,18	510,87	67,72	ГОСТ 19106-73
52832010000441	0	BK20	1011-0441	9507,58	569,60	65,77	ГОСТ 19106-73
52532010000441	0	BK8	1011-0441	6873,52	449,53	70,63	ГОСТ 19106-73
52732010000442	0	BK15	1011-0442	8176,65	948,33	127,01	ГОСТ 19106-73
52832010000442	0	BK20	1011-0442	9412,25	1057,00	123,34	ГОСТ 19106-73
52532010000442	0	BK8	1011-0442	6809,63	834,86	132,41	ГОСТ 19106-73
53332010000442	0	BK8-B	1011-0442	6809,63	834,86	127,2	ГОСТ 19106-73
52732010000443	0	BK15	1011-0443	8160,59	1136,36	152,39	ГОСТ 19106-73
52832010000443	0	BK20	1011-0443	9393,21	1266,58	148,07	ГОСТ 19106-73
52532010000443	0	BK8	1011-0443	6796,92	1000,51	147,2	ГОСТ 19106-73
52732010000444	0	BK15	1011-0444	7765,42	1441,34	203,15	ГОСТ 19106-73
52832010000444	0	BK20	1011-0444	8936,92	1606,14	197,42	ГОСТ 19106-73
52532010000444	0	BK8	1011-0444	6469,52	1269,32	211,9	ГОСТ 19106-73
52732010000445	0	BK15	1011-0445	7757,69	1800,17	254,02	ГОСТ 19106-73
52832010000445	0	BK20	1011-0445	8927,74	2005,97	246,78	ГОСТ 19106-73
52532010000445	0	BK8	1011-0445	6463,4	1585,47	264,92	ГОСТ 19106-73
52732010000446	0	BK15	1011-0446	7751,45	2248,23	317,52	ГОСТ 19106-73
52832010000446	0	BK20	1011-0446	8920,34	2505,28	308,45	ГОСТ 19106-73
52832010000447	0	BK20	1011-0447	8913,8	3204,78	394,85	ГОСТ 19106-73
52532010000447	0	BK8	1011-0447	6454,12	2533,24	423,9	ГОСТ 19106-73
52732010000448	0	BK15	1011-0448	7749,88	2397,35	338,69	ГОСТ 19106-73
52832010000448	0	BK20	1011-0448	8918,48	2671,35	328,97	ГОСТ 19106-73
52532010000448	0	BK8	1011-0448	6457,24	2111,52	353,16	ГОСТ 19106-73

52732010000449	0	BK15	1011-0449	7745,16	2995,21	423,36	ГОСТ 19106-73
52832010000449	0	BK20	1011-0449	8912,86	3337,51	411,26	ГОСТ 19106-73
52532010000449	0	BK8	1011-0449	6453,5	2638,19	441,5	ГОСТ 19106-73
52732010000451	0	BK15	1011-0451	7740,99	3832,10	541,94	ГОСТ 19106-73
52832010000451	0	BK20	1011-0451	8907,92	4269,92	526,39	ГОСТ 19106-73
52732010000452	0	BK15	1011-0452	7735,61	5983,11	846,72	ГОСТ 19106-73
52832010000452	0	BK20	1011-0452	8901,53	6666,53	822,53	ГОСТ 19106-73
52532010000452	0	BK8	1011-0452	6445,97	5270,23	883,01	ГОСТ 19106-73
52732010000453	0	BK15	1011-0453	7733,69	7477,01	1058,4	ГОСТ 19106-73
52832010000453	0	BK20	1011-0453	8899,24	8331,03	1028,16	ГОСТ 19106-73
52832010045326	0	BK20	1011-0453*26 (70*40	8898,15	9457,85	990,08	ГОСТ 19106-73
52732010000454	0	BK15	1011-0454	7731,67	10114,58	1254,4	ГОСТ 19106-73
52832010000454	0	BK20	1011-0454	8897,24	10661,65	1316,52	ГОСТ 19106-73
52532010000454	0	BK8	1011-0454	6443,12	8428,89	1412,86	ГОСТ 19106-73
52732010000455	0	BK15	1011-0455	7733,69	7477,01	1058,4	ГОСТ 19106-73
52832010000455	0	BK20	1011-0455	8899,24	8331,03	1028,16	ГОСТ 19106-73
52532010000455	0	BK8	1011-0455	6444,45	6586,23	1103,76	ГОСТ 19106-73
52732010000456	0	BK15	1011-0456	7732,14	9348,08	1323,00	ГОСТ 19106-73
52832010000456	0	BK20	1011-0456	8897,41	10415,75	1285,2	ГОСТ 19106-73
52532010000456	0	BK8	1011-0456	6443,23	8234,45	1380,24	ГОСТ 19106-73
52732010000457	0	BK15	1011-0457	7730,79	11957,30	1693,44	ГОСТ 19106-73
52832010000457	0	BK20	1011-0457	8895,81	13322,89	1644,84	ГОСТ 19106-73
52532010000457	0	BK8	1011-0457	6442,17	10532,95	1635,00	ГОСТ 19106-73
52732010000458	0	BK15	1011-0458	7732,4	8968,04	1270,08	ГОСТ 19106-73
52832010000458	0	BK20	1011-0458	8897,72	9992,32	1233,36	ГОСТ 19106-73
52532010000458	0	BK8	1011-0458	6443,44	7899,66	1324,08	ГОСТ 19106-73
52732010000459	0	BK15	1011-0459	7731,12	11211,82	1587,6	ГОСТ 19106-73
52832010000459	0	BK20	1011-0459	8896,19	12492,29	1542,24	ГОСТ 19106-73
52832010000461	0	BK20	1011-0461	8895,29	14643,69	1974,24	ГОСТ 19106-73
52732010046134	0	BK15	1011-0461*34 (70*60	0,00	0,00	1999,6	ГОСТ 19106-73
52732010000462	0	BK15	1011-0462	8085,99	10946,24	1481,76	ГОСТ 19106-73
52832010000462	0	BK20	1011-0462	9304,67	12196,56	1439,64	ГОСТ 19106-73
52532010000462	0	BK8	1011-0462	6737,99	9642,06	1545,48	ГОСТ 19106-73
52732010000463	0	BK15	1011-0463	7729,41	16737,19	2370,6	ГОСТ 19106-73
52832010000463	0	BK20	1011-0463	8894,16	18648,57	2303,64	ГОСТ 19106-73
52732010000464	0	BK15	1011-0464	8653,45	612,32	77,44	ГОСТ 19106-73
52832010000464	0	BK20	1011-0464	9965,19	682,82	75,17	ГОСТ 19106-73
52532010000464	0	BK8	1011-0464	7201,78	538,69	80,78	ГОСТ 19106-73
52832010000465	0	BK20	1011-0465	9397,98	1206,89	141,05	ГОСТ 19106-73
52532010000465	0	BK8	1011-0465	6800,1	953,37	151,42	ГОСТ 19106-73
52532010000466	0	BK 8	1011-0466	6788,93	1141,90	168,2	ГОСТ 19106-73
52732010000466	0	BK15	1011-0466	8150,49	1296,91	174,2	ГОСТ 19106-73
52832010000466	0	BK20	1011-0466	9381,23	1445,37	169,24	ГОСТ 19106-73
52832010000467	0	BK20	1011-0467	8931,19	1835,00	225,61	ГОСТ 19106-73
52532010000467	0	BK8	1011-0467	6465,7	1450,26	242,24	ГОСТ 19106-73
52832010000468	0	BK20	1011-0468	8926,1	2099,24	281,99	ГОСТ 19106-73
52732010000469	0	BK15	1011-0469	7748,31	2568,41	362,88	ГОСТ 19106-73
52832010000469	0	BK20	1011-0469	8916,61	2861,96	352,51	ГОСТ 19106-73
52532010000469	0	BK8	1011-0469	6455,99	2262,18	350,4	ГОСТ 19106-73
52732010000471	0	BK15	1011-0471	7743,47	3285,40	464,4	ГОСТ 19106-73
52832010000471	0	BK20	1011-0471	8910,87	3660,85	451,22	ГОСТ 19106-73
52532010000471	0	BK8	1011-0471	6452,18	2893,80	484,38	ГОСТ 19106-73
52732010000472	0	BK15	1011-0472	7746,93	2739,39	387,07	ГОСТ 19106-73
52832010000472	0	BK20	1011-0472	8914,97	3052,49	376,06	ГОСТ 19106-73
52532010000472	0	BK8	1011-0472	6454,9	2412,84	403,7	ГОСТ 19106-73
52732010000473	0	BK15	1011-0473	7742,78	3422,08	483,84	ГОСТ 19106-73
52832010000473	0	BK20	1011-0473	8910,04	3813,14	470,02	ГОСТ 19106-73
52532010000473	0	BK8	1011-0473	6451,63	3014,20	504,58	ГОСТ 19106-73
52732010000474	0	BK15	1011-0474	7738,42	4627,58	573,4	ГОСТ 19106-73
52832010000474	0	BK20	1011-0474	8907,13	4469,24	601,67	ГОСТ 19106-73
52732010000475	0	BK15	1011-0475	7734,41	6834,59	967,68	ГОСТ 19106-73
52832010000475	0	BK20	1011-0475	8900,1	7615,29	940,03	ГОСТ 19106-73
52532010000475	0	BK8	1011-0475	6445,02	6020,30	1009,15	ГОСТ 19106-73
52732010000476	0	BK15	1011-0476	7732,72	8544,12	1209,6	ГОСТ 19106-73
52832010000476	0	BK20	1011-0476	8898,1	9519,99	1175,04	ГОСТ 19106-73
52532010000476	0	BK8	1011-0476	6443,69	7526,23	1261,44	ГОСТ 19106-73
52732010000477	0	BK15	1011-0477	7731,25	10934,07	1548,72	ГОСТ 19106-73
52832010000477	0	BK20	1011-0477	8896,34	12182,83	1503,36	ГОСТ 19106-73
52732010000478	0	BK15	1011-0478	7732,72	8544,12	1209,6	ГОСТ 19106-73
52832010000478	0	BK20	1011-0478	8898,1	9519,99	1175,04	ГОСТ 19106-73
52532010000478	0	BK8	1011-0478	6443,69	7526,23	1261,44	ГОСТ 19106-73

52732010000479	0	BK15	1011-0479	7731,37	10678,26	1512,00	ГОСТ 19106-73
52832010000479	0	BK20	1011-0479	8896,49	11897,81	1468,8	ГОСТ 19106-73
52732010000481	0	BK15	1011-0481	7730,19	13667,51	1935,36	ГОСТ 19106-73
52832010000481	0	BK20	1011-0481	8895,09	15228,39	1880,28	ГОСТ 19106-73
52532010000481	0	BK8	1011-0481	6441,69	12039,53	1869,00	ГОСТ 19106-73
52732010000482	0	BK15	1011-0482	7731,6	10254,34	1451,52	ГОСТ 19106-73
52832010000482	0	BK20	1011-0482	8896,76	11425,49	1410,48	ГОСТ 19106-73
52532010000482	0	BK8	1011-0482	6442,8	9032,81	1514,16	ГОСТ 19106-73
52732010000483	0	BK15	1011-0483	7730,47	12812,41	1814,4	ГОСТ 19106-73
52832010000483	0	BK20	1011-0483	8895,42	14275,64	1762,56	ГОСТ 19106-73
52532010000483	0	BK8	1011-0483	6441,92	11286,24	1892,16	ГОСТ 19106-73
52732010000484	0	BK15	1011-0484	7729,48	16401,03	2322,00	ГОСТ 19106-73
52832010000484	0	BK20	1011-0484	8894,25	18274,03	2256,12	ГОСТ 19106-73
52532010000484	0	BK8	1011-0484	6441,14	14447,47	2422,44	ГОСТ 19106-73
52732010000485	0	BK15	1011-0485	8084,88	12504,97	1693,44	ГОСТ 19106-73
52832010000485	0	BK20	1011-0485	9303,36	13933,26	1644,84	ГОСТ 19106-73
52732010000486	0	BK15	1011-0486	8083,91	14292,93	1935,36	ГОСТ 19106-73
52832010000486	0	BK20	1011-0486	9302,2	15925,37	1880,28	ГОСТ 19106-73
52532010000486	0	BK8	1011-0486	6736,35	12590,24	2018,52	ГОСТ 19106-73
52732010000487	0	BK15	1011-0487	8630,02	686,60	87,05	ГОСТ 19106-73
52832010000487	0	BK20	1011-0487	9937,47	765,58	84,56	ГОСТ 19106-73
52532010000487	0	BK8	1011-0487	7183,19	604,11	90,83	ГОСТ 19106-73
52532010004874	0	BK8	1011-0487*4 (90*4*8	7743,21	404,20	52,2	ГОСТ 19106-73
52832010000488	0	BK20	1011-0488	9395,03	1243,15	158,65	ГОСТ 19106-73
52532010000488	0	BK8	1011-0488	6792,67	1071,20	157,7	ГОСТ 19106-73
52832010000489	0	BK20	1011-0489	9378,74	1488,88	190,4	ГОСТ 19106-73
52532010000489	0	BK8	1011-0489	6782,67	1283,28	189,2	ГОСТ 19106-73
52732010000491	0	BK15	1011-0491	7756,84	1850,63	261,25	ГОСТ 19106-73
52832010000491	0	BK20	1011-0491	8926,73	2062,25	253,8	ГОСТ 19106-73
52732010000492	0	BK15	1011-0492	7750,75	2312,59	326,59	ГОСТ 19106-73
52832010000492	0	BK20	1011-0492	8919,5	2576,93	317,3	ГОСТ 19106-73
52532010000492	0	BK8	1011-0492	6457,92	2036,83	340,63	ГОСТ 19106-73
52732014000492	0	BK15	1011-0492*4 (90*4*2	8622,53	1089,89	122,1	ТЕХНИЧЕСКИЕ ТРЕБОВА
52532010004926	0	BK8	1011-0492*6 (90*6*2	6476,77	1024,63	158,2	ГОСТ 19106-73
52832010000493	0	BK20	1011-0493	8915,83	2949,00	396,58	ГОСТ 19106-73
52732010000494	0	BK15	1011-0494	7741,55	3695,43	522,5	ГОСТ 19106-73
52832010000494	0	BK20	1011-0494	8908,58	4117,63	507,6	ГОСТ 19106-73
52532010000494	0	BK8	1011-0494	6450,65	3255,00	504,6	ГОСТ 19106-73
52732010000495	0	BK15	1011-0495	7744,63	3080,74	435,46	ГОСТ 19106-73
52832010000495	0	BK20	1011-0495	8912,24	3432,81	423,04	ГОСТ 19106-73
52532010000495	0	BK8	1011-0495	6453,09	2713,52	454,14	ГОСТ 19106-73
52732010000496	0	BK15	1011-0496	7740,93	3848,94	544,32	ГОСТ 19106-73
52832010000496	0	BK20	1011-0496	8907,84	4288,68	528,34	ГОСТ 19106-73
52532010000496	0	BK8	1011-0496	6450,17	3390,21	567,65	ГОСТ 19106-73
52732010000497	0	BK15	1011-0497	7737,68	4924,80	696,71	ГОСТ 19106-73
52832010000497	0	BK20	1011-0497	8903,98	5487,35	676,84	ГОСТ 19106-73
52532010000497	0	BK8	1011-0497	6447,6	4337,94	726,62	ГОСТ 19106-73
52832010000498	0	BK20	1011-0498	8898,99	8567,24	1057,54	ГОСТ 19106-73
52532010000498	0	BK8	1011-0498	6444,29	6772,94	1135,08	ГОСТ 19106-73
52732010000499	0	BK15	1011-0499	7731,97	9611,15	1260,00	ГОСТ 19106-73
52832010000499	0	BK20	1011-0499	8897,21	10708,86	1321,92	ГОСТ 19106-73
52532010000499	0	BK8	1011-0499	6443,1	8466,24	1419,12	ГОСТ 19106-73
52832010000501	0	BK20	1011-0501	8896,16	12555,06	1692,36	ГОСТ 19106-73
52732010000502	0	BK15	1011-0502	7731,97	9611,15	1360,8	ГОСТ 19106-73
52832010000502	0	BK20	1011-0502	8897,21	10708,86	1321,92	ГОСТ 19106-73
52532010000502	0	BK8	1011-0502	6443,1	8466,24	1314,00	ГОСТ 19106-73
52832010000503	0	BK20	1011-0503	8896,3	12264,17	1652,4	ГОСТ 19106-73
52732010000504	0	BK15	1011-0504	7729,72	15377,81	2177,28	ГОСТ 19106-73
52832010000504	0	BK20	1011-0504	8894,53	17133,97	2114,64	ГОСТ 19106-73
52732010000505	0	BK15	1011-0505	7730,97	11533,37	1632,96	ГОСТ 19106-73
52832010000505	0	BK20	1011-0505	8896,02	12850,56	1586,52	ГОСТ 19106-73
52532010000505	0	BK8	1011-0505	6442,31	10159,52	1703,16	ГОСТ 19106-73
52832010000506	0	BK20	1011-0506	8895,26	14710,81	1982,88	ГОСТ 19106-73
52532010000506	0	BK8	1011-0506	6441,81	11630,30	2128,68	ГОСТ 19106-73
52732010000507	0	BK15	1011-0507	7729,09	18447,48	2612,52	ГОСТ 19106-73
52832010000507	0	BK20	1011-0507	8893,78	20554,15	2714,04	ГОСТ 19106-73
52532010000507	0	BK8	1011-0507	6440,83	16250,21	2523,00	ГОСТ 19106-73
52732010000508	0	BK15	1011-0508	8084,02	14071,37	1905,12	ГОСТ 19106-73
52832010000508	0	BK20	1011-0508	9302,33	15678,52	1851,12	ГОСТ 19106-73
52532010000508	0	BK8	1011-0508	6736,44	12395,05	1987,2	ГОСТ 19106-73
52732010000509	0	BK15	1011-0509	8083,16	16073,29	2177,28	ГОСТ 19106-73

52832010000509	0	BK20	1011-0509	9301,31	17909,03	2114,64	ГОСТ 19106-73
52532010000509	0	BK8	1011-0509	6735,76	14158,57	2270,16	ГОСТ 19106-73
52732010000511	0	BK15	1011-0511	8082,49	18082,88	2449,44	ГОСТ 19106-73
52832010000511	0	BK20	1011-0511	9300,52	20148,08	2379,24	ГОСТ 19106-73
52532010000511	0	BK8	1011-0511	6735,23	15928,83	2554,2	ГОСТ 19106-73
52732010000512	0	BK15	1011-0512	8611,01	760,87	96,77	ГОСТ 19106-73
52832010000512	0	BK20	1011-0512	9914,99	848,23	93,96	ГОСТ 19106-73
52532010000512	0	BK8	1011-0512	7168,11	669,50	100,87	ГОСТ 19106-73
52732010000513	0	BK15	1011-0513	8528,2	1413,46	181,44	ГОСТ 19106-73
52832010000513	0	BK20	1011-0513	9816,84	1575,41	176,26	ГОСТ 19106-73
52532010000514	0	BK8	1011-0514	9370,56	1651,94	211,68	ГОСТ 19106-73
52732010000514	0	BK15	1011-0514	6781,81	1305,23	226,8	ГОСТ 19106-73
52832010000515	0	BK20	1011-0515	8121,74	2151,29	290,52	ГОСТ 19106-73
52532010000515	0	BK8	1011-0515	9347,12	2397,35	281,88	ГОСТ 19106-73
52732010000516	0	BK15	1011-0516	6766,21	1894,54	280,00	ГОСТ 19106-73
52832010000516	0	BK20	1011-0516	7748,33	2565,47	362,88	ГОСТ 19106-73
52532010000516	0	BK8	1011-0516	8916,64	2858,67	352,08	ГОСТ 19106-73
52732010000517	0	BK15	1011-0517	6456,01	2259,60	378,00	ГОСТ 19106-73
52832010000517	0	BK20	1011-0517	7743,89	3208,68	453,6	ГОСТ 19106-73
52532010000518	0	BK8	1011-0518	8911,36	3575,33	440,64	ГОСТ 19106-73
52732010000518	0	BK15	1011-0518	7739,99	4107,69	581,04	ГОСТ 19106-73
52832010000518	0	BK20	1011-0518	8906,73	4576,99	563,76	ГОСТ 19106-73
52732010000519	0	BK15	1011-0519	8906,73	4576,99	563,76	ГОСТ 19106-73
52832010000519	0	BK20	1011-0519	7732,72	8544,12	1209,6	ГОСТ 19106-73
52532010000519	0	BK8	1011-0519	8898,1	9519,99	1175,04	ГОСТ 19106-73
52732010000521	0	BK15	1011-0521	6443,69	7526,23	1261,44	ГОСТ 19106-73
52832010000521	0	BK20	1011-0521	7731,37	10678,26	1512,00	ГОСТ 19106-73
52532010000521	0	BK8	1011-0521	8896,49	11897,81	1468,8	ГОСТ 19106-73
61332010000521	0	T15K6	1011-0521	6442,63	9406,24	1576,8	ГОСТ 19106-73
52732010000522	0	BK15	1011-0522	8659,66	10885,71	1221,6	ГОСТ 19106-73
52832010000522	0	BK20	1011-0522	7730,47	12812,41	1814,4	ГОСТ 19106-73
52532010000522	0	BK8	1011-0522	8895,42	14275,64	1762,56	ГОСТ 19106-73
52732010000523	0	BK15	1011-0523	6441,92	11286,24	1892,16	ГОСТ 19106-73
52832010000523	0	BK20	1011-0523	8894,66	16653,46	2056,32	ГОСТ 19106-73
52532010000523	0	BK8	1011-0523	6441,41	13166,24	2207,52	ГОСТ 19106-73
52532010052312	0	BK8	1011-0523*12 (100*7)	6738,49	8987,13	1333,7	ГОСТ 19106-73
52732010000524	0	BK15	1011-0524	6738,49	8987,13	1333,7	ГОСТ 19106-73
52832010000524	0	BK20	1011-0524	7729,34	17080,76	2419,2	ГОСТ 19106-73
52732010000525	0	BK15	1011-0525	8894,08	19031,37	2350,08	ГОСТ 19106-73
52832010000525	0	BK20	1011-0525	8081,47	22323,62	3024,00	ГОСТ 19106-73
52532010000525	0	BK8	1011-0525	9299,31	24873,04	2937,6	ГОСТ 19106-73
52532010052531	0	BK8	1011-0525	6734,43	19664,53	3153,6	ГОСТ 19106-73
52732010000526	0	BK15	1011-0526	6732,85	36370,88	5402,00	ГОСТ 19106-73
52832010000526	0	BK20	1011-0526	8536,73	1300,23	166,32	ГОСТ 19106-73
52532010000526	0	BK8	1011-0526	9826,95	1449,28	162,00	ГОСТ 19106-73
52732010000527	0	BK15	1011-0527	7109,28	1144,59	161,00	ГОСТ 19106-73
52832010000527	0	BK20	1011-0527	8519,24	1555,44	199,8	ГОСТ 19106-73
52732010000528	0	BK15	1011-0527	9806,2	1733,64	194,4	ГОСТ 19106-73
52832010000528	0	BK20	1011-0528	8128,14	1877,60	222,00	ГОСТ 19106-73
52532010000528	0	BK8	1011-0528	9358,1	1980,17	232,2	ГОСТ 19106-73
52732010000529	0	BK15	1011-0528	6773,52	1564,68	249,48	ГОСТ 19106-73
52832010000529	0	BK20	1011-0529	8117,75	2365,27	319,68	ГОСТ 19106-73
53732010000531	0	BK11-BK	1011-0529	9342,39	2635,77	309,96	ГОСТ 19106-73
52732010000531	0	BK15	1011-0531	8114,31	3124,01	385,00	ГОСТ 19106-73
52832010000531	0	BK20	1011-0531	7746,33	2821,29	399,6	ГОСТ 19106-73
52532010000531	0	BK8	1011-0531	8914,25	3143,70	387,72	ГОСТ 19106-73
52732010000532	0	BK15	1011-0532	6454,43	2484,95	415,8	ГОСТ 19106-73
52832010000532	0	BK20	1011-0532	7742,27	3530,24	498,96	ГОСТ 19106-73
52532010000532	0	BK8	1011-0532	8909,44	3933,60	484,92	ГОСТ 19106-73
52732010000533	0	BK15	1011-0532	6451,22	3109,49	520,56	ГОСТ 19106-73
52832010000533	0	BK20	1011-0533	7738,73	4516,94	638,28	ГОСТ 19106-73
52532010000533	0	BK8	1011-0533	8905,23	5032,97	619,92	ГОСТ 19106-73
52732010000534	0	BK15	1011-0534	6448,43	3978,68	617,00	ГОСТ 19106-73
52832010000534	0	BK20	1011-0534	7732,11	9399,23	1330,56	ГОСТ 19106-73
52532010000534	0	BK8	1011-0534	8897,37	10472,74	1292,76	ГОСТ 19106-73
52732010000535	0	BK15	1011-0535	6443,21	8279,52	1387,8	ГОСТ 19106-73
52832010000535	0	BK20	1011-0535	8085,02	12283,41	1663,2	ГОСТ 19106-73
52532010000535	0	BK8	1011-0535	9303,52	13686,41	1615,68	ГОСТ 19106-73
52732010000536	0	BK15	1011-0536	6737,23	10819,99	1734,48	ГОСТ 19106-73
52832010000536	0	BK20	1011-0536	9302,68	15041,13	1938,6	ГОСТ 19106-73
52532010000537	0	BK8	1011-0536	6736,19	12980,64	1927,00	ГОСТ 19106-73
52732010000537	0	BK15	1011-0537	9300,85	19152,03	2261,52	ГОСТ 19106-73
52532010000537	0	BK8	1011-0537	6735,45	15141,30	2427,84	ГОСТ 19106-73

52832010000538	0	BK20	1011-0538	9300,55	20055,42	2585,52	ГОСТ 19106-73
52532010000538	0	BK8	1011-0538	6734,9	17308,68	2570,00	ГОСТ 19106-73
52732010000539	0	BK15	1011-0539	8081,08	24554,76	3326,4	ГОСТ 19106-73
52832010000539	0	BK20	1011-0539	9298,84	27358,94	3231,36	ГОСТ 19106-73
52532010000539	0	BK8	1011-0539	6734,12	21629,99	3468,96	ГОСТ 19106-73
52732010000541	0	BK15	1011-0541	8080,72	27007,55	3659,04	ГОСТ 19106-73
52832010000541	0	BK20	1011-0541	9298,41	30091,79	3554,28	ГОСТ 19106-73
52832010054114	0	BK20	1011-0541*14 (110*1	9705,61	25766,45	2455,4	ГОСТ 19106-73
52732010000542	0	BK15	1011-0542	8524,07	1475,69	189,00	ГОСТ 19106-73
52832010000542	0	BK20	1011-0542	9811,92	1644,77	183,6	ГОСТ 19106-73
52532010000542	0	BK8	1011-0542	7099,26	1299,16	197,64	ГОСТ 19106-73
52732010000543	0	BK15	1011-0543	8488,96	2344,90	302,4	ГОСТ 19106-73
52832010000543	0	BK20	1011-0543	9770,26	2613,25	293,76	ГОСТ 19106-73
52532010000543	0	BK8	1011-0543	7071,51	2064,88	315,36	ГОСТ 19106-73
52732010000544	0	BK15	1011-0544	8479,05	2807,41	362,88	ГОСТ 19106-73
52832010000544	0	BK20	1011-0544	9758,51	3128,58	352,08	ГОСТ 19106-73
52732010000545	0	BK15	1011-0545	8104,07	3580,22	483,84	ГОСТ 19106-73
52832010000545	0	BK20	1011-0545	9326,15	3989,45	469,8	ГОСТ 19106-73
52532010000545	0	BK8	1011-0545	6752,26	3153,30	504,36	ГОСТ 19106-73
52732010000546	0	BK15	1011-0546	7739,44	4275,73	604,8	ГОСТ 19106-73
52832010000546	0	BK20	1011-0546	8906,08	4764,22	587,52	ГОСТ 19106-73
52532010000546	0	BK8	1011-0546	6448,99	3766,21	630,72	ГОСТ 19106-73
52732010000547	0	BK15	1011-0547	7736,76	5342,85	756,00	ГОСТ 19106-73
52832010000547	0	BK20	1011-0547	8902,9	5953,19	734,4	ГОСТ 19106-73
52532010000547	0	BK8	1011-0547	6446,88	4706,22	788,4	ГОСТ 19106-73
52732010000548	0	BK15	1011-0548	7734,41	6833,82	967,68	ГОСТ 19106-73
52832010000548	0	BK20	1011-0548	8900,11	7614,40	939,6	ГОСТ 19106-73
52532010000548	0	BK8	1011-0548	6445,03	6019,65	934,00	ГОСТ 19106-73
52732010000549	0	BK15	1011-0549	7731,37	10678,26	1512,00	ГОСТ 19106-73
52832010000549	0	BK20	1011-0549	8896,49	11897,81	1468,8	ГОСТ 19106-73
52532010000549	0	BK8	1011-0549	6442,63	9406,24	1460,00	ГОСТ 19106-73
52732010000551	0	BK15	1011-0551	8084,08	13956,76	1890,00	ГОСТ 19106-73
52832010000551	0	BK20	1011-0551	9302,4	15550,82	1836,00	ГОСТ 19106-73
52532010000551	0	BK8	1011-0551	6736,48	12294,08	1971,00	ГОСТ 19106-73
52732010000552	0	BK15	1011-0552	8082,92	16745,71	2268,00	ГОСТ 19106-73
52832010000552	0	BK20	1011-0552	9301,02	18658,23	2203,2	ГОСТ 19106-73
52532010000552	0	BK8	1011-0552	6735,57	14750,90	2190,00	ГОСТ 19106-73
52832010055240	0	BK20	1011-0552*40 (125*6	9297,27	41010,27	4080,00	ГОСТ 19106-73
52732010000553	0	BK15	1011-0553	8081,47	22323,62	3024,00	ГОСТ 19106-73
52832010000553	0	BK20	1011-0553	9299,31	24873,04	2937,6	ГОСТ 19106-73
52532010000553	0	BK8	1011-0553	6734,43	19664,53	3153,6	ГОСТ 19106-73
52732010000554	0	BK15	1011-0554	8080,61	27901,52	3780,00	ГОСТ 19106-73
52832010000554	0	BK20	1011-0554	9298,27	31087,85	3672,00	ГОСТ 19106-73
52532010000554	0	BK8	1011-0554	6733,74	24578,17	3942,00	ГОСТ 19106-73
52732010000555	0	BK15	1011-0555	8079,91	34877,74	4725,00	ГОСТ 19106-73
52832010000555	0	BK20	1011-0555	9297,45	38860,63	4590,00	ГОСТ 19106-73
52532010000555	0	BK8	1011-0555	6733,2	30723,57	4928,04	ГОСТ 19106-73
52732010000556	0	BK15	1011-0556	8514,46	1643,12	211,68	ГОСТ 19106-73
52832010000556	0	BK20	1011-0556	9800,53	1831,33	205,2	ГОСТ 19106-73
52532010000556	0	BK8	1011-0556	7091,66	1446,70	220,32	ГОСТ 19106-73
52832010000557	0	BK20	1011-0557	9762,68	2924,22	329,4	ГОСТ 19106-73
52532010000557	0	BK8	1011-0557	7066,47	2310,73	353,16	ГОСТ 19106-73
52732010000558	0	BK15	1011-0558	8473,69	3142,30	406,08	ГОСТ 19106-73
52832010000558	0	BK20	1011-0558	9752,14	3501,70	395,28	ГОСТ 19106-73
52732010000559	0	BK15	1011-0559	8101,22	4008,16	542,16	ГОСТ 19106-73
52832010000559	0	BK20	1011-0559	9322,76	4466,25	525,96	ГОСТ 19106-73
52532010000559	0	BK8	1011-0559	6750,00	3530,25	564,84	ГОСТ 19106-73
52732010000561	0	BK15	1011-0561	8096,43	5009,10	677,16	ГОСТ 19106-73
52832010000561	0	BK20	1011-0561	9317,07	5581,48	657,72	ГОСТ 19106-73
52532010000561	0	BK8	1011-0561	6746,23	4412,03	706,32	ГОСТ 19106-73
52732010000562	0	BK15	1011-0562	8092,58	6262,28	846,72	ГОСТ 19106-73
52832010000562	0	BK20	1011-0562	9312,5	6977,77	821,88	ГОСТ 19106-73
52532010000562	0	BK8	1011-0562	6743,19	5515,93	883,44	ГОСТ 19106-73
52732010000563	0	BK15	1011-0563	8089,22	8012,05	1084,32	ГОСТ 19106-73
52832010000563	0	BK20	1011-0563	9308,51	8927,32	1053,00	ГОСТ 19106-73
52532010000563	0	BK8	1011-0563	6740,54	7057,34	1130,76	ГОСТ 19106-73
52732010000564	0	BK15	1011-0564	8083,33	15630,10	2116,8	ГОСТ 19106-73
52832010000564	0	BK20	1011-0564	9301,52	17415,23	2056,32	ГОСТ 19106-73
52532010000564	0	BK8	1011-0564	6735,9	13768,17	2207,52	ГОСТ 19106-73
52732010000565	0	BK15	1011-0565	8081,27	23439,23	3175,2	ГОСТ 19106-73
52832010000565	0	BK20	1011-0565	9299,06	26116,04	3084,48	ГОСТ 19106-73

52532010000565	0	BK8	1011-0565	6734,27	20647,26	3311,28	ГОСТ 19106-73
52732010000566	0	BK15	1011-0566	8080,23	31248,28	4233,6	ГОСТ 19106-73
52832010000566	0	BK20	1011-0566	9297,83	34816,75	4112,64	ГОСТ 19106-73
52732010000567	0	BK15	1011-0567	8431,83	40759,96	5292,00	ГОСТ 19106-73
52832010000567	0	BK20	1011-0567	9702,42	45414,69	5140,8	ГОСТ 19106-73
52732010000568	0	BK15	1011-0568	8431,12	50949,70	6615,00	ГОСТ 19106-73
52832010000568	0	BK20	1011-0568	9701,58	56767,92	6426,00	ГОСТ 19106-73
52532010000568	0	BK8	1011-0568	3449,72	22036,81	6388,00	ГОСТ 19106-73
52732010000569	0	BK15	1011-0569	8430,82	57057,10	7408,8	ГОСТ 19106-73
52832010000569	0	BK20	1011-0569	9701,22	63572,69	7197,12	ГОСТ 19106-73
52532010000569	0	BK8	1011-0569	7025,64	50261,41	7726,32	ГОСТ 19106-73
52732010000571	0	BK15	1011-0571	8503,66	1882,37	241,92	ГОСТ 19106-73
52832010000571	0	BK20	1011-0571	9787,71	2097,90	235,44	ГОСТ 19106-73
52532010000571	0	BK8	1011-0571	7083,13	1657,45	252,72	ГОСТ 19106-73
61332020000571	0	T15K6	1011-0571	7382,35	1950,42	204,7	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52732010000572	0	BK15	1011-0572	8430,87	55893,07	7257,6	ГОСТ 19106-73
52832010000572	0	BK20	1011-0572	9701,28	62275,74	7050,24	ГОСТ 19106-73
52532010000572	0	BK8	1011-0572	7025,68	49235,95	7568,64	ГОСТ 19106-73
52732010000581	0	BK15	1011-0581	8570,53	33,51	4,28	ГОСТ 19106-73
52832010000581	0	BK20	1011-0581	9876,28	37,33	4,15	ГОСТ 19106-73
52532010000581	0	BK8	1011-0581	7125,22	29,43	4,46	ГОСТ 19106-73
52732010000582	0	BK15	1011-0582	8356,2	57,99	7,59	ГОСТ 19106-73
52832010000582	0	BK20	1011-0582	9628,88	64,71	7,38	ГОСТ 19106-73
52532010000582	0	BK8	1011-0582	6946,54	50,99	7,93	ГОСТ 19106-73
527320100005828	0	BK15	1011-0582*8	8921,91	52,37	5,62	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52732010000583	0	BK15	1011-0583	8290,9	68,98	9,12	ГОСТ 19106-73
52832010000583	0	BK20	1011-0583	9553,07	77,00	8,86	ГОСТ 19106-73
52532010000583	0	BK8	1011-0583	6892,78	60,66	9,5	ГОСТ 19106-73
52732010000584	0	BK15	1011-0584	8194,22	90,71	12,2	ГОСТ 19106-73
52832010000584	0	BK20	1011-0584	9440,88	101,21	11,77	ГОСТ 19106-73
52532010000584	0	BK8	1011-0584	6813,86	79,72	12,64	ГОСТ 19106-73
52832011000584	0	BK20	1011-0584*17 (8*17)	9384,85	117,31	11,6	ГОСТ 19106-73
52732010000585	0	BK15	1011-0585	8123,9	113,00	15,23	ГОСТ 19106-73
52832010000585	0	BK20	1011-0585	9358,86	126,06	14,8	ГОСТ 19106-73
52532010000585	0	BK8	1011-0585	6756,68	99,32	15,88	ГОСТ 19106-73
52732010000586	0	BK15	1011-0586	8199,83	89,21	11,88	ГОСТ 19106-73
52832010000586	0	BK20	1011-0586	9447,62	99,48	11,56	ГОСТ 19106-73
52532010000586	0	BK8	1011-0586	6818,41	78,41	12,42	ГОСТ 19106-73
52732010000587	0	BK15	1011-0587	8142,86	106,26	14,26	ГОСТ 19106-73
52832010000587	0	BK20	1011-0587	9380,92	118,57	13,82	ГОСТ 19106-73
52532010000587	0	BK8	1011-0587	6771,92	93,45	14,9	ГОСТ 19106-73
52732010000588	0	BK15	1011-0588	8063,25	139,57	19,01	ГОСТ 19106-73
52832010000588	0	BK20	1011-0588	9287,98	155,67	18,47	ГОСТ 19106-73
52532010000588	0	BK8	1011-0588	6707,49	122,75	19,76	ГОСТ 19106-73
52832011000588	0	BK20	1011-0588*17 (10*17)	9240,62	182,04	18,2	ГОСТ 19106-73
52732010000589	0	BK15	1011-0589	8008,21	173,46	23,76	ГОСТ 19106-73
52832010000589	0	BK20	1011-0589	9223,34	193,51	23,11	ГОСТ 19106-73
52532010000589	0	BK8	1011-0589	6663,12	152,59	24,73	ГОСТ 19106-73
52732010000591	0	BK15	1011-0591	7960,01	216,11	29,7	ГОСТ 19106-73
52832010000591	0	BK20	1011-0591	9166,78	240,99	28,84	ГОСТ 19106-73
52532010000591	0	BK8	1011-0591	6624,43	190,12	31,00	ГОСТ 19106-73
52732010000592	0	BK15	1011-0592	8091,07	126,30	17,06	ГОСТ 19106-73
52832010000592	0	BK20	1011-0592	9320,63	140,83	16,63	ГОСТ 19106-73
52532010000592	0	BK8	1011-0592	6730,03	111,05	17,82	ГОСТ 19106-73
52532011000592	0	BK8	1011-0592*4 (12*4)	6920,74	55,37	8,00	ГОСТ 19106-73
52732010000593	0	BK15	1011-0593	8043,06	150,65	20,52	ГОСТ 19106-73
52832010000593	0	BK20	1011-0593	9264,25	168,05	19,87	ГОСТ 19106-73
52532010000593	0	BK8	1011-0593	6691,21	132,49	21,38	ГОСТ 19106-73
52732010000594	0	BK15	1011-0594	7977,04	199,19	27,32	ГОСТ 19106-73
52832010000594	0	BK20	1011-0594	9186,79	222,14	26,57	ГОСТ 19106-73
52532010000594	0	BK8	1011-0594	6638,06	175,24	28,51	ГОСТ 19106-73
52832010000595	0	BK20	1011-0595	9135,83	276,18	33,16	ГОСТ 19106-73
52532010000595	0	BK8	1011-0595	6603,38	217,91	35,64	ГОСТ 19106-73
52732010000596	0	BK15	1011-0596	7896,7	308,52	42,77	ГОСТ 19106-73
52832010000596	0	BK20	1011-0596	9092,22	343,96	41,47	ГОСТ 19106-73
52532010000596	0	BK8	1011-0596	6573,79	271,50	44,6	ГОСТ 19106-73
52732010000597	0	BK15	1011-0597	8012,19	170,58	23,22	ГОСТ 19106-73
52832010000597	0	BK20	1011-0597	9228,16	190,19	22,57	ГОСТ 19106-73
52532010000597	0	BK8	1011-0597	6666,39	149,99	24,3	ГОСТ 19106-73
52732010000598	0	BK15	1011-0598	7972,35	203,61	27,86	ГОСТ 19106-73
52832010000598	0	BK20	1011-0598	9181,3	227,05	27,11	ГОСТ 19106-73

52532010000598	0	BK8	1011-0598	6634,32	179,13	29,16	ГОСТ 19106-73
52732010000599	0	BK15	1011-0599	7919,1	268,93	37,26	ГОСТ 19106-73
52832010000599	0	BK20	1011-0599	9118,64	299,82	36,18	ГОСТ 19106-73
52832011000599	0	BK20	1011-0599*17 (14*17)	9089,1	349,93	35,6	ГОСТ 19106-73
52732010000601	0	BK15	1011-0601	7884,44	334,93	46,55	ГОСТ 19106-73
52832010000601	0	BK20	1011-0601	9077,75	373,37	45,25	ГОСТ 19106-73
52532010000601	0	BK8	1011-0601	6564,02	294,72	44,9	ГОСТ 19106-73
52732010000602	0	BK15	1011-0602	7855,31	417,67	58,21	ГОСТ 19106-73
52832010000602	0	BK20	1011-0602	9043,36	465,55	56,48	ГОСТ 19106-73
52532010000602	0	BK8	1011-0602	6540,82	367,59	60,7	ГОСТ 19106-73
52732010000603	0	BK15	1011-0603	7829,00	532,53	74,41	ГОСТ 19106-73
52832010000603	0	BK20	1011-0603	9012,24	593,55	72,25	ГОСТ 19106-73
52532010000603	0	BK8	1011-0603	6519,9	468,78	77,65	ГОСТ 19106-73
52732010000604	0	BK15	1011-0604	7955,93	220,54	30,35	ГОСТ 19106-73
52832010000604	0	BK20	1011-0604	9162,00	245,91	29,48	ГОСТ 19106-73
52532010000604	0	BK8	1011-0604	6621,18	194,00	31,64	ГОСТ 19106-73
52732010000605	0	BK15	1011-0605	7922,43	263,82	36,5	ГОСТ 19106-73
52832010000605	0	BK20	1011-0605	9122,57	294,11	35,42	ГОСТ 19106-73
52532010000605	0	BK8	1011-0605	6594,35	232,12	38,02	ГОСТ 19106-73
52732010000606	0	BK15	1011-0606	7878,37	349,56	48,6	ГОСТ 19106-73
52832010000606	0	BK20	1011-0606	9070,59	389,67	47,2	ГОСТ 19106-73
52532010000606	0	BK8	1011-0606	6559,18	307,63	50,65	ГОСТ 19106-73
52731510000607	0	BK15	1011-0607	7850,27	435,93	59,08	ГОСТ 19106-73
52832010000607	0	BK20	1011-0607	9037,38	485,94	59,08	ГОСТ 19106-73
52532010000607	0	BK8	1011-0607	6536,79	383,71	63,4	ГОСТ 19106-73
52732010000608	0	BK15	1011-0608	7827,04	543,51	75,92	ГОСТ 19106-73
52832010000608	0	BK20	1011-0608	9009,93	605,74	73,76	ГОСТ 19106-73
52532010000608	0	BK8	1011-0608	6518,34	478,45	79,27	ГОСТ 19106-73
52732010000609	0	BK15	1011-0609	7806,15	693,42	97,2	ГОСТ 19106-73
52832010000609	0	BK20	1011-0609	8985,19	772,82	94,5	ГОСТ 19106-73
52532010000609	0	BK8	1011-0609	6501,76	610,51	101,41	ГОСТ 19106-73
52732010000611	0	BK15	1011-0611	7913,61	277,77	38,45	ГОСТ 19106-73
52832010000611	0	BK20	1011-0611	9112,19	309,63	37,37	ГОСТ 19106-73
52532010000611	0	BK8	1011-0611	6587,3	244,39	40,07	ГОСТ 19106-73
52732010000612	0	BK15	1011-0612	7885,41	332,69	46,12	ГОСТ 19106-73
52832010000612	0	BK20	1011-0612	9078,9	370,87	44,82	ГОСТ 19106-73
52732010000613	0	BK15	1011-0613	7848,93	441,03	61,56	ГОСТ 19106-73
52832010000613	0	BK20	1011-0613	9035,79	491,64	59,72	ГОСТ 19106-73
52532010000613	0	BK8	1011-0613	6535,72	388,22	64,15	ГОСТ 19106-73
52732010000614	0	BK15	1011-0614	7825,89	550,08	76,9	ГОСТ 19106-73
52832010000614	0	BK20	1011-0614	9008,56	613,12	74,74	ГОСТ 19106-73
52532010000614	0	BK8	1011-0614	6517,43	484,24	80,24	ГОСТ 19106-73
52732010000615	0	BK15	1011-0615	7807,04	685,38	96,12	ГОСТ 19106-73
52832010000615	0	BK20	1011-0615	8986,26	763,83	93,42	ГОСТ 19106-73
52532010000615	0	BK8	1011-0615	6502,47	603,43	100,22	ГОСТ 19106-73
52732010000616	0	BK15	1011-0616	7790,05	875,45	123,12	ГОСТ 19106-73
52832010000616	0	BK20	1011-0616	8966,12	975,69	119,88	ГОСТ 19106-73
52532010000616	0	BK8	1011-0616	6489,00	770,89	128,3	ГОСТ 19106-73
52732010000617	0	BK15	1011-0617	7881,65	341,51	47,52	ГОСТ 19106-73
52832010000617	0	BK20	1011-0617	9074,48	380,67	46,12	ГОСТ 19106-73
52532010000617	0	BK8	1011-0617	6561,79	300,53	45,8	ГОСТ 19106-73
52732010000618	0	BK15	1011-0618	7857,9	408,85	57,02	ГОСТ 19106-73
52832010000618	0	BK20	1011-0618	9046,4	455,76	55,3	ГОСТ 19106-73
52532010000618	0	BK8	1011-0618	6542,87	359,86	55,00	ГОСТ 19106-73
52832010000619	0	BK20	1011-0619	9009,93	605,74	73,76	ГОСТ 19106-73
52532010000619	0	BK8	1011-0619	6518,34	478,45	79,27	ГОСТ 19106-73
52732010000621	0	BK15	1011-0621	7807,96	677,34	94,93	ГОСТ 19106-73
52832010000621	0	BK20	1011-0621	8987,34	754,94	92,23	ГОСТ 19106-73
52532010000621	0	BK8	1011-0621	6503,2	596,34	99,04	ГОСТ 19106-73
52732010000622	0	BK15	1011-0622	7792,3	844,76	118,69	ГОСТ 19106-73
52832010000622	0	BK20	1011-0622	8968,78	941,45	115,34	ГОСТ 19106-73
52532010000622	0	BK8	1011-0622	6490,78	743,84	114,6	ГОСТ 19106-73
52732010000623	0	BK15	1011-0623	7778,28	1079,47	151,96	ГОСТ 19106-73
52832010000623	0	BK20	1011-0623	8952,17	1202,99	147,64	ГОСТ 19106-73
52532010000623	0	BK8	1011-0623	6479,69	950,57	158,44	ГОСТ 19106-73
52732010000624	0	BK15	1011-0624	7768,1	1347,77	189,86	ГОСТ 19106-73
52832010000624	0	BK20	1011-0624	8940,1	1501,85	184,46	ГОСТ 19106-73
52532010000624	0	BK8	1011-0624	6471,63	1186,90	198,07	ГОСТ 19106-73
52732010000625	0	BK15	1011-0625	7856,82	412,48	57,46	ГОСТ 19106-73
52832010000625	0	BK20	1011-0625	9045,11	459,85	55,84	ГОСТ 19106-73
52532010000625	0	BK8	1011-0625	6542,00	363,08	59,94	ГОСТ 19106-73

52732010000626	0	BK15	1011-0626	7836,61	493,71	68,9	ГОСТ 19106-73
52832010000626	0	BK20	1011-0626	9021,22	550,38	66,96	ГОСТ 19106-73
52732010000627	0	BK15	1011-0627	7810,5	656,08	91,91	ГОСТ 19106-73
52832010000627	0	BK20	1011-0627	8990,33	731,27	89,32	ГОСТ 19106-73
52532010000627	0	BK8	1011-0627	6505,2	577,66	88,8	ГОСТ 19106-73
52732010000628	0	BK15	1011-0628	7794,41	817,71	114,91	ГОСТ 19106-73
52832010000628	0	BK20	1011-0628	8971,29	911,30	111,56	ГОСТ 19106-73
52732010000629	0	BK15	1011-0629	7781,19	1020,97	143,64	ГОСТ 19106-73
52832010000629	0	BK20	1011-0629	8955,62	1137,81	139,43	ГОСТ 19106-73
52732010000631	0	BK15	1011-0631	7769,46	1304,65	183,82	ГОСТ 19106-73
52832010000631	0	BK20	1011-0631	8941,71	1453,83	178,63	ГОСТ 19106-73
52532010000631	0	BK8	1011-0631	6472,71	1148,91	191,7	ГОСТ 19106-73
52832010000632	0	BK20	1011-0632	8935,33	1663,67	223,24	ГОСТ 19106-73
52732010000633	0	BK15	1011-0633	7754,08	2034,83	287,28	ГОСТ 19106-73
52832010000633	0	BK20	1011-0633	8923,46	2267,45	279,07	ГОСТ 19106-73
52532010000633	0	BK8	1011-0633	6460,55	1792,16	299,59	ГОСТ 19106-73
52732010000634	0	BK15	1011-0634	7829,41	530,29	74,2	ГОСТ 19106-73
52832010000634	0	BK20	1011-0634	9012,71	591,14	72,04	ГОСТ 19106-73
52732010000635	0	BK15	1011-0635	7813,08	635,67	88,99	ГОСТ 19106-73
52832010000635	0	BK20	1011-0635	8993,4	708,50	86,51	ГОСТ 19106-73
52532010000636	0	BK20	1011-0636	8975,65	863,01	115,34	ГОСТ 19106-73
52532010000636	0	BK8	1011-0636	6490,78	743,84	114,6	ГОСТ 19106-73
52832010000637	0	BK20	1011-0637	8953,59	1175,25	144,18	ГОСТ 19106-73
52532010000637	0	BK8	1011-0637	6480,63	928,67	154,76	ГОСТ 19106-73
52732010000638	0	BK15	1011-0638	7769,09	1316,32	185,44	ГОСТ 19106-73
52832010000638	0	BK20	1011-0638	8941,26	1466,90	180,14	ГОСТ 19106-73
52532010000638	0	BK8	1011-0638	6472,41	1159,21	193,43	ГОСТ 19106-73
52732010000639	0	BK15	1011-0639	7759,87	1682,49	237,38	ГОСТ 19106-73
52832010000639	0	BK20	1011-0639	8930,33	1874,92	230,58	ГОСТ 19106-73
52532010000639	0	BK8	1011-0639	6465,12	1481,81	247,54	ГОСТ 19106-73
52732010000641	0	BK15	1011-0641	7753,21	2101,35	296,78	ГОСТ 19106-73
52832010000641	0	BK20	1011-0641	8922,42	2341,51	288,25	ГОСТ 19106-73
52532010000641	0	BK8	1011-0641	6459,86	1850,75	309,42	ГОСТ 19106-73
52732010000642	0	BK15	1011-0642	8112,14	2748,88	370,87	ГОСТ 19106-73
52832010000642	0	BK20	1011-0642	9335,73	3063,15	360,29	ГОСТ 19106-73
52532010000642	0	BK8	1011-0642	6758,63	2420,94	386,86	ГОСТ 19106-73
52732010000643	0	BK15	1011-0643	8106,38	3295,97	445,07	ГОСТ 19106-73
52832010000643	0	BK20	1011-0643	9328,89	3672,78	432,43	ГОСТ 19106-73
52732010000644	0	BK15	1011-0644	7809,51	664,20	93,1	ГОСТ 19106-73
52832010000644	0	BK20	1011-0644	8989,17	740,26	90,4	ГОСТ 19106-73
52532010000644	0	BK8	1011-0644	6504,43	584,75	97,09	ГОСТ 19106-73
52732010000645	0	BK15	1011-0645	7796,29	795,07	111,67	ГОСТ 19106-73
52832010000645	0	BK20	1011-0645	8973,51	886,04	108,43	ГОСТ 19106-73
52732010000646	0	BK15	1011-0646	7779,3	1058,22	148,93	ГОСТ 19106-73
52832010000646	0	BK20	1011-0646	8953,38	1179,34	144,61	ГОСТ 19106-73
52532010000646	0	BK8	1011-0646	6480,49	931,89	155,3	ГОСТ 19106-73
52732010000647	0	BK15	1011-0647	7768,95	1320,72	186,08	ГОСТ 19106-73
52832010000647	0	BK20	1011-0647	8941,1	1471,79	180,79	ГОСТ 19106-73
52732010000648	0	BK15	1011-0648	7760,55	1648,88	232,63	ГОСТ 19106-73
52832010000648	0	BK20	1011-0648	8931,13	1837,40	226,04	ГОСТ 19106-73
52532010000648	0	BK8	1011-0648	6465,66	1452,19	242,57	ГОСТ 19106-73
52732010000649	0	BK15	1011-0649	7753,11	2108,61	297,76	ГОСТ 19106-73
52832010000649	0	BK20	1011-0649	8922,31	2349,69	289,22	ГОСТ 19106-73
52532010000649	0	BK8	1011-0649	6459,79	1857,19	287,5	ГОСТ 19106-73
52732010000651	0	BK15	1011-0651	7747,76	2634,16	372,28	ГОСТ 19106-73
52832010000651	0	BK20	1011-0651	8915,95	2935,22	361,58	ГОСТ 19106-73
52532010000651	0	BK8	1011-0651	6455,56	2320,13	388,15	ГОСТ 19106-73
52732010000652	0	BK15	1011-0652	8105,12	3445,00	465,26	ГОСТ 19106-73
52832010000652	0	BK20	1011-0652	9327,4	3838,78	451,98	ГОСТ 19106-73
52532010000652	0	BK8	1011-0652	6753,09	3034,16	485,24	ГОСТ 19106-73
52732010000653	0	BK15	1011-0653	8100,51	4130,37	558,36	ГОСТ 19106-73
52832010000653	0	BK20	1011-0653	9321,92	4602,42	542,16	ГОСТ 19106-73
52532010000653	0	BK8	1011-0653	6449,87	3476,48	539,00	ГОСТ 19106-73
52732010000654	0	BK15	1011-0654	7790,78	865,24	121,5	ГОСТ 19106-73
52832010000654	0	BK20	1011-0654	8966,99	964,31	118,04	ГОСТ 19106-73
52732010000655	0	BK15	1011-0655	7780,4	1036,35	145,91	ГОСТ 19106-73
52832010000655	0	BK20	1011-0655	8954,68	1154,88	141,7	ГОСТ 19106-73
52532010000655	0	BK8	1011-0655	6481,36	912,58	140,8	ГОСТ 19106-73
52732010000656	0	BK15	1011-0656	7767,17	1379,14	194,51	ГОСТ 19106-73
52832010000656	0	BK20	1011-0656	8938,98	1536,88	188,89	ГОСТ 19106-73
52532010000656	0	BK8	1011-0656	6470,89	1214,59	202,82	ГОСТ 19106-73

52732010000657	0	BK15	1011-0657	7759,09	1722,75	243,11	ГОСТ 19106-73
52832010000657	0	BK20	1011-0657	8929,4	1919,73	236,2	ГОСТ 19106-73
52532010000657	0	BK8	1011-0657	6464,51	1517,22	253,48	ГОСТ 19106-73
52732010000658	0	BK15	1011-0658	7752,58	2151,81	303,8	ГОСТ 19106-73
52832010000658	0	BK20	1011-0658	8921,67	2397,70	295,16	ГОСТ 19106-73
52532010000658	0	BK8	1011-0658	6459,36	1895,18	316,87	ГОСТ 19106-73
52732010000659	0	BK15	1011-0659	7746,83	2752,60	388,91	ГОСТ 19106-73
52832010000659	0	BK20	1011-0659	8914,85	3067,15	377,78	ГОСТ 19106-73
52532010000659	0	BK8	1011-0659	6454,82	2424,43	375,6	ГОСТ 19106-73
52732010000661	0	BK15	1011-0661	7742,7	3438,92	486,22	ГОСТ 19106-73
52832010000661	0	BK20	1011-0661	8909,95	3831,81	472,28	ГОСТ 19106-73
52532010000661	0	BK8	1011-0661	6451,56	3029,01	507,06	ГОСТ 19106-73
52732010000662	0	BK15	1011-0662	8098,62	4495,63	607,72	ГОСТ 19106-73
52832010000662	0	BK20	1011-0662	9319,67	5009,42	590,33	ГОСТ 19106-73
52732010000663	0	BK15	1011-0663	8095,06	5392,69	729,22	ГОСТ 19106-73
52832010000663	0	BK20	1011-0663	9315,45	6008,93	708,37	ГОСТ 19106-73
52532010000663	0	BK8	1011-0663	6745,15	4749,93	704,2	ГОСТ 19106-73
52732010000664	0	BK15	1011-0664	7777,67	1092,61	153,79	ГОСТ 19106-73
52832010000664	0	BK20	1011-0664	8951,44	1217,66	149,47	ГОСТ 19106-73
52532010000664	0	BK8	1011-0664	6479,2	962,16	160,38	ГОСТ 19106-73
52732010000665	0	BK15	1011-0665	7769,3	1309,75	184,57	ГОСТ 19106-73
52832010000665	0	BK20	1011-0665	8941,51	1459,52	179,28	ГОСТ 19106-73
52532010000665	0	BK8	1011-0665	6472,58	1153,41	192,46	ГОСТ 19106-73
52732010000666	0	BK15	1011-0666	7758,68	1744,62	246,13	ГОСТ 19106-73
52832010000666	0	BK20	1011-0666	8928,92	1944,09	239,11	ГОСТ 19106-73
52732010000667	0	BK15	1011-0667	7752,25	2178,85	307,69	ГОСТ 19106-73
52832010000667	0	BK20	1011-0667	8921,29	2427,84	298,84	ГОСТ 19106-73
52732010000668	0	BK15	1011-0668	7747,07	2721,16	384,59	ГОСТ 19106-73
52832010000668	0	BK20	1011-0668	8915,13	3032,13	373,57	ГОСТ 19106-73
52532010000668	0	BK8	1011-0668	6455,01	2396,75	401,00	ГОСТ 19106-73
52732010000669	0	BK15	1011-0669	7742,5	3481,26	492,26	ГОСТ 19106-73
52832010000669	0	BK20	1011-0669	8909,71	3879,02	478,22	ГОСТ 19106-73
52732010000671	0	BK15	1011-0671	7739,22	4349,59	615,28	ГОСТ 19106-73
52832010000671	0	BK20	1011-0671	8905,81	4846,54	597,67	ГОСТ 19106-73
52532010000671	0	BK8	1011-0671	6448,81	3831,24	641,63	ГОСТ 19106-73
52732010000672	0	BK15	1011-0672	8094,14	5686,86	769,18	ГОСТ 19106-73
52832010000672	0	BK20	1011-0672	9314,35	6336,65	747,14	ГОСТ 19106-73
52732010000673	0	BK15	1011-0673	8091,32	6821,63	922,97	ГОСТ 19106-73
52832010000673	0	BK20	1011-0673	9311,00	7600,95	896,62	ГОСТ 19106-73
52732010067365	0	BK15	1011-0673*65 (36*65)	8088,72	8355,65	987,00	ГОСТ 19106-73
52732010000674	0	BK15	1011-0674	7768,1	1347,77	189,86	ГОСТ 19106-73
52832010000674	0	BK20	1011-0674	8940,1	1501,85	184,46	ГОСТ 19106-73
52732010000675	0	BK15	1011-0675	7761,24	1615,97	227,88	ГОСТ 19106-73
52832010000675	0	BK20	1011-0675	8931,95	1800,77	221,4	ГОСТ 19106-73
52732010000676	0	BK15	1011-0676	7752,58	2151,81	303,8	ГОСТ 19106-73
52832010000676	0	BK20	1011-0676	8921,67	2397,70	295,16	ГОСТ 19106-73
52532010000676	0	BK8	1011-0676	6459,36	1895,18	316,87	ГОСТ 19106-73
52732010000677	0	BK15	1011-0677	7747,32	2688,24	379,84	ГОСТ 19106-73
52832010000677	0	BK20	1011-0677	8915,44	2995,50	368,93	ГОСТ 19106-73
52532010000677	0	BK8	1011-0677	6455,21	2367,77	396,14	ГОСТ 19106-73
52732010000678	0	BK15	1011-0678	7743,1	3357,80	474,77	ГОСТ 19106-73
52832010000678	0	BK20	1011-0678	8910,42	3741,40	461,16	ГОСТ 19106-73
52532010000678	0	BK8	1011-0678	6451,88	2957,54	495,07	ГОСТ 19106-73
52732010000679	0	BK15	1011-0679	7739,4	4288,94	607,72	ГОСТ 19106-73
52832010000679	0	BK20	1011-0679	8906,03	4778,89	590,33	ГОСТ 19106-73
52532010000679	0	BK8	1011-0679	6448,96	3777,80	633,74	ГОСТ 19106-73
52732010000681	0	BK15	1011-0681	7736,71	5368,43	759,67	ГОСТ 19106-73
52832010000681	0	BK20	1011-0681	8902,84	5981,73	737,96	ГОСТ 19106-73
52532010000681	0	BK8	1011-0681	6446,84	4728,76	792,18	ГОСТ 19106-73
52732010000682	0	BK15	1011-0682	8090,94	7010,31	949,54	ГОСТ 19106-73
52832010000682	0	BK20	1011-0682	9310,55	7811,18	922,43	ГОСТ 19106-73
52532010000682	0	BK8	1011-0682	6741,89	6174,90	990,25	ГОСТ 19106-73
52732010000683	0	BK15	1011-0683	8088,64	8417,04	1139,4	ГОСТ 19106-73
52832010000683	0	BK20	1011-0683	9307,82	9378,56	1107,00	ГОСТ 19106-73
52532010000683	0	BK8	1011-0683	6740,08	7414,09	1188,00	ГОСТ 19106-73
52732010000684	0	BK15	1011-0684	7759,45	1703,74	240,3	ГОСТ 19106-73
52832010000684	0	BK20	1011-0684	8929,84	1898,48	233,5	ГОСТ 19106-73
52532010000684	0	BK8	1011-0684	6464,8	1500,48	250,67	ГОСТ 19106-73
52732010000685	0	BK15	1011-0685	7753,98	2042,86	288,47	ГОСТ 19106-73
52832010000685	0	BK20	1011-0685	8923,33	2276,43	280,15	ГОСТ 19106-73
52732010000686	0	BK15	1011-0686	7747,07	2721,16	384,59	ГОСТ 19106-73

52832010000686	0	BK20	1011-0686	8915,13	3032,13	373,57	ГОСТ 19106-73
52532010000686	0	BK8	1011-0686	6455,01	2396,75	401,00	ГОСТ 19106-73
52732010000687	0	BK15	1011-0687	7742,89	3400,13	480,71	ГОСТ 19106-73
52832010000687	0	BK20	1011-0687	8910,17	3788,69	466,99	ГОСТ 19106-73
52532010000687	0	BK8	1011-0687	6451,71	2994,89	501,34	ГОСТ 19106-73
52732010000688	0	BK15	1011-0688	7739,53	4248,00	600,91	ГОСТ 19106-73
52832010000688	0	BK20	1011-0688	8906,18	4733,28	583,74	ГОСТ 19106-73
52532010000688	0	BK8	1011-0688	6449,06	3741,75	626,62	ГОСТ 19106-73
52732010000689	0	BK15	1011-0689	7736,58	5435,64	769,18	ГОСТ 19106-73
52832010000689	0	BK20	1011-0689	8902,68	6056,58	747,14	ГОСТ 19106-73
52532010000689	0	BK8	1011-0689	6446,73	4787,99	802,12	ГОСТ 19106-73
52732010000691	0	BK15	1011-0691	8090,76	7105,06	961,42	ГОСТ 19106-73
52832010000691	0	BK20	1011-0691	9310,33	7916,76	933,88	ГОСТ 19106-73
52532010000691	0	BK8	1011-0691	6741,75	6258,37	1002,56	ГОСТ 19106-73
52732010000692	0	BK15	1011-0692	8088,05	8875,50	1202,04	ГОСТ 19106-73
52832010000692	0	BK20	1011-0692	9307,11	9889,37	1167,48	ГОСТ 19106-73
52532010000692	0	BK8	1011-0692	6739,61	7817,95	1252,8	ГОСТ 19106-73
52732010000693	0	BK15	1011-0693	7731,63	10188,59	1441,8	ГОСТ 19106-73
52832010000693	0	BK20	1011-0693	8896,8	11352,23	1400,76	ГОСТ 19106-73
52532010000693	0	BK8	1011-0693	6442,83	8974,87	1504,44	ГОСТ 19106-73
52732010000694	0	BK15	1011-0694	7748,73	2520,12	356,08	ГОСТ 19106-73
52832010000694	0	BK20	1011-0694	8917,11	2808,18	345,92	ГОСТ 19106-73
52732010000695	0	BK15	1011-0695	7743,1	3357,80	474,77	ГОСТ 19106-73
52832010000695	0	BK20	1011-0695	8910,42	3741,40	461,16	ГОСТ 19106-73
52532010000695	0	BK8	1011-0695	6451,88	2957,54	495,07	ГОСТ 19106-73
52732010000696	0	BK15	1011-0696	7739,7	4196,08	593,46	ГОСТ 19106-73
52832010000696	0	BK20	1011-0696	8906,38	4675,49	576,5	ГОСТ 19106-73
52532010000696	0	BK8	1011-0696	6449,19	3696,03	618,95	ГОСТ 19106-73
52732010000697	0	BK15	1011-0697	7736,97	5242,72	741,85	ГОСТ 19106-73
52832010000697	0	BK20	1011-0697	8903,14	5841,62	720,68	ГОСТ 19106-73
52532010000697	0	BK8	1011-0697	6447,04	4618,02	773,6	ГОСТ 19106-73
52732010000698	0	BK15	1011-0698	7734,57	6708,89	949,54	ГОСТ 19106-73
52832010000698	0	BK20	1011-0698	8900,29	7475,18	922,43	ГОСТ 19106-73
52532010000698	0	BK8	1011-0698	6445,15	5909,56	990,25	ГОСТ 19106-73
52732010000699	0	BK15	1011-0699	7732,85	8383,34	1186,92	ГОСТ 19106-73
52832010000699	0	BK20	1011-0699	8898,25	9340,85	1153,44	ГОСТ 19106-73
52532010000699	0	BK8	1011-0699	6443,8	7384,59	1237,68	ГОСТ 19106-73
52732010000701	0	BK15	1011-0701	8085,97	10961,51	1483,92	ГОСТ 19106-73
52832010000701	0	BK20	1011-0701	9304,65	12213,56	1441,8	ГОСТ 19106-73
52532010000701	0	BK8	1011-0701	6737,98	9655,52	1547,64	ГОСТ 19106-73
52732010000702	0	BK15	1011-0702	8084,51	13146,78	1780,92	ГОСТ 19106-73
52832010000702	0	BK20	1011-0702	9302,91	14648,36	1729,08	ГОСТ 19106-73
52532010000702	0	BK8	1011-0702	6736,82	11580,59	1856,52	ГОСТ 19106-73
52732010000703	0	BK15	1011-0703	7744,83	3047,90	430,81	ГОСТ 19106-73
52832010000703	0	BK20	1011-0703	8912,47	3396,19	418,61	ГОСТ 19106-73
52532010000703	0	BK8	1011-0703	6453,24	2684,55	449,28	ГОСТ 19106-73
52732010000704	0	BK15	1011-0704	7740,15	4061,64	574,45	ГОСТ 19106-73
52832010000704	0	BK20	1011-0704	8906,92	4525,69	558,04	ГОСТ 19106-73
52732010000705	0	BK15	1011-0705	7737,33	5075,38	718,09	ГОСТ 19106-73
52832010000705	0	BK20	1011-0705	8903,57	5655,10	697,57	ГОСТ 19106-73
52532010000705	0	BK8	1011-0705	6447,33	4470,58	748,87	ГОСТ 19106-73
52732010000706	0	BK15	1011-0706	7735,07	6341,98	897,59	ГОСТ 19106-73
52832010000706	0	BK20	1011-0706	8900,88	7066,41	871,99	ГОСТ 19106-73
52532010000706	0	BK8	1011-0706	6445,54	5586,35	866,7	ГОСТ 19106-73
52832010000707	0	BK20	1011-0707	8898,53	9039,48	1115,64	ГОСТ 19106-73
52532010000707	0	BK8	1011-0707	6443,98	7146,37	1197,72	ГОСТ 19106-73
52732010000708	0	BK15	1011-0708	7731,66	10144,71	1436,4	ГОСТ 19106-73
52832010000708	0	BK20	1011-0708	8896,83	11303,34	1395,36	ГОСТ 19106-73
52532010000708	0	BK8	1011-0708	6442,85	8936,24	1497,96	ГОСТ 19106-73
52732010000709	0	BK15	1011-0709	8084,44	13261,39	1794,96	ГОСТ 19106-73
52832010000709	0	BK20	1011-0709	9302,83	14776,06	1744,2	ГОСТ 19106-73
52532010000709	0	BK8	1011-0709	6441,95	11170,35	1734,00	ГОСТ 19106-73
52732010000711	0	BK15	1011-0711	8083,23	15905,20	2154,6	ГОСТ 19106-73
52832010000711	0	BK20	1011-0711	9301,39	17721,75	2093,04	ГОСТ 19106-73
52532010000711	0	BK8	1011-0711	6735,81	14010,49	2080,00	ГОСТ 19106-73
52732010000712	0	BK15	1011-0712	7741,84	3625,97	512,78	ГОСТ 19106-73
52832010000712	0	BK20	1011-0712	8908,93	4040,29	498,1	ГОСТ 19106-73
52732010000713	0	BK15	1011-0713	7737,9	4832,70	683,64	ГОСТ 19106-73
52832010000713	0	BK20	1011-0713	8904,24	5384,75	664,09	ГОСТ 19106-73
52532010000713	0	BK8	1011-0713	6447,77	4256,82	713,02	ГОСТ 19106-73
52732010000714	0	BK15	1011-0714	7735,52	6038,66	854,6	ГОСТ 19106-73

52832010000714	0	BK20	1011-0714	8901,42	6728,41	830,2	ГОСТ 19106-73
52532010000714	0	BK8	1011-0714	6445,9	5319,16	891,22	ГОСТ 19106-73
52732010000715	0	BK15	1011-0715	7733,61	7550,09	1068,23	ГОСТ 19106-73
52832010000715	0	BK20	1011-0715	8899,15	8412,46	1037,66	ГОСТ 19106-73
52532010000715	0	BK8	1011-0715	6444,39	6650,62	1114,56	ГОСТ 19106-73
52732010000716	0	BK15	1011-0716	7731,95	9655,04	1367,28	ГОСТ 19106-73
52832010000716	0	BK20	1011-0716	8897,17	10757,75	1328,4	ГОСТ 19106-73
52532010000716	0	BK8	1011-0716	6443,08	8504,87	1425,6	ГОСТ 19106-73
52732010000717	0	BK15	1011-0717	7730,75	12066,93	1709,64	ГОСТ 19106-73
52832010000717	0	BK20	1011-0717	8895,75	13445,04	1659,96	ГОСТ 19106-73
52532010000717	0	BK8	1011-0717	6442,14	10629,52	1782,00	ГОСТ 19106-73
52732010000718	0	BK15	1011-0718	8083,28	15775,32	2136,24	ГОСТ 19106-73
52832010000718	0	BK20	1011-0718	9301,45	17577,04	2075,76	ГОСТ 19106-73
52732010000719	0	BK15	1011-0719	8082,25	18931,06	2563,92	ГОСТ 19106-73
52832010000719	0	BK20	1011-0719	9300,23	21093,11	2490,48	ГОСТ 19106-73
52532010000719	0	BK8	1011-0719	6735,04	16675,97	2476,00	ГОСТ 19106-73
52732010000721	0	BK15	1011-0721	7736,14	5670,28	802,33	ГОСТ 19106-73
52832010000721	0	BK20	1011-0721	8902,16	6318,04	779,44	ГОСТ 19106-73
52532010000721	0	BK8	1011-0721	6446,39	4994,66	836,78	ГОСТ 19106-73
52732010000722	0	BK15	1011-0722	7734,11	7085,99	1003,00	ГОСТ 19106-73
52832010000722	0	BK20	1011-0722	8899,75	7895,41	974,27	ГОСТ 19106-73
52532010000722	0	BK8	1011-0722	6444,79	6241,78	1045,98	ГОСТ 19106-73
52732010000723	0	BK15	1011-0723	7732,48	8858,41	1253,88	ГОСТ 19106-73
52832010000723	0	BK20	1011-0723	8897,81	9870,17	1218,24	ГОСТ 19106-73
52532010000723	0	BK8	1011-0723	6443,5	7803,08	1307,88	ГОСТ 19106-73
52732010000724	0	BK15	1011-0724	7731,06	11336,05	1604,88	ГОСТ 19106-73
52832010000724	0	BK20	1011-0724	8896,12	12630,71	1558,44	ГОСТ 19106-73
52532010000724	0	BK8	1011-0724	6442,38	9985,69	1674,00	ГОСТ 19106-73
52732010000725	0	BK15	1011-0725	7730,04	14164,53	2005,56	ГОСТ 19106-73
52832010000725	0	BK20	1011-0725	8894,91	15782,15	1948,32	ГОСТ 19106-73
52532010000725	0	BK8	1011-0725	6441,58	12477,33	2091,96	ГОСТ 19106-73
52832010000726	0	BK20	1011-0726	9300,94	18893,56	2435,4	ГОСТ 19106-73
52532010000726	0	BK8	1011-0726	6735,51	14936,94	2614,68	ГОСТ 19106-73
52732010000727	0	BK15	1011-0727	8081,5	22209,00	3008,88	ГОСТ 19106-73
52832010000727	0	BK20	1011-0727	9299,33	24745,34	2922,48	ГОСТ 19106-73
52532010000727	0	BK8	1011-0727	6734,45	19563,57	2905,00	ГОСТ 19106-73
52732010000728	0	BK15	1011-0728	7734,75	6574,38	930,53	ГОСТ 19106-73
52832010000728	0	BK20	1011-0728	8900,5	7325,38	903,96	ГОСТ 19106-73
52532010000728	0	BK8	1011-0728	6445,29	5791,09	970,38	ГОСТ 19106-73
52732010000729	0	BK15	1011-0729	7732,99	8215,22	1163,16	ГОСТ 19106-73
52832010000729	0	BK20	1011-0729	8898,42	9153,54	1129,68	ГОСТ 19106-73
52532010000729	0	BK8	1011-0729	6443,91	7236,51	1212,84	ГОСТ 19106-73
52732010000731	0	BK15	1011-0731	7731,59	10268,94	1453,68	ГОСТ 19106-73
52832010000731	0	BK20	1011-0731	8896,75	11441,75	1412,64	ГОСТ 19106-73
52532010000731	0	BK8	1011-0731	6442,8	9045,69	1516,32	ГОСТ 19106-73
52732010000732	0	BK15	1011-0732	7730,36	13141,30	1860,84	ГОСТ 19106-73
52832010000732	0	BK20	1011-0732	8895,29	14642,09	1807,92	ГОСТ 19106-73
52532010000732	0	BK8	1011-0732	6441,83	11575,96	1940,76	ГОСТ 19106-73
52732010000733	0	BK15	1011-0733	7729,48	16422,98	2326,32	ГОСТ 19106-73
52832010000733	0	BK20	1011-0733	8894,24	18298,48	2260,44	ГОСТ 19106-73
52532010000733	0	BK8	1011-0733	6441,13	14466,78	2425,68	ГОСТ 19106-73
52732010000734	0	BK15	1011-0734	8081,65	21467,85	2907,36	ГОСТ 19106-73
52832010000734	0	BK20	1011-0734	9299,51	23919,55	2825,28	ГОСТ 19106-73
52732010000735	0	BK15	1011-0735	8080,89	25762,05	3489,48	ГОСТ 19106-73
52832010000735	0	BK20	1011-0735	9298,62	28704,09	3390,12	ГОСТ 19106-73
52732010000736	0	BK15	1011-0736	7733,61	7550,09	1068,23	ГОСТ 19106-73
52832010000736	0	BK20	1011-0736	8899,15	8412,46	1037,66	ГОСТ 19106-73
52532010000736	0	BK8	1011-0736	6444,39	6650,62	1114,56	ГОСТ 19106-73
52732010000737	0	BK15	1011-0737	7732,09	9428,43	1334,88	ГОСТ 19106-73
52832010000737	0	BK20	1011-0737	8897,35	10505,27	1297,08	ГОСТ 19106-73
52732010000738	0	BK15	1011-0738	7730,86	11789,18	1669,68	ГОСТ 19106-73
52832010000738	0	BK20	1011-0738	8895,89	13135,58	1621,08	ГОСТ 19106-73
52532010000738	0	BK8	1011-0738	6442,23	10384,87	1740,96	ГОСТ 19106-73
52732010000739	0	BK15	1011-0739	7729,79	15085,46	2136,24	ГОСТ 19106-73
52832010000739	0	BK20	1011-0739	8894,23	18348,80	1922,00	ГОСТ 19106-73
52532010000739	0	BK8	1011-0739	6441,38	13288,57	2228,04	ГОСТ 19106-73
52732010000741	0	BK15	1011-0741	7729,02	18856,73	2670,84	ГОСТ 19106-73
52832010000741	0	BK20	1011-0741	8893,7	21010,12	2594,16	ГОСТ 19106-73
52532010000741	0	BK8	1011-0741	6440,77	16610,76	2785,32	ГОСТ 19106-73
52732010000742	0	BK15	1011-0742	8081,07	24638,85	3338,28	ГОСТ 19106-73
52832010000742	0	BK20	1011-0742	9298,82	27452,63	3243,24	ГОСТ 19106-73

52532010000742	0	BK8	1011-0742	6734,11	21704,03	3480,84	ГОСТ 19106-73
52732010000743	0	BK15	1011-0743	8080,41	29567,27	4005,72	ГОСТ 19106-73
52832010000743	0	BK20	1011-0743	9298,04	32943,79	3891,24	ГОСТ 19106-73
52532010000743	0	BK8	1011-0743	6733,59	26045,53	4177,44	ГОСТ 19106-73
52732010000744	0	BK15	1011-0744	7732,69	8587,93	1215,00	ГОСТ 19106-73
52832010000744	0	BK20	1011-0744	8898,06	9568,79	1180,44	ГОСТ 19106-73
52732010000745	0	BK15	1011-0745	7731,35	10729,41	1519,56	ГОСТ 19106-73
52832010000745	0	BK20	1011-0745	8896,46	11954,80	1476,36	ГОСТ 19106-73
52532010000745	0	BK8	1011-0745	6442,61	9451,31	1584,36	ГОСТ 19106-73
52732010000746	0	BK15	1011-0746	7730,27	13411,71	1898,64	ГОСТ 19106-73
52832010000746	0	BK20	1011-0746	8895,18	14943,37	1844,64	ГОСТ 19106-73
52532010000746	0	BK8	1011-0746	6441,76	11814,18	1980,72	ГОСТ 19106-73
52732010000747	0	BK15	1011-0747	7730,22	13579,82	1922,4	ГОСТ 19106-73
52832010000747	0	BK20	1011-0747	8895,12	15130,69	1868,4	ГОСТ 19106-73
52532010000747	0	BK8	1011-0747	6441,72	11962,26	2005,56	ГОСТ 19106-73
52732010000748	0	BK15	1011-0748	7729,36	16971,13	2403,00	ГОСТ 19106-73
52832010000748	0	BK20	1011-0748	8894,11	18909,23	2334,96	ГОСТ 19106-73
52532010000748	0	BK8	1011-0748	6441,04	14949,66	2506,68	ГОСТ 19106-73
52732010000749	0	BK15	1011-0749	7729,78	15129,27	2142,72	ГОСТ 19106-73
52832010000749	0	BK20	1011-0749	8894,6	16857,05	2081,16	ГОСТ 19106-73
52532010000749	0	BK8	1011-0749	6441,37	13327,20	2069,00	ГОСТ 19106-73
52732010000751	0	BK15	1011-0751	7729,02	18900,61	2677,32	ГОСТ 19106-73
52532010000751	0	BK8	1011-0751	6440,77	16649,39	2791,8	ГОСТ 19106-73
52732010000752	0	BK15	1011-0752	7729,41	16759,13	2373,84	ГОСТ 19106-73
52832010000752	0	BK20	1011-0752	8894,16	18673,02	2305,8	ГОСТ 19106-73
52532010000752	0	BK8	1011-0752	6441,08	14762,95	2475,36	ГОСТ 19106-73
52732010000753	0	BK15	1011-0753	7728,72	20947,06	2967,84	ГОСТ 19106-73
52832010000753	0	BK20	1011-0753	8893,34	23339,14	2882,52	ГОСТ 19106-73
52532010000753	0	BK8	1011-0753	6440,53	18452,12	3094,2	ГОСТ 19106-73
52732010000754	0	BK15	1011-0754	7728,16	26187,42	3708,72	ГОСТ 19106-73
52832010000754	0	BK20	1011-0754	8892,68	29177,85	3602,88	ГОСТ 19106-73
52532010000754	0	BK8	1011-0754	6440,1	23068,42	3868,56	ГОСТ 19106-73
52732010000755	0	BK15	1011-0755	7727,72	32699,54	4636,44	ГОСТ 19106-73
52832010000755	0	BK20	1011-0755	8892,15	36433,55	4503,6	ГОСТ 19106-73
52532010000755	0	BK8	1011-0755	6439,75	28804,99	4830,84	ГОСТ 19106-73
52732010000761	0	BK15	1011-0761	8373,56	55,43	7,34	ГОСТ 19106-73
52832010000761	0	BK20	1011-0761	9648,95	61,85	7,13	ГОСТ 19106-73
52532010000761	0	BK8	1011-0761	6960,94	48,73	7,56	ГОСТ 19106-73
52732010000762	0	BK15	1011-0762	8303,04	66,76	8,75	ГОСТ 19106-73
52832010000762	0	BK20	1011-0762	9567,07	74,53	8,53	ГОСТ 19106-73
52532010000762	0	BK8	1011-0762	6902,87	58,67	9,18	ГОСТ 19106-73
52732010000763	0	BK15	1011-0763	8205,57	87,72	11,66	ГОСТ 19106-73
52832010000763	0	BK20	1011-0763	9454,16	97,85	11,34	ГОСТ 19106-73
52532010000763	0	BK8	1011-0763	6823,08	77,10	12,2	ГОСТ 19106-73
52732010000764	0	BK15	1011-0764	8378,61	54,71	7,13	ГОСТ 19106-73
52832010000764	0	BK20	1011-0764	9654,98	61,02	6,91	ГОСТ 19106-73
52532010000764	0	BK8	1011-0764	6965,33	48,06	7,45	ГОСТ 19106-73
52732010000765	0	BK15	1011-0765	8311,57	65,25	8,53	ГОСТ 19106-73
52832010000765	0	BK20	1011-0765	9577,28	72,79	8,32	ГОСТ 19106-73
52532010000765	0	BK8	1011-0765	6909,86	57,35	8,96	ГОСТ 19106-73
52732010000766	0	BK15	1011-0766	8214,28	85,51	11,45	ГОСТ 19106-73
52832010000766	0	BK20	1011-0766	9464,26	95,40	11,02	ГОСТ 19106-73
52532010000766	0	BK8	1011-0766	6830,29	75,13	11,88	ГОСТ 19106-73
52732010000767	0	BK15	1011-0767	8223,65	83,22	11,12	ГОСТ 19106-73
52832010000767	0	BK20	1011-0767	9475,12	92,86	10,8	ГОСТ 19106-73
52532010000767	0	BK8	1011-0767	6837,78	73,16	11,56	ГОСТ 19106-73
52732010000768	0	BK15	1011-0768	8163,46	99,59	13,39	ГОСТ 19106-73
52832010000768	0	BK20	1011-0768	9404,85	111,17	12,96	ГОСТ 19106-73
52532010000768	0	BK8	1011-0768	6788,69	87,57	13,93	ГОСТ 19106-73
52732010000769	0	BK15	1011-0769	8079,74	131,46	17,82	ГОСТ 19106-73
52832010000769	0	BK20	1011-0769	9307,15	146,68	17,28	ГОСТ 19106-73
52532010000769	0	BK8	1011-0769	6720,83	115,60	18,58	ГОСТ 19106-73
52732010000771	0	BK15	1011-0771	8022,92	163,19	22,25	ГОСТ 19106-73
52832010000771	0	BK20	1011-0771	9240,76	181,95	21,6	ГОСТ 19106-73
52532010000771	0	BK8	1011-0771	6674,99	143,51	23,22	ГОСТ 19106-73
52732010000772	0	BK15	1011-0772	8233,04	81,01	10,8	ГОСТ 19106-73
52832010000772	0	BK20	1011-0772	9485,99	90,40	10,48	ГОСТ 19106-73
52532010000772	0	BK8	1011-0772	6845,56	71,19	11,23	ГОСТ 19106-73
52732010000773	0	BK15	1011-0773	8173,08	96,69	12,96	ГОСТ 19106-73
52832010000773	0	BK20	1011-0773	9416,43	107,82	12,64	ГОСТ 19106-73
52432010000773	0	BK6	1011-0773	6796,7	84,96	13,94	ГОСТ 19106-73

52532010000773	0	BK8	1011-0773	6796,7	84,96	13,5	ГОСТ 19106-73
52732010000774	0	BK15	1011-0774	8087,74	127,79	17,28	ГОСТ 19106-73
52832010000774	0	BK20	1011-0774	9316,6	142,54	16,74	ГОСТ 19106-73
52532010000774	0	BK8	1011-0774	6727,34	112,35	18,04	ГОСТ 19106-73
52732010000775	0	BK15	1011-0775	8029,75	158,75	21,6	ГОСТ 19106-73
52832010000775	0	BK20	1011-0775	9248,75	177,02	20,95	ГОСТ 19106-73
52532010000775	0	BK8	1011-0775	6680,48	139,62	22,57	ГОСТ 19106-73
52732010000776	0	BK15	1011-0776	8116,26	115,90	15,66	ГОСТ 19106-73
52832010000776	0	BK20	1011-0776	9349,9	129,31	15,23	ГОСТ 19106-73
52532010000776	0	BK8	1011-0776	6750,34	101,93	16,31	ГОСТ 19106-73
52732010000777	0	BK15	1011-0777	8066,15	138,09	18,79	ГОСТ 19106-73
52832010000777	0	BK20	1011-0777	9291,3	154,05	18,25	ГОСТ 19106-73
52532010000777	0	BK8	1011-0777	6709,82	121,45	19,55	ГОСТ 19106-73
52732010000778	0	BK15	1011-0778	7995,76	183,02	25,06	ГОСТ 19106-73
52832010000778	0	BK20	1011-0778	9208,74	204,16	24,3	ГОСТ 19106-73
52532010000778	0	BK8	1011-0778	6653,11	161,01	26,14	ГОСТ 19106-73
52732010000779	0	BK15	1011-0779	7950,11	227,13	31,32	ГОСТ 19106-73
52832010000779	0	BK20	1011-0779	9155,17	253,23	30,35	ГОСТ 19106-73
52532010000779	0	BK8	1011-0779	6616,5	199,82	32,62	ГОСТ 19106-73
52732010000781	0	BK15	1011-0781	8123,9	113,00	15,23	ГОСТ 19106-73
52832010000781	0	BK20	1011-0781	9358,86	126,06	14,8	ГОСТ 19106-73
52532010000781	0	BK8	1011-0781	6756,68	99,32	15,88	ГОСТ 19106-73
52732010000782	0	BK15	1011-0782	8073,53	134,42	18,25	ГОСТ 19106-73
52832010000782	0	BK20	1011-0782	9300,04	149,92	17,71	ГОСТ 19106-73
52432010000782	0	BK6	1011-0782	6715,83	118,20	19,63	ГОСТ 19106-73
52532010000782	0	BK8	1011-0782	6715,83	118,20	19,01	ГОСТ 19106-73
52732010000783	0	BK15	1011-0783	8002,3	177,89	24,3	ГОСТ 19106-73
52832010000783	0	BK20	1011-0783	9216,43	198,43	23,65	ГОСТ 19106-73
52532010000783	0	BK8	1011-0783	6658,39	156,47	25,38	ГОСТ 19106-73
52732010000784	0	BK15	1011-0784	7955,93	220,54	30,35	ГОСТ 19106-73
52832010000784	0	BK20	1011-0784	9162,00	245,91	29,48	ГОСТ 19106-73
52532010000784	0	BK8	1011-0784	6621,18	194,00	31,64	ГОСТ 19106-73
52732010000785	0	BK15	1011-0785	7972,35	203,61	27,97	ГОСТ 19106-73
52832010000785	0	BK20	1011-0785	9181,3	227,05	27,22	ГОСТ 19106-73
52532010000785	0	BK8	1011-0785	6634,32	179,13	29,16	ГОСТ 19106-73
52732010000786	0	BK15	1011-0786	7937,03	243,27	33,59	ГОСТ 19106-73
52832010000786	0	BK20	1011-0786	9139,73	271,27	32,62	ГОСТ 19106-73
52532010000786	0	BK8	1011-0786	6606,02	214,04	34,99	ГОСТ 19106-73
52732010000787	0	BK15	1011-0787	7890,00	322,46	44,82	ГОСТ 19106-73
52832010000787	0	BK20	1011-0787	9084,32	359,47	43,52	ГОСТ 19106-73
52532010000787	0	BK8	1011-0787	6568,45	283,76	46,66	ГОСТ 19106-73
52732010000788	0	BK15	1011-0788	7860,13	401,50	55,94	ГОСТ 19106-73
52832010000788	0	BK20	1011-0788	9049,04	447,57	54,32	ГОСТ 19106-73
52532010000788	0	BK8	1011-0788	6544,64	353,41	58,32	ГОСТ 19106-73
52732010000789	0	BK15	1011-0789	7976,2	199,96	27,43	ГОСТ 19106-73
52832010000789	0	BK20	1011-0789	9185,88	222,94	26,68	ГОСТ 19106-73
52432010000789	0	BK6	1011-0789	6637,43	175,89	29,57	ГОСТ 19106-73
52532010000789	0	BK8	1011-0789	6637,43	175,89	28,62	ГОСТ 19106-73
52732010000791	0	BK15	1011-0791	7940,46	238,85	32,94	ГОСТ 19106-73
52832010000791	0	BK20	1011-0791	9143,75	266,36	31,97	ГОСТ 19106-73
52532010000791	0	BK8	1011-0791	6608,76	210,16	34,34	ГОСТ 19106-73
52732010000792	0	BK15	1011-0792	7892,76	316,58	43,85	ГОСТ 19106-73
52832010000792	0	BK20	1011-0792	9087,56	352,96	42,66	ГОСТ 19106-73
52532010000792	0	BK8	1011-0792	6570,65	278,60	45,79	ГОСТ 19106-73
52732010000793	0	BK15	1011-0793	7862,42	394,22	54,86	ГОСТ 19106-73
52832010000793	0	BK20	1011-0793	9051,74	439,46	53,24	ГОСТ 19106-73
52532010000793	0	BK8	1011-0793	6546,47	346,96	57,24	ГОСТ 19106-73
52732010000794	0	BK15	1011-0794	7981,04	195,54	26,78	ГОСТ 19106-73
52832010000794	0	BK20	1011-0794	9191,54	218,02	26,03	ГОСТ 19106-73
52532010000794	0	BK8	1011-0794	6641,3	172,01	27,97	ГОСТ 19106-73
52732010000795	0	BK15	1011-0795	7945,15	233,03	32,18	ГОСТ 19106-73
52832010000795	0	BK20	1011-0795	9149,3	259,84	31,21	ГОСТ 19106-73
52532010000795	0	BK8	1011-0795	6612,54	204,99	33,48	ГОСТ 19106-73
52732010000796	0	BK15	1011-0796	7896,35	309,22	42,88	ГОСТ 19106-73
52832010000796	0	BK20	1011-0796	9091,79	344,76	41,69	ГОСТ 19106-73
52532010000796	0	BK8	1011-0796	6573,5	272,14	44,71	ГОСТ 19106-73
52732010000797	0	BK15	1011-0797	7865,53	384,70	53,57	ГОСТ 19106-73
52832010000797	0	BK20	1011-0797	9039,73	477,75	52,06	ГОСТ 19106-73
52432010000797	0	BK6	1011-0797	6538,36	377,26	57,68	ГОСТ 19106-73
52532010000797	0	BK8	1011-0797	6538,36	377,26	55,84	ГОСТ 19106-73
52732010000798	0	BK15	1011-0798	7986,88	190,41	26,14	ГОСТ 19106-73

52832010000798	0	BK20	1011-0798	9198,42	212,30	25,38	ГОСТ 19106-73
52532010000798	0	BK8	1011-0798	6646,00	167,48	27,22	ГОСТ 19106-73
52732010000799	0	BK15	1011-0799	7949,51	227,83	31,32	ГОСТ 19106-73
52832010000799	0	BK20	1011-0799	9154,44	254,04	30,46	ГОСТ 19106-73
52532010000799	0	BK8	1011-0799	6616,00	200,46	32,72	ГОСТ 19106-73
52732010000801	0	BK15	1011-0801	7900,46	301,17	41,8	ГОСТ 19106-73
52832010000801	0	BK20	1011-0801	9096,66	335,76	40,61	ГОСТ 19106-73
52532010000801	0	BK8	1011-0801	6576,78	265,04	43,52	ГОСТ 19106-73
52732010000802	0	BK15	1011-0802	7868,79	375,18	52,27	ГОСТ 19106-73
52832010000802	0	BK20	1011-0802	9059,27	418,27	50,76	ГОСТ 19106-73
52532010000802	0	BK8	1011-0802	6551,54	330,20	54,43	ГОСТ 19106-73
52732010000803	0	BK15	1011-0803	7900,83	300,47	41,69	ГОСТ 19106-73
52832010000803	0	BK20	1011-0803	9097,1	334,96	40,5	ГОСТ 19106-73
52432010000803	0	BK6	1011-0803	6577,09	264,40	44,85	ГОСТ 19106-73
52532010000803	0	BK8	1011-0803	6577,09	264,40	43,42	ГОСТ 19106-73
52732010000804	0	BK15	1011-0804	7874,4	359,78	50,00	ГОСТ 19106-73
52832010000804	0	BK20	1011-0804	9065,9	401,08	48,6	ГОСТ 19106-73
52532010000804	0	BK8	1011-0804	6556,00	316,65	52,16	ГОСТ 19106-73
52732010000805	0	BK15	1011-0805	7840,1	477,62	66,64	ГОСТ 19106-73
52832010000805	0	BK20	1011-0805	9025,36	532,41	64,8	ГОСТ 19106-73
52532010000805	0	BK8	1011-0805	6528,71	420,45	69,55	ГОСТ 19106-73
52732010000806	0	BK15	1011-0806	7818,68	595,39	83,38	ГОСТ 19106-73
52832010000806	0	BK20	1011-0806	9000,01	663,66	81,00	ГОСТ 19106-73
52532010000806	0	BK8	1011-0806	6511,69	524,19	86,94	ГОСТ 19106-73
52732010000807	0	BK15	1011-0807	7907,63	288,00	39,85	ГОСТ 19106-73
52832010000807	0	BK20	1011-0807	9105,07	321,14	38,77	ГОСТ 19106-73
52532010000807	0	BK8	1011-0807	6582,51	253,43	41,58	ГОСТ 19106-73
52732010000808	0	BK15	1011-0808	7880,44	344,45	47,84	ГОСТ 19106-73
52832010000808	0	BK20	1011-0808	9073,03	383,97	46,44	ГОСТ 19106-73
52532010000808	0	BK8	1011-0808	6560,83	303,11	49,9	ГОСТ 19106-73
52732010000809	0	BK15	1011-0809	7844,88	457,12	63,83	ГОСТ 19106-73
52832010000809	0	BK20	1011-0809	9031,00	509,62	61,99	ГОСТ 19106-73
52432010000809	0	BK6	1011-0809	6524,02	444,94	68,2	ГОСТ 19106-73
52532010000809	0	BK8	1011-0809	6532,51	402,40	66,53	ГОСТ 19106-73
52732010000811	0	BK15	1011-0811	7822,62	569,80	79,81	ГОСТ 19106-73
52832010000811	0	BK20	1011-0811	9004,69	635,10	77,44	ГОСТ 19106-73
52532010000811	0	BK8	1011-0811	6514,82	501,64	83,16	ГОСТ 19106-73
52732010000812	0	BK15	1011-0812	7843,64	462,30	64,58	ГОСТ 19106-73
52832010000812	0	BK20	1011-0812	9029,55	515,32	62,75	ГОСТ 19106-73
52532010000812	0	BK8	1011-0812	6531,53	406,91	67,28	ГОСТ 19106-73
52732010000813	0	BK15	1011-0813	7825,27	553,72	77,44	ГОСТ 19106-73
52832010000813	0	BK20	1011-0813	9007,82	617,22	75,28	ГОСТ 19106-73
52532010000813	0	BK8	1011-0813	6516,93	487,47	80,78	ГОСТ 19106-73
52832010000814	0	BK20	1011-0814	8979,85	820,94	100,22	ГОСТ 19106-73
52532010000814	0	BK8	1011-0814	6498,19	648,52	107,78	ГОСТ 19106-73
52732010000815	0	BK15	1011-0815	7787,14	918,65	129,17	ГОСТ 19106-73
52832010000815	0	BK20	1011-0815	8962,67	1023,81	125,5	ГОСТ 19106-73
52532010000815	0	BK8	1011-0815	6486,7	808,89	134,68	ГОСТ 19106-73
52832010000816	0	BK20	1011-0816	9034,03	498,14	60,59	ГОСТ 19106-73
52532010000816	0	BK8	1011-0816	6534,53	393,38	65,02	ГОСТ 19106-73
52732010000817	0	BK15	1011-0817	7828,61	534,69	74,74	ГОСТ 19106-73
52832010000817	0	BK20	1011-0817	9011,76	596,04	72,68	ГОСТ 19106-73
52532010000817	0	BK8	1011-0817	6519,58	470,71	77,98	ГОСТ 19106-73
52732010000818	0	BK15	1011-0818	7804,25	710,97	99,68	ГОСТ 19106-73
52832010000818	0	BK20	1011-0818	8982,94	792,39	96,88	ГОСТ 19106-73
52532010000818	0	BK8	1011-0818	6500,25	625,97	104,00	ГОСТ 19106-73
52732010000819	0	BK15	1011-0819	7789,29	886,42	124,63	ГОСТ 19106-73
52832010000819	0	BK20	1011-0819	8965,22	987,88	121,07	ГОСТ 19106-73
52532010000819	0	BK8	1011-0819	6488,4	780,55	129,92	ГОСТ 19106-73
52732010000821	0	BK15	1011-0821	7852,04	429,35	59,83	ГОСТ 19106-73
52832010000821	0	BK20	1011-0821	9039,49	478,55	58,1	ГОСТ 19106-73
52532010000821	0	BK8	1011-0821	6538,21	377,91	62,42	ГОСТ 19106-73
52832010000822	0	BK20	1011-0822	9016,49	572,37	69,77	ГОСТ 19106-73
52532010000822	0	BK8	1011-0822	6522,75	452,03	74,84	ГОСТ 19106-73
52732010000823	0	BK15	1011-0823	7807,38	682,44	95,69	ГОСТ 19106-73
52832010000823	0	BK20	1011-0823	8986,64	760,63	92,99	ГОСТ 19106-73
52532010000823	0	BK8	1011-0823	6502,73	600,85	99,79	ГОСТ 19106-73
52732010000824	0	BK15	1011-0824	7791,81	851,33	119,66	ГОСТ 19106-73
52832010000824	0	BK20	1011-0824	8968,19	948,83	116,21	ГОСТ 19106-73
52532010000824	0	BK8	1011-0824	6490,39	749,64	124,74	ГОСТ 19106-73
52732010000825	0	BK15	1011-0825	7800,86	744,59	104,44	ГОСТ 19106-73

52832010000825	0	BK20	1011-0825	8978,93	829,83	101,41	ГОСТ 19106-73
52532010000825	0	BK8	1011-0825	6497,56	655,60	108,97	ГОСТ 19106-73
52832010082505	0	BK20	1011-0825*5 (32*12)	9543,99	481,49	46,95	ГОСТ 19106-73
52732010000826	0	BK15	1011-0826	7788,93	891,60	125,28	ГОСТ 19106-73
52832010000826	0	BK20	1011-0826	8964,79	993,66	121,72	ГОСТ 19106-73
52532010000826	0	BK8	1011-0826	6488,12	785,06	130,68	ГОСТ 19106-73
52732010000827	0	BK15	1011-0827	7773,67	1186,88	167,08	ГОСТ 19106-73
52832010000827	0	BK20	1011-0827	8946,7	1322,68	162,32	ГОСТ 19106-73
52532010000827	0	BK8	1011-0827	6476,03	1045,23	174,31	ГОСТ 19106-73
52732010000828	0	BK15	1011-0828	7764,38	1481,52	208,87	ГОСТ 19106-73
52832010000828	0	BK20	1011-0828	8935,67	1650,96	202,93	ГОСТ 19106-73
52532010000828	0	BK8	1011-0828	6468,69	1304,73	217,84	ГОСТ 19106-73
52832010082825	0	BK20	1011-0828*25 (32*12)	8923,46	2267,45	235,00	ГОСТ 19106-73
52732010000829	0	BK15	1011-0829	7811,22	650,28	91,15	ГОСТ 19106-73
52832010000829	0	BK20	1011-0829	8991,19	724,78	88,56	ГОСТ 19106-73
52532010000829	0	BK8	1011-0829	6505,78	572,51	95,04	ГОСТ 19106-73
52732010000831	0	BK15	1011-0831	7797,68	778,99	109,4	ГОСТ 19106-73
52832010000831	0	BK20	1011-0831	8975,16	868,17	106,27	ГОСТ 19106-73
52532010000831	0	BK8	1011-0831	6495,05	685,88	114,05	ГОСТ 19106-73
52732010000832	0	BK15	1011-0832	7780,4	1036,35	145,91	ГОСТ 19106-73
52832010000832	0	BK20	1011-0832	8954,68	1154,88	141,7	ГОСТ 19106-73
52532010000832	0	BK8	1011-0832	6481,36	912,58	152,06	ГОСТ 19106-73
52732010000833	0	BK15	1011-0833	7769,8	1294,37	182,3	ГОСТ 19106-73
52832010000833	0	BK20	1011-0833	8942,11	1442,45	177,01	ГОСТ 19106-73
52532010000833	0	BK8	1011-0833	6472,98	1139,89	190,19	ГОСТ 19106-73
52732010000834	0	BK15	1011-0834	7775,89	1132,79	159,52	ГОСТ 19106-73
52832010000834	0	BK20	1011-0834	8949,33	1262,39	154,98	ГОСТ 19106-73
52532010000834	0	BK8	1011-0834	6477,79	997,58	166,32	ГОСТ 19106-73
52732010000835	0	BK15	1011-0835	7767,77	1358,74	191,48	ГОСТ 19106-73
52832010000835	0	BK20	1011-0835	8939,7	1514,12	185,98	ГОСТ 19106-73
52532010000835	0	BK8	1011-0835	6471,37	1196,56	199,69	ГОСТ 19106-73
52732010000836	0	BK15	1011-0836	7757,54	1808,98	236,32	ГОСТ 19106-73
52832010000836	0	BK20	1011-0836	8927,56	2015,75	247,97	ГОСТ 19106-73
52532010000836	0	BK8	1011-0836	6463,28	1593,20	266,22	ГОСТ 19106-73
52732010000837	0	BK15	1011-0837	7751,33	2259,20	319,03	ГОСТ 19106-73
52832010000837	0	BK20	1011-0837	8920,19	2517,46	309,85	ГОСТ 19106-73
52532010000837	0	BK8	1011-0837	6458,38	1989,83	332,75	ГОСТ 19106-73
52732010000838	0	BK15	1011-0838	7778,45	1075,84	151,42	ГОСТ 19106-73
52832010000838	0	BK20	1011-0838	8952,37	1198,90	147,1	ГОСТ 19106-73
52532010000838	0	BK8	1011-0838	6479,82	947,35	157,9	ГОСТ 19106-73
52732010000839	0	BK15	1011-0839	7769,95	1289,97	181,76	ГОСТ 19106-73
52832010000839	0	BK20	1011-0839	8942,28	1437,56	176,58	ГОСТ 19106-73
52532010000839	0	BK8	1011-0839	6473,09	1136,03	189,54	ГОСТ 19106-73
52732010000841	0	BK15	1011-0841	7759,19	1717,57	242,35	ГОСТ 19106-73
52832010000841	0	BK20	1011-0841	8929,52	1913,95	235,44	ГОСТ 19106-73
52532010000841	0	BK8	1011-0841	6464,59	1512,71	252,72	ГОСТ 19106-73
52732010000842	0	BK15	1011-0842	7752,66	2145,24	302,94	ГОСТ 19106-73
52832010000842	0	BK20	1011-0842	8921,77	2390,41	294,3	ГОСТ 19106-73
52532010000842	0	BK8	1011-0842	6459,43	1889,38	315,9	ГОСТ 19106-73
52732010000843	0	BK15	1011-0843	7781,66	1012,16	142,45	ГОСТ 19106-73
52832010000843	0	BK20	1011-0843	8956,17	1128,03	138,35	ГОСТ 19106-73
52532010000843	0	BK8	1011-0843	6482,35	891,32	148,5	ГОСТ 19106-73
52732010000844	0	BK15	1011-0844	7772,66	1213,23	170,96	ГОСТ 19106-73
52832010000844	0	BK20	1011-0844	8945,5	1352,02	166,00	ГОСТ 19106-73
52532010000844	0	BK8	1011-0844	6475,24	1068,41	178,2	ГОСТ 19106-73
52732010000845	0	BK15	1011-0845	7761,24	1615,97	227,88	ГОСТ 19106-73
52832010000845	0	BK20	1011-0845	8931,95	1800,77	221,4	ГОСТ 19106-73
52532010000845	0	BK8	1011-0845	6466,21	1423,21	237,71	ГОСТ 19106-73
52732010000846	0	BK15	1011-0846	7754,32	2017,98	284,9	ГОСТ 19106-73
52832010000846	0	BK20	1011-0846	8923,74	2248,69	276,7	ГОСТ 19106-73
52532010000846	0	BK8	1011-0846	6460,74	1777,35	297,11	ГОСТ 19106-73
52732010000847	0	BK15	1011-0847	7759,6	1696,40	239,33	ГОСТ 19106-73
52832010000847	0	BK20	1011-0847	8930,00	1890,39	232,42	ГОСТ 19106-73
52532010000847	0	BK8	1011-0847	6464,91	1494,04	249,59	ГОСТ 19106-73
52732010000848	0	BK15	1011-0848	7754,09	2034,13	287,17	ГОСТ 19106-73
52832010000848	0	BK20	1011-0848	8923,47	2266,65	278,96	ГОСТ 19106-73
52532010000848	0	BK8	1011-0848	6460,56	1791,51	299,48	ГОСТ 19106-73
52732010000849	0	BK15	1011-0849	7747,16	2709,49	382,86	ГОСТ 19106-73
52832010000849	0	BK20	1011-0849	8915,24	3019,15	371,95	ГОСТ 19106-73
52532010000849	0	BK8	1011-0849	6455,08	2386,44	399,28	ГОСТ 19106-73
52732010000851	0	BK15	1011-0851	7742,96	3384,84	478,55	ГОСТ 19106-73

52832010000851	0	BK20	1011-0851	8910,26	3771,54	464,94	ГОСТ 19106-73
52532010000851	0	BK8	1011-0851	6451,77	2981,36	499,07	ГОСТ 19106-73
52732010000852	0	BK15	1011-0852	7739,59	4228,99	598,21	ГОСТ 19106-73
52832010000852	0	BK20	1011-0852	8906,26	4712,12	581,15	ГОСТ 19106-73
52532010000852	0	BK8	1011-0852	6449,11	3725,01	623,81	ГОСТ 19106-73
52732010000853	0	BK15	1011-0853	7756,17	1892,27	267,08	ГОСТ 19106-73
52832010000853	0	BK20	1011-0853	8925,94	2108,66	259,42	ГОСТ 19106-73
52732010000854	0	BK15	1011-0854	7748,73	2520,12	356,08	ГОСТ 19106-73
52832010000854	0	BK20	1011-0854	8917,11	2808,18	345,92	ГОСТ 19106-73
52532010000854	0	BK8	1011-0854	6456,33	2219,68	371,3	ГОСТ 19106-73
52732010000855	0	BK15	1011-0855	7744,23	3148,73	445,07	ГОСТ 19106-73
52832010000855	0	BK20	1011-0855	8911,76	3508,56	432,43	ГОСТ 19106-73
52532010000855	0	BK8	1011-0855	6452,77	2773,40	464,18	ГОСТ 19106-73
52732010000856	0	BK15	1011-0856	7740,61	3933,70	556,42	ГОСТ 19106-73
52832010000856	0	BK20	1011-0856	8907,46	4383,18	540,43	ГОСТ 19106-73
52532010000856	0	BK8	1011-0856	6449,91	3464,89	580,18	ГОСТ 19106-73
52732010000857	0	BK15	1011-0857	7758,91	1732,25	244,4	ГОСТ 19106-73
52832010000857	0	BK20	1011-0857	8929,19	1930,31	237,38	ГОСТ 19106-73
52532010000857	0	BK8	1011-0857	6464,37	1525,59	254,88	ГОСТ 19106-73
52732010000858	0	BK15	1011-0858	7750,8	2307,49	325,84	ГОСТ 19106-73
52832010000858	0	BK20	1011-0858	8919,57	2571,24	316,55	ГОСТ 19106-73
52532010000858	0	BK8	1011-0858	6457,96	2032,32	339,88	ГОСТ 19106-73
52732010000859	0	BK15	1011-0859	7745,9	2881,94	407,38	ГОСТ 19106-73
52832010000859	0	BK20	1011-0859	8913,75	3211,27	395,71	ГОСТ 19106-73
52532010000859	0	BK8	1011-0859	6454,09	2538,39	424,76	ГОСТ 19106-73
52732010000861	0	BK15	1011-0861	7741,95	3601,17	509,22	ГОСТ 19106-73
52832010000861	0	BK20	1011-0861	8909,06	4012,64	494,64	ГОСТ 19106-73
52532010000861	0	BK8	1011-0861	6450,97	3171,94	531,04	ГОСТ 19106-73
52732010000862	0	BK15	1011-0862	7748,07	2596,92	366,88	ГОСТ 19106-73
52832010000862	0	BK20	1011-0862	8916,32	2893,70	356,4	ГОСТ 19106-73
52532010000862	0	BK8	1011-0862	6455,8	2287,29	382,64	ГОСТ 19106-73
52732010000863	0	BK15	1011-0863	7742,6	3460,09	489,24	ГОСТ 19106-73
52832010000863	0	BK20	1011-0863	8909,83	3855,46	475,2	ГОСТ 19106-73
52532010000863	0	BK8	1011-0863	6451,48	3047,68	510,19	ГОСТ 19106-73
52732010000864	0	BK15	1011-0864	7739,3	4323,25	611,5	ГОСТ 19106-73
52832010000864	0	BK20	1011-0864	8905,9	4817,20	594,00	ГОСТ 19106-73
52532010000864	0	BK8	1011-0864	6448,88	3808,06	637,74	ГОСТ 19106-73
52732010000865	0	BK15	1011-0865	7736,65	5402,04	764,42	ГОСТ 19106-73
52832010000865	0	BK20	1011-0865	8902,76	6019,15	742,5	ГОСТ 19106-73
52532010000865	0	BK8	1011-0865	6446,79	4758,37	797,15	ГОСТ 19106-73
52732010000866	0	BK15	1011-0866	7750,63	2323,56	328,21	ГОСТ 19106-73
52832010000866	0	BK20	1011-0866	8919,37	2589,11	318,82	ГОСТ 19106-73
52532010000866	0	BK8	1011-0866	6457,83	2046,49	342,25	ГОСТ 19106-73
52732010000867	0	BK15	1011-0867	7744,54	3095,41	437,51	ГОСТ 19106-73
52832010000867	0	BK20	1011-0867	8912,13	3449,08	425,09	ГОСТ 19106-73
52532010000867	0	BK8	1011-0867	6453,02	2726,40	422,5	ГОСТ 19106-73
52732010000868	0	BK15	1011-0868	7740,86	3867,18	546,91	ГОСТ 19106-73
52832010000868	0	BK20	1011-0868	8907,76	4309,04	531,36	ГОСТ 19106-73
52532010000868	0	BK8	1011-0868	6450,11	3406,30	570,35	ГОСТ 19106-73
52732010000869	0	BK15	1011-0869	7737,9	4832,70	683,64	ГОСТ 19106-73
52832010000869	0	BK20	1011-0869	8904,24	5384,75	664,09	ГОСТ 19106-73
52532010000869	0	BK8	1011-0869	6447,77	4256,82	713,02	ГОСТ 19106-73
52732010000871	0	BK15	1011-0871	7736,02	5736,80	811,84	ГОСТ 19106-73
52832010000871	0	BK20	1011-0871	8902,02	6392,09	788,62	ГОСТ 19106-73
52532010000871	0	BK8	1011-0871	6446,3	5053,25	846,61	ГОСТ 19106-73
52732010100871	0	BK15	1011-0871A	7734,57	6708,12	949,54	ГОСТ 19106-73
52832010100871	0	BK20	1011-0871A	8900,29	7474,38	922,32	ГОСТ 19106-73
52732010000872	0	BK15	1011-0872	7734,02	7169,36	1014,77	ГОСТ 19106-73
52832010000872	0	BK20	1011-0872	8899,64	7988,22	985,82	ГОСТ 19106-73
52532010000872	0	BK8	1011-0872	6444,71	6315,18	1058,29	ГОСТ 19106-73
52732010100872	0	BK15	1011-0872A	7732,85	8384,04	1186,92	ГОСТ 19106-73
52832010100872	0	BK20	1011-0872A	8898,25	9341,65	1153,01	ГОСТ 19106-73
52532010100872	0	BK8	1011-0872A	6443,39	7976,92	1238,00	ГОСТ 19106-73
52732010000873	0	BK15	1011-0873	7732,41	8960,01	1268,57	ГОСТ 19106-73
52832010000873	0	BK20	1011-0873	8897,73	9983,34	1232,28	ГОСТ 19106-73
52532010000873	0	BK8	1011-0873	6443,45	7892,58	1322,89	ГОСТ 19106-73
52832010100873	0	BK20	1011-0873A	8897,22	10694,72	1441,26	ГОСТ 19106-73
52532010100873	0	BK8	1011-0873A	6442,71	9229,83	1432,6	ГОСТ 19106-73
52732010000874	0	BK15	1011-0874	7738,98	4429,95	626,72	ГОСТ 19106-73
52832010000874	0	BK20	1011-0874	8905,53	4936,07	608,8	ГОСТ 19106-73
52532010000874	0	BK8	1011-0874	6448,63	3902,06	653,51	ГОСТ 19106-73

52832010100874	0	BK20	1011-0874A	9316,33	5768,95	742,5	ГОСТ 19106-73
52532010100874	0	BK8	1011-0874A	7042,78	5197,57	738,00	ГОСТ 19106-73
52732010000875	0	BK15	1011-0875	7736,39	5535,77	783,32	ГОСТ 19106-73
52832010000875	0	BK20	1011-0875	8902,45	6168,15	760,97	ГОСТ 19106-73
52532010000875	0	BK8	1011-0875	6446,58	4876,20	816,91	ГОСТ 19106-73
52732010100875	0	BK15	1011-0875A	8090,84	7061,52	955,48	ГОСТ 19106-73
52832010100875	0	BK20	1011-0875A	9310,43	7868,25	928,15	ГОСТ 19106-73
52732010000876	0	BK15	1011-0876	7734,31	6917,88	979,24	ГОСТ 19106-73
52832010000876	0	BK20	1011-0876	8899,98	7708,10	951,16	ГОСТ 19106-73
52532010000876	0	BK8	1011-0876	6444,94	6093,70	1021,14	ГОСТ 19106-73
52732010100876	0	BK15	1011-0876A	8088,11	8823,56	1194,26	ГОСТ 19106-73
52832010100876	0	BK20	1011-0876A	9307,19	9831,46	1160,24	ГОСТ 19106-73
52732010000877	0	BK15	1011-0877	8092,88	6142,34	830,84	ГОСТ 19106-73
52832010000877	0	BK20	1011-0877	9312,86	6844,11	807,08	ГОСТ 19106-73
52532010000877	0	BK8	1011-0877	6743,43	5410,25	802,3	ГОСТ 19106-73
52732010000878	0	BK15	1011-0878	8089,75	7674,34	1038,53	ГОСТ 19106-73
52832010000878	0	BK20	1011-0878	9309,14	8551,00	1008,94	ГОСТ 19106-73
52532010000878	0	BK8	1011-0878	6740,96	6759,83	1083,02	ГОСТ 19106-73
52732010000879	0	BK15	1011-0879	8087,23	9589,92	1298,16	ГОСТ 19106-73
52832010000879	0	BK20	1011-0879	9306,15	10685,41	1261,12	ГОСТ 19106-73
52532010000879	0	BK8	1011-0879	6738,97	8447,30	1353,78	ГОСТ 19106-73
52732010000881	0	BK15	1011-0881	8094,79	5476,77	740,66	ГОСТ 19106-73
52832010000881	0	BK20	1011-0881	9315,12	6102,52	719,5	ГОСТ 19106-73
52532010000881	0	BK8	1011-0881	6744,93	4823,97	772,42	ГОСТ 19106-73
52732010000882	0	BK15	1011-0882	8091,28	6842,95	925,78	ГОСТ 19106-73
52832010000882	0	BK20	1011-0882	9310,95	7624,74	899,32	ГОСТ 19106-73
52532010000882	0	BK8	1011-0882	6742,16	6027,49	965,52	ГОСТ 19106-73
52732010000883	0	BK15	1011-0883	8088,46	8549,99	1157,22	ГОСТ 19106-73
52832010000883	0	BK20	1011-0883	9307,61	9526,71	1124,17	ГОСТ 19106-73
52532010000883	0	BK8	1011-0883	6739,94	7531,21	1206,79	ГОСТ 19106-73
52732010000884	0	BK15	1011-0884	8088,02	8900,70	1204,74	ГОСТ 19106-73
52832010000884	0	BK20	1011-0884	9307,08	9917,44	1170,29	ГОСТ 19106-73
52532010000884	0	BK8	1011-0884	6739,59	7840,16	1256,36	ГОСТ 19106-73
52732010000885	0	BK15	1011-0885	8085,84	11122,73	1505,95	ГОСТ 19106-73
52832010000885	0	BK20	1011-0885	9304,5	12393,22	1462,86	ГОСТ 19106-73
52532010000885	0	BK8	1011-0885	6737,88	9797,55	1570,43	ГОСТ 19106-73
52732010000886	0	BK15	1011-0886	8445,69	8241,31	1068,23	ГОСТ 19106-73
52832010000886	0	BK20	1011-0886	9718,89	9182,90	1037,66	ГОСТ 19106-73
52532010000886	0	BK8	1011-0886	7037,37	7259,04	1114,02	ГОСТ 19106-73
52732010000887	0	BK15	1011-0887	8086,95	9864,22	1335,31	ГОСТ 19106-73
52832010000887	0	BK20	1011-0887	9305,82	10991,01	1297,19	ГОСТ 19106-73
52532010000887	0	BK8	1011-0887	6738,75	8688,95	1392,55	ГОСТ 19106-73
52732010000888	0	BK15	1011-0888	8086,7	10126,33	1370,84	ГОСТ 19106-73
52832010000888	0	BK20	1011-0888	9305,52	11283,03	1331,75	ГОСТ 19106-73
52532010000888	0	BK8	1011-0888	6738,55	8919,82	1429,6	ГОСТ 19106-73
52732010000889	0	BK15	1011-0889	8084,79	12655,53	1713,64	ГОСТ 19106-73
52832010000889	0	BK20	1011-0889	9303,25	14101,02	1664,6	ГОСТ 19106-73
52532010000889	0	BK8	1011-0889	6737,04	11147,79	1787,08	ГОСТ 19106-73
52732010000891	0	BK15	1011-0891	8084,81	12622,65	1709,21	ГОСТ 19106-73
52832010000891	0	BK20	1011-0891	9303,27	14064,40	1660,28	ГОСТ 19106-73
52532010000891	0	BK8	1011-0891	6737,06	11118,84	1782,43	ГОСТ 19106-73
52732010000892	0	BK15	1011-0892	8083,28	15775,32	2136,46	ГОСТ 19106-73
52832010000892	0	BK20	1011-0892	9301,45	17577,04	2075,44	ГОСТ 19106-73
52532010000892	0	BK8	1011-0892	6735,85	13896,06	2228,04	ГОСТ 19106-73
52732010000893	0	BK15	1011-0893	8085,67	11352,68	1537,06	ГОСТ 19106-73
52832010000893	0	BK20	1011-0893	9304,29	12649,46	1493,1	ГОСТ 19106-73
52532010000893	0	BK8	1011-0893	6737,74	10000,15	1602,94	ГОСТ 19106-73
52732010000894	0	BK15	1011-0894	8083,96	14187,52	1921,32	ГОСТ 19106-73
52832010000894	0	BK20	1011-0894	9302,26	15807,90	1866,46	ГОСТ 19106-73
52532010000894	0	BK8	1011-0894	6736,39	12497,36	2003,62	ГОСТ 19106-73
52732010000895	0	BK15	1011-0895	8083,13	16169,57	2189,81	ГОСТ 19106-73
52832010000895	0	BK20	1011-0895	9301,27	18016,28	2127,28	ГОСТ 19106-73
52532010000895	0	BK8	1011-0895	6735,73	14243,38	2283,77	ГОСТ 19106-73
52732010000896	0	BK15	1011-0896	8081,93	20208,62	2737,37	ГОСТ 19106-73
52832010000896	0	BK20	1011-0896	9299,85	22516,51	2659,18	ГОСТ 19106-73
52532010000896	0	BK8	1011-0896	6734,79	17801,39	2854,66	ГОСТ 19106-73
52732010000897	0	BK15	1011-0897	8437,64	15368,57	1994,00	ГОСТ 19106-73
52832010000897	0	BK20	1011-0897	9709,33	17124,05	1937,09	ГОСТ 19106-73
52532010000897	0	BK8	1011-0897	7031,01	13537,52	2079,43	ГОСТ 19106-73
52732010000898	0	BK15	1011-0898	8435,78	19206,83	2492,53	ГОСТ 19106-73
52832010000898	0	BK20	1011-0898	9707,11	21400,59	2421,36	ГОСТ 19106-73

52532010000898	0	BK8	1011-0898	7029,55	16918,71	2599,34	ГОСТ 19106-73
52732010000899	0	BK15	1011-0899	8438,26	14409,35	1869,37	ГОСТ 19106-73
52832010000899	0	BK20	1011-0899	9710,06	16055,30	1816,02	ГОСТ 19106-73
52532010000899	0	BK8	1011-0899	7031,5	12692,57	1949,51	ГОСТ 19106-73
52732010000901	0	BK15	1011-0901	8436,28	18007,65	2336,8	ГОСТ 19106-73
52832010000901	0	BK20	1011-0901	9707,7	20064,46	2269,94	ГОСТ 19106-73
52532010000901	0	BK8	1011-0901	7029,94	15862,35	2436,91	ГОСТ 19106-73
52732010000912	0	BK15	1011-0912	11436,64	7,66	0,75	ГОСТ 19106-73
52832010000912	0	BK20	1011-0912	10406,53	7,39	0,67	ГОСТ 19106-73
52532010000912	0	BK8	1011-0912	9513,06	6,75	0,77	ГОСТ 19106-73
52732010000913	0	BK15	1011-0913	11243,04	11,92	1,16	ГОСТ 19106-73
52832010000913	0	BK20	1011-0913	12953,18	13,34	1,12	ГОСТ 19106-73
52532010000913	0	BK8	1011-0913	9346,29	10,47	1,21	ГОСТ 19106-73
52732010000914	0	BK15	1011-0914	10989,46	18,24	1,8	ГОСТ 19106-73
52832010000914	0	BK20	1011-0914	12672,07	20,28	1,76	ГОСТ 19106-73
52532010000914	0	BK8	1011-0914	9129,51	15,98	1,89	ГОСТ 19106-73
52732010000915	0	BK15	1011-0915	9822,11	18,66	2,08	ГОСТ 19106-73
52832010000915	0	BK20	1011-0915	11319,66	20,83	2,02	ГОСТ 19106-73
52532010000915	0	BK8	1011-0915	8162,35	16,41	2,17	ГОСТ 19106-73
52732010000916	0	BK15	1011-0916	9572,83	29,20	3,33	ГОСТ 19106-73
52832010000916	0	BK20	1011-0916	11036,85	32,56	3,23	ГОСТ 19106-73
52499991011916	0	BK6	1011-0916	7951,65	25,60	3,25	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52532010000916	0	BK8	1011-0916	7951,65	25,60	3,48	ГОСТ 19106-73
61332010000916	0	T15K6	1011-0916	10686,82	34,41	2,49	ГОСТ 19106-73
52732010000917	0	BK15	1011-0917	9513,93	32,16	3,7	ГОСТ 19106-73
52832010000917	0	BK20	1011-0917	10969,42	35,87	3,6	ГОСТ 19106-73
52532010000917	0	BK8	1011-0917	7901,8	28,21	3,86	ГОСТ 19106-73
52732010000918	0	BK15	1011-0918	9878,75	66,78	7,41	ГОСТ 19106-73
52832010000918	0	BK20	1011-0918	11397,57	74,65	7,19	ГОСТ 19106-73
52532010000918	0	BK8	1011-0918	8193,57	58,58	7,72	ГОСТ 19106-73
52732010000919	0	BK15	1011-0919	8374,67	55,27	7,23	ГОСТ 19106-73
52832010000919	0	BK20	1011-0919	9650,28	61,67	7,02	ГОСТ 19106-73
52532010000919	0	BK8	1011-0919	6961,81	48,59	7,54	ГОСТ 19106-73
52732010000921	0	BK15	1011-0921	8738,32	115,43	14,46	ГОСТ 19106-73
52832010000921	0	BK20	1011-0921	10072,92	128,83	14,04	ГОСТ 19106-73
52432011000921	0	BK6	1011-0921	7260,21	101,35	14,1	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52532010000921	0	BK8	1011-0921	7260,21	101,35	15,08	ГОСТ 19106-73
52732010000922	0	BK15	1011-0922	8258,9	75,32	10,85	ГОСТ 19106-73
52832010000922	0	BK20	1011-0922	9516,16	84,03	10,11	ГОСТ 19106-73
52532010000922	0	BK8	1011-0922	6866,7	66,20	10,41	ГОСТ 19106-73
52732010000923	0	BK15	1011-0923	8595,21	156,78	21,71	ГОСТ 19106-73
52832010000923	0	BK20	1011-0923	9905,55	174,93	20,2	ГОСТ 19106-73
52499991011923	0	BK6	1011-0923	7144,25	137,74	19,48	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52532010000923	0	BK8	1011-0923	7144,25	137,74	20,82	ГОСТ 19106-73
52732010000924	0	BK15	1011-0924	8069,41	136,45	18,51	ГОСТ 19106-73
52832010000924	0	BK20	1011-0924	9295,24	152,16	17,98	ГОСТ 19106-73
52532010000924	0	BK8	1011-0924	6712,55	119,95	19,3	ГОСТ 19106-73
52732010000925	0	BK15	1011-0925	7927,05	256,99	38,6	ГОСТ 19106-73
52832010000925	0	BK20	1011-0925	9128,00	286,53	35,95	ГОСТ 19106-73
52532010000925	0	BK8	1011-0925	6598,04	226,11	37,01	ГОСТ 19106-73
52832010000926	0	BK20	1011-0926	9173,3	234,56	28,09	ГОСТ 19106-73
52532010000926	0	BK8	1011-0926	6628,84	185,08	30,15	ГОСТ 19106-73
52732010000927	0	BK15	1011-0927	8253,18	523,17	69,4	ГОСТ 19106-73
52832010000927	0	BK20	1011-0927	9502,85	583,29	67,41	ГОСТ 19106-73
52532010000927	0	BK8	1011-0927	6870,34	460,38	72,37	ГОСТ 19106-73
52832010000928	0	BK20	1011-0928	9097,05	335,04	40,45	ГОСТ 19106-73
52532010000928	0	BK8	1011-0928	6577,06	264,46	43,43	ГОСТ 19106-73
52732010000929	0	BK15	1011-0929	8202,17	748,78	99,93	ГОСТ 19106-73
52832010000929	0	BK20	1011-0929	9442,49	834,62	97,08	ГОСТ 19106-73
52532010000929	0	BK8	1011-0929	6829,85	659,08	104,22	ГОСТ 19106-73
52832010000931	0	BK20	1011-0931	9060,1	416,04	55,06	ГОСТ 19106-73
52732010000932	0	BK15	1011-0932	8170,27	1015,24	136,03	ГОСТ 19106-73
52832010000932	0	BK20	1011-0932	9404,69	1131,57	132,14	ГОСТ 19106-73
52532010000932	0	BK8	1011-0932	6804,59	893,78	141,86	ГОСТ 19106-73
52832010000933	0	BK20	1011-0933	9012,9	590,16	71,92	ГОСТ 19106-73
52732010000934	0	BK15	1011-0934	7779,6	1052,11	148,06	ГОСТ 19106-73
52832010000934	0	BK20	1011-0934	8953,74	1172,49	143,82	ГОСТ 19106-73
52532010000934	0	BK8	1011-0934	6480,73	926,49	154,4	ГОСТ 19106-73
52732010000935	0	BK15	1011-0935	8139,08	1541,05	207,27	ГОСТ 19106-73
52832010000935	0	BK20	1011-0935	9367,7	1717,47	201,36	ГОСТ 19106-73
52532010000935	0	BK8	1011-0935	6779,91	1357,00	216,16	ГОСТ 19106-73

52832010000936	0	BK20	1011-0936	8997,04	683,15	91,01	ГОСТ 19106-73
52832010000937	0	BK20	1011-0937	8945,24	1358,69	182,12	ГОСТ 19106-73
52532010000937	0	BK8	1011-0937	6472,06	1171,64	181,03	ГОСТ 19106-73
52732010000938	0	BK15	1011-0938	8126,34	1947,23	262,33	ГОСТ 19106-73
52832010000938	0	BK20	1011-0938	9352,59	2169,99	254,84	ГОСТ 19106-73
52532010000938	0	BK8	1011-0938	6769,84	1714,80	273,56	ГОСТ 19106-73
52532010000939	0	BK8	1011-0939	6492,09	725,10	120,63	ГОСТ 19106-73
52732010000941	0	BK15	1011-0941	7760,73	1640,00	231,34	ГОСТ 19106-73
52832010000941	0	BK20	1011-0941	8931,35	1827,53	224,73	ГОСТ 19106-73
52532010000941	0	BK8	1011-0941	6465,81	1444,33	241,25	ГОСТ 19106-73
52732010000942	0	BK15	1011-0942	8117,15	2401,38	323,87	ГОСТ 19106-73
52832010000942	0	BK20	1011-0942	9341,67	2676,02	314,61	ГОСТ 19106-73
52532010000942	0	BK8	1011-0942	6762,58	2114,86	337,75	ГОСТ 19106-73
52403860060308	0	BK6	10111-060308	8437,42	32,15	3,86	ГОСТ 19063-80
52503860060308	0	BK8	10111-060308	8437,42	32,15	3,81	ГОСТ 19063-80
61103860060308	0	T5K10	10111-060308	10077,35	29,53	3,34	ГОСТ 19063-80
52503860060312	0	BK8	10111-060312	8438,33	31,98	3,79	ГОСТ 19063-80
61303860060312	0	T15K6	10111-060312	10077,35	29,53	2,96	ГОСТ 19063-80
61103860060312	0	T5K10	10111-060312	10077,35	29,53	3,32	ГОСТ 19063-80
52503860090408	0	BK8	10111-090408	8207,42	83,72	10,2	ГОСТ 19063-80
69103860090408	0	ВП1255	10111-090408	17060,76	155,25	9,48	ГОСТ 19063-80
59203860090408	0	ВП3325	10111-090408	11490,33	117,20	10,2	ГОСТ 19063-80
61303860090408	0	T15K6	10111-090408	9875,64	77,33	7,93	ГОСТ 19063-80
61103860090408	0	T5K10	10111-090408	9875,64	77,33	8,9	ГОСТ 19063-80
52403860090412	0	BK6	10111-090412	8207,42	83,72	10,3	ГОСТ 19063-80
52503860090412	0	BK8	10111-090412	8207,42	83,72	10,1	ГОСТ 19063-80
69103860090412	0	ВП1255	10111-090412	17060,76	155,25	9,39	ГОСТ 19063-80
59103860090412	0	ВП3115	10111-090412	11490,33	117,20	10,3	ГОСТ 19063-80
61303860090412	0	T15K6	10111-090412	9875,64	77,33	9,71	ГОСТ 19063-80
61103860090412	0	T5K10	10111-090412	9875,64	77,33	8,88	ГОСТ 19063-80
52503860130412	0	BK8	10111-130412	7953,71	182,14	22,9	ГОСТ 19063-80
61303860130412	0	T15K6	10111-130412	9630,55	169,40	17,8	ГОСТ 19063-80
61103860130416	0	T5K10	10111-130416	9630,55	169,40	20,00	ГОСТ 19063-80
55103880110408	0	BK10-XO	10113-110408	12014,39	164,60	13,56	ГОСТ 19064-80
51103880110408	0	BK3-M	10113-110408	12065,78	146,96	14,2	ГОСТ 19064-80
52403880110408	0	BK6	10113-110408	8118,41	111,22	13,9	ГОСТ 19064-80
51603880110408	0	BK6-OM	10113-110408	12065,78	146,96	13,91	ГОСТ 19064-80
52503880110408	0	BK8	10113-110408	8118,41	111,22	13,7	ГОСТ 19064-80
69103880110408	0	ВП1255	10113-110408	16889,94	206,40	12,6	ГОСТ 19064-80
59103880110408	0	ВП3115	10113-110408	11365,72	155,71	13,9	ГОСТ 19064-80
59203880110408	0	ВП3325	10113-110408	11365,72	155,71	13,7	ГОСТ 19064-80
61203880110408	0	T14K8	10113-110408	9792,44	103,02	10,9	ГОСТ 19064-80
61303880110408	0	T15K6	10113-110408	9792,44	103,02	10,7	ГОСТ 19064-80
61403880110408	0	T30K4	10113-110408	9792,44	103,02	9,1	ГОСТ 19064-80
61103880110408	0	T5K10	10113-110408	9792,44	103,02	12,00	ГОСТ 19064-80
52403880130412	0	BK6	10113-130412	8007,3	155,34	19,7	ГОСТ 19064-80
52503880130412	0	BK8	10113-130412	8007,3	155,34	19,4	ГОСТ 19064-80
61303880130412	0	T15K6	10113-130412	9684,42	144,30	15,2	ГОСТ 19064-80
61103880130412	0	T5K10	10113-130412	9684,42	144,30	17,00	ГОСТ 19064-80
52403880130612	0	BK6	10113-130612	7914,28	204,98	26,3	ГОСТ 19064-80
52503880130612	0	BK8	10113-130612	7914,28	204,98	25,9	ГОСТ 19064-80
69103880130612	0	ВП1255	10113-130612	16487,77	380,87	24,08	ГОСТ 19064-80
59103880130612	0	ВП3115	10113-130612	11079,93	286,97	26,3	ГОСТ 19064-80
59203880130612	0	ВП3325	10113-130612	11079,93	286,97	25,9	ГОСТ 19064-80
61203880130612	0	T14K8	10113-130612	9590,26	190,75	20,6	ГОСТ 19064-80
61303880130612	0	T15K6	10113-130612	9590,26	190,75	20,2	ГОСТ 19064-80
61103880130612	0	T5K10	10113-130612	9590,26	190,75	22,7	ГОСТ 19064-80
52403880160612	0	BK6	10113-160612	7806,07	287,26	37,4	ГОСТ 19064-80
51603880160612	0	BK6-OM	10113-160612	11621,86	380,27	37,4	ГОСТ 19064-80
52503880160612	0	BK8	10113-160612	7806,07	287,26	36,8	ГОСТ 19064-80
69103880160612	0	ВП1255	10113-160612	16268,42	534,09	34,22	ГОСТ 19064-80
59103880160612	0	ВП3115	10113-160612	10928,44	402,17	37,4	ГОСТ 19064-80
59203880160612	0	ВП3325	10113-160612	10928,44	402,17	36,8	ГОСТ 19064-80
61203880160612	0	T14K8	10113-160612	9476,04	267,79	29,3	ГОСТ 19064-80
61303880160612	0	T15K6	10113-160612	9476,04	267,79	28,8	ГОСТ 19064-80
61103880160612	0	T5K10	10113-160612	9476,04	267,79	32,3	ГОСТ 19064-80
55103910110408	0	BK10-XO	10114-110408	12695,17	144,47	12,54	ГОСТ 19065-80
51103910110408	0	BK3-M	10114-110408	12695,17	144,47	13,3	ГОСТ 19065-80
52403910110408	0	BK6	10114-110408	8556,12	109,52	13,00	ГОСТ 19065-80
51603910110408	0	BK6-OM	10114-110408	12695,17	144,47	13,00	ГОСТ 19065-80
52503910110408	0	BK8	10114-110408	8556,12	109,52	12,8	ГОСТ 19065-80

69103910110408	0	ВП1255	10114-110408	17770,57	202,94	11,9	ГОСТ 19065-80
59103910110408	0	ВП3115	10114-110408	11978,5	153,32	13,00	ГОСТ 19065-80
59203910110408	0	ВП3325	10114-110408	11978,5	153,32	12,8	ГОСТ 19065-80
61203910110408	0	Т14К8	10114-110408	10251,18	100,77	10,2	ГОСТ 19065-80
61303910110408	0	Т15К6	10114-110408	10251,18	100,77	10,00	ГОСТ 19065-80
61103910110408	0	Т5К10	10114-110408	10251,18	100,77	11,2	ГОСТ 19065-80
62403910110408	0	ТТ20К9	10114-110408	24179,77	256,31	11,00	ГОСТ 19065-80
62103910110408	0	ТТ7К12	10114-110408	15234,18	173,36	11,5	ГОСТ 19065-80
55103910110416	0	ВК10-ХО	10114-110416	12695,17	144,47	12,7	ГОСТ 19065-80
52403910110416	0	ВК6	10114-110416	8556,12	109,52	12,9	ГОСТ 19065-80
51603910110416	0	ВК6-ОМ	10114-110416	12695,17	144,47	12,9	ГОСТ 19065-80
52503910110416	0	ВК8	10114-110416	8556,12	109,52	12,8	ГОСТ 19065-80
69103910110416	0	ВП1255	10114-110416	17770,57	202,94	11,9	ГОСТ 19065-80
59103910110416	0	ВП3115	10114-110416	11978,5	153,32	12,9	ГОСТ 19065-80
59203910110416	0	ВП3325	10114-110416	11978,5	153,32	12,8	ГОСТ 19065-80
61203910110416	0	Т14К8	10114-110416	10251,18	100,77	10,1	ГОСТ 19065-80
61303910110416	0	Т15К6	10114-110416	10251,18	100,77	9,96	ГОСТ 19065-80
61103910110416	0	Т5К10	10114-110416	10251,18	100,77	11,2	ГОСТ 19065-80
62103910110416	0	ТТ7К12	10114-110416	15234,18	173,36	11,7	ГОСТ 19065-80
51103910130412	0	ВК3-М	10114-130412	12512,18	201,32	18,8	ГОСТ 19065-80
52403910130412	0	ВК6	10114-130412	8424,4	152,48	18,3	ГОСТ 19065-80
52503910130412	0	ВК8	10114-130412	8424,4	152,48	18,1	ГОСТ 19065-80
69103910130412	0	ВП1255	10114-130412	17514,05	282,85	16,83	ГОСТ 19065-80
61303910130412	0	Т15К6	10114-130412	10124,3	140,73	14,1	ГОСТ 19065-80
61103910130412	0	Т5К10	10114-130412	10124,3	140,73	15,9	ГОСТ 19065-80
52503910130420	0	ВК8	10114-130420	8424,4	152,48	18,00	ГОСТ 19065-80
69103910130420	0	ВП1255	10114-130420	17514,05	282,85	16,82	ГОСТ 19065-80
59203910130420	0	ВП3325	10114-130420	11794,09	213,47	18,00	ГОСТ 19065-80
61303910130420	0	Т15К6	10114-130420	10124,3	140,73	14,1	ГОСТ 19065-80
61103910130420	0	Т5К10	10114-130420	10124,3	140,73	15,8	ГОСТ 19065-80
52403910130612	0	ВК6	10114-130612	8305,59	204,32	24,9	ГОСТ 19065-80
51603910130612	0	ВК6-ОМ	10114-130612	12343,88	269,96	24,9	ГОСТ 19065-80
52503910130612	0	ВК8	10114-130612	8305,59	204,32	24,6	ГОСТ 19065-80
69103910130612	0	ВП1255	10114-130612	17278,81	379,10	22,87	ГОСТ 19065-80
59103910130612	0	ВП3115	10114-130612	11627,77	286,04	24,9	ГОСТ 19065-80
59203910130612	0	ВП3325	10114-130612	11627,77	286,04	24,6	ГОСТ 19065-80
61203910130612	0	Т14К8	10114-130612	10004,99	188,99	19,5	ГОСТ 19065-80
61303910130612	0	Т15К6	10114-130612	10004,99	188,99	19,2	ГОСТ 19065-80
61103910130612	0	Т5К10	10114-130612	10004,99	188,99	21,5	ГОСТ 19065-80
62103910130612	0	ТТ7К12	10114-130612	14986,76	251,63	22,16	ГОСТ 19065-80
52503910130620	0	ВК8	10114-130620	8305,59	204,32	24,5	ГОСТ 19065-80
69103910130620	0	ВП1255	10114-130620	17278,81	379,10	22,86	ГОСТ 19065-80
59203910130620	0	ВП3325	10114-130620	11627,77	286,04	24,5	ГОСТ 19065-80
61203910130620	0	Т14К8	10114-130620	10004,99	188,99	19,4	ГОСТ 19065-80
61303910130620	0	Т15К6	10114-130620	10004,99	188,99	19,1	ГОСТ 19065-80
61103910130620	0	Т5К10	10114-130620	10004,99	188,99	21,4	ГОСТ 19065-80
52403910160612	0	ВК6	10114-160612	8175,98	284,52	35,3	ГОСТ 19065-80
52503910160612	0	ВК8	10114-160612	8175,98	284,52	34,8	ГОСТ 19065-80
69103910160612	0	ВП1255	10114-160612	17016,96	528,21	32,36	ГОСТ 19065-80
59203910160612	0	ВП3325	10114-160612	11446,31	398,33	34,8	ГОСТ 19065-80
61203910160612	0	Т14К8	10114-160612	9868,99	263,80	27,7	ГОСТ 19065-80
61303910160612	0	Т15К6	10114-160612	9868,99	263,80	27,2	ГОСТ 19065-80
61103910160612	0	Т5К10	10114-160612	9868,99	263,80	30,5	ГОСТ 19065-80
55103890110408	0	ВК10-ХО	10123-110408	13898,22	169,28	13,42	ГОСТ 19064-80
52403890110408	0	ВК6	10123-110408	9388,58	128,62	13,9	ГОСТ 19064-80
52503890110408	0	ВК8	10123-110408	9388,58	128,62	13,7	ГОСТ 19064-80
59203890110408	0	ВП3325	10123-110408	13143,94	180,07	13,7	ГОСТ 19064-80
61203890110408	0	Т14К8	10123-110408	11133,86	117,13	10,9	ГОСТ 19064-80
61303890110408	0	Т15К6	10123-110408	11133,86	117,13	10,7	ГОСТ 19064-80
61103890110408	0	Т5К10	10123-110408	11133,86	117,13	12,00	ГОСТ 19064-80
62403890110408	0	ТТ20К9	10123-110408	26589,27	301,52	11,76	ГОСТ 19064-80
52503890130412	0	ВК8	10123-130412	9206,05	178,60	19,4	ГОСТ 19064-80
61303890130412	0	Т15К6	10123-130412	10956,4	163,25	15,2	ГОСТ 19064-80
52503890130612	0	ВК8	10123-130612	9053,22	234,48	25,9	ГОСТ 19064-80
69103890130612	0	ВП1255	10123-130612	18793,35	434,13	24,08	ГОСТ 19064-80
59103890130612	0	ВП3115	10123-130612	12674,44	328,27	26,3	ГОСТ 19064-80
59203890130612	0	ВП3325	10123-130612	12674,44	328,27	25,9	ГОСТ 19064-80
61303890130612	0	Т15К6	10123-130612	10801,7	214,85	20,2	ГОСТ 19064-80
61103890130612	0	Т5К10	10123-130612	10801,7	214,85	22,7	ГОСТ 19064-80
62403890130612	0	ТТ20К9	10123-130612	25661,47	550,44	21,79	ГОСТ 19064-80
52403890160612	0	ВК6	10123-160612	8875,45	326,62	37,4	ГОСТ 19064-80

52503890160612	0	BK8	10123-160612	8875,45	326,62	36,8	ГОСТ 19064-80
59203890160612	0	БП3325	10123-160612	12425,57	457,26	36,8	ГОСТ 19064-80
61303890160612	0	T15K6	10123-160612	10614,06	299,95	28,8	ГОСТ 19064-80
61103890160612	0	T5K10	10123-160612	10614,06	299,95	32,3	ГОСТ 19064-80
52403920110408	0	BK6	10124-110408	9873,65	126,38	13,00	ГОСТ 19065-80
52503920110408	0	BK8	10124-110408	9873,65	126,38	12,8	ГОСТ 19065-80
69103920110408	0	БП1255	10124-110408	18633,96	212,80	11,9	ГОСТ 19065-80
59203920110408	0	БП3325	10124-110408	13823,04	176,93	12,8	ГОСТ 19065-80
61203920110408	0	T14K8	10124-110408	10702,58	105,21	10,2	ГОСТ 19065-80
61303920110408	0	T15K6	10124-110408	11643,14	114,45	10,00	ГОСТ 19065-80
61403920110408	0	T30K4	10124-110408	11643,14	114,45	8,51	ГОСТ 19065-80
61103920110408	0	T5K10	10124-110408	11643,14	114,45	11,2	ГОСТ 19065-80
62103920110408	0	ТТ7К12	10124-110408	17515,6	199,33	11,53	ГОСТ 19065-80
51603920110416	0	BK6-OM	10124-110416	14596,36	166,11	12,9	ГОСТ 19065-80
52503920110416	0	BK8	10124-110416	9873,65	126,38	12,8	ГОСТ 19065-80
69103920110416	0	БП1255	10124-110416	20430,78	233,32	11,9	ГОСТ 19065-80
59103920110416	0	БП3115	10124-110416	13823,04	176,93	12,9	ГОСТ 19065-80
61303920110416	0	T15K6	10124-110416	11643,14	114,45	9,96	ГОСТ 19065-80
61103920110416	0	T5K10	10124-110416	11643,14	114,45	11,2	ГОСТ 19065-80
52503920130412	0	BK8	10124-130412	9666,66	174,97	18,1	ГОСТ 19065-80
69103920130412	0	БП1255	10124-130412	20027,68	323,45	16,83	ГОСТ 19065-80
59203920130412	0	БП3325	10124-130412	13533,25	244,95	18,00	ГОСТ 19065-80
61303920130412	0	T15K6	10124-130412	11443,77	159,07	14,1	ГОСТ 19065-80
61103920130412	0	T5K10	10124-130412	11443,77	159,07	15,9	ГОСТ 19065-80
52503920130420	0	BK8	10124-130420	9666,66	174,97	18,00	ГОСТ 19065-80
59203920130420	0	БП3325	10124-130420	13533,25	244,95	18,00	ГОСТ 19065-80
61303920130420	0	T15K6	10124-130420	11443,77	159,07	14,1	ГОСТ 19065-80
52403920130612	0	BK6	10124-130612	9479,97	233,21	24,9	ГОСТ 19065-80
52503920130612	0	BK8	10124-130612	9479,97	233,21	24,6	ГОСТ 19065-80
59203920130612	0	БП3325	10124-130612	13271,89	326,49	24,5	ГОСТ 19065-80
61303920130612	0	T15K6	10124-130612	11256,27	212,63	19,2	ГОСТ 19065-80
61103920130612	0	T5K10	10124-130612	11256,27	212,63	21,5	ГОСТ 19065-80
61203920130620	0	T14K8	10124-130620	11256,27	212,63	19,4	ГОСТ 19065-80
61303920130620	0	T15K6	10124-130620	11256,27	212,63	19,1	ГОСТ 19065-80
61103920130620	0	T5K10	10124-130620	11256,27	212,63	21,4	ГОСТ 19065-80
52503920160612	0	BK8	10124-160612	9276,29	322,81	34,8	ГОСТ 19065-80
59103920160612	0	БП3115	10124-160612	12986,74	451,94	35,3	ГОСТ 19065-80
61303920160612	0	T15K6	10124-160612	11042,56	295,17	27,2	ГОСТ 19065-80
61103920160612	0	T5K10	10124-160612	11042,56	295,17	30,5	ГОСТ 19065-80
59103870060312	0	БП3115	10131-060312	16935,79	64,53	3,84	ГОСТ 19063-80
61303870060312	0	T15K6	10131-060312	13863,83	40,62	2,96	ГОСТ 19063-80
52503870090412	0	BK8	10131-090412	11476,05	117,06	10,1	ГОСТ 19063-80
59203870090412	0	БП3325	10131-090412	16066,39	163,88	10,1	ГОСТ 19063-80
61303870090412	0	T15K6	10131-090412	13319,21	104,29	9,71	ГОСТ 19063-80
52503870130412	0	BK8	10131-130412	10791,05	247,11	22,9	ГОСТ 19063-80
61303870130416	0	T15K6	10131-130416	12657,47	222,64	17,8	ГОСТ 19063-80
61103870130416	0	T5K10	10131-130416	11137,2	255,04	20,00	ГОСТ 19063-80
55100120000151	0	BK10-XO	10151	7167,72	148,37	20,55	ГОСТ 25396-90
52200120000151	0	BK3	10151	5462,96	111,50	21,00	ГОСТ 25396-90
51100120000151	0	BK3-M	10151	7167,72	148,37	21,00	ГОСТ 25396-90
52400120000151	0	BK6	10151	5462,96	111,50	20,6	ГОСТ 25396-90
51200120000151	0	BK6-M	10151	7167,72	148,37	20,6	ГОСТ 25396-90
51600120000151	0	BK6-OM	10151	7167,72	148,37	20,6	ГОСТ 25396-90
52500120000151	0	BK8	10151	5462,96	111,50	20,41	ГОСТ 25396-90
61200120000151	0	T14K8	10151	5671,11	99,64	15,7	ГОСТ 25396-90
61300120000151	0	T15K6	10151	5671,11	99,64	15,6	ГОСТ 25396-90
61400120000151	0	T30K4	10151	5671,11	99,64	13,2	ГОСТ 25396-90
61100120000151	0	T5K10	10151	5671,11	99,64	17,7	ГОСТ 25396-90
55100120000152	0	BK10-XO	10152	7164,04	151,59	21,02	ГОСТ 25396-90
51100120000152	0	BK3-M	10152	7164,04	151,59	21,66	ГОСТ 25396-90
51200120000152	0	BK6-M	10152	7164,04	151,59	21,16	ГОСТ 25396-90
52500120000152	0	BK8	10152	5460,08	113,95	20,87	ГОСТ 25396-90
61300120000152	0	T15K6	10152	5667,68	101,85	16,22	ГОСТ 25396-90
61100120000152	0	T5K10	10152	5667,68	101,85	18,23	ГОСТ 25396-90
62100120000152	0	ТТ7К12	10152	10712,89	198,94	18,8	ГОСТ 25396-90
52403900110408	0	BK6	10153-110408	11724,95	160,63	13,9	ГОСТ 19064-80
51603900110408	0	BK6-OM	10153-110408	17277,82	210,44	13,9	ГОСТ 19064-80
52503900110408	0	BK8	10153-110408	11724,95	160,63	13,7	ГОСТ 19064-80
61203900110408	0	T14K8	10153-110408	13615,49	143,23	10,9	ГОСТ 19064-80
61303900110408	0	T15K6	10153-110408	13615,49	143,23	10,7	ГОСТ 19064-80
61103900110408	0	T5K10	10153-110408	13615,49	143,23	12,00	ГОСТ 19064-80

62103900110408	0	ТТ7К12	10153-110408	20733,35	252,53	12,34	ГОСТ 19064-80
52403900110416	0	БК6	10153-110416	11724,95	160,63	13,8	ГОСТ 19064-80
51603900110416	0	БК6-ОМ	10153-110416	15098,04	205,33	13,8	ГОСТ 19064-80
52503900110416	0	БК8	10153-110416	11724,95	160,63	13,6	ГОСТ 19064-80
69103900110416	0	БП1255	10153-110416	24182,78	295,51	12,64	ГОСТ 19064-80
61203900110416	0	Т14К8	10153-110416	13615,49	143,23	10,8	ГОСТ 19064-80
61303900110416	0	Т15К6	10153-110416	13615,49	143,23	10,6	ГОСТ 19064-80
61103900110416	0	Т5К10	10153-110416	13615,49	143,23	11,9	ГОСТ 19064-80
62403900110416	0	ТТ20К9	10153-110416	28864,55	392,56	11,6	ГОСТ 19064-80
52503900130412	0	БК8	10153-130412	11391,63	221,00	19,4	ГОСТ 19064-80
69103900130412	0	БП1255	10153-130412	23531,85	407,10	18,4	ГОСТ 19064-80
59203900130412	0	БП3325	10153-130412	15948,2	309,40	19,4	ГОСТ 19064-80
61303900130412	0	Т15К6	10153-130412	13291,42	198,04	15,2	ГОСТ 19064-80
61103900130412	0	Т5К10	10153-130412	13291,42	198,04	17,00	ГОСТ 19064-80
69103900130420	0	БП1255	10153-130420	23531,85	407,10	17,94	ГОСТ 19064-80
61303900130420	0	Т15К6	10153-130420	13291,42	198,04	15,1	ГОСТ 19064-80
52503900130612	0	БК8	10153-130612	11112,56	287,82	25,9	ГОСТ 19064-80
69103900130612	0	БП1255	10153-130612	22976,27	530,75	24,08	ГОСТ 19064-80
61203900130612	0	Т14К8	10153-130612	13008,94	258,75	20,6	ГОСТ 19064-80
61303900130612	0	Т15К6	10153-130612	13008,94	258,75	20,2	ГОСТ 19064-80
61103900130612	0	Т5К10	10153-130612	13008,94	258,75	22,7	ГОСТ 19064-80
69103900130620	0	БП1255	10153-130620	22976,27	530,75	24,07	ГОСТ 19064-80
61203900130620	0	Т14К8	10153-130620	13008,94	258,75	20,5	ГОСТ 19064-80
61103900130620	0	Т5К10	10153-130620	13008,94	258,75	22,6	ГОСТ 19064-80
55100120000161	0	БК10-ХО	10161	7167,72	148,37	20,55	ГОСТ 25396-90
52200120000161	0	БК3	10161	5462,96	111,50	21,00	ГОСТ 25396-90
51100120000161	0	БК3-М	10161	7167,72	148,37	21,00	ГОСТ 25396-90
52400120000161	0	БК6	10161	5462,96	111,50	20,6	ГОСТ 25396-90
51200120000161	0	БК6-М	10161	7167,72	148,37	20,6	ГОСТ 25396-90
51600120000161	0	БК6-ОМ	10161	7167,72	148,37	20,6	ГОСТ 25396-90
52500120000161	0	БК8	10161	5462,96	111,50	20,41	ГОСТ 25396-90
61200120000161	0	Т14К8	10161	5671,11	99,64	15,7	ГОСТ 25396-90
61300120000161	0	Т15К6	10161	5671,11	99,64	15,6	ГОСТ 25396-90
61100120000161	0	Т5К10	10161	5671,11	99,64	17,7	ГОСТ 25396-90
55100120000162	0	БК10-ХО	10162	7164,04	151,59	21,02	ГОСТ 25396-90
52400120000162	0	БК6	10162	5460,08	113,95	21,16	ГОСТ 25396-90
52500120000162	0	БК8	10162	5460,08	113,95	20,87	ГОСТ 25396-90
61300120000162	0	Т15К6	10162	5667,68	101,85	16,22	ГОСТ 25396-90
61400120000162	0	Т30К4	10162	5667,68	101,85	13,8	ГОСТ 25396-90
61100120000162	0	Т5К10	10162	5667,68	101,85	18,23	ГОСТ 25396-90
55100120000271	0	БК10-ХО	10271	7822,11	28,32	3,9	ГОСТ 25396-90
52200120000271	0	БК3	10271	5966,65	21,30	4,06	ГОСТ 25396-90
51100120000271	0	БК3-М	10271	7822,11	28,32	4,05	ГОСТ 25396-90
52400120000271	0	БК6	10271	5966,65	21,30	3,95	ГОСТ 25396-90
51200120000271	0	БК6-М	10271	7822,11	28,32	4,00	ГОСТ 25396-90
51600120000271	0	БК6-ОМ	10271	7822,11	28,32	3,61	ГОСТ 25396-90
52500120000271	0	БК8	10271	5966,65	21,30	3,9	ГОСТ 25396-90
61200120000271	0	Т14К8	10271	6249,92	19,25	2,75	ГОСТ 25396-90
61300120000271	0	Т15К6	10271	6249,92	19,25	3,00	ГОСТ 25396-90
61400120000271	0	Т30К4	10271	6249,92	19,25	2,6	ГОСТ 25396-90
61100120000271	0	Т5К10	10271	6249,92	19,25	3,4	ГОСТ 25396-90
55100120000291	0	БК10-ХО	10291	7409,13	60,61	8,13	ГОСТ 25396-90
52200120000291	0	БК3	10291	5648,93	45,59	8,3	ГОСТ 25396-90
51100120000291	0	БК3-М	10291	7409,13	60,61	8,3	ГОСТ 25396-90
52400120000291	0	БК6	10291	5648,93	45,59	8,16	ГОСТ 25396-90
51200120000291	0	БК6-М	10291	7409,13	60,61	8,16	ГОСТ 25396-90
51600120000291	0	БК6-ОМ	10291	7409,13	60,61	8,16	ГОСТ 25396-90
52500120000291	0	БК8	10291	5648,93	45,59	8,07	ГОСТ 25396-90
61200120000291	0	Т14К8	10291	5888,82	40,93	6,21	ГОСТ 25396-90
61300120000291	0	Т15К6	10291	5888,82	40,93	6,17	ГОСТ 25396-90
61400120000291	0	Т30К4	10291	5888,82	40,93	5,25	ГОСТ 25396-90
61100120000291	0	Т5К10	10291	5888,82	40,93	7,00	ГОСТ 25396-90
62100120000291	0	ТТ7К12	10291	11067,23	79,46	7,23	ГОСТ 25396-90
55100120000292	0	БК10-ХО	10292	7404,17	61,38	8,13	ГОСТ 25396-90
52400120000292	0	БК6	10292	5645,06	46,18	8,29	ГОСТ 25396-90
52500120000292	0	БК8	10292	5645,06	46,18	8,18	ГОСТ 25396-90
61300120000292	0	Т15К6	10292	5884,56	41,43	6,38	ГОСТ 25396-90
61100120000292	0	Т5К10	10292	5884,56	41,43	7,14	ГОСТ 25396-90
55100120000301	0	БК10-ХО	10301	7409,13	60,61	8,13	ГОСТ 25396-90
52200120000301	0	БК3	10301	5648,93	45,59	8,3	ГОСТ 25396-90
51100120000301	0	БК3-М	10301	7409,13	60,61	8,3	ГОСТ 25396-90

52400120000301	0	BK6	10301	5648,93	45,59	8,16	ГОСТ 25396-90
51200120000301	0	BK6-M	10301	7409,13	60,61	8,16	ГОСТ 25396-90
51600120000301	0	BK6-OM	10301	7409,13	60,61	8,16	ГОСТ 25396-90
52500120000301	0	BK8	10301	5648,93	45,59	8,07	ГОСТ 25396-90
61200120000301	0	T14K8	10301	5888,82	40,93	6,52	ГОСТ 25396-90
61300120000301	0	T15K6	10301	5888,82	40,93	6,17	ГОСТ 25396-90
61400120000301	0	T30K4	10301	5841,82	47,14	5,25	ГОСТ 25396-90
61100120000301	0	T5K10	10301	5888,82	40,93	7,00	ГОСТ 25396-90
55100120000302	0	BK10-XO	10302	7404,17	61,38	8,13	ГОСТ 25396-90
52200120000302	0	BK3	10302	5645,06	46,18	8,49	ГОСТ 25396-90
52400120000302	0	BK6	10302	5645,06	46,18	8,29	ГОСТ 25396-90
51600120000302	0	BK6-OM	10302	7404,17	61,38	8,29	ГОСТ 25396-90
52500120000302	0	BK8	10302	5645,06	46,18	8,18	ГОСТ 25396-90
61300120000302	0	T15K6	10302	5884,56	41,43	6,38	ГОСТ 25396-90
61100120000302	0	T5K10	10302	5837,82	47,75	7,14	ГОСТ 25396-90
55100120000411	0	BK10-XO	10411	13171,17	5,53	0,42	ГОСТ 25396-90
52200120000411	0	BK3	10411	10035,2	4,21	0,46	ГОСТ 25396-90
51100120000411	0	BK3-M	10411	13171,17	5,53	0,43	ГОСТ 25396-90
52400120000411	0	BK6	10411	10035,2	4,21	0,42	ГОСТ 25396-90
51200120000411	0	BK6-M	10411	13171,17	5,53	0,42	ГОСТ 25396-90
51600120000411	0	BK6-OM	10411	13171,17	5,53	0,42	ГОСТ 25396-90
52500120000411	0	BK8	10411	10035,2	4,21	0,42	ГОСТ 25396-90
61300120000411	0	T15K6	10411	10544,54	3,90	0,37	ГОСТ 25396-90
61400120000411	0	T30K4	10411	10544,54	3,90	0,29	ГОСТ 25396-90
61100120000411	0	T5K10	10411	10544,54	3,90	0,38	ГОСТ 25396-90
62100120000411	0	TT7K12	10411	13965,58	5,87	0,37	ГОСТ 25396-90
55100120000431	0	BK10-XO	10431	11848,09	9,95	0,84	ГОСТ 25396-90
52200120000431	0	BK3	10431	9045,76	7,51	0,86	ГОСТ 25396-90
51100120000431	0	BK3-M	10431	11848,09	9,95	0,86	ГОСТ 25396-90
52400120000431	0	BK6	10431	9045,76	7,51	0,84	ГОСТ 25396-90
51200120000431	0	BK6-M	10431	11848,09	9,95	0,84	ГОСТ 25396-90
51600120000431	0	BK6-OM	10431	11848,09	9,95	0,84	ГОСТ 25396-90
52500120000431	0	BK8	10431	9045,76	7,51	0,83	ГОСТ 25396-90
61200120000431	0	T14K8	10431	9603,33	6,82	0,64	ГОСТ 25396-90
61300120000431	0	T15K6	10431	9603,33	6,82	0,64	ГОСТ 25396-90
61400120000431	0	T30K4	10431	9603,33	6,82	0,54	ГОСТ 25396-90
61100120000431	0	T5K10	10431	9603,33	6,82	0,72	ГОСТ 25396-90
55100120000451	0	BK10-XO	10451	10775,98	15,30	1,6	ГОСТ 25396-90
52200120000451	0	BK3	10451	8231,89	11,52	1,6	ГОСТ 25396-90
51100120000451	0	BK3-M	10451	10775,98	15,30	1,67	ГОСТ 25396-90
52400120000451	0	BK6	10451	8231,89	11,52	1,55	ГОСТ 25396-90
51200120000451	0	BK6-M	10451	10775,98	15,30	1,67	ГОСТ 25396-90
51600120000451	0	BK6-OM	10451	10775,98	15,30	1,42	ГОСТ 25396-90
52500120000451	0	BK8	10451	8231,89	11,52	1,5	ГОСТ 25396-90
61200120000451	0	T14K8	10451	8745,29	10,58	1,08	ГОСТ 25396-90
61300120000451	0	T15K6	10451	8745,29	10,58	1,15	ГОСТ 25396-90
61400120000451	0	T30K4	10451	8745,29	10,58	1,2	ГОСТ 25396-90
61100120000451	0	T5K10	10451	8745,29	10,58	1,3	ГОСТ 25396-90
61300120000461	0	T15K6	10461	6896,42	8,14	1,18	ГОСТ 25396-90
51100120000461	0	BK3-M	10461 СЧЯТА	8491,12	13,25	1,63	ГОСТ 25396-90
55100120000461	0	BK10-XO	10461(СЧЯТА, НЕ ЗАК	8514,94	12,94	1,57	ГОСТ 25396-90
51600120000461	0	BK6-OM	10461(СЧЯТА, НЕ ЗАК	5288,78	8,04	1,42	ГОСТ 25396-90
55100120000471	0	BK10-XO	10471	7558,91	43,54	5,72	ГОСТ 25396-90
52200120000471	0	BK3	10471	5764,37	32,74	5,84	ГОСТ 25396-90
51100120000471	0	BK3-M	10471	7558,91	43,54	5,84	ГОСТ 25396-90
52400120000471	0	BK6	10471	5764,37	32,74	5,74	ГОСТ 25396-90
51200120000471	0	BK6-M	10471	7558,91	43,54	5,74	ГОСТ 25396-90
51600120000471	0	BK6-OM	10471	7558,91	43,54	5,74	ГОСТ 25396-90
52500120000471	0	BK8	10471	5764,37	32,74	5,68	ГОСТ 25396-90
61200120000471	0	T14K8	10471	6021,97	29,45	4,37	ГОСТ 25396-90
61300120000471	0	T15K6	10471	6021,97	29,45	4,34	ГОСТ 25396-90
61400120000471	0	T30K4	10471	6021,97	29,45	3,69	ГОСТ 25396-90
61100120000471	0	T5K10	10471	6021,97	29,45	4,93	ГОСТ 25396-90
55100120000472	0	BK10-XO	10472	7544,98	44,74	5,89	ГОСТ 25396-90
52400120000472	0	BK6	10472	5753,5	33,66	5,93	ГОСТ 25396-90
51200120000472	0	BK6-M	10472	7544,98	44,74	5,93	ГОСТ 25396-90
52500120000472	0	BK8	10472	5753,5	33,66	5,85	ГОСТ 25396-90
61300120000472	0	T15K6	10472	6010,04	30,23	4,56	ГОСТ 25396-90
61100120000472	0	T5K10	10472	6010,04	30,23	5,11	ГОСТ 25396-90
62100120000472	0	TT7K12	10472	11260,37	58,67	5,3	ГОСТ 25396-90
55100120000481	0	BK10-XO	10481	7558,91	43,54	5,72	ГОСТ 25396-90

52200120000481	0	BK3	10481	5764,37	32,74	5,84	ГОСТ 25396-90
51100120000481	0	BK3-M	10481	7558,91	43,54	5,84	ГОСТ 25396-90
52400120000481	0	BK6	10481	5764,37	32,74	5,74	ГОСТ 25396-90
51200120000481	0	BK6-M	10481	7558,91	43,54	5,74	ГОСТ 25396-90
51600120000481	0	BK6-OM	10481	7558,91	43,54	5,74	ГОСТ 25396-90
52500120000481	0	BK8	10481	5764,37	32,74	5,68	ГОСТ 25396-90
61200120000481	0	T14K8	10481	6021,97	29,45	4,37	ГОСТ 25396-90
61300120000481	0	T15K6	10481	6021,97	29,45	4,34	ГОСТ 25396-90
61400120000481	0	T30K4	10481	6021,97	29,45	3,69	ГОСТ 25396-90
61100120000481	0	T5K10	10481	6021,97	29,45	4,93	ГОСТ 25396-90
55100120000482	0	BK10-XO	10482	7544,98	44,74	5,89	ГОСТ 25396-90
51100120000482	0	BK3-M	10482	7551,45	44,18	6,07	ГОСТ 25396-90
52400120000482	0	BK6	10482	5753,5	33,66	5,93	ГОСТ 25396-90
52500120000482	0	BK8	10482	5753,5	33,66	5,85	ГОСТ 25396-90
61200120000482	0	T14K8	10482	6009,21	30,29	4,57	ГОСТ 25396-90
61300120000482	0	T15K6	10482	6009,21	30,29	4,56	ГОСТ 25396-90
61400120000482	0	T30K4	10482	6009,21	30,29	3,87	ГОСТ 25396-90
61100120000482	0	T5K10	10482	6009,21	30,29	5,11	ГОСТ 25396-90
55100120000491	0	BK10-XO	10491	7291,5	85,82	11,69	ГОСТ 25396-90
52200120000491	0	BK3	10491	5558,35	64,53	12,00	ГОСТ 25396-90
51100120000491	0	BK3-M	10491	7291,5	85,82	12,00	ГОСТ 25396-90
52400120000491	0	BK6	10491	5558,35	64,53	11,8	ГОСТ 25396-90
51200120000491	0	BK6-M	10491	7291,5	85,82	11,8	ГОСТ 25396-90
51600120000491	0	BK6-OM	10491	7291,5	85,82	11,8	ГОСТ 25396-90
52500120000491	0	BK8	10491	5558,35	64,53	11,61	ГОСТ 25396-90
61200120000491	0	T14K8	10491	5783,27	57,83	8,96	ГОСТ 25396-90
61300120000491	0	T15K6	10491	5783,27	57,83	8,91	ГОСТ 25396-90
61400120000491	0	T30K4	10491	5783,27	57,83	7,57	ГОСТ 25396-90
61100120000491	0	T5K10	10491	5783,27	57,83	10,1	ГОСТ 25396-90
55100120000492	0	BK10-XO	10492	7283,92	88,14	12,01	ГОСТ 25396-90
52200120000492	0	BK3	10492	5552,6	66,24	12,38	ГОСТ 25396-90
52400120000492	0	BK6	10492	5552,6	66,24	12,1	ГОСТ 25396-90
51200120000492	0	BK6-M	10492	7283,92	88,14	12,1	ГОСТ 25396-90
51600120000492	0	BK6-OM	10492	7283,92	88,14	12,1	ГОСТ 25396-90
52500120000492	0	BK8	10492	5552,6	66,24	11,93	ГОСТ 25396-90
61300120000492	0	T15K6	10492	5776,68	59,33	9,3	ГОСТ 25396-90
61400120000492	0	T30K4	10492	5742,2	68,50	7,89	ГОСТ 25396-90
61100120000492	0	T5K10	10492	5776,68	59,33	10,42	ГОСТ 25396-90
55100120000501	0	BK10-XO	10501	7291,5	85,82	11,69	ГОСТ 25396-90
52200120000501	0	BK3	10501	5558,35	64,53	12,00	ГОСТ 25396-90
51100120000501	0	BK3-M	10501	7291,5	85,82	12,00	ГОСТ 25396-90
52400120000501	0	BK6	10501	5558,35	64,53	11,8	ГОСТ 25396-90
51200120000501	0	BK6-M	10501	7291,5	85,82	11,8	ГОСТ 25396-90
51600120000501	0	BK6-OM	10501	7291,5	85,82	11,8	ГОСТ 25396-90
52500120000501	0	BK8	10501	5558,35	64,53	11,61	ГОСТ 25396-90
61200120000501	0	T14K8	10501	5783,27	57,83	8,96	ГОСТ 25396-90
61300120000501	0	T15K6	10501	5783,27	57,83	8,91	ГОСТ 25396-90
61400120000501	0	T30K4	10501	5748,14	66,74	7,57	ГОСТ 25396-90
61100120000501	0	T5K10	10501	5783,27	57,83	10,1	ГОСТ 25396-90
62100120000501	0	TT7K12	10501	10853,34	126,01	10,4	ГОСТ 25396-90
52400120000502	0	BK6	10502	5552,6	66,24	12,1	ГОСТ 25396-90
52500120000502	0	BK8	10502	5552,6	66,24	11,93	ГОСТ 25396-90
61300120000502	0	T15K6	10502	5776,68	59,33	9,3	ГОСТ 25396-90
61100120000502	0	T5K10	10502	5776,68	59,33	10,42	ГОСТ 25396-90
55100120000531	0	BK10-XO	10531	7604,21	265,24	34,64	ГОСТ 25396-90
52200120000531	0	BK3	10531	5796,07	199,38	35,5	ГОСТ 25396-90
51100120000531	0	BK3-M	10531	7604,21	265,24	35,5	ГОСТ 25396-90
52400120000531	0	BK6	10531	5796,07	199,38	34,8	ГОСТ 25396-90
51200120000531	0	BK6-M	10531	7604,21	265,24	34,8	ГОСТ 25396-90
51600120000531	0	BK6-OM	10531	7604,21	265,24	34,8	ГОСТ 25396-90
52500120000531	0	BK8	10531	5796,07	199,38	34,4	ГОСТ 25396-90
61200120000531	0	T14K8	10531	6022,58	178,39	26,5	ГОСТ 25396-90
61300120000531	0	T15K6	10531	6022,58	178,39	26,4	ГОСТ 25396-90
61400120000531	0	T30K4	10531	5593,63	192,42	22,4	ГОСТ 25396-90
61100120000531	0	T5K10	10531	6022,58	178,39	29,9	ГОСТ 25396-90
52500120000532	0	BK8	10532	5792,4	203,60	35,15	ГОСТ 25396-90
61200120000532	0	T14K8	10532	5591,86	196,55	27,45	ГОСТ 25396-90
61300120000532	0	T15K6	10532	5591,51	197,38	27,35	ГОСТ 25396-90
61100120000532	0	T5K10	10532	6018,25	182,11	30,7	ГОСТ 25396-90
62100120000532	0	TT7K12	10532	10596,17	372,46	31,66	ГОСТ 25396-90
55100120000541	0	BK10-XO	10541	7604,21	265,24	34,64	ГОСТ 25396-90

52200120000541	0	BK3	10541	5796,07	199,38	35,5	ГОСТ 25396-90
51100120000541	0	BK3-M	10541	7604,21	265,24	35,5	ГОСТ 25396-90
52400120000541	0	BK6	10541	5796,07	199,38	34,8	ГОСТ 25396-90
51200120000541	0	BK6-M	10541	7604,21	265,24	34,8	ГОСТ 25396-90
51600120000541	0	BK6-OM	10541	7604,21	265,24	34,8	ГОСТ 25396-90
52500120000541	0	BK8	10541	5796,07	199,38	34,4	ГОСТ 25396-90
61300120000541	0	T15K6	10541	6022,58	178,39	26,4	ГОСТ 25396-90
61400120000541	0	T30K4	10541	6022,58	178,39	22,4	ГОСТ 25396-90
61100120000541	0	T5K10	10541	6022,58	178,39	29,9	ГОСТ 25396-90
62100120000541	0	TT7K12	10541	10599,09	364,61	30,9	ГОСТ 25396-90
52500120000542	0	BK8	10542	5792,4	203,60	35,15	ГОСТ 25396-90
61200120000542	0	T14K8	10542	5591,86	196,55	27,45	ГОСТ 25396-90
61300120000542	0	T15K6	10542	5591,86	196,55	27,35	ГОСТ 25396-90
61100120000542	0	T5K10	10542	6018,25	182,11	30,7	ГОСТ 25396-90
55100120000571	0	BK10-XO	10571	7487,58	539,03	71,5	ГОСТ 25396-90
52200120000571	0	BK3	10571	5706,02	405,13	73,00	ГОСТ 25396-90
51100120000571	0	BK3-M	10571	7487,58	539,03	73,00	ГОСТ 25396-90
52400120000571	0	BK6	10571	5706,02	405,13	72,00	ГОСТ 25396-90
51200120000571	0	BK6-M	10571	7487,58	539,03	72,00	ГОСТ 25396-90
51600120000571	0	BK6-OM	10571	7487,58	539,03	72,00	ГОСТ 25396-90
52500120000571	0	BK8	10571	5706,02	405,13	71,00	ГОСТ 25396-90
61200120000571	0	T14K8	10571	5915,17	361,59	55,00	ГОСТ 25396-90
61300120000571	0	T15K6	10571	5915,17	361,59	55,00	ГОСТ 25396-90
61400120000571	0	T30K4	10571	5915,17	361,59	46,4	ГОСТ 25396-90
61100120000571	0	T5K10	10571	5915,17	361,59	62,00	ГОСТ 25396-90
62100120000571	0	TT7K12	10571	11122,68	702,84	64,00	ГОСТ 25396-90
52400120000572	0	BK6	10572	5703,85	415,47	73,84	ГОСТ 25396-90
52500120000572	0	BK8	10572	5703,85	415,47	72,84	ГОСТ 25396-90
61100120000572	0	T5K10	10572	5912,56	370,84	63,61	ГОСТ 25396-90
62100120000572	0	TT7K12	10572	11100,95	808,59	65,61	ГОСТ 25396-90
55100120000581	0	BK10-XO	10581	7487,58	539,03	71,5	ГОСТ 25396-90
52200120000581	0	BK3	10581	5706,02	405,13	73,00	ГОСТ 25396-90
51100120000581	0	BK3-M	10581	7487,58	539,03	73,00	ГОСТ 25396-90
52400120000581	0	BK6	10581	5706,02	405,13	72,00	ГОСТ 25396-90
51200120000581	0	BK6-M	10581	7487,58	539,03	72,00	ГОСТ 25396-90
51600120000581	0	BK6-OM	10581	7487,58	539,03	72,00	ГОСТ 25396-90
52500120000581	0	BK8	10581	5706,02	405,13	71,00	ГОСТ 25396-90
61200120000581	0	T14K8	10581	5900,86	418,96	55,00	ГОСТ 25396-90
61300120000581	0	T15K6	10581	5915,17	361,59	55,00	ГОСТ 25396-90
61400120000581	0	T30K4	10581	5915,17	361,59	46,4	ГОСТ 25396-90
61100120000581	0	T5K10	10581	5915,17	361,59	62,00	ГОСТ 25396-90
62100120000581	0	TT7K12	10581	11122,68	702,84	64,00	ГОСТ 25396-90
55100120000582	0	BK10-XO	10582	7486,28	545,30	73,35	ГОСТ 25396-90
52400120000582	0	BK6	10582	5703,85	415,47	73,84	ГОСТ 25396-90
52500120000582	0	BK8	10582	5703,85	415,47	72,84	ГОСТ 25396-90
61300120000582	0	T15K6	10582	5549,13	404,20	56,63	ГОСТ 25396-90
61100120000582	0	T5K10	10582	5912,56	370,84	63,61	ГОСТ 25396-90
55100120000611	0	BK10-XO	10611	7435,85	995,29	132,92	ГОСТ 25396-90
52200120000611	0	BK3	10611	5666,07	747,92	136,00	ГОСТ 25396-90
52400120000611	0	BK6	10611	5666,07	747,92	133,00	ГОСТ 25396-90
51200120000611	0	BK6-M	10611	7435,85	995,29	133,00	ГОСТ 25396-90
52500120000611	0	BK8	10611	5666,07	747,92	132,00	ГОСТ 25396-90
61300120000611	0	T15K6	10611	5867,35	666,82	101,00	ГОСТ 25396-90
61100120000611	0	T5K10	10611	5867,35	666,82	114,00	ГОСТ 25396-90
62100120000611	0	TT7K12	10611	11046,5	1297,74	118,00	ГОСТ 25396-90
52400120000612	0	BK6	10612	5665,37	759,16	136,00	ГОСТ 25396-90
52500120000612	0	BK8	10612	5665,37	759,16	134,00	ГОСТ 25396-90
61300120000612	0	T15K6	10612	5858,82	785,08	104,00	ГОСТ 25396-90
61100120000612	0	T5K10	10612	5866,51	676,82	117,00	ГОСТ 25396-90
52200120000621	0	BK3	10621	5666,07	747,92	136,00	ГОСТ 25396-90
52400120000621	0	BK6	10621	5666,07	747,92	133,00	ГОСТ 25396-90
51600120000621	0	BK6-OM	10621	7435,85	995,29	133,00	ГОСТ 25396-90
52500120000621	0	BK8	10621	5666,07	747,92	132,00	ГОСТ 25396-90
61300120000621	0	T15K6	10621	5867,35	666,82	101,00	ГОСТ 25396-90
61100120000621	0	T5K10	10621	5867,35	666,82	114,00	ГОСТ 25396-90
55100120000622	0	BK10-XO	10622	7434,95	1010,26	134,94	ГОСТ 25396-90
52400120000622	0	BK6	10622	5665,37	759,16	136,00	ГОСТ 25396-90
52500120000622	0	BK8	10622	5665,37	759,16	134,00	ГОСТ 25396-90
61300120000622	0	T15K6	10622	5858,82	785,08	104,00	ГОСТ 25396-90
61100120000622	0	T5K10	10622	5866,51	676,82	117,00	ГОСТ 25396-90
55100120000631	0	BK10-XO	10631	7411,55	1653,37	221,54	ГОСТ 25396-90

52400120000631	0	BK6	10631	5647,3	1242,41	222,00	ГОСТ 25396-90
52500120000631	0	BK8	10631	5647,3	1242,41	220,00	ГОСТ 25396-90
61300120000631	0	T15K6	10631	5844,84	1107,13	168,00	ГОСТ 25396-90
61100120000631	0	T5K10	10631	5844,84	1107,13	191,00	ГОСТ 25396-90
52400120000632	0	BK6	10632	5646,79	1264,88	227,00	ГОСТ 25396-90
52500120000632	0	BK8	10632	5646,79	1264,88	224,00	ГОСТ 25396-90
52400120000641	0	BK6	10641	5647,3	1242,41	222,00	ГОСТ 25396-90
52500120000641	0	BK8	10641	5647,3	1242,41	220,00	ГОСТ 25396-90
61300120000641	0	T15K6	10641	5849,16	982,66	168,00	ГОСТ 25396-90
61100120000641	0	T5K10	10641	5844,84	1107,13	191,00	ГОСТ 25396-90
52400120000642	0	BK6	10642	5646,79	1264,88	227,00	ГОСТ 25396-90
52500120000642	0	BK8	10642	5646,79	1264,88	224,00	ГОСТ 25396-90
61300120000642	0	T15K6	10642	5839,61	1308,07	174,9	ГОСТ 25396-90
61100120000642	0	T5K10	10642	5839,61	1308,07	195,00	ГОСТ 25396-90
55100120000652	0	BK10-XO	10652	8288,36	16,25	1,94	ГОСТ 25396-90
52200120000652	0	BK3	10652	6325,08	12,21	1,98	ГОСТ 25396-90
51100120000652	0	BK3-M	10652	8288,36	16,25	1,98	ГОСТ 25396-90
52400120000652	0	BK6	10652	6325,08	12,21	1,93	ГОСТ 25396-90
51200120000652	0	BK6-M	10652	8288,36	16,25	1,93	ГОСТ 25396-90
51600120000652	0	BK6-OM	10652	8288,36	16,25	1,93	ГОСТ 25396-90
52500120000652	0	BK8	10652	6325,08	12,21	1,93	ГОСТ 25396-90
61200120000652	0	T14K8	10652	6541,06	12,62	1,49	ГОСТ 25396-90
61300120000652	0	T15K6	10652	6641,64	11,09	1,48	ГОСТ 25396-90
61400120000652	0	T30K4	10652	6641,64	11,09	1,26	ГОСТ 25396-90
61100120000652	0	T5K10	10652	6641,64	11,09	1,67	ГОСТ 25396-90
55100120000672	0	BK10-XO	10672	7963,13	23,49	2,93	ГОСТ 25396-90
51100120000672	0	BK3-M	10672	7963,13	23,49	3,02	ГОСТ 25396-90
52400120000672	0	BK6	10672	6074,74	17,68	2,95	ГОСТ 25396-90
51600120000672	0	BK6-OM	10672	7963,13	23,49	2,95	ГОСТ 25396-90
52500120000672	0	BK8	10672	6074,74	17,68	2,91	ГОСТ 25396-90
61300120000672	0	T15K6	10672	6370,38	15,99	2,26	ГОСТ 25396-90
61400120000672	0	T30K4	10672	6450,96	14,26	1,92	ГОСТ 25396-90
61100120000672	0	T5K10	10672	6370,38	15,99	2,54	ГОСТ 25396-90
55100120000682	0	BK10-XO	10682	7963,13	23,49	2,93	ГОСТ 25396-90
52200120000682	0	BK3	10682	6074,74	17,68	3,02	ГОСТ 25396-90
51100120000682	0	BK3-M	10682	7963,13	23,49	3,02	ГОСТ 25396-90
52400120000682	0	BK6	10682	6074,74	17,68	2,95	ГОСТ 25396-90
51200120000682	0	BK6-M	10682	7963,13	23,49	2,95	ГОСТ 25396-90
52500120000682	0	BK8	10682	6074,74	17,68	2,91	ГОСТ 25396-90
61300120000682	0	T15K6	10682	6370,38	15,99	2,26	ГОСТ 25396-90
61100120000682	0	T5K10	10682	6370,38	15,99	2,54	ГОСТ 25396-90
55100120000692	0	BK10-XO	10692	7245,59	101,95	15,00	ГОСТ 25396-90
52200120000692	0	BK3	10692	5522,94	76,66	15,5	ГОСТ 25396-90
51100120000692	0	BK3-M	10692	7245,59	101,95	15,6	ГОСТ 25396-90
52400120000692	0	BK6	10692	5522,94	76,66	14,07	ГОСТ 25396-90
51600120000692	0	BK6-OM	10692	7245,59	101,95	14,07	ГОСТ 25396-90
52500120000692	0	BK8	10692	5522,94	76,66	15,00	ГОСТ 25396-90
61200120000692	0	T14K8	10692	6312,35	75,31	9,32	ГОСТ 25396-90
61300120000692	0	T15K6	10692	5741,84	68,62	11,65	ГОСТ 25396-90
61400120000692	0	T30K4	10692	5741,84	68,62	9,17	ГОСТ 25396-90
61100120000692	0	T5K10	10692	5741,84	68,62	13,00	ГОСТ 25396-90
55100120000702	0	BK10-XO	10702	7245,59	101,95	15,00	ГОСТ 25396-90
51100120000702	0	BK3-M	10702	7245,59	101,95	14,4	ГОСТ 25396-90
51200120000702	0	BK6-M	10702	7245,59	101,95	14,07	ГОСТ 25396-90
51600120000702	0	BK6-OM	10702	7245,59	101,95	14,07	ГОСТ 25396-90
52500120000702	0	BK8	10702	5522,94	76,66	15,00	ГОСТ 25396-90
61300120000702	0	T15K6	10702	5741,84	68,62	11,65	ГОСТ 25396-90
61400120000702	0	T30K4	10702	5711,53	79,28	9,17	ГОСТ 25396-90
61100120000702	0	T5K10	10702	5741,84	68,62	13,00	ГОСТ 25396-90
55100120000712	0	BK10-XO	10712	7125,01	196,65	27,41	ГОСТ 25396-90
52200120000712	0	BK3	10712	5429,97	147,80	28,25	ГОСТ 25396-90
52400120000712	0	BK6	10712	5429,97	147,80	27,6	ГОСТ 25396-90
51200120000712	0	BK6-M	10712	7125,01	196,65	27,6	ГОСТ 25396-90
51600120000712	0	BK6-OM	10712	7125,01	196,65	27,6	ГОСТ 25396-90
52500120000712	0	BK8	10712	5429,97	147,80	27,22	ГОСТ 25396-90
61100120000712	0	T5K10	10712	5631,97	132,01	23,78	ГОСТ 25396-90
55100120000722	0	BK10-XO	10722	7125,01	196,65	27,41	ГОСТ 25396-90
52200120000722	0	BK3	10722	5429,97	147,80	28,25	ГОСТ 25396-90
51100120000722	0	BK3-M	10722	7125,01	196,65	28,25	ГОСТ 25396-90
51200120000722	0	BK6-M	10722	7125,01	196,65	27,6	ГОСТ 25396-90
51600120000722	0	BK6-OM	10722	7125,01	196,65	27,6	ГОСТ 25396-90

52500120000722	0	BK8	10722	5429,97	147,80	27,22	ГОСТ 25396-90
61300120000722	0	T15K6	10722	5631,97	132,01	21,17	ГОСТ 25396-90
61100120000722	0	T5K10	10722	5631,97	132,01	23,78	ГОСТ 25396-90
53633020000010	0	BK10-KC	10BШJM	8364,8	234,21	28,00	ТУ 48-19-180-76
52503960090408	0	BK8	11114-090408	8570,77	105,42	12,37	ГОСТ 19068-80
61203960090408	0	T14K8	11114-090408	10264,81	97,00	9,75	ГОСТ 19068-80
61303960090408	0	T15K6	11114-090408	10264,81	97,00	9,59	ГОСТ 19068-80
61103960090408	0	T5K10	11114-090408	10264,81	97,00	10,8	ГОСТ 19068-80
61203960110412	0	T14K8	11114-110412	10141,34	134,78	12,8	ГОСТ 19068-80
61303960110412	0	T15K6	11114-110412	10141,34	134,78	13,5	ГОСТ 19068-80
61103960110412	0	T5K10	11114-110412	10039,54	173,68	15,2	ГОСТ 19068-80
62103960110412	0	TT7K12	11114-110412	15043,95	231,38	15,68	ГОСТ 19068-80
52503960110612	0	BK8	11114-110612	8709,52	204,67	23,5	ГОСТ 19068-80
61203960110612	0	T14K8	11114-110612	10022,88	180,91	18,7	ГОСТ 19068-80
61303960110612	0	T15K6	11114-110612	9919,08	233,10	18,3	ГОСТ 19068-80
61103960110612	0	T5K10	11114-110612	10022,88	180,91	20,6	ГОСТ 19068-80
52403960120612	0	BK6	11114-120612	8190,84	273,57	33,74	ГОСТ 19068-80
52503960120612	0	BK8	11114-120612	8190,84	273,57	33,4	ГОСТ 19068-80
61303960120612	0	T15K6	11114-120612	9884,95	253,55	26,1	ГОСТ 19068-80
61103960120612	0	T5K10	11114-120612	9884,95	253,55	29,3	ГОСТ 19068-80
55102690000130	0	BK10-XO	11130	11617,51	10,92	0,93	ГОСТ 25398-90
51102690000130	0	BK3-M	11130	11617,51	10,92	0,92	ГОСТ 25398-90
52402690000130	0	BK6	11130	8885,13	8,17	0,92	ГОСТ 25398-90
51202690000130	0	BK6-M	11130	11617,51	10,92	0,92	ГОСТ 25398-90
51602690000130	0	BK6-OM	11130	11617,51	10,92	0,92	ГОСТ 25398-90
52502690000130	0	BK8	11130	8885,13	8,17	1,05	ГОСТ 25398-90
61202690000130	0	T14K8	11130	9413,7	7,53	0,72	ГОСТ 25398-90
61302690000130	0	T15K6	11130	9413,7	7,53	0,77	ГОСТ 25398-90
61402690000130	0	T30K4	11130	9413,7	7,53	0,7	ГОСТ 25398-90
61102690000130	0	T5K10	11130	9413,7	7,53	0,8	ГОСТ 25398-90
62102690000130	0	TT7K12	11130	16820,07	13,79	0,83	ГОСТ 25398-90
55102690000150	0	BK10-XO	11150	10367,84	18,14	1,74	ГОСТ 25398-90
52202690000150	0	BK3	11150	7916,03	13,69	1,8	ГОСТ 25398-90
51102690000150	0	BK3-M	11150	10367,84	18,14	1,8	ГОСТ 25398-90
52402690000150	0	BK6	11150	7916,03	13,69	1,76	ГОСТ 25398-90
51202690000150	0	BK6-M	11150	10367,84	18,14	1,76	ГОСТ 25398-90
51602690000150	0	BK6-OM	11150	10367,84	18,14	1,76	ГОСТ 25398-90
52502690000150	0	BK8	11150	7916,03	13,69	1,73	ГОСТ 25398-90
61202690000150	0	T14K8	11150	8415,3	12,54	1,36	ГОСТ 25398-90
61302690000150	0	T15K6	11150	8415,3	12,54	1,35	ГОСТ 25398-90
61402690000150	0	T30K4	11150	8415,3	12,54	1,15	ГОСТ 25398-90
61102690000150	0	T5K10	11150	8415,3	12,54	1,63	ГОСТ 25398-90
62102690000150	0	TT7K12	11150	14865,52	25,72	1,55	ГОСТ 25398-90
55102690000170	0	BK10-XO	11170	9458,57	27,90	2,93	ГОСТ 25398-90
52202690000170	0	BK3	11170	7222,79	21,02	3,03	ГОСТ 25398-90
51102690000170	0	BK3-M	11170	9458,57	27,90	3,00	ГОСТ 25398-90
52402690000170	0	BK6	11170	7222,79	21,02	2,95	ГОСТ 25398-90
51202690000170	0	BK6-M	11170	9458,57	27,90	2,95	ГОСТ 25398-90
51602690000170	0	BK6-OM	11170	9458,57	27,90	2,95	ГОСТ 25398-90
52502690000170	0	BK8	11170	7222,79	21,02	2,91	ГОСТ 25398-90
61202690000170	0	T14K8	11170	7663,71	19,16	2,27	ГОСТ 25398-90
61302690000170	0	T15K6	11170	7663,71	19,16	2,27	ГОСТ 25398-90
61402690000170	0	T30K4	11170	7663,71	19,16	1,93	ГОСТ 25398-90
61102690000170	0	T5K10	11170	7663,71	19,16	2,55	ГОСТ 25398-90
62102690000170	0	TT7K12	11170	13685,8	39,83	2,6	ГОСТ 25398-90
55102690000190	0	BK10-XO	11190	8849,87	40,53	4,55	ГОСТ 25398-90
52202690000190	0	BK3	11190	6754,99	30,53	4,7	ГОСТ 25398-90
51102690000190	0	BK3-M	11190	8849,87	40,53	4,68	ГОСТ 25398-90
52402690000190	0	BK6	11190	6754,99	30,53	4,59	ГОСТ 25398-90
51202690000190	0	BK6-M	11190	8849,87	40,53	4,59	ГОСТ 25398-90
51602690000190	0	BK6-OM	11190	8849,87	40,53	4,59	ГОСТ 25398-90
52502690000190	0	BK8	11190	6754,99	30,53	4,9	ГОСТ 25398-90
61202690000190	0	T14K8	11190	7137,01	27,76	3,54	ГОСТ 25398-90
61302690000190	0	T15K6	11190	7137,01	27,76	3,75	ГОСТ 25398-90
61402690000190	0	T30K4	11190	7137,01	27,76	3,3	ГОСТ 25398-90
61102690000190	0	T5K10	11190	7137,01	27,76	4,25	ГОСТ 25398-90
62102690000190	0	TT7K12	11190	13082,29	52,59	4,07	ГОСТ 25398-90
55102690000210	0	BK10-XO	11210	8163,21	77,06	9,37	ГОСТ 25398-90
52202690000210	0	BK3	11210	6227,18	57,98	9,66	ГОСТ 25398-90
51102690000210	0	BK3-M	11210	8163,21	77,06	9,66	ГОСТ 25398-90
52402690000210	0	BK6	11210	6227,18	57,98	9,44	ГОСТ 25398-90

51202690000210	0	BK6-M	11210	8163,21	77,06	9,44	ГОСТ 25398-90
51602690000210	0	BK6-OM	11210	8163,21	77,06	9,44	ГОСТ 25398-90
52502690000210	0	BK8	11210	6227,18	57,98	9,8	ГОСТ 25398-90
61202690000210	0	T14K8	11210	6529,77	52,37	7,28	ГОСТ 25398-90
61302690000210	0	T15K6	11210	6529,77	52,37	7,6	ГОСТ 25398-90
61402690000210	0	T30K4	11210	6529,77	52,37	6,7	ГОСТ 25398-90
61102690000210	0	T5K10	11210	6529,77	52,37	8,7	ГОСТ 25398-90
62102690000210	0	TT7K12	11210	12105,17	100,35	8,39	ГОСТ 25398-90
55102690000230	0	BK10-XO	11230	7814,5	138,47	17,6	ГОСТ 25398-90
52202690000230	0	BK3	11230	5958,27	104,15	18,14	ГОСТ 25398-90
51102690000230	0	BK3-M	11230	7814,5	138,47	18,14	ГОСТ 25398-90
52402690000230	0	BK6	11230	5958,27	104,15	17,72	ГОСТ 25398-90
51202690000230	0	BK6-M	11230	7814,5	138,47	17,72	ГОСТ 25398-90
51602690000230	0	BK6-OM	11230	7814,5	138,47	17,72	ГОСТ 25398-90
52502690000230	0	BK8	11230	5958,27	104,15	17,48	ГОСТ 25398-90
61202690000230	0	T14K8	11230	6214,85	93,53	13,6	ГОСТ 25398-90
61302690000230	0	T15K6	11230	6214,85	93,53	13,5	ГОСТ 25398-90
61402690000230	0	T30K4	11230	6214,85	93,53	12,5	ГОСТ 25398-90
61102690000230	0	T5K10	11230	6214,85	93,53	15,27	ГОСТ 25398-90
62102690000230	0	TT7K12	11230	11600,86	180,51	15,75	ГОСТ 25398-90
53633020000011	0	BK10-KC	11BШМ	8356,75	242,35	29,00	ТУ 48-19-180-76
52404030120400	0	BK6	12113-120400	8296,72	60,98	7,45	ГОСТ 19070-80
52504030120400	0	BK8	12113-120400	8296,72	60,98	7,35	ГОСТ 19070-80
61104030120400	0	T5K10	12113-120400	9956,26	56,15	6,44	ГОСТ 19070-80
52504030150400	0	BK8	12113-150400	8169,45	94,77	11,6	ГОСТ 19070-80
61204030150400	0	T14K8	12113-150400	9763,02	113,25	9,18	ГОСТ 19071-80
61304030150400	0	T15K6	12113-150400	9840,38	87,68	9,02	ГОСТ 19070-80
61104030150400	0	T5K10	12113-150400	9840,38	87,68	10,1	ГОСТ 19070-80
62104030150400	0	TT7K12	12113-150400	14563,26	150,15	10,4	ГОСТ 19070-80
52504030150600	0	BK8	12113-150600	8081,53	124,46	15,4	ГОСТ 19070-80
61304030150600	0	T15K6	12113-150600	9757,02	115,43	12,00	ГОСТ 19070-80
61104030150600	0	T5K10	12113-150600	9757,02	115,43	13,5	ГОСТ 19070-80
52504030190600	0	BK8	12113-190600	7945,39	186,72	23,5	ГОСТ 19071-80
61204030190600	0	T14K8	12113-190600	9535,6	224,09	18,7	ГОСТ 19071-80
52504000090300	0	BK8	12114-090300	8983,47	23,36	2,6	ГОСТ 19071-80
61304000090300	0	T15K6	12114-090300	10627,29	21,25	2,03	ГОСТ 19071-80
52504000120300	0	BK8	12114-120300	8875,35	40,21	4,53	ГОСТ 19071-80
61204000120300	0	T14K8	12114-120300	10536,97	36,67	3,6	ГОСТ 19071-80
61304000120300	0	T15K6	12114-120300	10536,97	36,67	3,54	ГОСТ 19071-80
61104000120300	0	T5K10	12114-120300	10536,97	36,67	3,97	ГОСТ 19071-80
52504000120400	0	BK8	12114-120400	8760,38	61,15	6,98	ГОСТ 19071-80
61304000120400	0	T15K6	12114-120400	10437,45	55,94	5,45	ГОСТ 19071-80
61104000120400	0	T5K10	12114-120400	10437,45	55,94	6,12	ГОСТ 19071-80
51104000150400	0	BK3-M	12114-150400	12774,98	123,79	11,3	ГОСТ 19071-80
52404000150400	0	BK6	12114-150400	8614,34	93,90	11,00	ГОСТ 19071-80
52504000150400	0	BK8	12114-150400	8614,34	93,90	10,9	ГОСТ 19071-80
61204000150400	0	T14K8	12114-150400	10305,56	86,26	8,64	ГОСТ 19071-80
61304000150400	0	T15K6	12114-150400	10305,56	86,26	8,49	ГОСТ 19071-80
61104000150400	0	T5K10	12114-150400	10305,56	86,26	9,53	ГОСТ 19071-80
52404000150600	0	BK6	12114-150600	8506,86	124,20	14,8	ГОСТ 19071-80
52504000150600	0	BK8	12114-150600	8506,86	124,20	14,6	ГОСТ 19071-80
61304000150600	0	T15K6	12114-150600	10204,45	114,39	11,4	ГОСТ 19071-80
61104000150600	0	T5K10	12114-150600	10204,45	114,39	12,8	ГОСТ 19071-80
52404000190600	0	BK6	12114-190600	8733,39	194,75	22,6	ГОСТ 19071-80
52504000190600	0	BK8	12114-190600	8733,39	194,75	22,3	ГОСТ 19071-80
61204000190600	0	T14K8	12114-190600	10457,71	179,14	17,7	ГОСТ 19071-80
61304000190600	0	T15K6	12114-190600	10457,71	179,14	17,4	ГОСТ 19071-80
52404000220600	0	BK6	12114-220600	8622,77	245,75	28,9	ГОСТ 19071-80
52504000220600	0	BK8	12114-220600	8622,77	245,75	28,5	ГОСТ 19071-80
61204000220600	0	T14K8	12114-220600	10344,01	226,43	22,6	ГОСТ 19071-80
61304000220600	0	T15K6	12114-220600	10344,01	226,43	22,2	ГОСТ 19071-80
61304000250700	0	T15K6	12114-250700	10090,78	389,81	39,3	ГОСТ 19071-80
52504040120400	0	BK8	12123-120400	10170,16	74,75	7,35	ГОСТ 19070-80
61104040120400	0	T5K10	12123-120400	11914,52	67,20	6,44	ГОСТ 19070-80
52504040150400	0	BK8	12123-150400	9930,15	115,19	11,6	ГОСТ 19070-80
61304040150400	0	T15K6	12123-150400	9761,97	113,63	9,02	ГОСТ 19070-80
61104040150400	0	T5K10	12123-150400	11695,99	104,21	10,1	ГОСТ 19070-80
61204040190600	0	T14K8	12123-190600	10311,19	242,31	18,7	ГОСТ 19070-80
52504020120400	0	BK8	12124-120400	10194,63	71,16	6,98	ГОСТ 19071-80
61304020120400	0	T15K6	12124-120400	11935,85	63,98	5,45	ГОСТ 19071-80
61104020120400	0	T5K10	12124-120400	11935,85	63,98	6,12	ГОСТ 19071-80

52504020150400	0	BK8	12124-150400	9965,14	108,62	10,9	ГОСТ 19071-80
61204020150400	0	T14K8	12124-150400	11728,6	98,17	8,64	ГОСТ 19071-80
61304020150400	0	T15K6	12124-150400	11728,6	98,17	8,49	ГОСТ 19071-80
61104020150400	0	T5K10	12124-150400	11728,6	98,17	9,53	ГОСТ 19071-80
52504020150600	0	BK8	12124-150600	9796,24	143,03	14,6	ГОСТ 19071-80
61104020150600	0	T5K10	12124-150600	11872,13	173,33	12,8	ГОСТ 19071-80
52403990150400	0	BK6	12133-150400	11878,07	137,79	11,7	ГОСТ 19070-80
52503990150400	0	BK8	12133-150400	10399,58	120,64	11,6	ГОСТ 19070-80
61303990150400	0	T15K6	12133-150400	13759,3	122,60	9,02	ГОСТ 19070-80
61103990150400	0	T5K10	12133-150400	12115,36	122,37	10,1	ГОСТ 19070-80
62403990150400	0	TT20K9	12133-150400	29157,45	338,23	9,84	ГОСТ 19070-80
53633020000012	0	BK10-KC	12BШМ	8214,86	558,61	68,00	ТУ 48-19-180-76
52733020000012	0	BK15	12BШМ	0,00	0,00	66,8	ТУ 48-19-180-76
53833020000012	0	BK20-KC	12BШМ	9450,39	653,97	64,00	ТУ 48-19-180-76
55101620000011	0	BK10-XO	13011	11150,42	13,16	1,3	ГОСТ 17163-90
52201620000011	0	BK3	13011	8522,22	9,89	1,29	ГОСТ 17163-90
51101620000011	0	BK3-M	13011	11150,42	13,16	1,21	ГОСТ 17163-90
52401620000011	0	BK6	13011	8522,22	9,89	1,26	ГОСТ 17163-90
51201620000011	0	BK6-M	13011	11150,42	13,16	1,18	ГОСТ 17163-90
51601620000011	0	BK6-OM	13011	11150,42	13,16	1,18	ГОСТ 17163-90
52501620000011	0	BK8	13011	8522,22	9,89	1,25	ГОСТ 17163-90
61201620000011	0	T14K8	13011	8841,27	10,08	0,91	ГОСТ 17163-90
61301620000011	0	T15K6	13011	8841,27	10,08	0,96	ГОСТ 17163-90
61401620000011	0	T30K4	13011	8841,27	10,08	0,76	ГОСТ 17163-90
61101620000011	0	T5K10	13011	8841,27	10,08	1,1	ГОСТ 17163-90
62101620000011	0	TT7K12	13011	16213,49	16,70	1,05	ГОСТ 17163-90
55101620000031	0	BK10-XO	13031	11185,38	12,98	1,15	ГОСТ 17163-90
52201620000031	0	BK3	13031	8549,35	9,75	1,29	ГОСТ 17163-90
51101620000031	0	BK3-M	13031	11185,38	12,98	1,18	ГОСТ 17163-90
52401620000031	0	BK6	13031	8549,35	9,75	1,26	ГОСТ 17163-90
51201620000031	0	BK6-M	13031	11185,38	12,98	1,16	ГОСТ 17163-90
51601620000031	0	BK6-OM	13031	11185,38	12,98	1,16	ГОСТ 17163-90
52501620000031	0	BK8	13031	8549,35	9,75	1,25	ГОСТ 17163-90
61201620000031	0	T14K8	13031	9086,16	8,90	0,89	ГОСТ 17163-90
61301620000031	0	T15K6	13031	9086,16	8,90	0,96	ГОСТ 17163-90
61401620000031	0	T30K4	13031	9086,16	8,90	0,75	ГОСТ 17163-90
61101620000031	0	T5K10	13031	9086,16	8,90	1,1	ГОСТ 17163-90
62101620000031	0	TT7K12	13031	16265,8	16,43	1,08	ГОСТ 17163-90
55101620000051	0	BK10-XO	13051	8085,03	20,29	2,5	ГОСТ 17163-90
52201620000051	0	BK3	13051	6167,22	15,29	2,58	ГОСТ 17163-90
51101620000051	0	BK3-M	13051	8085,03	20,29	2,58	ГОСТ 17163-90
52401620000051	0	BK6	13051	6167,22	15,29	2,52	ГОСТ 17163-90
51201620000051	0	BK6-M	13051	8085,03	20,29	2,52	ГОСТ 17163-90
51601620000051	0	BK6-OM	13051	8085,03	20,29	2,52	ГОСТ 17163-90
52501620000051	0	BK8	13051	6167,22	15,29	2,48	ГОСТ 17163-90
61201620000051	0	T14K8	13051	6471,98	13,85	1,94	ГОСТ 17163-90
61301620000051	0	T15K6	13051	6471,98	13,85	1,93	ГОСТ 17163-90
61401620000051	0	T30K4	13051	6471,98	13,85	1,64	ГОСТ 17163-90
61101620000051	0	T5K10	13051	6471,98	13,85	2,16	ГОСТ 17163-90
62401620000051	0	TT20K9	13051	0,00	0,00	1,96	ГОСТ 17163-90
62101620000051	0	TT7K12	13051	12009,87	26,54	2,23	ГОСТ 17163-90
55101620000071	0	BK10-XO	13071	8097,64	20,00	2,46	ГОСТ 17163-90
52201620000071	0	BK3	13071	6177,00	15,07	2,53	ГОСТ 17163-90
51101620000071	0	BK3-M	13071	8097,64	20,00	2,53	ГОСТ 17163-90
52401620000071	0	BK6	13071	6177,00	15,07	2,48	ГОСТ 17163-90
51201620000071	0	BK6-M	13071	8097,64	20,00	2,68	ГОСТ 17163-90
51601620000071	0	BK6-OM	13071	8097,64	20,00	2,48	ГОСТ 17163-90
52501620000071	0	BK8	13071	6177,00	15,07	2,44	ГОСТ 17163-90
61201620000071	0	T14K8	13071	6484,41	13,62	1,91	ГОСТ 17163-90
61301620000071	0	T15K6	13071	6484,41	13,62	1,9	ГОСТ 17163-90
61401620000071	0	T30K4	13071	6484,41	13,62	1,61	ГОСТ 17163-90
61101620000071	0	T5K10	13071	6484,41	13,62	2,13	ГОСТ 17163-90
62101620000071	0	TT7K12	13071	12029,44	26,10	2,2	ГОСТ 17163-90
52404430150612	0	BK6	13123-150612	9864,63	128,24	13,13	ГОСТ 24255-80
52504430150612	0	BK8	13123-150612	9864,63	128,24	12,7	ГОСТ 24255-80
59104430150612	0	ВП3115	13123-150612	13810,41	179,54	12,9	ГОСТ 24255-80
61304430150612	0	T15K6	13123-150612	11634,83	116,12	9,93	ГОСТ 24255-80
55101620000131	0	BK10-XO	13131	7676,61	35,31	4,57	ГОСТ 17163-90
52201620000131	0	BK3	13131	5854,52	26,58	4,74	ГОСТ 17163-90
51101620000131	0	BK3-M	13131	7676,61	35,31	4,74	ГОСТ 17163-90
52401620000131	0	BK6	13131	5854,52	26,58	4,6	ГОСТ 17163-90

51201620000131	0	BK6-M	13131	7676,61	35,31	4,6	ГОСТ 17163-90
51601620000131	0	BK6-OM	13131	7676,61	35,31	4,6	ГОСТ 17163-90
52501620000131	0	BK8	13131	5854,52	26,58	4,54	ГОСТ 17163-90
52901620000131	0	ВПТ-331	13131	0,00	0,00	4,54	ГОСТ 17163-90
61201620000131	0	T14K8	13131	6124,52	23,95	3,54	ГОСТ 17163-90
61301620000131	0	T15K6	13131	6124,52	23,95	3,53	ГОСТ 17163-90
61401620000131	0	T30K4	13131	6124,52	23,95	3,25	ГОСТ 17163-90
61101620000131	0	T5K10	13131	6124,52	23,95	3,96	ГОСТ 17163-90
62101620000131	0	TT7K12	13131	11446,54	46,24	4,3	ГОСТ 17163-90
55101620000151	0	BK10-XO	13151	7686,55	34,74	4,49	ГОСТ 17163-90
52201620000151	0	BK3	13151	5862,26	26,15	4,68	ГОСТ 17163-90
51101620000151	0	BK3-M	13151	7686,55	34,74	4,63	ГОСТ 17163-90
52401620000151	0	BK6	13151	5862,26	26,15	4,53	ГОСТ 17163-90
51201620000151	0	BK6-M	13151	7686,55	34,74	4,53	ГОСТ 17163-90
51601620000151	0	BK6-OM	13151	7686,55	34,74	4,53	ГОСТ 17163-90
52501620000151	0	BK8	13151	5862,26	26,15	4,46	ГОСТ 17163-90
61201620000151	0	T14K8	13151	6133,44	23,55	3,48	ГОСТ 17163-90
61301620000151	0	T15K6	13151	6133,44	23,55	3,47	ГОСТ 17163-90
61401620000151	0	T30K4	13151	6133,44	23,55	3,2	ГОСТ 17163-90
61101620000151	0	T5K10	13151	6133,44	23,55	4,1	ГОСТ 17163-90
62101620000151	0	TT7K12	13151	11460,46	45,50	4,02	ГОСТ 17163-90
55101620000171	0	BK10-XO	13171	7436,83	56,59	7,55	ГОСТ 17163-90
52201620000171	0	BK3	13171	5670,57	42,53	7,78	ГОСТ 17163-90
51101620000171	0	BK3-M	13171	7436,83	56,59	7,78	ГОСТ 17163-90
52401620000171	0	BK6	13171	5670,57	42,53	7,6	ГОСТ 17163-90
51201620000171	0	BK6-M	13171	7436,83	56,59	7,6	ГОСТ 17163-90
51601620000171	0	BK6-OM	13171	7436,83	56,59	7,6	ГОСТ 17163-90
52501620000171	0	BK8	13171	5670,57	42,53	7,5	ГОСТ 17163-90
61201620000171	0	T14K8	13171	5913,83	38,20	5,85	ГОСТ 17163-90
61301620000171	0	T15K6	13171	5913,83	38,20	5,83	ГОСТ 17163-90
61401620000171	0	T30K4	13171	5913,83	38,20	5,3	ГОСТ 17163-90
61101620000171	0	T5K10	13171	5913,83	38,20	6,54	ГОСТ 17163-90
62101620000171	0	TT7K12	13171	11106,87	74,19	6,75	ГОСТ 17163-90
55101620000191	0	BK10-XO	13191	7619,42	248,77	32,43	ГОСТ 17163-90
52201620000191	0	BK3	13191	5807,81	187,01	33,1	ГОСТ 17163-90
51101620000191	0	BK3-M	13191	7619,42	248,77	33,1	ГОСТ 17163-90
52401620000191	0	BK6	13191	5807,81	187,01	32,6	ГОСТ 17163-90
51201620000191	0	BK6-M	13191	7619,42	248,77	32,6	ГОСТ 17163-90
51601620000191	0	BK6-OM	13191	7619,42	248,77	32,6	ГОСТ 17163-90
52501620000191	0	BK8	13191	5807,81	187,01	32,2	ГОСТ 17163-90
61201620000191	0	T14K8	13191	6036,59	167,33	24,8	ГОСТ 17163-90
61301620000191	0	T15K6	13191	6036,59	167,33	24,6	ГОСТ 17163-90
61401620000191	0	T30K4	13191	6036,59	167,33	20,91	ГОСТ 17163-90
61101620000191	0	T5K10	13191	6036,59	167,33	27,9	ГОСТ 17163-90
62101620000191	0	TT7K12	13191	11316,23	324,32	28,8	ГОСТ 17163-90
55101620000351	0	BK10-XO	13351	7444,2	55,61	7,42	ГОСТ 17163-90
52201620000351	0	BK3	13351	5675,91	41,83	7,65	ГОСТ 17163-90
51101620000351	0	BK3-M	13351	7444,2	55,61	7,65	ГОСТ 17163-90
52401620000351	0	BK6	13351	5675,91	41,83	7,47	ГОСТ 17163-90
51201620000351	0	BK6-M	13351	7444,2	55,61	7,47	ГОСТ 17163-90
51601620000351	0	BK6-OM	13351	7444,2	55,61	7,47	ГОСТ 17163-90
52501620000351	0	BK8	13351	5675,91	41,83	7,37	ГОСТ 17163-90
61201620000351	0	T14K8	13351	5919,9	37,59	5,75	ГОСТ 17163-90
61301620000351	0	T15K6	13351	5919,9	37,59	5,73	ГОСТ 17163-90
61401620000351	0	T30K4	13351	5919,9	37,59	4,87	ГОСТ 17163-90
61101620000351	0	T5K10	13351	5919,9	37,59	6,85	ГОСТ 17163-90
62101620000351	0	TT7K12	13351	11117,16	72,93	6,63	ГОСТ 17163-90
55101620000371	0	BK10-XO	13371	7230,78	108,46	14,89	ГОСТ 17163-90
52201620000371	0	BK3	13371	5511,61	81,52	15,34	ГОСТ 17163-90
51101620000371	0	BK3-M	13371	7230,78	108,46	15,34	ГОСТ 17163-90
52401620000371	0	BK6	13371	5511,61	81,52	14,99	ГОСТ 17163-90
51201620000371	0	BK6-M	13371	7230,78	108,46	14,99	ГОСТ 17163-90
51601620000371	0	BK6-OM	13371	7230,78	108,46	14,99	ГОСТ 17163-90
52501620000371	0	BK8	13371	5511,61	81,52	14,79	ГОСТ 17163-90
61201620000371	0	T14K8	13371	5728,57	72,92	11,54	ГОСТ 17163-90
61301620000371	0	T15K6	13371	5728,57	72,92	11,5	ГОСТ 17163-90
61401620000371	0	T30K4	13371	5728,57	72,92	9,77	ГОСТ 17163-90
61101620000371	0	T5K10	13371	5728,57	72,92	12,91	ГОСТ 17163-90
62101620000371	0	TT7K12	13371	10810,11	142,26	13,32	ГОСТ 17163-90
53601620000391	0	BK10-KC	13391	7765,33	112,52	14,24	ГОСТ 17163-90
55101620000391	0	BK10-XO	13391	7235,52	106,29	14,59	ГОСТ 17163-90

52201620000391	0	BK3	13391	5515,2	79,92	15,03	ГОСТ 17163-90
51101620000391	0	BK3-M	13391	7235,52	106,29	15,03	ГОСТ 17163-90
52401620000391	0	BK6	13391	5515,2	79,92	14,68	ГОСТ 17163-90
51201620000391	0	BK6-M	13391	7235,52	106,29	14,68	ГОСТ 17163-90
51601620000391	0	BK6-OM	13391	7235,52	106,29	14,68	ГОСТ 17163-90
52501620000391	0	BK8	13391	5515,2	79,92	14,49	ГОСТ 17163-90
53301620000391	0	BK8-B	13391	6618,3	95,90	14,44	ГОСТ 17163-90
61201620000391	0	T14K8	13391	5732,65	71,54	11,31	ГОСТ 17163-90
61301620000391	0	T15K6	13391	5732,65	71,54	11,26	ГОСТ 17163-90
61401620000391	0	T30K4	13391	5732,65	71,54	9,57	ГОСТ 17163-90
61101620000391	0	T5K10	13391	5732,65	71,54	12,65	ГОСТ 17163-90
62101620000391	0	TT7K12	13391	10816,69	139,54	13,05	ГОСТ 17163-90
55101620000411	0	BK10-XO	13411	7133,87	184,27	25,65	ГОСТ 17163-90
52201620000411	0	BK3	13411	5436,83	138,48	26,43	ГОСТ 17163-90
52401620000411	0	BK6	13411	5436,83	138,48	25,82	ГОСТ 17163-90
51201620000411	0	BK6-M	13411	7133,87	184,27	25,82	ГОСТ 17163-90
51601620000411	0	BK6-OM	13411	7133,87	184,27	25,82	ГОСТ 17163-90
52501620000411	0	BK8	13411	5436,83	138,48	25,47	ГОСТ 17163-90
61201620000411	0	T14K8	13411	5640,13	123,69	19,89	ГОСТ 17163-90
61301620000411	0	T15K6	13411	5640,13	123,69	19,8	ГОСТ 17163-90
61401620000411	0	T30K4	13411	5640,13	123,69	17,8	ГОСТ 17163-90
61101620000411	0	T5K10	13411	5640,13	123,69	22,24	ГОСТ 17163-90
62101620000411	0	TT7K12	13411	10668,81	241,86	22,94	ГОСТ 17163-90
53601620000431	0	BK10-KC	13431	7658,48	190,62	24,45	ГОСТ 17163-90
55101620000431	0	BK10-XO	13431	7137,09	180,14	25,06	ГОСТ 17163-90
52201620000431	0	BK3	13431	5439,31	135,38	25,83	ГОСТ 17163-90
51101620000431	0	BK3-M	13431	7137,09	180,14	25,83	ГОСТ 17163-90
52401620000431	0	BK6	13431	5439,31	135,38	25,23	ГОСТ 17163-90
51201620000431	0	BK6-M	13431	7137,09	180,14	25,23	ГОСТ 17163-90
51601620000431	0	BK6-OM	13431	7137,09	180,14	25,23	ГОСТ 17163-90
52501620000431	0	BK8	13431	5439,31	135,38	24,89	ГОСТ 17163-90
53301620000431	0	BK8-B	13431	6527,23	162,46	24,8	ГОСТ 17163-90
53501620000431	0	BK8-BK	13431	6527,23	162,46	24,89	ГОСТ 17163-90
61201620000431	0	T14K8	13431	5643,07	120,93	19,44	ГОСТ 17163-90
61301620000431	0	T15K6	13431	5643,07	120,93	19,35	ГОСТ 17163-90
61401620000431	0	T30K4	13431	5643,07	120,93	17,4	ГОСТ 17163-90
61101620000431	0	T5K10	13431	5643,07	120,93	21,73	ГОСТ 17163-90
62101620000431	0	TT7K12	13431	10673,53	236,42	22,42	ГОСТ 17163-90
55101620000451	0	BK10-XO	13451	7572,1	308,34	40,44	ГОСТ 17163-90
52401620000451	0	BK6	13451	5771,28	231,77	40,7	ГОСТ 17163-90
51201620000451	0	BK6-M	13451	7572,1	308,34	40,7	ГОСТ 17163-90
51601620000451	0	BK6-OM	13451	7572,1	308,34	40,7	ГОСТ 17163-90
52501620000451	0	BK8	13451	5771,28	231,77	40,16	ГОСТ 17163-90
61301620000451	0	T15K6	13451	5993,06	207,24	31,22	ГОСТ 17163-90
61401620000451	0	T30K4	13451	5993,06	207,24	26,53	ГОСТ 17163-90
61101620000451	0	T5K10	13451	5993,06	207,24	35,07	ГОСТ 17163-90
55101620000471	0	BK10-XO	13471	7576,95	300,96	39,44	ГОСТ 17163-90
52201620000471	0	BK3	13471	5775,04	226,21	40,64	ГОСТ 17163-90
52401620000471	0	BK6	13471	5775,04	226,21	39,7	ГОСТ 17163-90
51201620000471	0	BK6-M	13471	7576,95	300,96	39,7	ГОСТ 17163-90
51601620000471	0	BK6-OM	13471	7576,95	300,96	39,7	ГОСТ 17163-90
52501620000471	0	BK8	13471	5775,04	226,21	39,17	ГОСТ 17163-90
61301620000471	0	T15K6	13471	5997,52	202,30	30,45	ГОСТ 17163-90
61401620000471	0	T30K4	13471	5997,52	202,30	25,88	ГОСТ 17163-90
61101620000471	0	T5K10	13471	5997,52	202,30	34,2	ГОСТ 17163-90
55101630000492	0	BK10-XO	13492	11429,41	11,77	1,14	ГОСТ 17163-90
52201630000492	0	BK3	13492	8723,43	8,90	1,26	ГОСТ 17163-90
51101630000492	0	BK3-M	13492	11429,41	11,77	1,05	ГОСТ 17163-90
52401630000492	0	BK6	13492	8723,43	8,90	1,25	ГОСТ 17163-90
51201630000492	0	BK6-M	13492	11429,41	11,77	1,17	ГОСТ 17163-90
51601630000492	0	BK6-OM	13492	11429,41	11,77	1,03	ГОСТ 17163-90
52501630000492	0	BK8	13492	8723,43	8,90	1,25	ГОСТ 17163-90
61201630000492	0	T14K8	13492	9260,39	8,15	0,78	ГОСТ 17163-90
61301630000492	0	T15K6	13492	9260,39	8,15	0,96	ГОСТ 17163-90
61401630000492	0	T30K4	13492	9260,39	8,15	0,85	ГОСТ 17163-90
61101630000492	0	T5K10	13492	9260,39	8,15	1,1	ГОСТ 17163-90
62101630000492	0	TT7K12	13492	16543,78	15,05	0,91	ГОСТ 17163-90
55101630000512	0	BK10-XO	13512	10748,1	15,48	1,55	ГОСТ 17163-90
52201630000512	0	BK3	13512	8210,29	11,66	1,65	ГОСТ 17163-90
51101630000512	0	BK3-M	13512	10748,1	15,48	1,46	ГОСТ 17163-90
52401630000512	0	BK6	13512	8210,29	11,66	1,6	ГОСТ 17163-90

51201630000512	0	BK6-M	13512	10748,1	15,48	1,6	FOCT 17163-90
51601630000512	0	BK6-OM	13512	10748,1	15,48	1,44	FOCT 17163-90
52501630000512	0	BK8	13512	8210,29	11,66	1,6	FOCT 17163-90
61201630000512	0	T14K8	13512	8732,07	10,65	1,09	FOCT 17163-90
61301630000512	0	T15K6	13512	8732,07	10,65	1,25	FOCT 17163-90
61401630000512	0	T30K4	13512	8732,07	10,65	1,1	FOCT 17163-90
61101630000512	0	T5K10	13512	8732,07	10,65	1,4	FOCT 17163-90
62101630000512	0	TT7K12	13512	15678,48	19,75	1,27	FOCT 17163-90
55101630000532	0	BK10-XO	13532	9899,61	22,37	2,52	FOCT 17163-90
52201630000532	0	BK3	13532	7566,47	16,80	2,61	FOCT 17163-90
51101630000532	0	BK3-M	13532	9899,61	22,37	2,65	FOCT 17163-90
52401630000532	0	BK6	13532	7566,47	16,80	2,5	FOCT 17163-90
51201630000532	0	BK6-M	13532	9899,61	22,37	2,61	FOCT 17163-90
51601630000532	0	BK6-OM	13532	9899,61	22,37	2,25	FOCT 17163-90
52501630000532	0	BK8	13532	7566,47	16,80	2,5	FOCT 17163-90
61201630000532	0	T14K8	13532	8031,76	15,42	1,71	FOCT 17163-90
61301630000532	0	T15K6	13532	8031,76	15,42	1,95	FOCT 17163-90
61401630000532	0	T30K4	13532	8031,76	15,42	1,44	FOCT 17163-90
61101630000532	0	T5K10	13532	8031,76	15,42	2,15	FOCT 17163-90
62101630000532	0	TT7K12	13532	14537,58	28,78	1,99	FOCT 17163-90
55101630000552	0	BK10-XO	13552	9496,16	27,35	2,86	FOCT 17163-90
52201630000552	0	BK3	13552	7252,02	20,60	3,3	FOCT 17163-90
51101630000552	0	BK3-M	13552	9496,16	27,35	3,13	FOCT 17163-90
52401630000552	0	BK6	13552	7252,02	20,60	3,2	FOCT 17163-90
51201630000552	0	BK6-M	13552	9496,16	27,35	3,1	FOCT 17163-90
51601630000552	0	BK6-OM	13552	9496,16	27,35	2,88	FOCT 17163-90
52501630000552	0	BK8	13552	7252,02	20,60	3,15	FOCT 17163-90
61201630000552	0	T14K8	13552	7690,57	18,84	2,19	FOCT 17163-90
61301630000552	0	T15K6	13552	7690,57	18,84	2,42	FOCT 17163-90
61401630000552	0	T30K4	13552	7690,57	18,84	2,14	FOCT 17163-90
61101630000552	0	T5K10	13552	7690,57	18,84	2,75	FOCT 17163-90
62101630000552	0	TT7K12	13552	13979,61	35,37	2,55	FOCT 17163-90
55101630000572	0	BK10-XO	13572	8976,14	37,16	4,37	FOCT 17163-90
52201630000572	0	BK3	13572	6853,39	27,96	4,6	FOCT 17163-90
51101630000572	0	BK3-M	13572	8976,14	37,16	4,56	FOCT 17163-90
52401630000572	0	BK6	13572	6853,39	27,96	4,6	FOCT 17163-90
51201630000572	0	BK6-M	13572	8976,14	37,16	4,5	FOCT 17163-90
51601630000572	0	BK6-OM	13572	8976,14	37,16	4,13	FOCT 17163-90
52501630000572	0	BK8	13572	6853,39	27,96	4,5	FOCT 17163-90
61201630000572	0	T14K8	13572	7248,76	25,44	3,14	FOCT 17163-90
61301630000572	0	T15K6	13572	7248,76	25,44	3,46	FOCT 17163-90
61401630000572	0	T30K4	13572	7248,76	25,44	3,06	FOCT 17163-90
61101630000572	0	T5K10	13572	7248,76	25,44	3,9	FOCT 17163-90
62101630000572	0	TT7K12	13572	13261,36	48,14	3,66	FOCT 17163-90
55101630000592	0	BK10-XO	13592	8430,05	57,32	7,2	FOCT 17163-90
52201630000592	0	BK3	13592	6432,3	43,16	7,8	FOCT 17163-90
51101630000592	0	BK3-M	13592	8430,05	57,32	7,5	FOCT 17163-90
52401630000592	0	BK6	13592	6432,3	43,16	7,6	FOCT 17163-90
51201630000592	0	BK6-M	13592	8430,05	57,32	7,4	FOCT 17163-90
51601630000592	0	BK6-OM	13592	8430,05	57,32	6,79	FOCT 17163-90
52501630000592	0	BK8	13592	6432,3	43,16	7,5	FOCT 17163-90
61201630000592	0	T14K8	13592	6767,31	39,12	5,16	FOCT 17163-90
61301630000592	0	T15K6	13592	6767,31	39,12	5,8	FOCT 17163-90
61401630000592	0	T30K4	13592	6767,31	39,12	4,36	FOCT 17163-90
61101630000592	0	T5K10	13592	6767,31	39,12	6,55	FOCT 17163-90
62101630000592	0	TT7K12	13592	11104,34	74,51	6,01	FOCT 17163-90
53601630000612	0	BK10-KC	13612	8590,58	103,09	11,79	FOCT 17163-90
55101630000612	0	BK10-XO	13612	7999,78	97,36	12,08	FOCT 17163-90
52201630000612	0	BK3	13612	6101,31	73,22	13,55	FOCT 17163-90
51101630000612	0	BK3-M	13612	7999,78	97,36	13,2	FOCT 17163-90
52401630000612	0	BK6	13612	6101,31	73,22	13,2	FOCT 17163-90
51201630000612	0	BK6-M	13612	7999,78	97,36	13,00	FOCT 17163-90
51601630000612	0	BK6-OM	13612	7999,78	97,36	12,2	FOCT 17163-90
52501630000612	0	BK8	13612	6101,31	73,22	13,00	FOCT 17163-90
53301630000612	0	BK8-B	13612	7321,64	87,86	11,96	FOCT 17163-90
61201630000612	0	T14K8	13612	6383,18	65,94	9,27	FOCT 17163-90
61301630000612	0	T15K6	13612	6383,18	65,94	10,00	FOCT 17163-90
61401630000612	0	T30K4	13612	6383,18	65,94	7,83	FOCT 17163-90
61101630000612	0	T5K10	13612	6383,18	65,94	11,4	FOCT 17163-90
62101630000612	0	TT7K12	13612	11870,11	126,77	10,8	FOCT 17163-90
53601630000632	0	BK10-KC	13632	8344,2	161,88	19,07	FOCT 17163-90

55101630000632	0	BK10-XO	13632	7773,02	152,90	19,54	ГОСТ 17163-90
52201630000632	0	BK3	13632	5926,33	114,97	19,9	ГОСТ 17163-90
51101630000632	0	BK3-M	13632	7773,02	152,90	21,2	ГОСТ 17163-90
52401630000632	0	BK6	13632	5926,33	114,97	19,6	ГОСТ 17163-90
51201630000632	0	BK6-M	13632	7773,02	152,90	20,9	ГОСТ 17163-90
51601630000632	0	BK6-OM	13632	7773,02	152,90	19,6	ГОСТ 17163-90
52501630000632	0	BK8	13632	5926,33	114,97	19,4	ГОСТ 17163-90
53301630000632	0	BK8-B	13632	7111,66	137,97	19,33	ГОСТ 17163-90
61201630000632	0	T14K8	13632	6177,18	103,16	14,9	ГОСТ 17163-90
61301630000632	0	T15K6	13632	6177,18	103,16	14,8	ГОСТ 17163-90
61401630000632	0	T30K4	13632	6177,18	103,16	12,6	ГОСТ 17163-90
61101630000632	0	T5K10	13632	6177,18	103,16	16,8	ГОСТ 17163-90
62101630000632	0	TT7K12	13632	11540,54	199,31	17,4	ГОСТ 17163-90
55101630000652	0	BK10-XO	13652	7647,36	223,30	30,5	ГОСТ 17163-90
52201630000652	0	BK3	13652	5829,36	167,89	29,7	ГОСТ 17163-90
51101630000652	0	BK3-M	13652	7647,36	223,30	29,7	ГОСТ 17163-90
52401630000652	0	BK6	13652	5829,36	167,89	29,2	ГОСТ 17163-90
51201630000652	0	BK6-M	13652	7647,36	223,30	29,2	ГОСТ 17163-90
51601630000652	0	BK6-OM	13652	7651,02	220,35	29,2	ГОСТ 17163-90
52501630000652	0	BK8	13652	5829,36	167,89	28,8	ГОСТ 17163-90
61301630000652	0	T15K6	13652	6062,15	150,34	22,1	ГОСТ 17163-90
61401630000652	0	T30K4	13652	6062,15	150,34	18,8	ГОСТ 17163-90
61101630000652	0	T5K10	13652	6062,15	150,34	25,00	ГОСТ 17163-90
53633020000013	0	BK10-KC	13BШМ	8216,58	550,51	67,00	ТУ 48-19-180-76
53833020000013	0	BK20-KC	13BШМ	9462,98	596,93	66,00	ТУ 48-19-180-76
55100140000011	0	BK10-XO	14011	17586,77	5,98	0,34	ГОСТ 25399-90
52400140000011	0	BK6	14011	13399,47	4,56	0,34	ГОСТ 25399-90
52500140000011	0	BK8	14011	13399,47	4,56	0,34	ГОСТ 25399-90
61200140000011	0	T14K8	14011	14157,15	4,11	0,26	ГОСТ 25399-90
61300140000011	0	T15K6	14011	14157,15	4,11	0,26	ГОСТ 25399-90
61100140000011	0	T5K10	14011	14157,15	4,11	0,29	ГОСТ 25399-90
55100140000031	0	BK10-XO	14031	15838,25	9,98	0,62	ГОСТ 25399-90
52400140000031	0	BK6	14031	7132,76	4,42	0,63	ГОСТ 25399-90
51200140000031	0	BK6-M	14031	15838,25	9,98	0,63	ГОСТ 25399-90
52500140000031	0	BK8	14031	12105,27	7,51	0,62	ГОСТ 25399-90
61300140000031	0	T15K6	14031	12895,39	6,83	0,49	ГОСТ 25399-90
61100140000031	0	T5K10	14031	12895,39	6,83	0,55	ГОСТ 25399-90
55100140000051	0	BK10-XO	14051	15597,8	10,61	0,67	ГОСТ 25399-90
52200140000051	0	BK3	14051	11919,83	7,99	0,69	ГОСТ 25399-90
51100140000051	0	BK3-M	14051	15597,8	10,61	0,69	ГОСТ 25399-90
52400140000051	0	BK6	14051	11919,83	7,99	0,68	ГОСТ 25399-90
52500140000051	0	BK8	14051	11919,83	7,99	0,67	ГОСТ 25399-90
61300140000051	0	T15K6	14051	12680,77	7,35	0,52	ГОСТ 25399-90
61100140000051	0	T5K10	14051	12680,77	7,35	0,58	ГОСТ 25399-90
55100140000071	0	BK10-XO	14071	14877,47	12,65	0,85	ГОСТ 25399-90
52200140000071	0	BK3	14071	11364,72	9,55	0,87	ГОСТ 25399-90
52400140000071	0	BK6	14071	11364,72	9,55	0,85	ГОСТ 25399-90
51200140000071	0	BK6-M	14071	14877,47	12,65	0,85	ГОСТ 25399-90
51600140000071	0	BK6-OM	14071	9078,24	7,63	0,85	ГОСТ 25399-90
52500140000071	0	BK8	14071	11364,72	9,55	0,84	ГОСТ 25399-90
61200140000071	0	T14K8	14071	12146,22	8,75	0,65	ГОСТ 25399-90
61300140000071	0	T15K6	14071	12146,22	8,75	0,65	ГОСТ 25399-90
61100140000071	0	T5K10	14071	12146,22	8,75	0,64	ГОСТ 25399-90
52200140000091	0	BK3	14091	11164,87	10,16	0,94	ГОСТ 25399-90
52400140000091	0	BK6	14091	11164,87	10,16	0,92	ГОСТ 25399-90
52500140000091	0	BK8	14091	11164,87	10,16	0,91	ГОСТ 25399-90
61300140000091	0	T15K6	14091	11942,87	9,32	0,7	ГОСТ 25399-90
52200140000111	0	BK3	14111	10689,57	11,76	1,14	ГОСТ 25399-90
52400140000111	0	BK6	14111	10689,57	11,76	1,12	ГОСТ 25399-90
51200140000111	0	BK6-M	14111	13970,86	15,65	1,12	ГОСТ 25399-90
52500140000111	0	BK8	14111	10689,57	11,76	1,1	ГОСТ 25399-90
61300140000111	0	T15K6	14111	11434,66	10,86	0,86	ГОСТ 25399-90
61100140000111	0	T5K10	14111	11434,66	10,86	0,96	ГОСТ 25399-90
55100140000131	0	BK10-XO	14131	15838,25	9,98	0,44	ГОСТ 25399-90
52200140000131	0	BK3	14131	12105,27	7,51	0,46	ГОСТ 25399-90
51600140000131	0	BK6-OM	14131	9639,71	4,34	0,45	ГОСТ 25399-90
52500140000131	0	BK8	14131	12105,27	7,51	0,44	ГОСТ 25399-90
61300140000131	0	T15K6	14131	12895,39	6,83	0,34	ГОСТ 25399-90
55100140000151	0	BK10-XO	14151	13799,89	16,28	1,17	ГОСТ 25399-90
52200140000151	0	BK3	14151	10556,85	12,25	1,2	ГОСТ 25399-90
51100140000151	0	BK3-M	14151	13799,89	16,28	1,2	ГОСТ 25399-90

52400140000151	0	BK6	14151	10556,85	12,25	1,17	ГОСТ 25399-90
51200140000151	0	BK6-M	14151	8768,97	10,17	1,17	ГОСТ 25399-90
52500140000151	0	BK8	14151	10556,85	12,25	1,16	ГОСТ 25399-90
61300140000151	0	T15K6	14151	11301,63	11,30	0,9	ГОСТ 25399-90
61400140000151	0	T30K4	14151	6909,27	8,01	0,76	ГОСТ 25399-90
61100140000151	0	T5K10	14151	11301,63	11,30	1,01	ГОСТ 25399-90
52200140000171	0	BK3	14171	9560,22	16,73	1,82	ГОСТ 25399-90
52500140000171	0	BK8	14171	9560,22	16,73	1,75	ГОСТ 25399-90
61300140000171	0	T15K6	14171	10247,45	15,47	1,5	ГОСТ 25399-90
61400140000171	0	T30K4	14171	10247,45	15,47	1,16	ГОСТ 25399-90
61100140000171	0	T5K10	14171	10247,45	15,47	1,53	ГОСТ 25399-90
52200140000191	0	BK3	14191	9469,65	17,23	1,89	ГОСТ 25399-90
52500140000191	0	BK8	14191	9469,65	17,23	1,82	ГОСТ 25399-90
61300140000191	0	T15K6	14191	10150,94	15,94	1,42	ГОСТ 25399-90
61100140000191	0	T5K10	14191	10150,94	15,94	1,59	ГОСТ 25399-90
55100140000211	0	BK10-XO	14211	12048,6	24,94	2,05	ГОСТ 25399-90
52200140000211	0	BK3	14211	9212,16	18,79	2,12	ГОСТ 25399-90
51100140000211	0	BK3-M	14211	12048,6	24,94	2,12	ГОСТ 25399-90
52400140000211	0	BK6	14211	9212,16	18,79	2,07	ГОСТ 25399-90
52500140000211	0	BK8	14211	9212,16	18,79	2,04	ГОСТ 25399-90
61300140000211	0	T15K6	14211	9872,99	17,38	1,6	ГОСТ 25399-90
61100140000211	0	T5K10	14211	9872,99	17,38	1,78	ГОСТ 25399-90
55100140000251	0	BK10-XO	14251	13005,66	19,64	1,5	ГОСТ 25399-90
52400140000251	0	BK6	14251	9941,21	14,81	1,51	ГОСТ 25399-90
51200140000251	0	BK6-M	14251	13005,66	19,64	1,51	ГОСТ 25399-90
52500140000251	0	BK8	14251	9941,21	14,81	1,49	ГОСТ 25399-90
61300140000251	0	T15K6	14251	10664,48	13,65	1,14	ГОСТ 25399-90
61100140000251	0	T5K10	14251	10664,48	13,65	1,29	ГОСТ 25399-90
55100140000271	0	BK10-XO	14271	12883,17	20,23	1,56	ГОСТ 25399-90
52400140000271	0	BK6	14271	9846,39	15,26	1,57	ГОСТ 25399-90
51200140000271	0	BK6-M	14271	12883,17	20,23	1,57	ГОСТ 25399-90
52500140000271	0	BK8	14271	9846,39	15,26	1,55	ГОСТ 25399-90
61300140000271	0	T15K6	14271	10566,82	14,05	1,18	ГОСТ 25399-90
61100140000271	0	T5K10	14271	10182,61	15,78	1,04	ГОСТ 25399-90
55100140000291	0	BK10-XO	14291	8329,06	15,58	1,88	ГОСТ 25399-90
52200140000291	0	BK3	14291	9407,67	17,59	1,93	ГОСТ 25399-90
52400140000291	0	BK6	14291	9407,67	17,59	1,89	ГОСТ 25399-90
51200140000291	0	BK6-M	14291	12300,06	23,37	1,89	ГОСТ 25399-90
52500140000291	0	BK8	14291	9407,67	17,59	1,87	ГОСТ 25399-90
61300140000291	0	T15K6	14291	10089,06	16,24	1,43	ГОСТ 25399-90
61400140000291	0	T30K4	14291	10089,06	16,24	1,24	ГОСТ 25399-90
61100140000291	0	T5K10	14291	10089,06	16,24	1,63	ГОСТ 25399-90
52400140000312	0	BK6	14312	9973,84	14,66	1,49	ГОСТ 25399-90
52500140000312	0	BK8	14312	9973,84	14,66	1,47	ГОСТ 25399-90
61300140000312	0	T15K6	14312	10684,53	13,57	1,42	ГОСТ 25399-90
61100140000312	0	T5K10	14312	10684,53	13,57	1,28	ГОСТ 25399-90
55100140000332	0	BK10-XO	14332	8237,81	17,13	2,09	ГОСТ 25399-90
51100140000332	0	BK3-M	14332	11993,43	25,31	2,16	ГОСТ 25399-90
52400140000332	0	BK6	14332	9169,3	19,07	2,1	ГОСТ 25399-90
51200140000332	0	BK6-M	14332	11993,43	25,31	2,1	ГОСТ 25399-90
51600140000332	0	BK6-OM	14332	12034,67	25,03	2,1	ГОСТ 25399-90
52500140000332	0	BK8	14332	9169,3	19,07	2,4	ГОСТ 25399-90
61300140000332	0	T15K6	14332	9832,57	17,60	1,59	ГОСТ 25399-90
61100140000332	0	T5K10	14332	9832,57	17,60	2,00	ГОСТ 25399-90
51100140000352	0	BK3-M	14352	10994,62	33,75	3,05	ГОСТ 25399-90
52400140000352	0	BK6	14352	8445,36	25,00	3,00	ГОСТ 25399-90
51200140000352	0	BK6-M	14352	10994,62	33,75	3,00	ГОСТ 25399-90
51600140000352	0	BK6-OM	14352	10994,62	33,75	3,00	ГОСТ 25399-90
52500140000352	0	BK8	14352	8445,36	25,00	3,75	ГОСТ 25399-90
61300140000352	0	T15K6	14352	9036,36	23,04	2,6	ГОСТ 25399-90
61100140000352	0	T5K10	14352	9036,36	23,04	3,25	ГОСТ 25399-90
51100140000372	0	BK3-M	14372	10666,05	37,65	3,58	ГОСТ 25399-90
51200140000372	0	BK6-M	14372	10666,05	37,65	3,52	ГОСТ 25399-90
52500140000372	0	BK8	14372	8151,26	28,37	4,1	ГОСТ 25399-90
61300140000372	0	T15K6	14372	8707,53	26,12	3,00	ГОСТ 25399-90
61100140000372	0	T5K10	14372	8707,53	26,12	3,4	ГОСТ 25399-90
55100140000392	0	BK10-XO	14392	7755,86	31,18	4,05	ГОСТ 25399-90
52400140000392	0	BK6	14392	5909,24	23,76	4,07	ГОСТ 25399-90
52500140000392	0	BK8	14392	7910,34	31,80	4,8	ГОСТ 25399-90
61300140000392	0	T15K6	14392	8439,98	29,20	3,08	ГОСТ 25399-90
61100140000392	0	T5K10	14392	8439,98	29,20	4,2	ГОСТ 25399-90

51100140000412	0	BK3-M	14412	9788,09	53,74	5,61	ГОСТ 25399-90
52400140000412	0	BK6	14412	7476,91	40,45	6,8	ГОСТ 25399-90
51600140000412	0	BK6-OM	14412	9788,09	53,74	5,48	ГОСТ 25399-90
52500140000412	0	BK8	14412	7476,91	40,45	6,7	ГОСТ 25399-90
61300140000412	0	T15K6	14412	7949,96	36,97	4,14	ГОСТ 25399-90
61100140000412	0	T5K10	14412	7949,96	36,97	5,82	ГОСТ 25399-90
55100140000432	0	BK10-XO	14432	7496,78	49,40	6,64	ГОСТ 25399-90
51100140000432	0	BK3-M	14432	9473,68	63,28	6,78	ГОСТ 25399-90
52400140000432	0	BK6	14432	7233,55	47,67	6,67	ГОСТ 25399-90
52500140000432	0	BK8	14432	7233,55	47,67	7,3	ГОСТ 25399-90
61300140000432	0	T15K6	14432	7669,11	43,48	5,6	ГОСТ 25399-90
61100140000432	0	T5K10	14432	7669,11	43,48	6,34	ГОСТ 25399-90
52400140000452	0	BK6	14452	7124,85	51,80	8,2	ГОСТ 25399-90
51200140000452	0	BK6-M	14452	9332,32	68,78	7,36	ГОСТ 25399-90
52500140000452	0	BK8	14452	7124,85	51,80	8,1	ГОСТ 25399-90
61300140000452	0	T15K6	14452	7542,69	47,22	6,3	ГОСТ 25399-90
61100140000452	0	T5K10	14452	7542,69	47,22	7,00	ГОСТ 25399-90
52400140000472	0	BK6	14472	5648,22	45,69	8,19	ГОСТ 25399-90
52500140000472	0	BK8	14472	7015,4	56,75	9,3	ГОСТ 25399-90
61300140000472	0	T15K6	14472	7415,36	51,69	7,15	ГОСТ 25399-90
61100140000472	0	T5K10	14472	7415,36	51,69	8,1	ГОСТ 25399-90
55100140000492	0	BK10-XO	14492	8924,35	91,92	10,37	ГОСТ 25399-90
52400140000492	0	BK6	14492	6799,52	70,04	12,85	ГОСТ 25399-90
51200140000492	0	BK6-M	14492	8910,08	93,02	10,4	ГОСТ 25399-90
51600140000492	0	BK6-OM	14492	8910,08	93,02	10,4	ГОСТ 25399-90
52500140000492	0	BK8	14492	6799,52	70,04	12,7	ГОСТ 25399-90
61300140000492	0	T15K6	14492	7164,74	63,55	9,75	ГОСТ 25399-90
61400140000492	0	T30K4	14492	7031,69	72,43	6,7	ГОСТ 25399-90
61100140000492	0	T5K10	14492	7164,74	63,55	11,00	ГОСТ 25399-90
52400140000512	0	BK6	14512	6761,89	73,03	10,9	ГОСТ 25399-90
51200140000512	0	BK6-M	14512	8860,96	97,03	10,9	ГОСТ 25399-90
51600140000512	0	BK6-OM	14512	8860,96	97,03	10,9	ГОСТ 25399-90
52500140000512	0	BK8	14512	6761,89	73,03	13,8	ГОСТ 25399-90
61300140000512	0	T15K6	14512	7120,85	66,22	10,1	ГОСТ 25399-90
61100140000512	0	T5K10	14512	7120,85	66,22	12,1	ГОСТ 25399-90
52400140000532	0	BK6	14532	6734,01	75,42	11,2	ГОСТ 25399-90
52500140000532	0	BK8	14532	6734,01	75,42	13,5	ГОСТ 25399-90
61300140000532	0	T15K6	14532	7088,65	68,33	10,4	ГОСТ 25399-90
61100140000532	0	T5K10	14532	7088,65	68,33	11,8	ГОСТ 25399-90
52400140000552	0	BK6	14552	6628,27	86,17	13,1	ГОСТ 25399-90
52500140000552	0	BK8	14552	6628,27	86,17	16,6	ГОСТ 25399-90
61300140000552	0	T15K6	14552	6964,65	77,93	9,93	ГОСТ 25399-90
61100140000552	0	T5K10	14552	6964,65	77,93	14,4	ГОСТ 25399-90
52400140000572	0	BK6	14572	6608,36	88,55	13,6	ГОСТ 25399-90
52500140000572	0	BK8	14572	6608,36	88,55	17,4	ГОСТ 25399-90
61300140000572	0	T15K6	14572	6941,55	80,04	13,4	ГОСТ 25399-90
61100140000572	0	T5K10	14572	6941,55	80,04	15,1	ГОСТ 25399-90
52400140000592	0	BK6	14592	6423,5	119,48	18,8	ГОСТ 25399-90
51600140000592	0	BK6-OM	14592	8422,03	158,84	18,8	ГОСТ 25399-90
52500140000592	0	BK8	14592	6423,5	119,48	21,5	ГОСТ 25399-90
61300140000592	0	T15K6	14592	6723,45	107,64	16,5	ГОСТ 25399-90
61100140000592	0	T5K10	14592	6723,45	107,64	18,7	ГОСТ 25399-90
52500140000612	0	BK8	14612	6408,3	123,04	23,6	ГОСТ 25399-90
61300140000612	0	T15K6	14612	6705,35	110,84	18,15	ГОСТ 25399-90
61100140000612	0	T5K10	14612	6705,35	110,84	20,6	ГОСТ 25399-90
52400140000632	0	BK6	14632	6391,66	127,19	20,2	ГОСТ 25399-90
52500140000632	0	BK8	14632	6391,66	127,19	24,5	ГОСТ 25399-90
61300140000632	0	T15K6	14632	6685,76	114,53	18,9	ГОСТ 25399-90
61100140000632	0	T5K10	14632	6685,76	114,53	21,4	ГОСТ 25399-90
52400140000652	0	BK6	14652	6378,26	130,75	20,8	ГОСТ 25399-90
52500140000652	0	BK8	14652	6378,26	130,75	26,5	ГОСТ 25399-90
61300140000652	0	T15K6	14652	6669,8	117,72	20,5	ГОСТ 25399-90
61100140000652	0	T5K10	14652	6669,8	117,72	23,2	ГОСТ 25399-90
52500140000672	0	BK8	14672	6285,97	162,18	32,3	ГОСТ 25399-90
61300140000672	0	T15K6	14672	6560,49	145,71	19,7	ГОСТ 25399-90
61100140000672	0	T5K10	14672	6560,49	145,71	22,4	ГОСТ 25399-90
52400140000692	0	BK6	14692	6276,44	166,33	26,8	ГОСТ 25399-90
52500140000692	0	BK8	14692	6276,44	166,33	33,5	ГОСТ 25399-90
61300140000692	0	T15K6	14692	6549,05	149,45	26,9	ГОСТ 25399-90
61100140000692	0	T5K10	14692	6549,05	149,45	30,5	ГОСТ 25399-90
52500140000712	0	BK8	14712	6268,65	169,88	33,3	ГОСТ 25399-90

61300140000712	0	T15K6	14712	6539,91	152,58	20,8	FOCT 25399-90
61100140000712	0	T5K10	14712	6539,91	152,58	23,5	FOCT 25399-90
52500140000732	0	BK8	14732	6219,36	196,53	40,6	FOCT 25399-90
61300140000732	0	T15K6	14732	6431,72	203,24	24,2	FOCT 25399-90
61100140000732	0	T5K10	14732	6481,26	176,35	27,5	FOCT 25399-90
55100140000752	0	BK10-XO	14752	8141,75	271,93	33,63	FOCT 25399-90
52400140000752	0	BK6	14752	6203,25	207,19	33,8	FOCT 25399-90
52500140000752	0	BK8	14752	6203,25	207,19	42,3	FOCT 25399-90
61300140000752	0	T15K6	14752	6462,1	185,85	25,5	FOCT 25399-90
61100140000752	0	T5K10	14752	6462,1	185,85	29,00	FOCT 25399-90
52400140000772	0	BK6	14772	6200,73	208,96	34,1	FOCT 25399-90
52500140000772	0	BK8	14772	6200,73	208,96	43,00	FOCT 25399-90
61100140000772	0	T5K10	14772	6459,08	187,44	29,2	FOCT 25399-90
52400140000792	0	BK6	14792	6110,26	302,46	50,00	FOCT 25399-90
52500140000792	0	BK8	14792	6110,26	302,46	63,5	FOCT 25399-90
61100140000792	0	T5K10	14792	6351,31	270,69	43,00	FOCT 25399-90
52400140000812	0	BK6	14812	6104,53	311,33	52,00	FOCT 25399-90
52500140000812	0	BK8	14812	6104,53	311,33	65,8	FOCT 25399-90
52400140000832	0	BK6	14832	6061,33	400,05	66,7	FOCT 25399-90
52500140000832	0	BK8	14832	6097,38	323,16	66,00	FOCT 25399-90
61100140000832	0	T5K10	14832	6335,96	289,11	46,2	FOCT 25399-90
52500140000852	0	BK8	14852	6073,41	370,48	77,00	FOCT 25399-90
52400140000872	0	BK6	14872	6021,83	541,97	91,00	FOCT 25399-90
52500140000872	0	BK8	14872	6021,83	541,97	90,00	FOCT 25399-90
53833020000014	0	BK20-KC	14BШJM	9458,8	614,82	65,00	TV 48-19-180-76
52400150000010	0	BK6	15010	5776,5	31,77	5,55	FOCT 25404-90
52500150000010	0	BK8	15010	5776,5	31,77	5,5	FOCT 25404-90
61300150000010	0	T15K6	15010	6035,4	28,61	4,22	FOCT 25404-90
61400150000010	0	T30K4	15010	6035,4	28,61	3,58	FOCT 25404-90
61100150000010	0	T5K10	15010	6035,4	28,61	4,78	FOCT 25404-90
52400150000030	0	BK6	15030	5547,98	67,69	12,4	FOCT 25404-90
52500150000030	0	BK8	15030	5547,98	67,69	12,2	FOCT 25404-90
61200150000030	0	T14K8	15030	6302,09	76,89	9,43	FOCT 25404-90
61300150000030	0	T15K6	15030	5771,31	60,60	9,37	FOCT 25404-90
61400150000030	0	T30K4	15030	5771,31	60,60	7,97	FOCT 25404-90
61100150000030	0	T5K10	15030	5771,31	60,60	10,6	FOCT 25404-90
55100150000040	0	BK10-XO	15040	7278,00	90,03	12,28	FOCT 25404-90
52400150000040	0	BK6	15040	5547,98	67,69	12,4	FOCT 25404-90
52500150000040	0	BK8	15040	5547,98	67,69	12,2	FOCT 25404-90
61300150000040	0	T15K6	15040	5771,31	60,60	9,37	FOCT 25404-90
61400150000040	0	T30K4	15040	5771,31	60,60	7,97	FOCT 25404-90
61100150000040	0	T5K10	15040	5771,31	60,60	10,6	FOCT 25404-90
52500150000090	0	BK8	15090	5417,72	167,95	31,00	FOCT 25404-90
61200150000090	0	T14K8	15090	6013,45	186,42	23,8	FOCT 25404-90
61300150000090	0	T15K6	15090	5617,44	149,93	23,8	FOCT 25404-90
61100150000090	0	T5K10	15090	5617,44	149,93	27,00	FOCT 25404-90
52400150000100	0	BK6	15100	5417,72	167,95	31,5	FOCT 25404-90
52500150000100	0	BK8	15100	5417,72	167,95	31,00	FOCT 25404-90
61300150000100	0	T15K6	15100	5617,44	149,93	23,8	FOCT 25404-90
61100150000100	0	T5K10	15100	5617,44	149,93	27,00	FOCT 25404-90
52500150000110	0	BK8	15110	5737,24	298,34	52,00	FOCT 25404-90
61300150000110	0	T15K6	15110	5952,48	266,49	53,00	FOCT 25404-90
61100150000110	0	T5K10	15110	5952,48	266,49	45,5	FOCT 25404-90
52500150000120	0	BK8	15120	5737,24	298,34	52,00	FOCT 25404-90
61300150000120	0	T15K6	15120	5952,48	266,49	40,00	FOCT 25404-90
61100150000120	0	T5K10	15120	5952,48	266,49	45,5	FOCT 25404-90
52500150000150	0	BK8	15150	5701,44	427,61	75,00	FOCT 25404-90
52900150000150	0	ВПТ-331	15150	0,00	0,00	75,00	FOCT 25404-90
61300150000150	0	T15K6	15150	5909,67	381,65	57,00	FOCT 25404-90
61100150000150	0	T5K10	15150	5909,67	381,65	65,00	FOCT 25404-90
62100150015150	0	TT7K12	15150	0,00	0,00	67,3	FOCT 25404-90
52400150000160	0	BK6	15160	5701,44	427,61	75,77	FOCT 25404-90
52500150000160	0	BK8	15160	5701,44	427,61	75,00	FOCT 25404-90
61300150000160	0	T15K6	15160	5909,67	381,65	57,00	FOCT 25404-90
61100150000160	0	T5K10	15160	5909,67	381,65	65,00	FOCT 25404-90
53833020000015	0	BK20-KC	15BШJM	9456,71	624,14	66,00	TV 48-19-180-76
55100160000010	0	BK10-XO	16010	8133,88	19,20	2,29	FOCT 25405-90
52200160000010	0	BK3	16010	6205,1	14,46	2,4	FOCT 25405-90
51100160000010	0	BK3-M	16010	8133,88	19,20	2,4	FOCT 25405-90
52500160000010	0	BK8	16010	6205,1	14,46	2,33	FOCT 25405-90
61300160000010	0	T15K6	16010	6513,6	13,09	1,78	FOCT 25405-90

61100160000010	0	T5K10	16010	6513,6	13,09	2,02	ГОСТ 25405-90
55100160000030	0	BK10-XO	16030	7729,37	32,46	4,23	ГОСТ 25405-90
52200160000030	0	BK3	16030	5889,06	24,73	4,32	ГОСТ 25405-90
51100160000030	0	BK3-M	16030	7720,95	32,89	4,32	ГОСТ 25405-90
52400160000030	0	BK6	16030	5889,06	24,73	4,25	ГОСТ 25405-90
51200160000030	0	BK6-M	16030	7720,95	32,89	4,25	ГОСТ 25405-90
51600160000030	0	BK6-OM	16030	7729,37	32,46	4,25	ГОСТ 25405-90
52500160000030	0	BK8	16030	5889,06	24,73	4,2	ГОСТ 25405-90
61200160000030	0	T14K8	16030	6090,15	25,58	3,23	ГОСТ 25405-90
61300160000030	0	T15K6	16030	6163,21	22,31	3,21	ГОСТ 25405-90
61100160000030	0	T5K10	16030	6163,21	22,31	3,65	ГОСТ 25405-90
55100160000050	0	BK10-XO	16050	7421,81	58,71	7,65	ГОСТ 25405-90
52200160000050	0	BK3	16050	5658,83	44,14	8,00	ГОСТ 25405-90
51100160000050	0	BK3-M	16050	7421,81	58,71	8,00	ГОСТ 25405-90
52400160000050	0	BK6	16050	5658,83	44,14	7,9	ГОСТ 25405-90
51200160000050	0	BK6-M	16050	7421,81	58,71	7,9	ГОСТ 25405-90
51600160000050	0	BK6-OM	16050	7421,81	58,71	7,9	ГОСТ 25405-90
52500160000050	0	BK8	16050	5658,83	44,14	7,8	ГОСТ 25405-90
61200160000050	0	T14K8	16050	5852,05	45,65	6,00	ГОСТ 25405-90
61300160000050	0	T15K6	16050	5900,17	39,65	5,95	ГОСТ 25405-90
61400160000050	0	T30K4	16050	5900,17	39,65	5,07	ГОСТ 25405-90
61100160000050	0	T5K10	16050	5900,17	39,65	6,75	ГОСТ 25405-90
52200160000210	0	BK3	16210	5530,92	73,56	13,7	ГОСТ 25405-90
51100160000210	0	BK3-M	16210	7255,79	97,88	13,7	ГОСТ 25405-90
52400160000210	0	BK6	16210	5530,92	73,56	13,5	ГОСТ 25405-90
51200160000210	0	BK6-M	16210	7255,79	97,88	13,5	ГОСТ 25405-90
52500160000210	0	BK8	16210	5530,92	73,56	13,3	ГОСТ 25405-90
61200160000210	0	T14K8	16210	5751,03	65,91	10,2	ГОСТ 25405-90
61300160000210	0	T15K6	16210	5751,03	65,91	10,2	ГОСТ 25405-90
61100160000210	0	T5K10	16210	5751,03	65,91	11,6	ГОСТ 25405-90
55100160000250	0	BK10-XO	16250	7154,09	161,04	21,9	ГОСТ 25405-90
52200160000250	0	BK3	16250	5452,41	121,04	22,9	ГОСТ 25405-90
51100160000250	0	BK3-M	16250	7154,09	161,04	22,9	ГОСТ 25405-90
52400160000250	0	BK6	16250	5452,41	121,04	22,5	ГОСТ 25405-90
51200160000250	0	BK6-M	16250	7154,09	161,04	22,5	ГОСТ 25405-90
51600160000250	0	BK6-OM	16250	7156,27	158,87	22,5	ГОСТ 25405-90
52500160000250	0	BK8	16250	5452,41	121,04	22,2	ГОСТ 25405-90
61200160000250	0	T14K8	16250	5658,63	108,14	18,3	ГОСТ 25405-90
61300160000250	0	T15K6	16250	5658,63	108,14	17,00	ГОСТ 25405-90
61400160000250	0	T30K4	16250	5658,63	108,14	14,62	ГОСТ 25405-90
61100160000250	0	T5K10	16250	5658,63	108,14	19,3	ГОСТ 25405-90
51100160000370	0	BK3-M	16370	7088,65	270,93	38,8	ГОСТ 25405-90
52400160000370	0	BK6	16370	5401,89	203,65	38,2	ГОСТ 25405-90
51200160000370	0	BK6-M	16370	7087,22	274,98	38,2	ГОСТ 25405-90
52500160000370	0	BK8	16370	5401,89	203,65	37,7	ГОСТ 25405-90
61200160000370	0	T14K8	16370	5586,34	210,61	29,00	ГОСТ 25405-90
61300160000370	0	T15K6	16370	5598,59	181,73	28,9	ГОСТ 25405-90
61400160000370	0	T30K4	16370	5586,34	210,61	24,83	ГОСТ 25405-90
61100160000370	0	T5K10	16370	5598,59	181,73	32,8	ГОСТ 25405-90
55100160000390	0	BK10-XO	16390	7475,19	605,49	80,17	ГОСТ 25405-90
52200160000390	0	BK3	16390	5695,4	461,33	84,00	ГОСТ 25405-90
51100160000390	0	BK3-M	16390	7473,83	613,83	84,00	ГОСТ 25405-90
52400160000390	0	BK6	16390	5695,4	461,33	82,00	ГОСТ 25405-90
51200160000390	0	BK6-M	16390	7473,83	613,83	82,00	ГОСТ 25405-90
51600160000390	0	BK6-OM	16390	7037,55	570,04	82,00	ГОСТ 25405-90
52500160000390	0	BK8	16390	5695,4	461,33	81,00	ГОСТ 25405-90
61200160000390	0	T14K8	16390	5902,46	411,64	63,00	ГОСТ 25405-90
61300160000390	0	T15K6	16390	5902,46	411,64	62,00	ГОСТ 25405-90
61400160000390	0	T30K4	16390	5902,46	411,64	53,00	ГОСТ 25405-90
61100160000390	0	T5K10	16390	5902,46	411,64	70,00	ГОСТ 25405-90
53833020000016	0	BK20-KC	16BШМ	9460,95	605,50	64,00	ТУ 48-19-180-76
52200320000110	0	BK3	17110	7365,75	19,08	2,67	ГОСТ 25406-90
51100320000110	0	BK3-M	17110	9642,26	25,36	2,67	ГОСТ 25406-90
52500320000110	0	BK8	17110	7365,75	19,08	2,59	ГОСТ 25406-90
61300320000110	0	T15K6	17110	7818,6	17,44	1,99	ГОСТ 25406-90
61100320000110	0	T5K10	17110	7818,6	17,44	2,26	ГОСТ 25406-90
52200320000130	0	BK3	17130	7295,69	19,99	2,82	ГОСТ 25406-90
51100320000130	0	BK3-M	17130	9552,28	26,56	2,82	ГОСТ 25406-90
52500320000130	0	BK8	17130	7295,69	19,99	2,74	ГОСТ 25406-90
61300320000130	0	T15K6	17130	7740,92	18,27	2,1	ГОСТ 25406-90
61100320000130	0	T5K10	17130	7740,92	18,27	2,39	ГОСТ 25406-90

55100320000150	0	BK10-XO	17150	8998,25	36,62	4,05	ГОСТ 25406-90
52200320000150	0	BK3	17150	6870,64	27,55	4,13	ГОСТ 25406-90
51100320000150	0	BK3-M	17150	8998,25	36,62	4,13	ГОСТ 25406-90
51200320000150	0	BK6-M	17150	8998,25	36,62	4,06	ГОСТ 25406-90
51600320000150	0	BK6-OM	17150	7757,39	31,11	4,06	ГОСТ 25406-90
52500320000150	0	BK8	17150	6870,64	27,55	4,01	ГОСТ 25406-90
61100320000150	0	T5K10	17150	7268,14	25,08	3,5	ГОСТ 25406-90
52200320000170	0	BK3	17170	6824,91	28,66	4,32	ГОСТ 25406-90
51100320000170	0	BK3-M	17170	8939,61	38,08	4,32	ГОСТ 25406-90
52500320000170	0	BK8	17170	6824,91	28,66	4,2	ГОСТ 25406-90
61300320000170	0	T15K6	17170	7214,52	26,12	3,21	ГОСТ 25406-90
61100320000170	0	T5K10	17170	7214,52	26,12	3,67	ГОСТ 25406-90
55100320000190	0	BK10-XO	17190	8681,3	46,01	5,34	ГОСТ 25406-90
52200320000190	0	BK3	17190	6614,34	35,06	5,45	ГОСТ 25406-90
51100320000190	0	BK3-M	17190	8666,94	46,54	5,45	ГОСТ 25406-90
52400320000190	0	BK6	17190	6614,34	35,06	5,35	ГОСТ 25406-90
51600320000190	0	BK6-OM	17190	7600,4	40,28	5,35	ГОСТ 25406-90
52500320000190	0	BK8	17190	6614,34	35,06	5,3	ГОСТ 25406-90
61300320000190	0	T15K6	17190	6977,2	31,82	4,06	ГОСТ 25406-90
61100320000190	0	T5K10	17190	6977,2	31,82	4,61	ГОСТ 25406-90
52200320000210	0	BK3	17210	6583,71	36,21	5,65	ГОСТ 25406-90
51100320000210	0	BK3-M	17210	8625,7	48,13	5,65	ГОСТ 25406-90
52500320000210	0	BK8	17210	6583,71	36,21	5,5	ГОСТ 25406-90
61300320000210	0	T15K6	17210	6940,62	32,90	4,22	ГОСТ 25406-90
61400320000210	0	T30K4	17210	6940,62	32,90	3,6	ГОСТ 25406-90
61100320000210	0	T5K10	17210	6940,62	32,90	4,8	ГОСТ 25406-90
52200320000230	0	BK3	17230	6393,13	45,39	7,35	ГОСТ 25406-90
51100320000230	0	BK3-M	17230	8378,57	60,33	7,35	ГОСТ 25406-90
51600320000230	0	BK6-OM	17230	8378,57	60,33	7,2	ГОСТ 25406-90
52500320000230	0	BK8	17230	6393,13	45,39	7,1	ГОСТ 25406-90
61300320000230	0	T15K6	17230	6721,63	41,14	5,45	ГОСТ 25406-90
61100320000230	0	T5K10	17230	6721,63	41,14	6,2	ГОСТ 25406-90
52200320000250	0	BK3	17250	6265,43	54,51	8,95	ГОСТ 25406-90
51100320000250	0	BK3-M	17250	8212,13	72,51	8,95	ГОСТ 25406-90
52500320000250	0	BK8	17250	6265,43	54,51	8,7	ГОСТ 25406-90
61100320000250	0	T5K10	17250	6574,65	49,24	7,55	ГОСТ 25406-90
55100320000270	0	BK10-XO	17270	8197,9	73,78	9,06	ГОСТ 25406-90
52200320000270	0	BK3	17270	6246,03	56,21	9,25	ГОСТ 25406-90
51100320000270	0	BK3-M	17270	8188,14	74,68	9,25	ГОСТ 25406-90
52500320000270	0	BK8	17270	6246,03	56,21	9,00	ГОСТ 25406-90
61300320000270	0	T15K6	17270	6551,96	50,78	6,85	ГОСТ 25406-90
61100320000270	0	T5K10	17270	6551,96	50,78	7,8	ГОСТ 25406-90
52200320000290	0	BK3	17290	6154,91	65,86	11,00	ГОСТ 25406-90
51100320000290	0	BK3-M	17290	8069,4	87,55	11,00	ГОСТ 25406-90
52400320000290	0	BK6	17290	6154,91	65,86	10,8	ГОСТ 25406-90
52500320000290	0	BK8	17290	6154,91	65,86	10,7	ГОСТ 25406-90
52200320000310	0	BK3	17310	5530,92	73,56	13,6	ГОСТ 25406-90
51100320000310	0	BK3-M	17310	7255,79	97,88	13,6	ГОСТ 25406-90
52500320000310	0	BK8	17310	5530,92	73,56	13,3	ГОСТ 25406-90
61100320000310	0	T5K10	17310	5719,78	76,07	11,62	ГОСТ 25406-90
52200320000330	0	BK3	17330	5502,57	85,84	16,00	ГОСТ 25406-90
51100320000330	0	BK3-M	17330	7219,07	114,21	16,00	ГОСТ 25406-90
52500320000330	0	BK8	17330	5502,57	85,84	15,6	ГОСТ 25406-90
61300320000330	0	T15K6	17330	5742,75	68,34	11,9	ГОСТ 25406-90
52200320000350	0	BK3	17350	5480,3	98,65	18,6	ГОСТ 25406-90
51100320000350	0	BK3-M	17350	7190,25	131,22	18,6	ГОСТ 25406-90
51600320000350	0	BK6-OM	17350	7190,25	131,22	18,3	ГОСТ 25406-90
52500320000350	0	BK8	17350	5480,3	98,65	18,00	ГОСТ 25406-90
61300320000350	0	T15K6	17350	5691,56	88,22	13,8	ГОСТ 25406-90
61100320000350	0	T5K10	17350	5691,56	88,22	15,7	ГОСТ 25406-90
52200320000370	0	BK3	17370	5455,76	117,84	22,2	ГОСТ 25406-90
51100320000370	0	BK3-M	17370	7158,37	156,84	22,2	ГОСТ 25406-90
52500320000370	0	BK8	17370	5455,76	117,84	21,6	ГОСТ 25406-90
61300320000370	0	T15K6	17370	5662,55	105,32	16,5	ГОСТ 25406-90
52200320000390	0	BK3	17390	5440,14	134,37	25,5	ГОСТ 25406-90
51100320000390	0	BK3-M	17390	7138,16	178,81	25,5	ГОСТ 25406-90
52400320000390	0	BK6	17390	5440,14	134,37	25,00	ГОСТ 25406-90
52500320000390	0	BK8	17390	5440,14	134,37	24,7	ГОСТ 25406-90
61100320000390	0	T5K10	17390	5644,04	120,05	21,5	ГОСТ 25406-90
52200320000410	0	BK3	17410	5437,12	138,10	26,1	ГОСТ 25406-90
51100320000410	0	BK3-M	17410	7134,25	183,78	26,1	ГОСТ 25406-90

52500320000410	0	BK8	17410	5437,12	138,10	25,4	ГОСТ 25406-90
55100320000430	0	BK10-XO	17430	7112,96	216,38	30,16	ГОСТ 25406-90
52200320000430	0	BK3	17430	5420,67	162,62	30,9	ГОСТ 25406-90
51100320000430	0	BK3-M	17430	7112,96	216,38	30,9	ГОСТ 25406-90
52500320000430	0	BK8	17430	5420,67	162,62	30,00	ГОСТ 25406-90
61300320000430	0	T15K6	17430	6019,99	180,60	23,00	ГОСТ 25406-90
52200320000450	0	BK3	17450	5409,88	183,94	35,00	ГОСТ 25406-90
51100320000450	0	BK3-M	17450	7098,97	244,77	35,00	ГОСТ 25406-90
52400320000450	0	BK6	17450	5409,88	183,94	34,4	ГОСТ 25406-90
52500320000450	0	BK8	17450	5409,88	183,94	34,00	ГОСТ 25406-90
52200320000470	0	BK3	17470	5399,43	210,58	40,2	ГОСТ 25406-90
51100320000470	0	BK3-M	17470	7085,43	280,23	40,2	ГОСТ 25406-90
52500320000470	0	BK8	17470	5399,43	210,58	39,00	ГОСТ 25406-90
61300320000470	0	T15K6	17470	5595,66	187,90	29,9	ГОСТ 25406-90
52500320000490	0	BK8	17490	5391,45	236,68	43,9	ГОСТ 25406-90
61300320000490	0	T15K6	17490	5586,14	211,16	33,6	ГОСТ 25406-90
51100320000510	0	BK3-M	17510	7065,01	358,20	51,00	ГОСТ 25406-90
52400320000510	0	BK6	17510	5383,65	269,18	50,2	ГОСТ 25406-90
52500320000510	0	BK8	17510	5383,65	269,18	50,00	ГОСТ 25406-90
61300320000510	0	T15K6	17510	5576,84	240,08	38,00	ГОСТ 25406-90
55100320000530	0	BK10-XO	17530	9534,45	4,86	0,51	ГОСТ 25406-90
52200320000530	0	BK3	17530	12556,47	6,40	0,53	ГОСТ 25406-90
51100320000530	0	BK3-M	17530	16422,94	8,54	0,53	ГОСТ 25406-90
52500320000530	0	BK8	17530	12556,47	6,40	0,51	ГОСТ 25406-90
61300320000530	0	T15K6	17530	13319,26	5,86	0,39	ГОСТ 25406-90
55100320000550	0	BK10-XO	17550	15241,49	11,58	0,75	ГОСТ 25406-90
52200320000550	0	BK3	17550	11645,17	8,73	0,78	ГОСТ 25406-90
51100320000550	0	BK3-M	17550	15241,49	11,58	0,78	ГОСТ 25406-90
52500320000550	0	BK8	17550	11645,17	8,73	0,75	ГОСТ 25406-90
61300320000550	0	T15K6	17550	12402,16	8,06	0,58	ГОСТ 25406-90
61100320000550	0	T5K10	17550	12042,8	9,03	0,65	ГОСТ 25406-90
55100320000570	0	BK10-XO	17570	11133,18	13,25	1,18	ГОСТ 25406-90
52200320000570	0	BK3	17570	10535,44	12,33	1,21	ГОСТ 25406-90
51100320000570	0	BK3-M	17570	13772,31	16,39	1,21	ГОСТ 25406-90
52500320000570	0	BK8	17570	10535,44	12,33	1,17	ГОСТ 25406-90
53900320000570	0	BK8-KC	17570	9795,58	12,24	1,17	ГОСТ 25406-90
61300320000570	0	T15K6	17570	10895,18	12,75	0,9	ГОСТ 25406-90
61100320000570	0	T5K10	17570	10895,18	12,75	1,02	ГОСТ 25406-90
52200320000590	0	BK3	17590	7827,06	14,40	1,9	ГОСТ 25406-90
51100320000590	0	BK3-M	17590	10242,7	19,15	1,9	ГОСТ 25406-90
52500320000590	0	BK8	17590	7827,06	14,40	1,84	ГОСТ 25406-90
61300320000590	0	T15K6	17590	8324,45	13,15	1,41	ГОСТ 25406-90
61400320000590	0	T30K4	17590	6883,8	8,26	1,2	ГОСТ 25406-90
61100320000590	0	T5K10	17590	8324,45	13,15	1,61	ГОСТ 25406-90
55100320000610	0	BK10-XO	17610	10064,63	20,73	2,07	ГОСТ 25406-90
52200320000610	0	BK3	17610	7668,31	15,80	2,12	ГОСТ 25406-90
51100320000610	0	BK3-M	17610	10038,51	20,98	2,12	ГОСТ 25406-90
52500320000610	0	BK8	17610	7668,31	15,80	2,06	ГОСТ 25406-90
61300320000610	0	T15K6	17610	8152,03	14,43	1,57	ГОСТ 25406-90
61100320000610	0	T5K10	17610	8152,03	14,43	1,8	ГОСТ 25406-90
53833020000017	0	BK20-KC	17BШМ	9438,64	717,34	76,00	ТУ 48-19-180-76
53833020000018	0	BK20-KC	18BШМ	9441,89	698,70	74,00	ТУ 48-19-180-76
52219800000022	0	BK3	1980-0022	8354,68	13,45	1,61	ГОСТ 9453-75
52419800000022	0	BK6	1980-0022	8354,68	13,45	1,6	ГОСТ 9453-75
52419800000041	0	BK6	1980-0041	7546,49	42,18	5,53	ГОСТ 9453-75
52219800000043	0	BK3	1980-0043	7551,57	41,91	5,55	ГОСТ 9453-75
52419800000043	0	BK6	1980-0043	7551,57	41,91	5,5	ГОСТ 9453-75
52519800000043	0	BK8	1980-0043	7597,81	39,51	5,2	ГОСТ 9453-75
52219800000044	0	BK3	1980-0044	7551,57	41,91	5,55	ГОСТ 9453-75
52419800000044	0	BK6	1980-0044	7551,57	41,91	5,5	ГОСТ 9453-75
52519800000044	0	BK8	1980-0044	7597,81	39,51	5,2	ГОСТ 9453-75
52219800000045	0	BK3	1980-0045	7552,85	41,84	5,54	ГОСТ 9453-75
52419800000045	0	BK6	1980-0045	7552,85	41,84	5,5	ГОСТ 9453-75
52519800000045	0	BK8	1980-0045	7597,81	39,51	5,2	ГОСТ 9453-75
52219800000046	0	BK3	1980-0046	7560,57	41,43	5,48	ГОСТ 9453-75
52419800000046	0	BK6	1980-0046	7560,57	41,43	5,43	ГОСТ 9453-75
52519800000046	0	BK8	1980-0046	7611,6	38,82	5,1	ГОСТ 9453-75
52219800000052	0	BK3	1980-0052	7000,56	89,96	12,9	ГОСТ 9453-75
52419800000052	0	BK6	1980-0052	7000,56	89,96	12,85	ГОСТ 9453-75
52219800000053	0	BK3	1980-0053	7006,85	89,06	12,7	ГОСТ 9453-75
52419800000053	0	BK6	1980-0053	7006,85	89,06	12,65	ГОСТ 9453-75

52419800000054	0	BK6	1980-0054	7025,87	86,42	12,3	ГОСТ 9453-75
52419800000055	0	BK6	1980-0055	7030,17	85,84	12,21	ГОСТ 9453-75
52419800000071	0	BK6	1980-0071	6544,45	240,70	38,00	ГОСТ 9453-75
52519800000071	0	BK8	1980-0071	6544,45	240,70	36,78	ГОСТ 9453-75
52219800000072	0	BK3	1980-0072	6546,00	239,52	38,4	ГОСТ 9453-75
52419800000072	0	BK6	1980-0072	6546,00	239,52	37,8	ГОСТ 9453-75
52519800000072	0	BK8	1980-0072	6546,00	239,52	36,59	ГОСТ 9453-75
52219800000073	0	BK3	1980-0073	6547,57	238,33	38,3	ГОСТ 9453-75
52419800000073	0	BK6	1980-0073	6547,57	238,33	37,6	ГОСТ 9453-75
52519800000073	0	BK8	1980-0073	6547,57	238,33	36,4	ГОСТ 9453-75
52219800000074	0	BK3	1980-0074	6547,57	238,33	38,2	ГОСТ 9453-75
52419800000074	0	BK6	1980-0074	6547,57	238,33	37,6	ГОСТ 9453-75
52519800000074	0	BK8	1980-0074	6547,57	238,33	36,4	ГОСТ 9453-75
52219800000075	0	BK3	1980-0075	6548,4	237,71	38,1	ГОСТ 9453-75
52419800000075	0	BK6	1980-0075	6548,4	237,71	37,5	ГОСТ 9453-75
52519800000075	0	BK8	1980-0075	6548,4	237,71	36,3	ГОСТ 9453-75
52219800000076	0	BK3	1980-0076	6544,86	240,39	38,1	ГОСТ 9453-75
52419800000076	0	BK6	1980-0076	6544,86	240,39	37,4	ГОСТ 9453-75
52519800000076	0	BK8	1980-0076	6544,86	240,39	36,73	ГОСТ 9453-75
52419800000077	0	BK6	1980-0077	6549,24	237,08	37,4	ГОСТ 9453-75
52519800000077	0	BK8	1980-0077	6549,24	237,08	36,2	ГОСТ 9453-75
52419800000078	0	BK6	1980-0078	6546,41	239,21	37,2	ГОСТ 9453-75
52519800000078	0	BK8	1980-0078	6546,41	239,21	36,54	ГОСТ 9453-75
52419800000079	0	BK6	1980-0079	6547,24	238,58	37,2	ГОСТ 9453-75
52519801000079	0	BK8	1980-0079	6547,24	238,58	36,01	ГОСТ 9453-75
52519800000079	0	BK8	1980-0079	6547,24	238,58	36,44	ГОСТ 9453-75
52419800000081	0	BK6	1980-0081	6550,5	236,15	36,7	ГОСТ 9453-75
52519800000081	0	BK8	1980-0081	6550,5	236,15	36,05	ГОСТ 9453-75
52419800000082	0	BK6	1980-0082	6554,6	233,15	36,1	ГОСТ 9453-75
52519800000082	0	BK8	1980-0082	6554,6	233,15	35,57	ГОСТ 9453-75
52719800000091	0	BK15	1980-0091	7859,62	284,05	36,5	ГОСТ 9453-75
52419800000091	0	BK6	1980-0091	6533,27	249,57	38,2	ГОСТ 9453-75
52519800000091	0	BK8	1980-0091	6536,34	247,07	37,8	ГОСТ 9453-75
52419800000092	0	BK6	1980-0092	6533,27	249,57	38,2	ГОСТ 9453-75
52519800000092	0	BK8	1980-0092	6536,34	247,07	37,8	ГОСТ 9453-75
52419800000093	0	BK6	1980-0093	6533,27	249,57	38,2	ГОСТ 9453-75
52519800000093	0	BK8	1980-0093	6536,34	247,07	37,8	ГОСТ 9453-75
52719800000094	0	BK15	1980-0094	7859,62	284,05	35,49	ГОСТ 9453-75
52419800000094	0	BK6	1980-0094	6533,27	249,57	38,2	ГОСТ 9453-75
52519800000094	0	BK8	1980-0094	6536,34	247,07	37,8	ГОСТ 9453-75
52419800000095	0	BK6	1980-0095	6537,9	245,83	38,2	ГОСТ 9453-75
52519800000095	0	BK8	1980-0095	6537,9	245,83	37,6	ГОСТ 9453-75
52419800000096	0	BK6	1980-0096	6538,69	245,20	38,1	ГОСТ 9453-75
52519800000096	0	BK8	1980-0096	6538,69	245,20	37,5	ГОСТ 9453-75
52219800000097	0	BK3	1980-0097	6539,47	244,58	38,8	ГОСТ 9453-75
52419800000097	0	BK6	1980-0097	6539,47	244,58	38,00	ГОСТ 9453-75
52519800000097	0	BK8	1980-0097	6539,47	244,58	37,4	ГОСТ 9453-75
52419800000098	0	BK6	1980-0098	6540,27	243,95	37,9	ГОСТ 9453-75
52519800000098	0	BK8	1980-0098	6540,27	243,95	37,3	ГОСТ 9453-75
52419800000099	0	BK6	1980-0099	6546,00	239,52	37,8	ГОСТ 9453-75
52519800000099	0	BK8	1980-0099	6546,00	239,52	36,59	ГОСТ 9453-75
52219800000101	0	BK3	1980-0101	6542,51	242,20	38,4	ГОСТ 9453-75
52419800000101	0	BK6	1980-0101	6542,51	242,20	37,6	ГОСТ 9453-75
52519800000101	0	BK8	1980-0101	6542,51	242,20	37,02	ГОСТ 9453-75
52419800000102	0	BK6	1980-0102	6544,29	240,83	37,4	ГОСТ 9453-75
52519800000102	0	BK8	1980-0102	6544,29	240,83	36,8	ГОСТ 9453-75
52419800000103	0	BK6	1980-0103	6541,06	243,33	37,2	ГОСТ 9453-75
52419800000104	0	BK6	1980-0104	6547,24	238,58	37,00	ГОСТ 9453-75
52519800000104	0	BK8	1980-0104	6547,24	238,58	36,44	ГОСТ 9453-75
52419800000105	0	BK6	1980-0105	6544,29	240,83	36,8	ГОСТ 9453-75
52219800000106	0	BK3	1980-0106	6545,92	239,58	37,4	ГОСТ 9453-75
52419800000106	0	BK6	1980-0106	6545,92	239,58	36,6	ГОСТ 9453-75
52519800000112	0	BK8	1980-0112	6352,29	578,06	91,00	ГОСТ 9453-75
52419800000113	0	BK6	1980-0113	6352,19	578,49	92,00	ГОСТ 9453-75
52519800000113	0	BK8	1980-0113	6352,14	578,68	91,1	ГОСТ 9453-75
52419800000114	0	BK6	1980-0114	6355,35	566,01	92,00	ГОСТ 9453-75
52519800000114	0	BK8	1980-0114	6355,35	566,01	89,06	ГОСТ 9453-75
52419800000115	0	BK6	1980-0115	6350,77	584,27	92,00	ГОСТ 9453-75
52519800000115	0	BK8	1980-0115	6352,29	578,06	91,00	ГОСТ 9453-75
52419800000116	0	BK6	1980-0116	6350,77	584,27	92,00	ГОСТ 9453-75
52519800000116	0	BK8	1980-0116	6352,14	578,68	91,1	ГОСТ 9453-75

52419800000117	0	BK6	1980-0117	6352,88	575,70	92,00	ГОСТ 9453-75
52519800000117	0	BK8	1980-0117	6352,88	575,70	90,62	ГОСТ 9453-75
52419800000118	0	BK6	1980-0118	6353,69	572,47	92,00	ГОСТ 9453-75
52519800000118	0	BK8	1980-0118	6353,69	572,47	90,1	ГОСТ 9453-75
52419800000119	0	BK6	1980-0119	6355,94	563,71	91,00	ГОСТ 9453-75
52519800000119	0	BK8	1980-0119	6355,94	563,71	88,69	ГОСТ 9453-75
52419800000121	0	BK6	1980-0121	6355,27	566,32	91,00	ГОСТ 9453-75
52519800000121	0	BK8	1980-0121	6355,27	566,32	89,11	ГОСТ 9453-75
52219800000122	0	BK3	1980-0122	6358,51	554,02	90,00	ГОСТ 9453-75
52419800000122	0	BK6	1980-0122	6358,51	554,02	89,00	ГОСТ 9453-75
52519800000122	0	BK8	1980-0122	6358,51	554,02	87,13	ГОСТ 9453-75
52219800000123	0	BK3	1980-0123	6363,94	534,57	89,00	ГОСТ 9453-75
52419800000123	0	BK6	1980-0123	6363,94	534,57	87,00	ГОСТ 9453-75
52519800000123	0	BK8	1980-0123	6363,94	534,57	84,00	ГОСТ 9453-75
52419800000124	0	BK6	1980-0124	6363,55	535,94	87,00	ГОСТ 9453-75
52519800000124	0	BK8	1980-0124	6363,55	535,94	84,22	ГОСТ 9453-75
52419800000131	0	BK6	1980-0131	6344,96	609,12	96,00	ГОСТ 9453-75
52419800000132	0	BK6	1980-0132	6352,31	578,00	94,00	ГОСТ 9453-75
52519800000132	0	BK8	1980-0132	6352,31	578,00	90,99	ГОСТ 9453-75
52419800000133	0	BK6	1980-0133	6347,81	596,69	94,00	ГОСТ 9453-75
52419800000134	0	BK6	1980-0134	6352,31	578,00	94,00	ГОСТ 9453-75
52519800000134	0	BK8	1980-0134	6352,31	578,00	90,99	ГОСТ 9453-75
52419800000135	0	BK6	1980-0135	6350,02	587,38	94,00	ГОСТ 9453-75
52519800000135	0	BK8	1980-0135	6350,02	587,38	92,5	ГОСТ 9453-75
52419800000136	0	BK6	1980-0136	6351,53	581,16	93,00	ГОСТ 9453-75
52519800000136	0	BK8	1980-0136	6351,53	581,16	91,5	ГОСТ 9453-75
52419800000137	0	BK6	1980-0137	6353,82	571,97	93,00	ГОСТ 9453-75
52519800000137	0	BK8	1980-0137	6353,82	571,97	90,02	ГОСТ 9453-75
52419800000138	0	BK6	1980-0138	6351,4	581,66	93,00	ГОСТ 9453-75
52519800000138	0	BK8	1980-0138	6351,4	581,66	91,58	ГОСТ 9453-75
52419800000139	0	BK6	1980-0139	6356,92	559,98	91,00	ГОСТ 9453-75
52519800000139	0	BK8	1980-0139	6356,92	559,98	88,09	ГОСТ 9453-75
52419800000141	0	BK6	1980-0141	6358,53	553,96	90,00	ГОСТ 9453-75
52519800000141	0	BK8	1980-0141	6358,53	553,96	87,12	ГОСТ 9453-75
52419800000142	0	BK6	1980-0142	6358,53	553,96	90,00	ГОСТ 9453-75
52519800000142	0	BK8	1980-0142	6358,53	553,96	87,12	ГОСТ 9453-75
52419800000143	0	BK6	1980-0143	6361,85	541,90	88,00	ГОСТ 9453-75
52519800000143	0	BK8	1980-0143	6361,85	541,90	85,18	ГОСТ 9453-75
52419800000151	0	BK6	1980-0151	6276,02	1211,27	196,00	ГОСТ 9453-75
52519800000151	0	BK8	1980-0151	6276,02	1211,27	193,00	ГОСТ 9453-75
52419800000152	0	BK6	1980-0152	6276,75	1198,86	194,00	ГОСТ 9453-75
52519800000152	0	BK8	1980-0152	6276,75	1198,86	191,00	ГОСТ 9453-75
52419800000153	0	BK6	1980-0153	6277,12	1192,65	192,00	ГОСТ 9453-75
52519800000153	0	BK8	1980-0153	6277,12	1192,65	190,00	ГОСТ 9453-75
52519800000154	0	BK8	1980-0154	6277,5	1186,45	189,00	ГОСТ 9453-75
52419800000155	0	BK6	1980-0155	6278,26	1174,03	190,00	ГОСТ 9453-75
52519800000155	0	BK8	1980-0155	6278,26	1174,03	187,00	ГОСТ 9453-75
52419800000156	0	BK6	1980-0156	6278,65	1167,83	188,00	ГОСТ 9453-75
52519800000156	0	BK8	1980-0156	6278,65	1167,83	186,00	ГОСТ 9453-75
52419800000157	0	BK6	1980-0157	6279,37	1156,41	188,00	ГОСТ 9453-75
52519800000157	0	BK8	1980-0157	6279,37	1156,41	184,16	ГОСТ 9453-75
52419800000158	0	BK6	1980-0158	6279,04	1161,62	187,00	ГОСТ 9453-75
52519800000158	0	BK8	1980-0158	6279,04	1161,62	185,00	ГОСТ 9453-75
52419800000159	0	BK6	1980-0159	6279,83	1149,21	185,00	ГОСТ 9453-75
52519800000159	0	BK8	1980-0159	6279,83	1149,21	183,00	ГОСТ 9453-75
52419800000161	0	BK6	1980-0161	6280,65	1136,80	184,00	ГОСТ 9453-75
52519800000161	0	BK8	1980-0161	6280,65	1136,80	181,00	ГОСТ 9453-75
52419800000162	0	BK6	1980-0162	6281,06	1130,59	182,00	ГОСТ 9453-75
52519800000162	0	BK8	1980-0162	6281,06	1130,59	180,00	ГОСТ 9453-75
52419800000163	0	BK6	1980-0163	6281,9	1118,18	180,00	ГОСТ 9453-75
52519800000163	0	BK8	1980-0163	6281,9	1118,18	178,00	ГОСТ 9453-75
52419800000164	0	BK6	1980-0164	6282,76	1105,77	178,00	ГОСТ 9453-75
52519800000164	0	BK8	1980-0164	6282,76	1105,77	176,00	ГОСТ 9453-75
52419800000165	0	BK6	1980-0165	6283,64	1093,35	176,00	ГОСТ 9453-75
52519800000165	0	BK8	1980-0165	6283,64	1093,35	174,00	ГОСТ 9453-75
52419800000166	0	BK6	1980-0166	6284,99	1074,73	173,00	ГОСТ 9453-75
52519800000166	0	BK8	1980-0166	6284,99	1074,73	171,00	ГОСТ 9453-75
52419800000167	0	BK6	1980-0167	6285,92	1062,32	171,00	ГОСТ 9453-75
52519800000167	0	BK8	1980-0167	6285,92	1062,32	169,00	ГОСТ 9453-75
52419800000168	0	BK6	1980-0168	6288,84	1025,08	165,00	ГОСТ 9453-75
52519800000168	0	BK8	1980-0168	6288,84	1025,08	163,00	ГОСТ 9453-75

52419800000169	0	BK6	1980-0169	6293,63	969,22	156,00	FOCT 9453-75
52519800000169	0	BK8	1980-0169	6293,63	969,22	154,00	FOCT 9453-75
52419800000171	0	BK6	1980-0171	6273,9	1248,51	202,00	FOCT 9453-75
52519800000171	0	BK8	1980-0171	6273,9	1248,51	199,00	FOCT 9453-75
52519800000172	0	BK8	1980-0172	6274,59	1236,10	197,00	FOCT 9453-75
52519800000173	0	BK8	1980-0173	6274,94	1229,89	196,00	FOCT 9453-75
52519800000174	0	BK8	1980-0174	6276,02	1211,27	193,00	FOCT 9453-75
52419800000175	0	BK6	1980-0175	6276,38	1205,07	194,00	FOCT 9453-75
52519800000175	0	BK8	1980-0175	6276,38	1205,07	192,00	FOCT 9453-75
52519800000176	0	BK8	1980-0176	6277,88	1180,24	188,00	FOCT 9453-75
52419800000177	0	BK6	1980-0177	6280,24	1143,00	185,00	FOCT 9453-75
52519800000177	0	BK8	1980-0177	6280,24	1143,00	182,00	FOCT 9453-75
52419800000178	0	BK6	1980-0178	6281,9	1118,18	180,00	FOCT 9453-75
52519800000178	0	BK8	1980-0178	6281,9	1118,18	178,00	FOCT 9453-75
52519800000179	0	BK8	1980-0179	6284,53	1080,94	172,00	FOCT 9453-75
52519800000181	0	BK8	1980-0181	6287,84	1037,49	165,00	FOCT 9453-75
52419800000191	0	BK6	1980-0191	6256,48	1670,48	270,00	FOCT 9453-75
52519800000191	0	BK8	1980-0191	6256,48	1670,48	267,00	FOCT 9453-75
52419800000192	0	BK6	1980-0192	6257,66	1633,25	263,00	FOCT 9453-75
52519800000192	0	BK8	1980-0192	6257,66	1633,25	261,00	FOCT 9453-75
52419800000193	0	BK6	1980-0193	6259,11	1589,81	257,00	FOCT 9453-75
52519800000193	0	BK8	1980-0193	6259,11	1589,81	254,00	FOCT 9453-75
52419800000194	0	BK6	1980-0194	6260,19	1558,79	252,00	FOCT 9453-75
52519800000194	0	BK8	1980-0194	6260,19	1558,79	249,00	FOCT 9453-75
52419800000195	0	BK6	1980-0195	6261,31	1527,76	247,00	FOCT 9453-75
52519800000195	0	BK8	1980-0195	6261,31	1527,76	244,00	FOCT 9453-75
52419800000196	0	BK6	1980-0196	6262,96	1484,32	240,00	FOCT 9453-75
52519800000196	0	BK8	1980-0196	6262,96	1484,32	237,00	FOCT 9453-75
52419800000197	0	BK6	1980-0197	6264,71	1440,88	233,00	FOCT 9453-75
52519800000197	0	BK8	1980-0197	6264,71	1440,88	230,00	FOCT 9453-75
52419800000198	0	BK6	1980-0198	6266,57	1397,45	225,00	FOCT 9453-75
52519800000198	0	BK8	1980-0198	6266,57	1397,45	223,00	FOCT 9453-75
52419800000211	0	BK6	1980-0211	6224,08	4425,32	726,00	FOCT 9453-75
52519800000211	0	BK8	1980-0211	6224,08	4425,32	711,00	FOCT 9453-75
52419800000212	0	BK6	1980-0212	6224,33	4369,48	717,00	FOCT 9453-75
52519800000212	0	BK8	1980-0212	6224,33	4369,48	702,00	FOCT 9453-75
52419800000213	0	BK6	1980-0213	6224,62	4307,44	706,00	FOCT 9453-75
52519800000213	0	BK8	1980-0213	6224,62	4307,44	692,00	FOCT 9453-75
52419800000214	0	BK6	1980-0214	6224,95	4239,19	696,00	FOCT 9453-75
52519800000214	0	BK8	1980-0214	6224,95	4239,19	681,00	FOCT 9453-75
52419800000215	0	BK6	1980-0215	6225,16	4195,76	688,00	FOCT 9453-75
52519800000215	0	BK8	1980-0215	6225,16	4195,76	674,00	FOCT 9453-75
52419800000216	0	BK6	1980-0216	6225,38	4152,33	682,00	FOCT 9453-75
52519800000216	0	BK8	1980-0216	6225,38	4152,33	667,00	FOCT 9453-75
52419800000217	0	BK6	1980-0217	6225,73	4084,08	671,00	FOCT 9453-75
52519800000217	0	BK8	1980-0217	6225,73	4084,08	656,00	FOCT 9453-75
52519800000218	0	BK8	1980-0218	6226,13	4009,63	644,00	FOCT 9453-75
52419800000219	0	BK6	1980-0219	6226,47	3947,58	648,00	FOCT 9453-75
52519800000219	0	BK8	1980-0219	6226,47	3947,58	634,00	FOCT 9453-75
52519800000221	0	BK8	1980-0221	6226,79	3891,74	625,00	FOCT 9453-75
52419800000222	0	BK6	1980-0222	6227,15	3829,70	629,00	FOCT 9453-75
52519800000222	0	BK8	1980-0222	6227,15	3829,70	615,00	FOCT 9453-75
52419800000223	0	BK6	1980-0223	6227,49	3773,86	620,00	FOCT 9453-75
52519800000223	0	BK8	1980-0223	6227,49	3773,86	606,00	FOCT 9453-75
52519800000224	0	BK8	1980-0224	6227,92	3705,61	595,00	FOCT 9453-75
52519800000231	0	BK8	1980-0231	6224,11	4419,12	710,00	FOCT 9453-75
52519800000251	0	BK8	1980-0251	6217,87	6447,93	1037,00	FOCT 9453-75
52519800000252	0	BK8	1980-0252	6218,09	6342,46	1020,00	FOCT 9453-75
52519800000253	0	BK8	1980-0253	6218,13	6323,84	1017,00	FOCT 9453-75
52519800000254	0	BK8	1980-0254	6218,3	6249,39	1005,00	FOCT 9453-75
52519800000255	0	BK8	1980-0255	6218,86	6007,42	966,00	FOCT 9453-75
52519800000256	0	BK8	1980-0256	6218,66	6094,28	980,00	FOCT 9453-75
52519800000257	0	BK8	1980-0257	6219,27	5846,11	940,00	FOCT 9453-75
52519800000258	0	BK8	1980-0258	6219,05	5932,97	954,00	FOCT 9453-75
52519800000259	0	BK8	1980-0259	6219,73	5672,39	912,00	FOCT 9453-75
52519800000261	0	BK8	1980-0261	6219,54	5740,64	923,00	FOCT 9453-75
52519800000271	0	BK8	1980-0271	6213,24	9761,01	1571,00	FOCT 9453-75
52519800000272	0	BK8	1980-0272	6213,21	9798,23	1577,00	FOCT 9453-75
52519800000273	0	BK8	1980-0273	6213,34	9655,54	1554,00	FOCT 9453-75
52519800000274	0	BK8	1980-0274	6213,63	9357,73	1506,00	FOCT 9453-75
52519800000275	0	BK8	1980-0275	6213,63	9363,94	1507,00	FOCT 9453-75

52519800000276	0	BK8	1980-0276	6213,93	9066,13	1459,00	ГОСТ 9453-75
52519800000277	0	BK8	1980-0277	6214,06	8948,25	1440,00	ГОСТ 9453-75
52519800000278	0	BK8	1980-0278	6214,06	8948,25	1440,00	ГОСТ 9453-75
52519800000279	0	BK8	1980-0279	6214,22	8805,55	1417,00	ГОСТ 9453-75
52519800000281	0	BK8	1980-0281	6214,37	8675,26	1396,00	ГОСТ 9453-75
52519800000282	0	BK8	1980-0282	6214,55	8526,36	1372,00	ГОСТ 9453-75
52519800000291	0	BK8	1980-0291	6210,72	13570,41	2185,00	ГОСТ 9453-75
52519800000292	0	BK8	1980-0292	6210,81	13378,08	2154,00	ГОСТ 9453-75
52519800000293	0	BK8	1980-0293	6210,92	13160,93	2119,00	ГОСТ 9453-75
52519800000294	0	BK8	1980-0294	6211,03	12937,58	2083,00	ГОСТ 9453-75
52519800000295	0	BK8	1980-0295	6211,16	12701,82	2045,00	ГОСТ 9453-75
52519800000296	0	BK8	1980-0296	6211,38	12304,75	1981,00	ГОСТ 9453-75
52519800000297	0	BK8	1980-0297	6211,64	11870,45	1911,00	ГОСТ 9453-75
52519800000298	0	BK8	1980-0298	6211,8	11628,49	1872,00	ГОСТ 9453-75
52519800000307	0	BK8	1980-0307	6590,94	1285,23	203,19	ГОСТ 5426
52519800000309	0	BK8	1980-0309	6595,9	1220,24	192,77	ГОСТ 5426
52519800000311	0	BK8	1980-0311	6599,12	1181,24	179,00	ГОСТ 5426
52519800000312	0	BK8	1980-0312	6602,57	1142,24	167,46	ГОСТ 5426
52519800000313	0	BK8	1980-0313	6252,91	1794,58	287,00	ГОСТ 5426
52519800000314	0	BK8	1980-0314	6563,83	1811,62	276,00	ГОСТ 5426
52519800000315	0	BK8	1980-0315	6566,3	1746,64	257,49	ГОСТ 5426
52519800000316	0	BK8	1980-0316	6568,96	1681,65	266,75	ГОСТ 5426
52519800000317	0	BK8	1980-0317	6536,07	3104,63	459,8	ГОСТ 5426
52519800000318	0	BK8	1980-0318	6537,08	3026,67	463,00	ГОСТ 5426
52519800000321	0	BK8	1980-0321	6539,35	2864,23	438,00	ГОСТ 5426
52519800000322	0	BK8	1980-0322	6526,69	4085,71	626,00	ГОСТ 5426
52519800000323	0	BK8	1980-0323	5927,83	3628,43	612,1	ГОСТ 5426
52519800000324	0	BK8	1980-0324	6528,34	3871,30	593,00	ГОСТ 5426
52519800000325	0	BK8	1980-0325	6530,35	3637,41	580,39	ГОСТ 5426
52519800000327	0	BK8	1980-0327	6532,78	3390,51	502,39	ГОСТ 5426
52519800000328	0	BK8	1980-0328	6517,53	5904,88	906,00	ГОСТ 5426
52519800000331	0	BK8	1980-0331	6518,8	5560,54	853,00	ГОСТ 5426
52419800000332	0	BK6	1980-0332	6520,63	5131,74	847,16	ГОСТ 5426
52519800000332	0	BK8	1980-0332	6520,63	5131,74	820,05	ГОСТ 5426
52519800000334	0	BK8	1980-0334	6515,38	6593,56	1054,5	ГОСТ 5426
52519800000335	0	BK8	1980-0335	6516,62	6177,75	987,82	ГОСТ 5426
52519800000357	0	BK8	1980-0357	6301,99	130,45	20,7	ГОСТ 2330-76
52519800000358	0	BK8	1980-0358	6084,57	322,48	53,00	ГОСТ 2330-76
52719800000362	0	BK15	1980-0362	7324,04	346,43	50,00	ГОСТ 2330-76
52519800000362	0	BK8	1980-0362	6094,01	304,70	50,00	ГОСТ 2330-76
52519800000365	0	BK8	1980-0365	5969,91	996,97	167,00	ГОСТ 2330-76
52519800000366	0	BK8	1980-0366	5970,6	985,15	165,00	ГОСТ 2330-76
52519800000367	0	BK8	1980-0367	6288,34	1031,29	164,00	ГОСТ 2330-76
52519800000368	0	BK8	1980-0368	6290,37	1006,46	160,00	ГОСТ 2330-76
52519800000369	0	BK8	1980-0369	5973,51	937,84	157,00	ГОСТ 2330-76
52519800000372	0	BK8	1980-0372	5976,73	890,53	149,00	ГОСТ 2330-76
52519800000374	0	BK8	1980-0374	5981,25	831,39	139,00	ГОСТ 2330-76
52719800000376	0	BK15	1980-0376	7489,56	2829,56	364,9	ГОСТ 2330-76
52519800000376	0	BK8	1980-0376	6241,36	2357,99	377,8	ГОСТ 2330-76
52719800000378	0	BK15	1980-0378	7492,55	2650,12	341,62	ГОСТ 2330-76
52519800000378	0	BK8	1980-0378	6243,85	2208,45	353,7	ГОСТ 2330-76
52519800000384	0	BK8	1980-0384	6251,45	1850,43	296,00	ГОСТ 2330-76
52519800000385	0	BK8	1980-0385	6252,57	1806,99	289,00	ГОСТ 2330-76
52719800000386	0	BK15	1980-0386	7466,43	5906,69	764,1	ГОСТ 2330-76
52519800000386	0	BK8	1980-0386	6222,08	4922,29	791,1	ГОСТ 2330-76
52719800000387	0	BK15	1980-0387	7468,84	5306,24	751,00	ГОСТ 2330-76
52719800000388	0	BK15	1980-0388	7469,49	5165,38	731,00	ГОСТ 2330-76
52519800000388	0	BK8	1980-0388	6223,54	4549,41	731,00	ГОСТ 2330-76
52519800000389	0	BK8	1980-0389	6223,1	4656,12	748,2	ГОСТ 2330-76
52719800000391	0	BK15	1980-0391	7470,53	4954,08	701,00	ГОСТ 2330-76
52519800000391	0	BK8	1980-0391	6224,36	4363,28	701,00	ГОСТ 2330-76
52719800000392	0	BK15	1980-0392	8962,62	6396,62	689,3	ГОСТ 2330-76
52519800000392	0	BK8	1980-0392	6224,92	4245,39	682,00	ГОСТ 2330-76
52719800000393	0	BK15	1980-0393	7471,7	4735,71	670,00	ГОСТ 2330-76
52519800000393	0	BK8	1980-0393	6225,28	4170,94	670,00	ГОСТ 2330-76
52719800000394	0	BK15	1980-0394	7470,38	4983,71	644,84	ГОСТ 2330-76
52519800000394	0	BK8	1980-0394	6226,33	3972,40	638,00	ГОСТ 2330-76
52719800000395	0	BK15	1980-0395	7475,7	4115,90	582,00	ГОСТ 2330-76
52519800000395	0	BK8	1980-0395	6228,44	3624,95	606,44	ГОСТ 2330-76
52519800000402	0	BK8	1980-0402	6245,55	2117,24	339,00	ГОСТ 2330-76
52519800000404	0	BK8	1980-0404	6246,16	2086,22	334,00	ГОСТ 2330-76

52519800000405	0	BK8	1980-0405	6249,64	1924,89	308,00	FOCT 2330-76
52519800000406	0	BK8	1980-0406	6251,29	1856,63	297,00	FOCT 2330-76
52519800000407	0	BK8	1980-0407	6253,24	1782,17	285,00	FOCT 2330-76
52719800000411	0	BK15	1980-0411	7457,56	10088,44	1430,00	FOCT 2330-76
52519800000411	0	BK8	1980-0411	6214,13	8886,21	1490,06	FOCT 2330-76
52719800000413	0	BK15	1980-0413	7458,05	9708,15	1376,00	FOCT 2330-76
52519800000413	0	BK8	1980-0413	6214,52	8551,18	1433,79	FOCT 2330-76
52719800000414	0	BK15	1980-0414	7457,06	10511,02	1361,43	FOCT 2330-76
52519800000414	0	BK8	1980-0414	6214,27	8759,02	1409,5	FOCT 2330-76
52719800000415	0	BK15	1980-0415	7458,64	9292,57	1317,00	FOCT 2330-76
52519800000415	0	BK8	1980-0415	6214,98	8185,13	1372,31	FOCT 2330-76
52719800000417	0	BK15	1980-0417	7457,94	9794,51	1268,45	FOCT 2330-76
52519800000417	0	BK8	1980-0417	6214,11	8907,92	1433,5	FOCT 2330-76
52719800000418	0	BK15	1980-0418	7459,69	8623,48	1222,00	FOCT 2330-76
52519800000418	0	BK8	1980-0418	6215,3	7947,50	1278,7	FOCT 2330-76
52719800000419	0	BK15	1980-0419	7458,66	9280,06	1201,7	FOCT 2330-76
52519800000419	0	BK8	1980-0419	6216,13	7390,98	1189,00	FOCT 2330-76
52719800000424	0	BK15	1980-0424	7473,34	4461,06	631,00	FOCT 2330-76
52519800000424	0	BK8	1980-0424	6226,58	3928,97	657,5	FOCT 2330-76
52719800000426	0	BK15	1980-0426	7475,44	4151,11	587,00	FOCT 2330-76
52719800000431	0	BK15	1980-0431	7481,41	3467,93	473,00	FOCT 2330-76
52519800000431	0	BK8	1980-0431	6232,94	3054,14	490,00	FOCT 2330-76
52719800000433	0	BK15	1980-0433	7485,77	3094,62	437,00	FOCT 2330-76
52519800000433	0	BK8	1980-0433	6236,39	2725,30	437,00	FOCT 2330-76
52719800000434	0	BK15	1980-0434	7453,74	14515,41	1880,94	FOCT 2330-76
52519800000434	0	BK8	1980-0434	6211,5	12100,01	1948,00	FOCT 2330-76
52719800000435	0	BK15	1980-0435	7454,87	12849,29	1822,00	FOCT 2330-76
52519800000435	0	BK8	1980-0435	6211,66	11843,15	1906,6	FOCT 2330-76
52719800000436	0	BK15	1980-0436	7454,13	13891,52	1800,00	FOCT 2330-76
52719800000437	0	BK15	1980-0437	7455,33	12271,77	1740,00	FOCT 2330-76
52519800000437	0	BK8	1980-0437	6212,01	11310,83	1820,8	FOCT 2330-76
52719800000438	0	BK15	1980-0438	7454,58	13237,84	1715,8	FOCT 2330-76
52719800000443	0	BK15	1980-0443	7463,84	6721,86	952,00	FOCT 2330-76
52719800000445	0	BK15	1980-0445	7464,64	6447,21	913,00	FOCT 2330-76
52519800000445	0	BK8	1980-0445	6219,03	5939,18	955,00	FOCT 2330-76
52719800000447	0	BK15	1980-0447	7465,37	6214,77	880,00	FOCT 2330-76
52519800000447	0	BK8	1980-0447	6220,29	5473,85	880,00	FOCT 2330-76
52719800000449	0	BK15	1980-0449	7454,04	14025,45	1989,00	FOCT 2330-76
52519800000449	0	BK8	1980-0449	6211,04	12927,35	2081,35	FOCT 2330-76
52719800000451	0	BK15	1980-0451	7453,35	15185,46	1967,86	FOCT 2330-76
52519800000451	0	BK8	1980-0451	6211,19	12654,67	2037,4	FOCT 2330-76
52719800000452	0	BK15	1980-0452	7454,44	13426,80	1924,00	FOCT 2330-76
52519800000452	0	BK8	1980-0452	6211,34	12375,48	1992,4	FOCT 2330-76
52719800000454	0	BK15	1980-0454	7454,91	12792,93	1814,00	FOCT 2330-76
52519800000454	0	BK8	1980-0454	5916,85	11230,17	1898,00	FOCT 2330-76
52719800000458	0	BK15	1980-0458	7449,78	26552,06	3442,5	FOCT 2330-76
52519800000458	0	BK8	1980-0458	6208,21	22126,67	3564,1	FOCT 2330-76
52519800000461	0	BK8	1980-0461	6208,35	21348,04	3438,6	FOCT 2330-76
52719800000462	0	BK15	1980-0462	7450,59	22716,54	3223,00	FOCT 2330-76
52519800000462	0	BK8	1980-0462	6208,43	20938,56	3372,6	FOCT 2330-76
52719800000464	0	BK15	1980-0464	7450,39	23560,36	3057,4	FOCT 2330-76
52719800000465	0	BK15	1980-0465	7451,09	20843,08	2957,00	FOCT 2330-76
52519800000465	0	BK8	1980-0465	6208,81	19211,93	3094,3	FOCT 2330-76
52719800000467	0	BK15	1980-0467	7452,76	16356,71	2320,00	FOCT 2330-76
52719800000468	0	BK15	1980-0468	7452,93	15997,49	2269,00	FOCT 2330-76
52519800000468	0	BK8	1980-0468	6210,2	14743,02	2374,00	FOCT 2330-76
52719800000471	0	BK15	1980-0471	7453,31	15265,05	2165,00	FOCT 2330-76
52519800000471	0	BK8	1980-0471	6210,48	14072,96	2266,00	FOCT 2330-76
52719800000472	0	BK15	1980-0472	7453,52	14891,75	2112,00	FOCT 2330-76
52719800000473	0	BK15	1980-0473	7453,74	14511,46	2058,00	FOCT 2330-76
52519800000473	0	BK8	1980-0473	6211,12	12782,48	2144,44	FOCT 2330-76
52719800000474	0	BK15	1980-0474	7453,98	14117,03	2002,00	FOCT 2330-76
52519800000474	0	BK8	1980-0474	6210,12	14947,76	2407,2	FOCT 2330-76
52719800000475	0	BK15	1980-0475	7454,24	13722,66	1946,00	FOCT 2330-76
52519800000475	0	BK8	1980-0475	6211,19	12645,98	2036,00	FOCT 2330-76
52719800000476	0	BK15	1980-0476	7454,52	13314,15	1888,00	FOCT 2330-76
52519800000476	0	BK8	1980-0476	6211,4	12273,73	1976,00	FOCT 2330-76
52719800000478	0	BK15	1980-0478	7453,17	15518,62	2201,00	FOCT 2330-76
52519800000478	0	BK8	1980-0478	6210,38	14303,76	2303,2	FOCT 2330-76
52719800000481	0	BK15	1980-0481	7453,65	14659,32	2079,00	FOCT 2330-76
52519800000481	0	BK8	1980-0481	6210,74	13511,47	2175,5	FOCT 2330-76

52719800000482	0	BK15	1980-0482	7453,92	14222,67	2017,00	ГОСТ 2330-76
52519800000482	0	BK8	1980-0482	6210,94	13108,82	2110,6	ГОСТ 2330-76
52719800000483	0	BK15	1980-0483	7454,21	13771,95	1953,00	ГОСТ 2330-76
52519800000483	0	BK8	1980-0483	6211,49	12131,03	2035,03	ГОСТ 2330-76
52719800000484	0	BK15	1980-0484	7451,36	19955,71	2831,00	ГОСТ 2330-76
52519800000484	0	BK8	1980-0484	6209,24	17578,35	2949,9	ГОСТ 2330-76
52719800000485	0	BK15	1980-0485	7451,51	19497,91	2766,00	ГОСТ 2330-76
52519800000485	0	BK8	1980-0485	6209,36	17175,08	2882,17	ГОСТ 2330-76
52719800000486	0	BK15	1980-0486	7451,35	19992,26	2591,47	ГОСТ 2330-76
52519800000486	0	BK8	1980-0486	6209,25	17536,78	2824,3	ГОСТ 2330-76
52719800000499	0	BK15	1980-0499	7450,13	24744,93	3548,00	ГОСТ 2330-76
52719800000501	0	BK15	1980-0501	7450,23	24251,92	3441,00	ГОСТ 2330-76
52519800000501	0	BK8	1980-0501	6208,17	22354,37	3600,8	ГОСТ 2330-76
52719800000504	0	BK15	1980-0504	7450,59	22709,47	3222,00	ГОСТ 2330-76
52719800000505	0	BK15	1980-0505	7450,72	22188,32	3148,00	ГОСТ 2330-76
52519800000505	0	BK8	1980-0505	6208,53	20452,15	3294,2	ГОСТ 2330-76
52719800000507	0	BK15	1980-0507	7451,34	20011,99	2839,00	ГОСТ 2330-76
52519800000507	0	BK8	1980-0507	6208,75	19495,46	3140,00	ГОСТ 2330-76
52719800000508	0	BK15	1980-0508	7449,71	26935,25	3822,00	ГОСТ 2330-76
52519800000508	0	BK8	1980-0508	6207,94	23726,75	3957,00	ГОСТ 2330-76
52519800000511	0	BK8	1980-0511	5914,31	21640,47	3659,00	ГОСТ 2330-76
52519800000512	0	BK8	1980-0512	5914,38	21149,81	3576,00	ГОСТ 2330-76
52519800000519	0	BK8	1980-0519	6207,6	26132,75	4209,8	ГОСТ 2330-76
52419800000603	0	BK6	1980-0603	6552,62	234,58	35,8	ГОСТ 9453-75
52419800000604	0	BK6	1980-0604	6568,7	223,34	34,4	ГОСТ 9453-75
52519800000604	0	BK8	1980-0604	6568,7	223,34	34,00	ГОСТ 9453-75
53833020000019	0	BK20-KC	19BJJM	9392,17	1145,85	122,00	TY 48-19-180-76
53633020000001	0	BK10-KC	1BJJM	8856,43	60,22	6,8	TY 48-19-180-76
55100200000010	0	BK10-XO	20010	8097,64	20,00	2,46	ГОСТ 25408-90
52400200000010	0	BK6	20010	6177,00	15,07	2,47	ГОСТ 25408-90
51200200000010	0	BK6-M	20010	8097,64	20,00	2,47	ГОСТ 25408-90
51600200000010	0	BK6-OM	20010	8097,64	20,00	2,47	ГОСТ 25408-90
52500200000010	0	BK8	20010	6177,00	15,07	2,44	ГОСТ 25408-90
61300200000010	0	T15K6	20010	6484,41	13,62	1,87	ГОСТ 25408-90
61400200000010	0	T30K4	20010	6484,41	13,62	1,59	ГОСТ 25408-90
61100200000010	0	T5K10	20010	6484,41	13,62	2,12	ГОСТ 25408-90
55100200000030	0	BK10-XO	20030	7811,45	28,75	3,66	ГОСТ 25408-90
52400200000030	0	BK6	20030	5958,35	21,63	3,67	ГОСТ 25408-90
51200200000030	0	BK6-M	20030	7811,45	28,75	3,67	ГОСТ 25408-90
51600200000030	0	BK6-OM	20030	7811,45	28,75	3,67	ГОСТ 25408-90
52500200000030	0	BK8	20030	5958,35	21,63	3,63	ГОСТ 25408-90
61300200000030	0	T15K6	20030	6240,94	19,53	2,78	ГОСТ 25408-90
61400200000030	0	T30K4	20030	6240,94	19,53	2,36	ГОСТ 25408-90
61100200000030	0	T5K10	20030	6240,94	19,53	3,15	ГОСТ 25408-90
62100200000030	0	TT7K12	20030	11534,04	41,87	3,26	ГОСТ 25408-90
52701860000003	0	BK15	2005-0003	16892,24	19,43	1,15	TY 48-19-64-91
52701860000004	0	BK15	2005-0004	16670,98	23,01	1,38	TY 48-19-64-91
52401860000004	0	BK6	2005-0004	8704,4	12,45	1,44	TY 48-19-64-91
52701860000005	0	BK15	2005-0005	15747,51	40,31	2,56	TY 48-19-64-91
52701860000007	0	BK15	2005-0007	15472,9	46,42	3,00	TY 48-19-64-91
52701860000008	0	BK15	2005-0008	15593,88	43,66	2,8	TY 48-19-64-91
52701860000010	0	BK15	2005-0010	14686,51	67,56	4,6	TY 48-19-64-91
52701860000011	0	BK15	2005-0011	14995,76	58,48	3,9	TY 48-19-64-91
52401860000011	0	BK6	2005-0011	8332,71	33,66	4,08	TY 48-19-64-91
51601860000011	0	BK6-OM	2005-0011	16260,22	67,97	3,8	TY 48-19-64-91
52701860000012	0	BK15	2005-0012	15103,26	55,58	3,68	TY 48-19-64-91
52701860000015	0	BK15	2005-0015	15098,25	55,71	3,69	TY 48-19-64-91
52701860000016	0	BK15	2005-0016	14770,17	64,99	4,4	TY 48-19-64-91
52701860000018	0	BK15	2005-0018	13900,11	97,30	7,00	TY 48-19-64-91
52401860000018	0	BK6	2005-0018	8092,76	58,67	7,32	TY 48-19-64-91
52701860000019	0	BK15	2005-0019	13271,00	132,71	10,00	TY 48-19-64-91
52701860000020	0	BK15	2005-0020	13750,32	104,50	7,6	TY 48-19-64-91
52701860000021	0	BK15	2005-0021	13189,82	138,49	10,5	TY 48-19-64-91
52701860000022	0	BK15	2005-0022	12660,95	187,38	14,8	TY 48-19-64-91
52701860000023	0	BK15	2005-0023	13640,39	110,21	8,08	TY 48-19-64-91
52401860000023	0	BK6	2005-0023	11285,42	96,38	8,2	TY 48-19-64-91
52701860000026	0	BK15	2005-0026	14136,88	87,08	6,16	TY 48-19-64-91
51101860000026	0	BK3-M	2005-0026	15273,55	103,25	6,6	TY 48-19-64-91
52701860000027	0	BK15	2005-0027	13390,5	124,80	9,32	TY 48-19-64-91
52701860000029	0	BK15	2005-0029	13067,46	147,92	11,32	TY 48-19-64-91
52701860000030	0	BK15	2005-0030	12785,03	173,75	13,59	TY 48-19-64-91

52701860000032	0	BK15	2005-0032	13014,83	152,27	11,7	TY 48-19-64-91
52701860000033	0	BK15	2005-0033	12470,31	212,00	17,00	TY 48-19-64-91
52701860000036	0	BK15	2005-0036	12152,57	267,36	22,00	TY 48-19-64-91
52701860000044	0	BK15	2005-0044	15656,73	42,27	2,7	TY 48-19-64-91
52401860000044	0	BK6	2005-0044	8479,65	23,66	2,82	TY 48-19-64-91
52701860000045	0	BK15	2005-0045	15472,9	46,42	3,00	TY 48-19-64-91
52701860000046	0	BK15	2005-0046	13084,6	146,55	11,2	TY 48-19-64-91
52401860000046	0	BK6	2005-0046	10830,17	128,23	11,7	TY 48-19-64-91
52701870000047	0	BK15	2005-0047	12235,39	250,70	20,49	TY 48-19-64-91
52401870000047	0	BK6	2005-0047	10142,12	219,68	19,3	TY 48-19-64-91
52701870000048	0	BK15	2005-0048	12012,77	300,32	25,00	TY 48-19-64-91
52401860000048	0	BK6	2005-0048	7684,91	199,04	26,15	TY 48-19-64-91
52701870000049	0	BK15	2005-0049	11699,16	409,00	34,96	TY 48-19-64-91
52401860000049	0	BK6	2005-0049	9658,16	388,26	40,2	TY 48-19-64-91
52701870000050	0	BK15	2005-0050	11506,47	520,09	45,2	TY 48-19-64-91
52401860000050	0	BK6	2005-0050	7576,82	354,60	47,28	TY 48-19-64-91
52701870000051	0	BK15	2005-0051	11350,86	661,76	58,3	TY 48-19-64-91
52401890008058	0	BK6	2005-8058	7591,29	322,63	43,00	TY 48-19-64-91
52501890008058	0	BK8	2005-8058	7591,29	322,63	42,5	TY 48-19-64-91
52501890008107	0	BK8	2005-8107	7519,21	571,46	76,00	TY 48-19-64-91
52401890008112	0	BK6	2005-8112	7609,52	289,16	38,00	TY 48-19-64-91
52401890008113	0	BK6	2005-8113	7531,99	504,64	67,00	TY 48-19-64-91
52401910008202	0	BK6	2005-8202	8597,89	17,28	2,01	TY 48-19-64-91
52401910008203	0	BK6	2005-8203	8402,48	28,57	3,4	TY 48-19-64-91
61301920008203	0	T15K6	2005-8203	8753,86	25,39	2,9	TY 48-19-64-91
61301920008204	0	T15K6	2005-8204	8344,31	64,25	7,7	TY 48-19-64-91
61301920008205	0	T15K6	2005-8205	8130,49	110,57	13,6	TY 48-19-64-91
52501910008208	0	BK8	2005-8208	7975,96	78,24	9,81	TY 48-19-64-91
61301920008208	0	T15K6	2005-8208	8335,4	65,60	7,7	TY 48-19-64-91
61101920008208	0	T5K10	2005-8208	8290,58	72,96	8,8	TY 48-19-64-91
61101920008209	0	T5K10	2005-8209	8083,8	126,92	15,7	TY 48-19-64-91
52401920008303	0	BK6	2005-8303	7632,43	10,84	1,42	TY 48-19-64-91
52401920008304	0	BK6	2005-8304	7545,78	18,86	2,5	TY 48-19-64-91
52401920008306	0	BK6	2005-8306	7390,4	42,42	5,74	TY 48-19-64-91
52401920008307	0	BK6	2005-8307	7324,26	59,77	8,16	TY 48-19-64-91
52401920008309	0	BK6	2005-8309	10700,13	140,17	13,1	TY 48-19-64-91
52402030008401	0	BK6	2005-8401	8760,83	10,16	1,16	TY 48-19-64-91
52402030008403	0	BK6	2005-8403	8285,63	37,53	4,53	TY 48-19-64-91
52501940008456	0	BK8	2005-8456	8967,19	3,05	0,34	TY 48-19-64-91
52501940008457	0	BK8	2005-8457	7740,83	3,41	0,44	TY 48-19-64-91
52501940008458	0	BK8	2005-8458	7712,02	5,17	0,67	TY 48-19-64-91
52401940008459	0	BK6	2005-8459	8834,47	7,42	0,85	TY 48-19-64-91
52501940008459	0	BK8	2005-8459	8834,47	7,42	0,84	TY 48-19-64-91
52501940008460	0	BK8	2005-8460	7684,35	6,99	0,91	TY 48-19-64-91
52501940008462	0	BK8	2005-8462	8760,83	10,16	1,16	TY 48-19-64-91
52501940008465	0	BK8	2005-8465	7593,02	14,20	1,87	TY 48-19-64-91
52401940008467	0	BK6	2005-8467	8586,21	17,86	2,1	TY 48-19-64-91
52501940008467	0	BK8	2005-8467	8586,21	17,86	2,08	TY 48-19-64-91
52401940008468	0	BK6	2005-8468	8451,75	25,36	3,00	TY 48-19-64-91
52501940008470	0	BK8	2005-8470	7458,99	29,99	4,02	TY 48-19-64-91
52501940008484	0	BK8	2005-8484	7685,78	198,29	25,8	TY 48-19-64-91
52401990008659	0	BK6	2005-8659	9463,05	28,20	3,01	TY 48-19-64-91
52501990008659	0	BK8	2005-8659	9463,05	28,20	2,98	TY 48-19-64-91
52401990008660	0	BK6	2005-8660	8357,69	31,76	3,8	TY 48-19-64-91
52501990008662	0	BK8	2005-8662	9098,01	47,58	5,23	TY 48-19-64-91
52401990008665	0	BK6	2005-8665	11486,79	85,69	7,46	TY 48-19-64-91
52401990008670	0	BK6	2005-8670	8225,12	217,14	26,4	TY 48-19-64-91
52402000008703	0	BK6	2005-8703	8609,8	16,70	1,94	TY 48-19-64-91
52502000008710	0	BK8	2005-8710	7940,93	85,76	10,8	TY 48-19-64-91
61402000008710	0	T30K4	2005-8710	8381,26	59,00	7,00	TY 48-19-64-91
52402000008712	0	BK6	2005-8712	7862,06	106,92	13,6	TY 48-19-64-91
52402000008716	0	BK6	2005-8716	7587,34	330,81	43,6	TY 48-19-64-91
52502010008751	0	BK8	2005-8751	9795,00	16,16	1,65	TY 48-19-64-91
61302010008751	0	T15K6	2005-8751	0,00	0,00	1,09	TY 48-19-64-91
61102010008751	0	T5K10	2005-8751	0,00	0,00	1,22	TY 48-19-64-91
52402010008752	0	BK6	2005-8752	9552,94	24,55	2,6	TY 48-19-64-91
61102010008752	0	T5K10	2005-8752	0,00	0,00	2,24	TY 48-19-64-91
52402020008753	0	BK6	2005-8753	9361,51	32,77	3,5	TY 48-19-64-91
61102010008753	0	T5K10	2005-8753	0,00	0,00	3,99	TY 48-19-64-91
52402010008754	0	BK6	2005-8754	8850,33	67,71	7,65	TY 48-19-64-91
61102010008754	0	T5K10	2005-8754	0,00	0,00	8,99	TY 48-19-64-91

52402020008755	0	BK6	2005-8755	8512,73	116,37	13,67	TY 48-19-64-91
61102010008755	0	T5K10	2005-8755	0,00	0,00	7,23	TY 48-19-64-91
51102020008803	0	BK3-M	2005-8803	13100,92	14,15	1,08	TY 48-19-64-91
52402020008803	0	BK6	2005-8803	9996,14	10,40	1,06	TY 48-19-64-91
52402020008804	0	BK6	2005-8804	9728,42	18,29	1,88	TY 48-19-64-91
52502020008804	0	BK8	2005-8804	9728,42	18,29	1,88	TY 48-19-64-91
52402020008806	0	BK6	2005-8806	8925,75	60,70	6,8	TY 48-19-64-91
52401970008861	0	BK6	2005-8861	8197,95	45,91	5,6	TY 48-19-64-91
55100200000050	0	BK10-XO	20050	8540,65	51,76	6,02	FOCT 25408-90
51100200000050	0	BK3-M	20050	8540,65	51,76	6,2	FOCT 25408-90
52400200000050	0	BK6	20050	6517,36	38,97	6,06	FOCT 25408-90
51200200000050	0	BK6-M	20050	8540,65	51,76	6,06	FOCT 25408-90
51600200000050	0	BK6-OM	20050	8540,65	51,76	6,06	FOCT 25408-90
52500200000050	0	BK8	20050	6517,36	38,97	5,98	FOCT 25408-90
61200200000050	0	T14K8	20050	6867,01	35,30	4,66	FOCT 25408-90
61300200000050	0	T15K6	20050	6867,01	35,30	5,00	FOCT 25408-90
61400200000050	0	T30K4	20050	6867,01	35,30	3,95	FOCT 25408-90
61100200000050	0	T5K10	20050	6867,01	35,30	5,6	FOCT 25408-90
52705710000001	0	BK15	2007-0001	38814,62	50,85	1,38	TY 48-19-405-86
52705710000002	0	BK15	2007-0002	23293,71	85,95	3,9	TY 48-19-405-86
52705710000003	0	BK15	2007-0003	28480,6	80,88	3,00	TY 48-19-405-86
52705710000004	0	BK15	2007-0004	21860,72	123,95	5,99	TY 48-19-405-86
52705710000005	0	BK15	2007-0005	22683,99	115,92	5,4	TY 48-19-405-86
52705710000006	0	BK15	2007-0006	25864,33	117,42	4,8	TY 48-19-405-86
52705710000007	0	BK15	2007-0007	22927,88	142,84	6,59	TY 48-19-405-86
52705710000008	0	BK15	2007-0008	23447,07	137,40	6,19	TY 48-19-405-86
52705710000012	0	BK15	2007-0012	20628,17	327,78	16,8	TY 48-19-405-86
52705710000014	0	BK15	2007-0014	26779,19	88,64	3,5	TY 48-19-405-86
52705710000015	0	BK15	2007-0015	21847,27	124,09	6,00	TY 48-19-405-86
52705710000052	0	BK15	2007-0052	26811,52	88,48	3,49	TY 48-19-405-86
52705710000053	0	BK15	2007-0053	18272,35	104,15	5,7	TY 48-19-63-87
52705710000054	0	BK15	2007-0054	16515,9	165,16	10,00	TY 48-19-63-87
52705710000055	0	BK15	2007-0055	18007,8	192,32	11,29	TY 48-19-405-86
52705710000058	0	BK15	2007-0058	24829,41	57,36	2,44	TY 48-19-405-86
52705710000059	0	BK15	2007-0059	23179,38	86,69	3,95	TY 48-19-405-86
52705720000061	0	BK15	2007-0061	18746,33	172,65	9,74	TY 48-19-405-86
52705710000062	0	BK15	2007-0062	16515,9	165,16	10,00	TY 48-19-63-87
52705720000063	0	BK15	2007-0063	25931,2	93,09	3,79	TY 48-19-405-86
52705720000064	0	BK15	2007-0064	21859,95	72,36	3,5	TY 48-19-405-86
52705720000065	0	BK15	2007-0065	19184,89	163,07	8,99	TY 48-19-405-86
52705720000066	0	BK15	2007-0066	18606,08	176,01	10,00	TY 48-19-405-86
52705720000067	0	BK15	2007-0067	27666,88	130,86	5,00	TY 48-19-405-86
52705730000072	0	BK15	2007-0072	24276,79	80,11	3,49	TY 48-19-405-86
52705730000073	0	BK15	2007-0073	28145,01	127,78	4,8	TY 48-19-405-86
52705730000074	0	BK15	2007-0074	22880,43	114,17	5,28	TY 48-19-405-86
52705730000075	0	BK15	2007-0075	19485,00	250,77	13,6	TY 48-19-405-86
52705730000076	0	BK15	2007-0076	22700,07	115,77	5,39	TY 48-19-405-86
52705730000078	0	BK15	2007-0078	26610,03	138,37	5,5	TY 48-19-405-86
52705740000101	0	BK15	2007-0101	69501,13	44,48	0,68	TY 48-19-405-86
52705740000102	0	BK15	2007-0102	39087,95	103,19	2,79	TY 48-19-405-86
52705740000103	0	BK15	2007-0103	33747,11	172,11	5,39	TY 48-19-405-86
52705740000108	0	BK15	2007-0108	30006,81	198,65	7,00	TY 48-19-405-86
52705740000151	0	BK15	2007-0151	23062,97	65,50	3,00	TY 48-19-405-86
52705740000152	0	BK15	2007-0152	26533,05	113,03	4,5	TY 48-19-405-86
52705750001001	0	BK15	2007-1001	22837,83	66,69	3,09	TY 48-19-405-86
52705750001002	0	BK15	2007-1002	26630,85	138,21	5,49	TY 48-19-405-86
52705750001003	0	BK15	2007-1003	25898,99	207,97	8,49	TY 48-19-405-86
52705750001004	0	BK15	2007-1004	23308,85	297,42	13,49	TY 48-19-405-86
52705750001005	0	BK15	2007-1005	20726,74	215,77	11,00	TY 48-19-405-86
52705750001051	0	BK15	2007-1051	25389,82	74,39	3,1	TY 48-19-405-86
52705750001052	0	BK15	2007-1052	26799,82	136,95	5,4	TY 48-19-405-86
52705750001054	0	BK15	2007-1054	18425,04	372,74	21,38	TY 48-19-405-86
52705750001055	0	BK15	2007-1055	26907,69	136,15	5,35	TY 48-19-405-86
52705750001058	0	BK15	2007-1058	22998,7	113,15	5,2	TY 48-19-405-86
52705750001071	0	BK15	2007-1071	25875,04	53,30	2,18	TY 48-19-405-86
52705760001072	0	BK15	2007-1072	23751,36	83,13	3,7	TY 48-19-405-86
52705760001073	0	BK15	2007-1073	19193,28	261,22	14,39	TY 48-19-405-86
52705760001074	0	BK15	2007-1074	18250,44	623,25	36,1	TY 48-19-405-86
52705770001091	0	BK15	2007-1091	37601,01	152,66	4,29	TY 48-19-405-86
52705780001101	0	BK15	2007-1101	41140,25	61,71	1,59	TY 48-19-405-86
52705780001102	0	BK15	2007-1102	25029,68	260,31	10,99	TY 48-19-405-86

52705780001103	0	BK15	2007-1103	33373,45	148,18	4,69	TY 48-19-405-86
52705780001107	0	BK15	2007-1107	28962,13	208,24	7,6	TY 48-19-405-86
52705780001151	0	BK15	2007-1151	36741,52	156,52	4,5	TY 48-19-405-86
52705780001152	0	BK15	2007-1152	22131,73	332,64	15,89	TY 48-19-405-86
52705780001153	0	BK15	2007-1153	45669,02	85,86	1,99	TY 48-19-405-86
52705780001154	0	BK15	2007-1154	37162,94	154,60	4,4	TY 48-19-405-86
52705780001155	0	BK15	2007-1155	32379,28	180,68	5,9	TY 48-19-405-86
52705790001601	0	BK15	2007-1601	37162,94	154,60	4,4	TY 48-19-405-86
52705790001602	0	BK15	2007-1602	28342,88	214,56	8,00	TY 48-19-405-86
52705790001603	0	BK15	2007-1603	23302,82	297,58	13,5	TY 48-19-405-86
52705800001671	0	BK15	2007-1671	35969,36	135,96	4,00	TY 48-19-405-86
52705800001672	0	BK15	2007-1672	19193,28	261,22	14,39	TY 48-19-405-86
52705830002121	0	BK15	2007-2121	29991,6	141,86	5,00	TY 48-19-405-86
52705840002501	0	BK15	2007-2501	21816,56	96,65	4,68	TY 48-19-405-86
52705840002502	0	BK15	2007-2502	26246,69	51,97	2,09	TY 48-19-405-86
52705840002503	0	BK15	2007-2503	18564,04	287,93	16,4	TY 48-19-405-86
52705840002504	0	BK15	2007-2504	29755,02	200,85	7,14	TY 48-19-405-86
52705850002512	0	BK15	2007-2512	35608,27	75,49	2,24	TY 48-19-405-86
52705840002513	0	BK15	2007-2513	21820,5	124,38	6,03	TY 48-19-405-86
52705840002514	0	BK15	2007-2514	19417,52	201,55	10,97	TY 48-19-405-86
52705840002515	0	BK15	2007-2515	20356,26	414,05	21,5	TY 48-19-405-86
52705850002516	0	BK15	2007-2516	17941,29	678,90	40,00	TY 48-19-405-86
52705840002517	0	BK15	2007-2517	24274,57	59,72	2,6	TY 48-19-405-86
52705840002518	0	BK15	2007-2518	24244,64	129,95	5,67	TY 48-19-405-86
52705840002519	0	BK15	2007-2519	19955,42	188,78	10,00	TY 48-19-405-86
52705840002520	0	BK15	2007-2520	20171,94	425,63	22,3	TY 48-19-405-86
52705840002521	0	BK15	2007-2521	31286,79	37,54	1,27	TY 48-19-405-86
52705860002751	0	BK15	2007-2751	22988,22	213,10	9,8	TY 48-19-405-86
52705860002752	0	BK15	2007-2752	22827,66	215,95	10,00	TY 48-19-405-86
52705860002753	0	BK15	2007-2753	22988,22	213,10	9,8	TY 48-19-405-86
52705860002754	0	BK15	2007-2754	23066,36	211,75	9,7	TY 48-19-405-86
52705880002801	0	BK15	2007-2801	23723,51	165,83	7,39	TY 48-19-405-86
52705880002802	0	BK15	2007-2802	23723,51	165,83	7,39	TY 48-19-405-86
52705880002806	0	BK15	2007-2806	23599,93	167,32	7,5	TY 48-19-405-86
52705890002809	0	BK15	2007-2809	21974,77	232,93	11,2	TY 48-19-405-86
52705880002810	0	BK15	2007-2810	22105,08	230,11	11,00	TY 48-19-405-86
52705890002815	0	BK15	2007-2815	22312,57	225,80	10,7	TY 48-19-405-86
52705880002816	0	BK15	2007-2816	22175,43	228,63	10,9	TY 48-19-405-86
52705880002825	0	BK15	2007-2825	23053,35	254,97	11,69	TY 48-19-405-86
52705880002826	0	BK15	2007-2826	23053,35	254,97	11,69	TY 48-19-405-86
52705880002831	0	BK15	2007-2831	22990,53	256,34	11,79	TY 48-19-405-86
52705880002832	0	BK15	2007-2832	23046,32	255,12	11,7	TY 48-19-405-86
52705880002840	0	BK15	2007-2840	23181,84	252,22	11,5	TY 48-19-405-86
52705890002845	0	BK15	2007-2845	25496,3	178,47	7,4	TY 48-19-405-86
52705900002971	0	BK15	2007-2971	24268,57	103,38	4,5	TY 48-19-405-86
52705900003002	0	BK15	2007-3002	28338,01	182,21	6,8	TY 48-19-405-86
52705920003033	0	BK15	2007-3033	36577,41	157,28	4,55	TY 48-19-405-86
52705920003034	0	BK15	2007-3034	37162,94	154,60	4,4	TY 48-19-405-86
52705920003035	0	BK15	2007-3035	35276,42	163,68	4,9	TY 48-19-405-86
52705930003043	0	BK15	2007-3043	30794,65	192,16	6,6	TY 48-19-405-86
52705930003173	0	BK15	2007-3173	22562,24	181,40	8,5	TY 48-19-405-86
52705950004002	0	BK15	2007-4002	36741,52	156,52	4,5	TY 48-19-405-86
52705950004003	0	BK15	2007-4003	23450,16	293,83	13,25	TY 48-19-405-86
52705960005062	0	BK15	2007-5062	25245,44	256,49	10,74	TY 48-19-405-86
52705970006073	0	BK15	2007-6073	25684,2	145,89	6,00	TY 48-19-405-86
52705980009003	0	BK15	2007-9003	48778,69	97,07	2,1	TY 48-19-405-86
52705990009008	0	BK15	2007-9008	42758,37	133,41	3,3	TY 48-19-405-86
52706000009011	0	BK15	2007-9011	49242,5	96,02	2,06	TY 48-19-405-86
52706000009014	0	BK15	2007-9014	17901,82	234,51	13,1	TY 48-19-63-87
52706010009017	0	BK15	2007-9017	37789,05	107,32	3,00	TY 48-19-405-86
52706030009024	0	BK15	2007-9024	25203,1	150,21	6,3	TY 48-19-405-86
52706040009029	0	BK15	2007-9029	26792,22	165,58	6,53	TY 48-19-405-86
52706050009030	0	BK15	2007-9030	27362,72	160,62	6,2	TY 48-19-405-86
52706060009031	0	BK15	2007-9031	31425,82	89,25	3,00	TY 48-19-405-86
55100200000070	0	BK10-XO	20070	7967,81	102,63	12,79	FOCT 25408-90
51100200000070	0	BK3-M	20070	7967,81	102,63	13,1	FOCT 25408-90
52400200000070	0	BK6	20070	6076,67	77,17	12,9	FOCT 25408-90
51200200000070	0	BK6-M	20070	7967,81	102,63	12,9	FOCT 25408-90
51600200000070	0	BK6-OM	20070	7967,81	102,63	12,9	FOCT 25408-90
52500200000070	0	BK8	20070	6076,67	77,17	12,7	FOCT 25408-90
61200200000070	0	T14K8	20070	6354,39	69,45	9,81	FOCT 25408-90

61300200000070	0	T15K6	20070	6354,39	69,45	9,75	ГОСТ 25408-90
61400200000070	0	T30K4	20070	6354,39	69,45	8,36	ГОСТ 25408-90
61100200000070	0	T5K10	20070	6354,39	69,45	11,1	ГОСТ 25408-90
51622340000005	0	BK6-OM	2008-0005	23191,84	133,35	5,75	ТУ 48-19-63-87
62404490000012	0	TT20K9	2008-0012	46520,53	562,90	12,1	ТУ 48-19-307-87
62422340000014	0	TT20K9	2008-0014	29037,35	363,84	12,1	ТУ 48-19-307-87
524044900000055	0	BK6	2008-0055	15369,38	83,15	5,41	ТУ 48-19-307-87
624223400000057	0	TT20K9	2008-0057	27291,98	155,84	6,75	ТУ 48-19-307-87
51622340000102	0	BK6-OM	2008-0102	27956,42	55,91	2,00	ТУ 48-19-63-87
62404490000112	0	TT20K9	2008-0112	51023,83	535,75	10,5	ТУ 48-19-307-87
51622340000124	0	BK6-OM	2008-0124	30232,84	30,23	1,00	ТУ 48-19-63-87
51622340000208	0	BK6-OM	2008-0208	17151,55	30,02	1,75	ТУ 48-4206-95-83
51604510000209	0	BK6-OM	2008-0209	31266,63	50,03	1,6	ТУ 48-19-307-87
52422340000210	0	BK6	2008-0210	19624,72	96,55	4,99	ТУ 48-19-63-87
51622340000210	0	BK6-OM	2008-0210	25680,54	128,15	4,99	ТУ 48-19-63-87
59122340000210	0	ВП3115	2008-0210	29264,25	143,98	4,99	ТУ 48-19-63-87
52422340000211	0	BK6	2008-0211	19796,42	93,44	4,79	ТУ 48-19-63-87
51622340000211	0	BK6-OM	2008-0211	25902,71	124,07	4,79	ТУ 48-19-63-87
59122340000211	0	ВП3115	2008-0211	29520,28	139,34	4,79	ТУ 48-19-63-87
51122340000212	0	BK3-M	2008-0212	19294,51	370,45	19,2	ТУ 48-19-63-87
59122340000251	0	ВП3115	2008-0251	23239,59	116,20	5,00	ТУ 48-19-63-87
59122340000252	0	ВП3115	2008-0252	23272,31	115,43	4,96	ТУ 48-19-63-87
52422340000253	0	BK6	2008-0253	15696,06	75,34	4,8	ТУ 48-19-63-87
59122340000253	0	ВП3115	2008-0253	23405,86	112,35	4,8	ТУ 48-19-63-87
52422340000256	0	BK6	2008-0256	13090,39	175,41	13,4	ТУ 48-19-63-87
59122340000256	0	ВП3115	2008-0256	19520,3	261,57	13,4	ТУ 48-19-63-87
52422340000260	0	BK6	2008-0260	14491,88	108,69	7,5	ТУ 48-19-63-87
59122340000260	0	ВП3115	2008-0260	21610,18	162,08	7,5	ТУ 48-19-63-87
59104510000262	0	ВП3115	2008-0262	21662,75	160,30	7,4	ТУ 48-19-307-87
52422340000263	0	BK6	2008-0263	14491,88	108,69	7,5	ТУ 48-19-63-87
59122340000263	0	ВП3115	2008-0263	21610,18	162,08	7,5	ТУ 48-19-63-87
51122340000271	0	BK3-M	2008-0271	23710,45	170,72	7,2	ТУ 48-19-63-87
51122360000272	0	BK3-M	2008-0272	23067,09	188,00	8,15	ТУ 48-19-63-87
51622340001002	0	BK6-OM	2008-1002	24362,09	109,63	4,5	ТУ 48-19-63-87
61204620001009	0	T14K8	2008-1009	16796,72	144,79	8,7	ТУ 48-19-63-87
62422340001009	0	TT20K9	2008-1009	29465,4	284,34	9,3	ТУ 48-4206-95-83
62422340100924	0	TT20K9	2008-1009-24	31263,18	241,98	9,25	ТУ 48-4206-95-83
61604650001012	0	MC 121	2008-1012	0,00	0,00	20,67	ТУ 48-19-307-87
62422340001012	0	TT20K9	2008-1012	28391,13	514,45	21,38	ТУ 48-4206-95-83
62422340001023	0	TT20K9	2008-1023	28695,01	438,17	14,72	ТУ 48-4206-95-83
51604640001057	0	BK6-OM	2008-1057	17629,78	202,74	11,5	ТУ 48-19-307-87
52504640001059	0	BK8	2008-1059	14530,68	107,38	7,39	ТУ 48-19-307-87
52404630001068	0	BK6	2008-1068	10703,98	251,54	23,5	ТУ 48-19-307-87
51622340001104	0	BK6-OM	2008-1104	25249,76	94,18	3,73	ТУ 48-19-63-87
62404650001106	0	TT20K9	2008-1106	50296,57	291,72	5,8	ТУ 48-19-307-87
62404650001108	0	TT20K9	2008-1108	54401,5	308,46	5,67	ТУ 48-19-307-87
62422340001118	0	TT20K9	2008-1118	29696,03	246,48	8,00	ТУ 48-4206-95-83
61210920001125	0	T14K8	2008-1125	15570,41	194,63	12,5	ТУ 48-19-63-87
51622350001211	0	BK6-OM	2008-1211	22758,95	143,38	6,3	ТУ 48-19-63-87
52504990003001	0	BK8	2008-3001	17001,85	212,18	12,35	ТУ 48-19-307-87
62604650003001	0	MC 146	2008-3001	16606,47	207,25	11,24	ТУ 48-19-307-87
61204990003001	0	T14K8	2008-3001	18679,81	178,95	9,61	ТУ 48-19-63-87
61104990003001	0	T5K10	2008-3001	18188,4	195,53	10,75	ТУ 48-19-63-87
62422350003001	0	TT20K9	2008-3001	32125,41	344,38	10,33	ТУ 48-4206-95-83
61204990003002	0	T14K8	2008-3002	18679,81	178,95	9,61	ТУ 48-19-63-87
61104990003002	0	T5K10	2008-3002	18188,4	195,53	10,75	ТУ 48-19-63-87
62422350003002	0	TT20K9	2008-3002	32557,08	281,62	10,33	ТУ 48-4206-95-83
62604650003012	0	MC 146	2008-3012	0,00	0,00	4,28	ТУ 48-19-307-87
61205020003012	0	T14K8	2008-3012	23438,34	81,57	3,49	ТУ 48-19-63-87
61105020003012	0	T5K10	2008-3012	22901,61	89,32	3,9	ТУ 48-19-63-87
62422350003012	0	TT20K9	2008-3012	33836,69	131,29	3,75	ТУ 48-4206-95-83
62104650003101	0	TT7K12	2008-3101	22788,55	254,09	10,00	ТУ 48-19-307-87
62422350003111	0	TT20K9	2008-3111	33904,53	317,01	9,00	ТУ 48-4206-95-83
62104650003111	0	TT7K12	2008-3111	20957,7	233,68	10,00	ТУ 48-19-307-87
62422353111223	0	TT20K9	2008-3111-2-23	34262,71	271,36	9,5	ТУ 48-4206-95-83
62422350003113	0	TT20K9	2008-3113	33029,06	447,54	14,25	ТУ 48-4206-95-83
62604650003121	0	MC 146	2008-3121	17296,25	106,54	6,16	ТУ 48-19-307-87
62422350003121	0	TT20K9	2008-3121	33545,61	161,69	5,75	ТУ 48-4206-95-83
62405150003122	0	TT20K9	2008-3122	63082,57	346,95	5,5	ТУ 48-19-307-87
62604650003123	0	MC 146	2008-3123	16503,11	226,09	13,7	ТУ 48-19-307-87
62405150003123	0	TT20K9	2008-3123	63082,57	346,95	5,5	ТУ 48-19-63-87

52504990003131	0	BK8	2008-3131	14000,22	94,08	6,72	TY 48-19-307-87
62604650003131	0	MC 146	2008-3131	0,00	0,00	6,00	TY 48-19-307-87
62422350003131	0	TT20K9	2008-3131	33278,54	191,35	5,54	TY 48-4206-95-83
52422350003132	0	BK6	2008-3132	14015,56	92,22	6,64	TY 48-4206-95-83
62422350003132	0	TT20K9	2008-3132	33275,77	191,67	5,5	TY 48-4206-95-83
62604650003133	0	MC 146	2008-3133	0,00	0,00	14,24	TY 48-19-307-87
61205150003133	0	T14K8	2008-3133	17642,96	216,83	12,33	TY 48-19-63-87
61105150003133	0	T5K10	2008-3133	17200,38	237,02	13,79	TY 48-19-63-87
62422350003133	0	TT20K9	2008-3133	31589,04	434,35	13,25	TY 48-4206-95-83
62405150003134	0	TT20K9	2008-3134	50883,75	712,37	14,00	TY 48-19-307-87
59122350004132	0	BP3115	2008-4132	0,00	0,00	6,7	TY 48-19-63-87
61110920006001	0	T5K10	2008-6001	19580,56	79,50	4,06	TY 48-19-63-87
52410910006003	0	BK6	2008-6003	14993,1	191,46	12,77	TY 48-19-63-87
52405720006030	0	BK6	2008-6030	12461,68	149,54	12,00	TY 48-19-63-87
61205720006030	0	T14K8	2008-6030	13438,44	123,90	12,00	TY 48-19-63-87
61105720006030	0	T5K10	2008-6030	12907,19	153,34	10,4	TY 48-19-307-87
62404650006097	0	TT20K9	2008-6097	0,00	0,00	20,00	TY 48-19-307-87
62404650006098	0	TT20K9	2008-6098	0,00	0,00	31,00	TY 48-19-307-87
62404650006213	0	TT20K9	2008-6213	42387,96	847,76	20,00	TY 48-19-307-87
55100200000080	0	BK10-XO	20080	7967,81	102,63	12,79	FOCT 25408-90
52400200000080	0	BK6	20080	6076,67	77,17	12,9	FOCT 25408-90
51200200000080	0	BK6-M	20080	7967,81	102,63	12,9	FOCT 25408-90
51600200000080	0	BK6-OM	20080	7967,81	102,63	23,2	FOCT 25408-90
52500200000080	0	BK8	20080	6076,67	77,17	12,7	FOCT 25408-90
61200200000080	0	T14K8	20080	6354,39	69,45	9,81	FOCT 25408-90
61300200000080	0	T15K6	20080	6354,39	69,45	9,75	FOCT 25408-90
61400200000080	0	T30K4	20080	6354,39	69,45	8,29	FOCT 25408-90
61100200000080	0	T5K10	20080	6354,39	69,45	11,1	FOCT 25408-90
55100200000090	0	BK10-XO	20090	7713,25	179,87	23,16	FOCT 25408-90
51100200000090	0	BK3-M	20090	7713,25	179,87	23,6	FOCT 25408-90
52400200000090	0	BK6	20090	5880,22	135,25	23,2	FOCT 25408-90
52500200000090	0	BK8	20090	5880,22	135,25	23,00	FOCT 25408-90
61300200000090	0	T15K6	20090	6122,57	121,23	17,6	FOCT 25408-90
61100200000090	0	T5K10	20090	6122,57	121,23	21,00	FOCT 25408-90
55100200000100	0	BK10-XO	20100	7713,25	179,87	23,16	FOCT 25408-90
52200200000100	0	BK3	20100	5880,22	135,25	23,86	FOCT 25408-90
52400200000100	0	BK6	20100	5880,22	135,25	23,2	FOCT 25408-90
51200200000100	0	BK6-M	20100	7713,25	179,87	23,2	FOCT 25408-90
51600200000100	0	BK6-OM	20100	7713,25	179,87	23,2	FOCT 25408-90
52500200000100	0	BK8	20100	5880,22	135,25	23,00	FOCT 25408-90
61200200000100	0	T14K8	20100	6081,00	139,86	17,7	FOCT 25408-90
61300200000100	0	T15K6	20100	6122,57	121,23	17,6	FOCT 25408-90
61100200000100	0	T5K10	20100	6122,57	121,23	21,00	FOCT 25408-90
55100200000130	0	BK10-XO	20130	7581,41	294,46	38,57	FOCT 25408-90
52700200000130	0	BK15	20130	8320,93	318,69	36,99	FOCT 25408-90
52400200000130	0	BK6	20130	5778,49	221,32	38,8	FOCT 25408-90
51200200000130	0	BK6-M	20130	7581,41	294,46	38,8	FOCT 25408-90
52500200000130	0	BK8	20130	5778,49	221,32	38,3	FOCT 25408-90
61300200000130	0	T15K6	20130	6001,64	197,93	29,3	FOCT 25408-90
61100200000130	0	T5K10	20130	6001,64	197,93	33,3	FOCT 25408-90
55100200000140	0	BK10-XO	20140	7581,41	294,46	38,57	FOCT 25408-90
52400200000140	0	BK6	20140	5778,49	221,32	38,8	FOCT 25408-90
51600200000140	0	BK6-OM	20140	7581,41	294,46	38,8	FOCT 25408-90
52500200000140	0	BK8	20140	5778,49	221,32	38,3	FOCT 25408-90
61300200000140	0	T15K6	20140	6001,64	197,93	29,3	FOCT 25408-90
61100200000140	0	T5K10	20140	6001,64	197,93	33,3	FOCT 25408-90
53833020000020	0	BK20-KC	20BLJM	9389,68	1183,10	126,00	TY 48-19-180-76
55100210000010	0	BK10-XO	21010	15551,41	10,73	0,68	FOCT 25400-90
51100210000010	0	BK3-M	21010	15551,41	10,73	0,7	FOCT 25400-90
52400210000010	0	BK6	21010	7068,25	4,81	0,69	FOCT 25400-90
52500210000010	0	BK8	21010	11884,07	8,08	0,68	FOCT 25400-90
61300210000010	0	T15K6	21010	12639,47	7,46	0,52	FOCT 25400-90
61100210000010	0	T5K10	21010	12639,47	7,46	0,5	FOCT 25400-90
51100210000050	0	BK3-M	21050	16147,02	9,20	0,58	FOCT 25400-90
52400210000050	0	BK6	21050	9638,87	5,40	0,57	FOCT 25400-90
52500210000050	0	BK8	21050	12343,49	6,91	0,56	FOCT 25400-90
61300210000050	0	T15K6	21050	13124,51	6,30	0,43	FOCT 25400-90
61400210000050	0	T30K4	21050	13124,51	6,30	0,37	FOCT 25400-90
61100210000050	0	T5K10	21050	13124,51	6,30	0,48	FOCT 25400-90
55100210000070	0	BK10-XO	21070	14617,94	13,45	0,92	FOCT 25400-90
52400210000070	0	BK6	21070	6858,48	6,24	0,92	FOCT 25400-90

51200210000070	0	BK6-M	21070	14617,94	13,45	0,92	ГОСТ 25400-90
52500210000070	0	BK8	21070	11164,87	10,16	0,91	ГОСТ 25400-90
61300210000070	0	T15K6	21070	11942,87	9,32	0,7	ГОСТ 25400-90
61400210000070	0	T30K4	21070	11942,87	9,32	0,61	ГОСТ 25400-90
61100210000070	0	T5K10	21070	11942,87	9,32	0,79	ГОСТ 25400-90
55100210000090	0	BK10-XO	21090	9422,28	28,46	3,00	ГОСТ 25400-90
52400210000090	0	BK6	21090	7194,58	21,44	3,01	ГОСТ 25400-90
51200210000090	0	BK6-M	21090	9422,28	28,46	3,01	ГОСТ 25400-90
52500210000090	0	BK8	21090	7194,58	21,44	2,98	ГОСТ 25400-90
61300210000090	0	T15K6	21090	7627,38	19,60	2,28	ГОСТ 25400-90
61100210000090	0	T5K10	21090	7627,38	19,60	2,59	ГОСТ 25400-90
55100210000110	0	BK10-XO	21110	9082,46	34,69	3,8	ГОСТ 25400-90
52200210000110	0	BK3	21110	6933,62	26,14	3,88	ГОСТ 25400-90
51100210000110	0	BK3-M	21110	9082,46	34,69	3,88	ГОСТ 25400-90
52400210000110	0	BK6	21110	6933,62	26,14	3,8	ГОСТ 25400-90
51200210000110	0	BK6-M	21110	9082,46	34,69	3,8	ГОСТ 25400-90
51600210000110	0	BK6-OM	21110	7795,96	29,39	3,8	ГОСТ 25400-90
52500210000110	0	BK8	21110	6933,62	26,14	3,77	ГОСТ 25400-90
61300210000110	0	T15K6	21110	7336,73	23,84	2,89	ГОСТ 25400-90
61400210000110	0	T30K4	21110	7336,73	23,84	2,5	ГОСТ 25400-90
61100210000110	0	T5K10	21110	7336,73	23,84	3,28	ГОСТ 25400-90
55100210000130	0	BK10-XO	21130	7600,4	40,28	5,27	ГОСТ 25400-90
51100210000130	0	BK3-M	21130	7600,4	40,28	5,39	ГОСТ 25400-90
52400210000130	0	BK6	21130	5796,02	30,31	5,3	ГОСТ 25400-90
51200210000130	0	BK6-M	21130	7600,4	40,28	5,3	ГОСТ 25400-90
51600210000130	0	BK6-OM	21130	7600,4	40,28	5,3	ГОСТ 25400-90
52500210000130	0	BK8	21130	5796,02	30,31	5,23	ГОСТ 25400-90
61300210000130	0	T15K6	21130	6057,4	27,32	4,00	ГОСТ 25400-90
61100210000130	0	T5K10	21130	6057,4	27,32	4,54	ГОСТ 25400-90
52400210000150	0	BK6	21150	5733,86	35,44	6,25	ГОСТ 25400-90
52500210000150	0	BK8	21150	5733,86	35,44	6,18	ГОСТ 25400-90
61200210000150	0	T14K8	21150	5987,01	31,85	4,76	ГОСТ 25400-90
61300210000150	0	T15K6	21150	5987,01	31,85	4,73	ГОСТ 25400-90
61100210000150	0	T5K10	21150	5987,01	31,85	5,36	ГОСТ 25400-90
52400210000170	0	BK6	21170	10514,23	12,41	1,19	ГОСТ 25400-90
52500210000170	0	BK8	21170	10514,23	12,41	1,18	ГОСТ 25400-90
61300210000170	0	T15K6	21170	11250,26	11,48	0,92	ГОСТ 25400-90
61100210000170	0	T5K10	21170	11250,26	11,48	1,03	ГОСТ 25400-90
55100210000190	0	BK10-XO	21190	10091,26	20,49	2,04	ГОСТ 25400-90
51100210000190	0	BK3-M	21190	10064,63	20,73	2,1	ГОСТ 25400-90
52400210000190	0	BK6	21190	6292,12	12,77	2,05	ГОСТ 25400-90
51200210000190	0	BK6-M	21190	10064,63	20,73	2,05	ГОСТ 25400-90
51600210000190	0	BK6-OM	21190	8258,38	16,76	2,05	ГОСТ 25400-90
52500210000190	0	BK8	21190	7688,6	15,61	2,03	ГОСТ 25400-90
61200210000190	0	T14K8	21190	8169,06	14,30	1,58	ГОСТ 25400-90
61300210000190	0	T15K6	21190	8169,06	14,30	1,57	ГОСТ 25400-90
61400210000190	0	T30K4	21190	8169,06	14,30	1,34	ГОСТ 25400-90
61100210000190	0	T5K10	21190	8169,06	14,30	1,77	ГОСТ 25400-90
52400210000210	0	BK6	21210	7507,81	17,42	2,35	ГОСТ 25400-90
52500210000210	0	BK8	21210	7507,81	17,42	2,32	ГОСТ 25400-90
61300210000210	0	T15K6	21210	7972,53	15,95	1,8	ГОСТ 25400-90
61400210000210	0	T30K4	21210	6419,72	14,89	1,53	ГОСТ 25400-90
61100210000210	0	T5K10	21210	7972,53	15,95	2,03	ГОСТ 25400-90
55100210000230	0	BK10-XO	21230	9642,26	25,36	2,61	ГОСТ 25400-90
52500210000230	0	BK8	21230	7365,75	19,08	2,59	ГОСТ 25400-90
61300210000230	0	T15K6	21230	7818,6	17,44	2,01	ГОСТ 25400-90
61100210000230	0	T5K10	21230	7818,6	17,44	2,26	ГОСТ 25400-90
55100210000250	0	BK10-XO	21250	7584,38	41,49	5,43	ГОСТ 25400-90
51100210000250	0	BK3-M	21250	7584,38	41,49	5,55	ГОСТ 25400-90
52400210000250	0	BK6	21250	5784,25	31,18	5,46	ГОСТ 25400-90
51200210000250	0	BK6-M	21250	7584,38	41,49	5,46	ГОСТ 25400-90
51600210000250	0	BK6-OM	21250	7584,38	41,49	5,46	ГОСТ 25400-90
52500210000250	0	BK8	21250	5784,25	31,18	5,39	ГОСТ 25400-90
61300210000250	0	T15K6	21250	6044,74	28,05	4,13	ГОСТ 25400-90
61100210000250	0	T5K10	21250	6044,74	28,05	4,68	ГОСТ 25400-90
55100210000270	0	BK10-XO	21270	9946,95	21,88	2,22	ГОСТ 25400-90
51100210000270	0	BK3-M	21270	9946,95	21,88	2,29	ГОСТ 25400-90
52400210000270	0	BK6	21270	7578,65	16,67	2,24	ГОСТ 25400-90
51200210000270	0	BK6-M	21270	9923,06	22,13	2,24	ГОСТ 25400-90
51600210000270	0	BK6-OM	21270	9946,95	21,88	2,24	ГОСТ 25400-90
52500210000270	0	BK8	21270	7578,65	16,67	2,2	ГОСТ 25400-90

61300210000270	0	T15K6	21270	8054,82	15,22	1,71	FOCT 25400-90
61100210000270	0	T5K10	21270	8054,82	15,22	1,93	FOCT 25400-90
52400210000290	0	BK6	21290	6829,56	28,55	4,23	FOCT 25400-90
52500210000290	0	BK8	21290	6829,56	28,55	4,18	FOCT 25400-90
61300210000290	0	T15K6	21290	7062,76	29,52	3,25	FOCT 25400-90
61100210000290	0	T5K10	21290	7220,62	25,99	3,65	FOCT 25400-90
52400210000310	0	BK6	21310	6742,78	30,88	4,64	FOCT 25400-90
52500210000310	0	BK8	21310	6742,78	30,88	4,58	FOCT 25400-90
61300210000310	0	T15K6	21310	6050,51	27,71	3,56	FOCT 25400-90
61100210000310	0	T5K10	21310	7123,59	28,07	4,00	FOCT 25400-90
55100210000350	0	BK10-XO	21350	8868,61	40,00	4,48	FOCT 25400-90
51100210000350	0	BK3-M	21350	8868,61	40,00	4,58	FOCT 25400-90
52400210000350	0	BK6	21350	6769,58	30,12	4,51	FOCT 25400-90
51200210000350	0	BK6-M	21350	8868,61	40,00	4,51	FOCT 25400-90
52500210000350	0	BK8	21350	6769,58	30,12	4,45	FOCT 25400-90
61300210000350	0	T15K6	21350	7153,49	27,40	3,41	FOCT 25400-90
61400210000350	0	T30K4	21350	7153,49	27,40	2,91	FOCT 25400-90
61100210000350	0	T5K10	21350	7153,49	27,40	3,87	FOCT 25400-90
55100210000370	0	BK10-XO	21370	13269,09	18,44	1,36	FOCT 25400-90
51100210000370	0	BK3-M	21370	13269,09	18,44	1,41	FOCT 25400-90
52400210000370	0	BK6	21370	6561,09	8,99	1,39	FOCT 25400-90
51200210000370	0	BK6-M	21370	13269,09	18,44	1,39	FOCT 25400-90
51600210000370	0	BK6-OM	21370	10847,74	14,86	1,39	FOCT 25400-90
52500210000370	0	BK8	21370	10145,24	13,90	1,37	FOCT 25400-90
61300210000370	0	T15K6	21370	10873,25	12,83	1,05	FOCT 25400-90
61400210000370	0	T30K4	21370	8547,18	11,71	0,9	FOCT 25400-90
61100210000370	0	T5K10	21370	10873,25	12,83	1,19	FOCT 25400-90
55100210000410	0	BK10-XO	21410	8449,34	56,27	6,62	FOCT 25400-90
51100210000410	0	BK3-M	21410	8449,34	56,27	6,77	FOCT 25400-90
52400210000410	0	BK6	21410	6447,34	42,36	6,65	FOCT 25400-90
51200210000410	0	BK6-M	21410	8449,34	56,27	6,65	FOCT 25400-90
52500210000410	0	BK8	21410	6447,34	42,36	6,57	FOCT 25400-90
61300210000410	0	T15K6	21410	6784,55	38,40	5,03	FOCT 25400-90
61400210000410	0	T30K4	21410	6784,55	38,40	4,33	FOCT 25400-90
61100210000410	0	T5K10	21410	6784,55	38,40	5,7	FOCT 25400-90
55100210000470	0	BK10-XO	21470	7444,2	55,61	7,42	FOCT 25400-90
52200210000470	0	BK3	21470	5675,91	41,83	7,59	FOCT 25400-90
52400210000470	0	BK6	21470	5675,91	41,83	7,46	FOCT 25400-90
51200210000470	0	BK6-M	21470	7444,2	55,61	7,46	FOCT 25400-90
51600210000470	0	BK6-OM	21470	8358,19	61,60	7,46	FOCT 25400-90
52500210000470	0	BK8	21470	5675,91	41,83	7,37	FOCT 25400-90
61200210000470	0	T14K8	21470	5919,9	37,59	5,68	FOCT 25400-90
61300210000470	0	T15K6	21470	5919,9	37,59	5,64	FOCT 25400-90
61400210000470	0	T30K4	21470	6585,6	48,54	4,85	FOCT 25400-90
61100210000470	0	T5K10	21470	5919,9	37,59	6,4	FOCT 25400-90
55100210000490	0	BK10-XO	21490	7261,59	95,71	13,09	FOCT 25400-90
51100210000490	0	BK3-M	21490	7261,59	95,71	13,4	FOCT 25400-90
52400210000490	0	BK6	21490	5535,31	71,96	13,1	FOCT 25400-90
51200210000490	0	BK6-M	21490	7261,59	95,71	13,1	FOCT 25400-90
52500210000490	0	BK8	21490	5535,31	71,96	13,00	FOCT 25400-90
61200210000490	0	T14K8	21490	5756,41	64,41	10,00	FOCT 25400-90
61300210000490	0	T15K6	21490	5756,41	64,41	9,93	FOCT 25400-90
61100210000490	0	T5K10	21490	5756,41	64,41	11,2	FOCT 25400-90
62100210000490	0	TT7K12	21490	10814,13	140,58	11,7	FOCT 25400-90
55100210000510	0	BK10-XO	21510	7211,08	118,48	16,31	FOCT 25400-90
52400210000510	0	BK6	21510	5496,42	89,04	16,4	FOCT 25400-90
51200210000510	0	BK6-M	21510	7211,08	118,48	16,4	FOCT 25400-90
51600210000510	0	BK6-OM	21510	7211,08	118,48	16,4	FOCT 25400-90
52500210000510	0	BK8	21510	5496,42	89,04	16,2	FOCT 25400-90
61200210000510	0	T14K8	21510	5710,58	79,66	12,5	FOCT 25400-90
61300210000510	0	T15K6	21510	5710,58	79,66	12,4	FOCT 25400-90
61100210000510	0	T5K10	21510	5710,58	79,66	14,1	FOCT 25400-90
55100210000530	0	BK10-XO	21530	7109,15	223,44	31,22	FOCT 25400-90
52400210000530	0	BK6	21530	5417,72	167,95	31,00	FOCT 25400-90
51200210000530	0	BK6-M	21530	7109,15	223,44	31,00	FOCT 25400-90
52500210000530	0	BK8	21530	5417,72	167,95	31,00	FOCT 25400-90
61200210000530	0	T14K8	21530	5617,44	149,93	23,8	FOCT 25400-90
61300210000530	0	T15K6	21530	5617,44	149,93	23,7	FOCT 25400-90
61100210000530	0	T5K10	21530	5617,44	149,93	26,9	FOCT 25400-90
55100210000550	0	BK10-XO	21550	7146,66	168,88	23,46	FOCT 25400-90
51600210000550	0	BK6-OM	21550	7146,66	168,88	23,6	FOCT 25400-90

52500210000550	0	BK8	21550	5446,7	126,91	23,3	ГОСТ 25400-90
61300210000550	0	T15K6	21550	5651,85	113,38	17,8	ГОСТ 25400-90
61100210000550	0	T5K10	21550	5651,85	113,38	20,2	ГОСТ 25400-90
52700210000570	0	BK15	21570	8420,73	222,31	25,5	ГОСТ 25400-90
52400210000570	0	BK6	21570	5433,08	143,43	26,7	ГОСТ 25400-90
52500210000570	0	BK8	21570	5433,08	143,43	26,4	ГОСТ 25400-90
61300210000570	0	T15K6	21570	5635,68	128,10	20,2	ГОСТ 25400-90
61100210000570	0	T5K10	21570	5635,68	128,10	22,9	ГОСТ 25400-90
52400210000590	0	BK6	21590	5393,7	228,69	42,9	ГОСТ 25400-90
52500210000590	0	BK8	21590	5393,7	228,69	42,4	ГОСТ 25400-90
61300210000590	0	T15K6	21590	5588,82	204,05	32,5	ГОСТ 25400-90
61100210000590	0	T5K10	21590	5588,82	204,05	36,8	ГОСТ 25400-90
52400210000610	0	BK6	21610	6678,23	32,86	4,99	ГОСТ 25400-90
52500210000610	0	BK8	21610	6678,23	32,86	4,92	ГОСТ 25400-90
61300210000610	0	T15K6	21610	6906,27	33,98	3,85	ГОСТ 25400-90
61100210000610	0	T5K10	21610	7048,43	29,89	4,3	ГОСТ 25400-90
55100210000630	0	BK10-XO	21630	7751,31	31,39	4,08	ГОСТ 25400-90
51200210000630	0	BK6-M	21630	7742,38	31,82	4,11	ГОСТ 25400-90
52500210000630	0	BK8	21630	5905,78	23,92	4,05	ГОСТ 25400-90
61300210000630	0	T15K6	21630	6182,18	21,58	3,15	ГОСТ 25400-90
61100210000630	0	T5K10	21630	6182,18	21,58	3,54	ГОСТ 25400-90
52200210000650	0	BK3	21650	5630,8	48,48	8,94	ГОСТ 25400-90
52400210000650	0	BK6	21650	5630,8	48,48	8,73	ГОСТ 25400-90
51200210000650	0	BK6-M	21650	7385,47	64,48	8,73	ГОСТ 25400-90
52500210000650	0	BK8	21650	5630,8	48,48	8,61	ГОСТ 25400-90
61300210000650	0	T15K6	21650	5868,00	43,48	6,7	ГОСТ 25400-90
61100210000650	0	T5K10	21650	5868,00	43,48	7,52	ГОСТ 25400-90
52500210000670	0	BK8	21670	5607,39	52,77	9,41	ГОСТ 25400-90
61300210000670	0	T15K6	21670	5840,72	47,31	7,32	ГОСТ 25400-90
61100210000670	0	T5K10	21670	5840,72	47,31	8,22	ГОСТ 25400-90
52500210000690	0	BK8	21690	5580,31	58,70	10,52	ГОСТ 25400-90
61300210000690	0	T15K6	21690	5770,85	60,71	8,18	ГОСТ 25400-90
61100210000690	0	T5K10	21690	5770,85	60,71	9,18	ГОСТ 25400-90
55100210000710	0	BK10-XO	21710	7453,49	54,41	7,25	ГОСТ 25400-90
52400210000710	0	BK6	21710	5683,16	40,92	7,29	ГОСТ 25400-90
52500210000710	0	BK8	21710	5683,16	40,92	7,2	ГОСТ 25400-90
61300210000710	0	T15K6	21710	5928,48	36,76	5,6	ГОСТ 25400-90
61100210000710	0	T5K10	21710	5928,48	36,76	6,28	ГОСТ 25400-90
52500210000730	0	BK8	21730	5503,1	85,57	15,55	ГОСТ 25400-90
61300210000730	0	T15K6	21730	6202,64	96,45	12,1	ГОСТ 25400-90
61100210000730	0	T5K10	21730	5718,46	76,57	13,58	ГОСТ 25400-90
52500210000750	0	BK8	21750	5483,19	96,78	17,65	ГОСТ 25400-90
61300210000750	0	T15K6	21750	5694,96	86,56	13,72	ГОСТ 25400-90
61100210000750	0	T5K10	21750	5694,96	86,56	15,41	ГОСТ 25400-90
53833020000021	0	BK20-KC	21BШМ	9389,07	1192,41	127,00	TV 48-19-180-76
53833020000022	0	BK20-KC	22BШМ	9378,27	1387,98	148,00	TV 48-19-180-76
52500370000030	0	BK8	23030	7572,54	16,74	2,21	ГОСТ 25401-90
61300370000030	0	T15K6	23030	7831,11	17,31	1,72	ГОСТ 25401-90
61100370000030	0	T5K10	23030	7831,11	17,31	1,93	ГОСТ 25401-90
52500370000050	0	BK8	23050	5972,3	21,08	3,6	ГОСТ 25401-90
61300370000050	0	T15K6	23050	7220,62	25,99	2,8	ГОСТ 25401-90
61100370000050	0	T5K10	23050	7220,62	25,99	3,14	ГОСТ 25401-90
52500370000070	0	BK8	23070	6500,93	39,72	6,11	ГОСТ 25401-90
61200370000070	0	T14K8	23070	6722,91	41,08	4,77	ГОСТ 25401-90
61300370000070	0	T15K6	23070	6934,74	33,08	4,75	ГОСТ 25401-90
61100370000070	0	T5K10	23070	6835,31	36,43	5,33	ГОСТ 25401-90
51100370000090	0	BK3-M	23090	7321,55	77,68	10,85	ГОСТ 25401-90
52500370000090	0	BK8	23090	5581,64	58,38	10,46	ГОСТ 25401-90
61300370000090	0	T15K6	23090	5810,48	52,35	8,14	ГОСТ 25401-90
61100370000090	0	T5K10	23090	5810,48	52,35	9,14	ГОСТ 25401-90
51100370000110	0	BK3-M	23110	7208,58	119,88	17,3	ГОСТ 25401-90
52500370000110	0	BK8	23110	5494,46	90,11	16,4	ГОСТ 25401-90
61300370000110	0	T15K6	23110	5708,3	80,60	12,75	ГОСТ 25401-90
61100370000110	0	T5K10	23110	5708,3	80,60	14,32	ГОСТ 25401-90
52500370000130	0	BK8	23130	5432,26	144,55	26,61	ГОСТ 25401-90
61300370000130	0	T15K6	23130	5634,72	129,09	20,69	ГОСТ 25401-90
61100370000130	0	T5K10	23130	5634,72	129,09	23,24	ГОСТ 25401-90
52500370000150	0	BK8	23150	5765,03	241,67	41,92	ГОСТ 25401-90
61300370000150	0	T15K6	23150	5985,64	216,02	32,59	ГОСТ 25401-90
61100370000150	0	T5K10	23150	5985,64	216,02	36,61	ГОСТ 25401-90
52500370000170	0	BK8	23170	5716,21	362,75	63,46	ГОСТ 25401-90

61300370000170	0	T15K6	23170	5927,34	323,87	49,33	ГОСТ 25401-90
61100370000170	0	T5K10	23170	5927,34	323,87	55,42	ГОСТ 25401-90
52500370000190	0	BK8	23190	5685,25	531,85	93,55	ГОСТ 25401-90
61100370000190	0	T5K10	23190	5890,31	474,46	86,06	ГОСТ 25401-90
53833020000023	0	BK20-KC	23BLJM	9378,72	1378,67	147,00	ТУ 48-19-180-76
55100240000010	0	BK10-XO	24010	8418,61	14,23	1,68	ГОСТ 25409-90
51100240000010	0	BK3-M	24010	8418,61	14,23	1,71	ГОСТ 25409-90
51200240000010	0	BK6-M	24010	8429,31	14,08	1,69	ГОСТ 25409-90
51600240000010	0	BK6-OM	24010	8429,31	14,08	1,69	ГОСТ 25409-90
52500240000010	0	BK8	24010	6422,34	10,73	1,78	ГОСТ 25409-90
61300240000010	0	T15K6	24010	6748,49	9,72	1,37	ГОСТ 25409-90
61100240000010	0	T5K10	24010	6748,49	9,72	1,55	ГОСТ 25409-90
55100240000050	0	BK10-XO	24050	8165,34	18,54	2,27	ГОСТ 25409-90
52400240000050	0	BK6	24050	6229,52	13,95	2,27	ГОСТ 25409-90
51200240000050	0	BK6-M	24050	8165,34	18,54	2,27	ГОСТ 25409-90
51600240000050	0	BK6-OM	24050	8165,34	18,54	2,27	ГОСТ 25409-90
52500240000050	0	BK8	24050	6229,52	13,95	2,24	ГОСТ 25409-90
61300240000050	0	T15K6	24050	6541,06	12,62	1,8	ГОСТ 25409-90
61400240000050	0	T30K4	24050	6541,06	12,62	1,59	ГОСТ 25409-90
61100240000050	0	T5K10	24050	6541,06	12,62	1,95	ГОСТ 25409-90
55100240000070	0	BK10-XO	24070	8306,14	15,95	1,93	ГОСТ 25409-90
52400240000070	0	BK6	24070	6328,5	12,15	1,94	ГОСТ 25409-90
51600240000070	0	BK6-OM	24070	8292,76	16,17	1,94	ГОСТ 25409-90
52500240000070	0	BK8	24070	6328,5	12,15	2,15	ГОСТ 25409-90
52900240000070	0	БПТ-331	24070	0,00	0,00	1,92	ГОСТ 25409-90
61200240000070	0	T14K8	24070	6645,9	11,03	1,48	ГОСТ 25409-90
61300240000070	0	T15K6	24070	6645,9	11,03	1,65	ГОСТ 25409-90
61100240000070	0	T5K10	24070	6645,9	11,03	1,9	ГОСТ 25409-90
62100240000070	0	TT7K12	24070	12163,95	23,35	1,73	ГОСТ 25409-90
55100240000090	0	BK10-XO	24090	7990,98	22,69	2,82	ГОСТ 25409-90
52200240000090	0	BK3	24090	6096,41	17,07	2,88	ГОСТ 25409-90
51100240000090	0	BK3-M	24090	7990,98	22,69	2,88	ГОСТ 25409-90
52400240000090	0	BK6	24090	6096,41	17,07	2,83	ГОСТ 25409-90
51200240000090	0	BK6-M	24090	8001,51	22,40	2,83	ГОСТ 25409-90
51600240000090	0	BK6-OM	24090	7990,98	22,69	2,83	ГОСТ 25409-90
52500240000090	0	BK8	24090	6096,41	17,07	2,98	ГОСТ 25409-90
61300240000090	0	T15K6	24090	6395,66	15,41	2,3	ГОСТ 25409-90
61400240000090	0	T30K4	24090	6304,57	17,65	1,82	ГОСТ 25409-90
61100240000090	0	T5K10	24090	6395,66	15,41	2,58	ГОСТ 25409-90
55100240000130	0	BK10-XO	24130	7614,26	39,29	5,13	ГОСТ 25409-90
52200240000130	0	BK3	24130	5806,81	29,56	5,23	ГОСТ 25409-90
51100240000130	0	BK3-M	24130	7614,26	39,29	5,23	ГОСТ 25409-90
52400240000130	0	BK6	24130	5806,81	29,56	5,15	ГОСТ 25409-90
51200240000130	0	BK6-M	24130	7614,26	39,29	5,15	ГОСТ 25409-90
51600240000130	0	BK6-OM	24130	7614,26	39,29	5,15	ГОСТ 25409-90
52500240000130	0	BK8	24130	5806,81	29,56	5,09	ГОСТ 25409-90
61200240000130	0	T14K8	24130	6070,68	26,59	3,92	ГОСТ 25409-90
61300240000130	0	T15K6	24130	6070,68	26,59	3,89	ГОСТ 25409-90
61400240000130	0	T30K4	24130	6070,68	26,59	3,5	ГОСТ 25409-90
61100240000130	0	T5K10	24130	6070,68	26,59	4,42	ГОСТ 25409-90
55100240000170	0	BK10-XO	24170	7537,09	45,45	5,99	ГОСТ 25409-90
52400240000170	0	BK6	24170	5747,35	34,20	6,03	ГОСТ 25409-90
51200240000170	0	BK6-M	24170	7537,09	45,45	6,03	ГОСТ 25409-90
51600240000170	0	BK6-OM	24170	7537,09	45,45	6,03	ГОСТ 25409-90
52500240000170	0	BK8	24170	5747,35	34,20	5,95	ГОСТ 25409-90
61200240000170	0	T14K8	24170	6002,66	30,73	4,59	ГОСТ 25409-90
61300240000170	0	T15K6	24170	6002,66	30,73	4,56	ГОСТ 25409-90
61400240000170	0	T30K4	24170	6002,66	30,73	3,87	ГОСТ 25409-90
61100240000170	0	T5K10	24170	6002,66	30,73	5,17	ГОСТ 25409-90
55100240000210	0	BK10-XO	24210	7476,92	51,59	6,85	ГОСТ 25409-90
51100240000210	0	BK3-M	24210	7476,92	51,59	7,00	ГОСТ 25409-90
52400240000210	0	BK6	24210	5701,46	38,77	6,85	ГОСТ 25409-90
51200240000210	0	BK6-M	24210	7476,92	51,59	6,85	ГОСТ 25409-90
51600240000210	0	BK6-OM	24210	7476,92	51,59	6,85	ГОСТ 25409-90
52500240000210	0	BK8	24210	5701,46	38,77	6,8	ГОСТ 25409-90
61300240000210	0	T15K6	24210	5949,31	34,86	5,2	ГОСТ 25409-90
61400240000210	0	T30K4	24210	5949,31	34,86	4,4	ГОСТ 25409-90
61100240000210	0	T5K10	24210	5949,31	34,86	6,2	ГОСТ 25409-90
55100240000250	0	BK10-XO	24250	7429,19	57,65	7,7	ГОСТ 25409-90
52400240000250	0	BK6	24250	5664,6	43,33	7,75	ГОСТ 25409-90
51200240000250	0	BK6-M	24250	7429,19	57,65	7,75	ГОСТ 25409-90

51600240000250	0	BK6-OM	24250	7429,19	57,65	7,75	FOCT 25409-90
52500240000250	0	BK8	24250	5664,6	43,33	7,65	FOCT 25409-90
61200240000250	0	T14K8	24250	5858,02	44,81	5,85	FOCT 25409-90
61300240000250	0	T15K6	24250	5906,88	38,93	5,85	FOCT 25409-90
61400240000250	0	T30K4	24250	5906,88	38,93	5,00	FOCT 25409-90
61100240000250	0	T5K10	24250	5906,88	38,93	6,65	FOCT 25409-90
55100240000270	0	BK10-XO	24270	7312,14	80,07	10,88	FOCT 25409-90
52200240000270	0	BK3	24270	5574,28	60,20	11,1	FOCT 25409-90
52400240000270	0	BK6	24270	5574,28	60,20	11,00	FOCT 25409-90
51200240000270	0	BK6-M	24270	7312,14	80,07	11,00	FOCT 25409-90
51600240000270	0	BK6-OM	24270	7312,14	80,07	11,00	FOCT 25409-90
52500240000270	0	BK8	24270	5574,28	60,20	10,8	FOCT 25409-90
61200240000270	0	T14K8	24270	5801,97	53,96	8,3	FOCT 25409-90
61300240000270	0	T15K6	24270	5801,97	53,96	8,25	FOCT 25409-90
61400240000270	0	T30K4	24270	5801,97	53,96	8,00	FOCT 25409-90
61100240000270	0	T5K10	24270	5801,97	53,96	9,4	FOCT 25409-90
55100240000290	0	BK10-XO	24290	7284,59	87,93	11,98	FOCT 25409-90
52400240000290	0	BK6	24290	5553,13	66,08	12,00	FOCT 25409-90
51200240000290	0	BK6-M	24290	7284,59	87,93	12,00	FOCT 25409-90
51600240000290	0	BK6-OM	24290	7284,59	87,93	12,00	FOCT 25409-90
52500240000290	0	BK8	24290	5553,13	66,08	11,9	FOCT 25409-90
61200240000290	0	T14K8	24290	5742,75	68,34	9,15	FOCT 25409-90
61300240000290	0	T15K6	24290	5777,16	59,22	9,1	FOCT 25409-90
61100240000290	0	T5K10	24290	5777,16	59,22	10,3	FOCT 25409-90
55100240000470	0	BK10-XO	24470	7200,15	124,85	17,22	FOCT 25409-90
51100240000470	0	BK3-M	24470	7205,06	121,91	17,5	FOCT 25409-90
52400240000470	0	BK6	24470	5487,96	93,84	17,3	FOCT 25409-90
51600240000470	0	BK6-OM	24470	7200,15	124,85	17,3	FOCT 25409-90
52500240000470	0	BK8	24470	5487,96	93,84	17,1	FOCT 25409-90
61200240000470	0	T14K8	24470	5675,35	97,05	13,1	FOCT 25409-90
61300240000470	0	T15K6	24470	5700,66	83,91	13,00	FOCT 25409-90
61100240000470	0	T5K10	24470	5700,66	83,91	14,8	FOCT 25409-90
52500245000470	0	BK8	24470*5	5456,92	116,78	21,4	FOCT 25409-90
53600240000550	0	BK10-KC	24550	8249,55	174,15	21,25	FOCT 25409-90
55100240000550	0	BK10-XO	24550	7157,71	157,47	21,85	FOCT 25409-90
52400240000550	0	BK6	24550	5455,19	118,38	22,00	FOCT 25409-90
51600240000550	0	BK6-OM	24550	7157,71	157,47	22,00	FOCT 25409-90
52500240000550	0	BK8	24550	5455,19	118,38	21,7	FOCT 25409-90
61200240000550	0	T14K8	24550	5641,46	122,42	16,7	FOCT 25409-90
61300240000550	0	T15K6	24550	5661,92	105,76	16,6	FOCT 25409-90
61100240000550	0	T5K10	24550	5661,92	105,76	18,8	FOCT 25409-90
62100240000550	0	TT7K12	24550	10676,36	233,28	19,6	FOCT 25409-90
55100240000570	0	BK10-XO	24570	7137,6	179,51	24,97	FOCT 25409-90
52200240000570	0	BK3	24570	5439,7	134,90	25,5	FOCT 25409-90
52400240000570	0	BK6	24570	5439,7	134,90	25,00	FOCT 25409-90
51200240000570	0	BK6-M	24570	7137,6	179,51	25,00	FOCT 25409-90
51600240000570	0	BK6-OM	24570	7137,6	179,51	25,00	FOCT 25409-90
52500240000570	0	BK8	24570	5439,7	134,90	24,8	FOCT 25409-90
61300240000570	0	T15K6	24570	5643,55	120,49	18,9	FOCT 25409-90
61400240000570	0	T30K4	24570	5643,55	120,49	16,00	FOCT 25409-90
61100240000570	0	T5K10	24570	5643,55	120,49	21,5	FOCT 25409-90
55100240000590	0	BK10-XO	24590	7121,4	202,18	28,2	FOCT 25409-90
52400240000590	0	BK6	24590	5427,18	151,96	28,2	FOCT 25409-90
51600240000590	0	BK6-OM	24590	7121,4	202,18	28,2	FOCT 25409-90
52500240000590	0	BK8	24590	5427,18	151,96	28,00	FOCT 25409-90
61200240000590	0	T14K8	24590	5612,5	157,15	21,4	FOCT 25409-90
61300240000590	0	T15K6	24590	5628,67	135,71	21,5	FOCT 25409-90
61100240000590	0	T5K10	24590	5628,67	135,71	24,2	FOCT 25409-90
62100240000590	0	TT7K12	24590	10630,14	297,64	25,13	FOCT 25409-90
55100240000650	0	BK10-XO	24650	7581,41	294,46	38,57	FOCT 25409-90
51100240000650	0	BK3-M	24650	7581,41	294,46	39,4	FOCT 25409-90
52400240000650	0	BK6	24650	5778,49	221,32	38,8	FOCT 25409-90
51200240000650	0	BK6-M	24650	7581,41	294,46	38,8	FOCT 25409-90
51600240000650	0	BK6-OM	24650	7581,41	294,46	38,8	FOCT 25409-90
52500240000650	0	BK8	24650	5778,49	221,32	38,3	FOCT 25409-90
61200240000650	0	T14K8	24650	5975,8	228,87	29,5	FOCT 25409-90
61300240000650	0	T15K6	24650	6001,64	197,93	29,3	FOCT 25409-90
61100240000650	0	T5K10	24650	6001,64	197,93	33,3	FOCT 25409-90
55100240000770	0	BK10-XO	24770	7861,7	26,81	3,38	FOCT 25409-90
52200240000770	0	BK3	24770	5997,49	20,15	3,7	FOCT 25409-90
51100240000770	0	BK3-M	24770	7861,7	26,81	3,46	FOCT 25409-90

52400240000770	0	BK6	24770	5997,49	20,15	3,4	ГОСТ 25409-90
51600240000770	0	BK6-OM	24770	7861,7	26,81	3,4	ГОСТ 25409-90
52500240000770	0	BK8	24770	5997,49	20,15	3,6	ГОСТ 25409-90
61300240000770	0	T15K6	24770	6286,15	18,17	2,7	ГОСТ 25409-90
61400240000770	0	T30K4	24770	6286,15	18,17	2,19	ГОСТ 25409-90
61100240000770	0	T5K10	24770	6286,15	18,17	3,13	ГОСТ 25409-90
55100240000790	0	BK10-XO	24790	7252,18	99,28	13,59	ГОСТ 25409-90
51100240000790	0	BK3-M	24790	7252,18	99,28	13,9	ГОСТ 25409-90
52400240000790	0	BK6	24790	5528,1	74,63	13,6	ГОСТ 25409-90
51200240000790	0	BK6-M	24790	7255,61	97,95	13,6	ГОСТ 25409-90
51600240000790	0	BK6-OM	24790	7252,18	99,28	13,6	ГОСТ 25409-90
52500240000790	0	BK8	24790	5528,1	74,63	13,5	ГОСТ 25409-90
61200240000790	0	T14K8	24790	5747,95	66,79	10,4	ГОСТ 25409-90
61300240000790	0	T15K6	24790	5747,95	66,79	10,3	ГОСТ 25409-90
61100240000790	0	T5K10	24790	5747,95	66,79	11,7	ГОСТ 25409-90
55100240000850	0	BK10-XO	24850	7558,95	330,33	43,4	ГОСТ 25409-90
52400240000850	0	BK6	24850	5761,12	248,30	43,6	ГОСТ 25409-90
51600240000850	0	BK6-OM	24850	7558,95	330,33	43,6	ГОСТ 25409-90
52500240000850	0	BK8	24850	5761,12	248,30	43,1	ГОСТ 25409-90
61200240000850	0	T14K8	24850	5957,84	256,78	33,2	ГОСТ 25409-90
61300240000850	0	T15K6	24850	5980,96	221,95	33,00	ГОСТ 25409-90
61400240000850	0	T30K4	24850	5980,96	221,95	28,00	ГОСТ 25409-90
61100240000850	0	T5K10	24850	5980,96	221,95	37,4	ГОСТ 25409-90
55100240000870	0	BK10-XO	24870	7178,81	139,41	19,54	ГОСТ 25409-90
52400240000870	0	BK6	24870	5469,73	106,11	19,6	ГОСТ 25409-90
51600240000870	0	BK6-OM	24870	7176,54	141,16	19,6	ГОСТ 25409-90
52500240000870	0	BK8	24870	5469,73	106,11	19,4	ГОСТ 25409-90
61200240000870	0	T14K8	24870	5656,49	109,74	14,9	ГОСТ 25409-90
61300240000870	0	T15K6	24870	5679,12	94,84	14,8	ГОСТ 25409-90
61100240000870	0	T5K10	24870	5679,12	94,84	16,8	ГОСТ 25409-90
53833020000024	0	BK20-KC	248ШМ	9379,17	1369,36	146,00	ТУ 48-19-180-76
55100250000110	0	BK10-XO	25110	10457,52	17,46	1,66	ГОСТ 25424-90
52200250000110	0	BK3	25110	7985,38	13,18	1,7	ГОСТ 25424-90
51100250000110	0	BK3-M	25110	10457,52	17,46	1,7	ГОСТ 25424-90
52400250000110	0	BK6	25110	7985,38	13,18	1,67	ГОСТ 25424-90
51200250000110	0	BK6-M	25110	10457,52	17,46	1,67	ГОСТ 25424-90
51600250000110	0	BK6-OM	25110	10457,52	17,46	1,67	ГОСТ 25424-90
52500250000110	0	BK8	25110	7985,38	13,18	1,65	ГОСТ 25424-90
61200250000110	0	T14K8	25110	8490,64	12,06	1,27	ГОСТ 25424-90
61300250000110	0	T15K6	25110	8490,64	12,06	1,26	ГОСТ 25424-90
61400250000110	0	T30K4	25110	8490,64	12,06	1,07	ГОСТ 25424-90
61100250000110	0	T5K10	25110	8490,64	12,06	1,43	ГОСТ 25424-90
62100250000110	0	TT7K12	25110	15277,01	22,46	1,48	ГОСТ 25424-90
55100250000130	0	BK10-XO	25130	9432,52	28,30	2,98	ГОСТ 25424-90
52200250000130	0	BK3	25130	7202,54	21,32	3,05	ГОСТ 25424-90
51100250000130	0	BK3-M	25130	9432,52	28,30	3,05	ГОСТ 25424-90
52400250000130	0	BK6	25130	7202,54	21,32	3,00	ГОСТ 25424-90
51200250000130	0	BK6-M	25130	9432,52	28,30	3,00	ГОСТ 25424-90
51600250000130	0	BK6-OM	25130	9432,52	28,30	3,00	ГОСТ 25424-90
52500250000130	0	BK8	25130	7202,54	21,32	2,96	ГОСТ 25424-90
61200250000130	0	T14K8	25130	7637,61	19,48	2,28	ГОСТ 25424-90
61300250000130	0	T15K6	25130	7637,61	19,48	2,27	ГОСТ 25424-90
61400250000130	0	T30K4	25130	7637,61	19,48	1,93	ГОСТ 25424-90
61100250000130	0	T5K10	25130	7637,61	19,48	2,57	ГОСТ 25424-90
55100250000150	0	BK10-XO	25150	8818,82	41,45	4,68	ГОСТ 25424-90
52200250000150	0	BK3	25150	6730,82	31,23	4,78	ГОСТ 25424-90
51100250000150	0	BK3-M	25150	8818,82	41,45	4,78	ГОСТ 25424-90
52400250000150	0	BK6	25150	6730,82	31,23	4,7	ГОСТ 25424-90
51200250000150	0	BK6-M	25150	8818,82	41,45	4,7	ГОСТ 25424-90
51600250000150	0	BK6-OM	25150	8818,82	41,45	4,7	ГОСТ 25424-90
52500250000150	0	BK8	25150	6730,82	31,23	4,64	ГОСТ 25424-90
61200250000150	0	T14K8	25150	7107,83	28,43	3,58	ГОСТ 25424-90
61300250000150	0	T15K6	25150	7107,83	28,43	3,55	ГОСТ 25424-90
61400250000150	0	T30K4	25150	7107,83	28,43	3,02	ГОСТ 25424-90
61100250000150	0	T5K10	25150	7107,83	28,43	4,03	ГОСТ 25424-90
62100250000150	0	TT7K12	25150	13036,71	53,84	4,16	ГОСТ 25424-90
55100250000190	0	BK10-XO	25190	7209,82	119,18	16,41	ГОСТ 25424-90
52200250000190	0	BK3	25190	5495,43	89,58	16,8	ГОСТ 25424-90
51100250000190	0	BK3-M	25190	7209,82	119,18	16,8	ГОСТ 25424-90
52400250000190	0	BK6	25190	5495,43	89,58	16,5	ГОСТ 25424-90
51200250000190	0	BK6-M	25190	7209,82	119,18	16,5	ГОСТ 25424-90

51600250000190	0	BK6-OM	25190	7209,82	119,18	16,5	ГОСТ 25424-90
52500250000190	0	BK8	25190	5495,43	89,58	16,3	ГОСТ 25424-90
61200250000190	0	T14K8	25190	5709,5	80,10	12,6	ГОСТ 25424-90
61300250000190	0	T15K6	25190	5709,5	80,10	12,5	ГОСТ 25424-90
61400250000190	0	T30K4	25190	5709,5	80,10	10,6	ГОСТ 25424-90
61100250000190	0	T5K10	25190	5709,5	80,10	14,2	ГОСТ 25424-90
62100250000190	0	TT7K12	25190	10779,5	156,41	14,6	ГОСТ 25424-90
55100250000210	0	BK10-XO	25210	9044,35	35,54	3,92	ГОСТ 25424-90
52200250000210	0	BK3	25210	6903,99	26,79	4,02	ГОСТ 25424-90
51100250000210	0	BK3-M	25210	9044,35	35,54	4,02	ГОСТ 25424-90
52400250000210	0	BK6	25210	6903,99	26,79	3,93	ГОСТ 25424-90
51200250000210	0	BK6-M	25210	9044,35	35,54	3,93	ГОСТ 25424-90
51600250000210	0	BK6-OM	25210	9044,35	35,54	3,93	ГОСТ 25424-90
52500250000210	0	BK8	25210	6903,99	26,79	3,88	ГОСТ 25424-90
61300250000210	0	T15K6	25210	7305,08	24,40	3,01	ГОСТ 25424-90
61400250000210	0	T30K4	25210	7305,08	24,40	2,56	ГОСТ 25424-90
61100250000210	0	T5K10	25210	7305,08	24,40	3,39	ГОСТ 25424-90
55100250000230	0	BK10-XO	25230	8404,96	58,75	6,94	ГОСТ 25424-90
52200250000230	0	BK3	25230	6413,74	44,19	7,15	ГОСТ 25424-90
51100250000230	0	BK3-M	25230	8404,96	58,75	7,15	ГОСТ 25424-90
52400250000230	0	BK6	25230	6413,74	44,19	6,99	ГОСТ 25424-90
51200250000230	0	BK6-M	25230	8404,96	58,75	6,99	ГОСТ 25424-90
51600250000230	0	BK6-OM	25230	8404,96	58,75	6,99	ГОСТ 25424-90
52500250000230	0	BK8	25230	6413,74	44,19	6,89	ГОСТ 25424-90
61200250000230	0	T14K8	25230	6746,61	40,01	5,38	ГОСТ 25424-90
61300250000230	0	T15K6	25230	6746,61	40,01	5,36	ГОСТ 25424-90
61400250000230	0	T30K4	25230	6746,61	40,01	4,56	ГОСТ 25424-90
61100250000230	0	T5K10	25230	6746,61	40,01	6,02	ГОСТ 25424-90
62100250000230	0	TT7K12	25230	12453,18	76,34	6,21	ГОСТ 25424-90
55100250000250	0	BK10-XO	25250	7837,22	131,67	16,68	ГОСТ 25424-90
51100250000250	0	BK3-M	25250	7837,22	131,67	17,2	ГОСТ 25424-90
52400250000250	0	BK6	25250	5975,84	99,02	16,8	ГОСТ 25424-90
51200250000250	0	BK6-M	25250	7837,22	131,67	16,8	ГОСТ 25424-90
51600250000250	0	BK6-OM	25250	7837,22	131,67	16,8	ГОСТ 25424-90
52500250000250	0	BK8	25250	5975,84	99,02	16,57	ГОСТ 25424-90
61300250000250	0	T15K6	25250	6235,49	88,98	12,88	ГОСТ 25424-90
61400250000250	0	T30K4	25250	6235,49	88,98	10,95	ГОСТ 25424-90
61100250000250	0	T5K10	25250	6235,49	88,98	14,47	ГОСТ 25424-90
62100250000250	0	TT7K12	25250	11634,00	171,60	14,93	ГОСТ 25424-90
53833020000025	0	BK20-KC	25BJJM	9366,83	1676,66	179,00	ТУ 48-19-180-76
55100260000010	0	BK10-XO	26010	18210,76	4,73	0,25	ГОСТ 25425-90
51100260000010	0	BK3-M	26010	18210,76	4,73	0,26	ГОСТ 25425-90
52400260000010	0	BK6	26010	13938,6	3,48	0,25	ГОСТ 25425-90
51200260000010	0	BK6-M	26010	18210,76	4,73	0,25	ГОСТ 25425-90
51600260000010	0	BK6-OM	26010	18294,37	4,57	0,25	ГОСТ 25425-90
52500260000010	0	BK8	26010	13938,6	3,48	0,25	ГОСТ 25425-90
61300260000010	0	T15K6	26010	14618,67	3,22	0,19	ГОСТ 25425-90
61400260000010	0	T30K4	26010	14618,67	3,22	0,16	ГОСТ 25425-90
61100260000010	0	T5K10	26010	14618,67	3,22	0,21	ГОСТ 25425-90
55100260000030	0	BK10-XO	26030	15788,99	10,10	0,63	ГОСТ 25425-90
52200260000030	0	BK3	26030	12067,27	7,60	0,65	ГОСТ 25425-90
51100260000030	0	BK3-M	26030	15788,99	10,10	0,65	ГОСТ 25425-90
52400260000030	0	BK6	26030	12067,27	7,60	0,64	ГОСТ 25425-90
51200260000030	0	BK6-M	26030	15788,99	10,10	0,64	ГОСТ 25425-90
51600260000030	0	BK6-OM	26030	15788,99	10,10	0,64	ГОСТ 25425-90
52500260000030	0	BK8	26030	12067,27	7,60	0,63	ГОСТ 25425-90
61200260000030	0	T14K8	26030	12851,35	6,94	0,49	ГОСТ 25425-90
61300260000030	0	T15K6	26030	12851,35	6,94	0,49	ГОСТ 25425-90
61400260000030	0	T30K4	26030	12851,35	6,94	0,42	ГОСТ 25425-90
61100260000030	0	T5K10	26030	12851,35	6,94	0,55	ГОСТ 25425-90
55100260000050	0	BK10-XO	26050	14151,79	15,00	1,05	ГОСТ 25425-90
52200260000050	0	BK3	26050	10830,1	11,26	1,08	ГОСТ 25425-90
51100260000050	0	BK3-M	26050	14151,79	15,00	1,08	ГОСТ 25425-90
52400260000050	0	BK6	26050	10830,1	11,26	1,06	ГОСТ 25425-90
51200260000050	0	BK6-M	26050	14151,79	15,00	1,06	ГОСТ 25425-90
51600260000050	0	BK6-OM	26050	14151,79	15,00	1,06	ГОСТ 25425-90
52500260000050	0	BK8	26050	10830,1	11,26	1,04	ГОСТ 25425-90
61200260000050	0	T14K8	26050	11574,69	10,42	0,81	ГОСТ 25425-90
61300260000050	0	T15K6	26050	11574,69	10,42	0,81	ГОСТ 25425-90
61400260000050	0	T30K4	26050	11574,69	10,42	0,69	ГОСТ 25425-90
61100260000050	0	T5K10	26050	11574,69	10,42	0,91	ГОСТ 25425-90

55100260000070	0	BK10-XO	26070	10232,74	19,24	1,86	ГОСТ 25425-90
52200260000070	0	BK3	26070	7819,31	14,47	1,92	ГОСТ 25425-90
51100260000070	0	BK3-M	26070	10232,74	19,24	1,92	ГОСТ 25425-90
52400260000070	0	BK6	26070	7819,31	14,47	2,00	ГОСТ 25425-90
51200260000070	0	BK6-M	26070	10232,74	19,24	1,88	ГОСТ 25425-90
51600260000070	0	BK6-OM	26070	10232,74	19,24	1,88	ГОСТ 25425-90
52500260000070	0	BK8	26070	7819,31	14,47	1,85	ГОСТ 25425-90
61200260000070	0	T14K8	26070	8314,74	13,22	1,45	ГОСТ 25425-90
61300260000070	0	T15K6	26070	8314,74	13,22	1,44	ГОСТ 25425-90
61400260000070	0	T30K4	26070	8314,74	13,22	1,22	ГОСТ 25425-90
61100260000070	0	T5K10	26070	8314,74	13,22	1,62	ГОСТ 25425-90
55100260000090	0	BK10-XO	26090	9448,07	28,06	2,95	ГОСТ 25425-90
52200260000090	0	BK3	26090	7214,63	21,14	3,04	ГОСТ 25425-90
51100260000090	0	BK3-M	26090	9448,07	28,06	3,04	ГОСТ 25425-90
52400260000090	0	BK6	26090	7214,63	21,14	2,97	ГОСТ 25425-90
51200260000090	0	BK6-M	26090	9448,07	28,06	2,97	ГОСТ 25425-90
51600260000090	0	BK6-OM	26090	9448,07	28,06	2,97	ГОСТ 25425-90
52500260000090	0	BK8	26090	7214,63	21,14	2,93	ГОСТ 25425-90
61200260000090	0	T14K8	26090	7653,18	19,29	2,29	ГОСТ 25425-90
61300260000090	0	T15K6	26090	7653,18	19,29	2,28	ГОСТ 25425-90
61400260000090	0	T30K4	26090	7653,18	19,29	1,94	ГОСТ 25425-90
61100260000090	0	T5K10	26090	7653,18	19,29	2,56	ГОСТ 25425-90
62100260000090	0	TT7K12	26090	13912,61	36,31	2,64	ГОСТ 25425-90
55100260000130	0	BK10-XO	26130	8614,4	48,59	5,61	ГОСТ 25425-90
52200260000130	0	BK3	26130	6574,88	36,56	5,77	ГОСТ 25425-90
51100260000130	0	BK3-M	26130	8614,4	48,59	5,77	ГОСТ 25425-90
52400260000130	0	BK6	26130	6574,88	36,56	5,63	ГОСТ 25425-90
51200260000130	0	BK6-M	26130	8614,4	48,59	5,63	ГОСТ 25425-90
51600260000130	0	BK6-OM	26130	8614,4	48,59	5,63	ГОСТ 25425-90
52500260000130	0	BK8	26130	6574,88	36,56	5,56	ГОСТ 25425-90
61200260000130	0	T14K8	26130	6930,86	33,20	4,34	ГОСТ 25425-90
61300260000130	0	T15K6	26130	6930,86	33,20	4,32	ГОСТ 25425-90
61400260000130	0	T30K4	26130	6930,86	33,20	3,67	ГОСТ 25425-90
61100260000130	0	T5K10	26130	6930,86	33,20	4,85	ГОСТ 25425-90
62100260000130	0	TT7K12	26130	12750,01	63,11	5,00	ГОСТ 25425-90
55100260000250	0	BK10-XO	26250	8421,99	57,77	6,82	ГОСТ 25425-90
52200260000250	0	BK3	26250	6426,01	43,50	6,96	ГОСТ 25425-90
51100260000250	0	BK3-M	26250	8421,99	57,77	6,96	ГОСТ 25425-90
52400260000250	0	BK6	26250	6426,01	43,50	6,8	ГОСТ 25425-90
51200260000250	0	BK6-M	26250	8421,99	57,77	6,8	ГОСТ 25425-90
51600260000250	0	BK6-OM	26250	8421,99	57,77	6,8	ГОСТ 25425-90
52500260000250	0	BK8	26250	6426,01	43,50	6,77	ГОСТ 25425-90
61200260000250	0	T14K8	26250	6760,31	39,41	5,21	ГОСТ 25425-90
61300260000250	0	T15K6	26250	6760,31	39,41	5,18	ГОСТ 25425-90
61400260000250	0	T30K4	26250	6760,31	39,41	4,4	ГОСТ 25425-90
61100260000250	0	T5K10	26250	6760,31	39,41	5,88	ГОСТ 25425-90
62100260000250	0	TT7K12	26250	12474,47	75,22	6,06	ГОСТ 25425-90
53833020000026	0	BK20-KC	26BШМ	9368,08	1639,41	175,00	TY 48-19-180-76
52531810027751	0	BK8	2775/1	7456,15	11512,29	1544,00	TY 48-4207-7-89
52531810027752	0	BK8	2775/2	7453,26	15614,58	2095,00	TY 48-4207-7-89
52531810027753	0	BK8	2775/3	7451,75	19173,36	2573,00	TY 48-4207-7-89
52531810027754	0	BK8	2775/4	7451,18	20997,42	2818,00	TY 48-4207-7-89
52531810027755	0	BK8	2775/5	7450,93	21913,18	2941,00	TY 48-4207-7-89
53833020000027	0	BK20-KC	27BШМ	9340,47	3175,76	340,00	TY 48-19-180-76
53833020000028	0	BK20-KC	28BШМ	9340,47	3175,76	340,00	TY 48-19-180-76
52534570440000	0	BK8	2,9803E+11	7486,1	3069,30	410,00	TY 48-19-136-75
52534570440001	0	BK8	2,9803E+11	7489,89	2808,71	375,00	TY 48-19-136-75
52534570440002	0	BK8	2,9803E+11	7495,92	2473,65	330,00	TY 48-19-136-75
52534570440003	0	BK8	2,9803E+11	7504,43	2116,25	282,00	TY 48-19-136-75
52534570440004	0	BK8	2,9803E+11	7517,9	1721,60	229,00	TY 48-19-136-75
52534570440005	0	BK8	2,9803E+11	7532,47	1431,17	190,00	TY 48-19-136-75
52534570440006	0	BK8	2,9803E+11	7550,95	1177,95	156,00	TY 48-19-136-75
52534570440007	0	BK8	2,9803E+11	7566,84	1021,52	135,00	TY 48-19-136-75
52534570440008	0	BK8	2,9803E+11	7604,41	775,65	102,00	TY 48-19-136-75
52534570440009	0	BK8	2,9803E+11	7681,91	514,69	67,00	TY 48-19-136-75
52534570440010	0	BK8	2,9803E+11	7715,75	447,51	58,00	TY 48-19-136-75
52534570440011	0	BK8	2,9803E+11	7807,92	327,93	42,00	TY 48-19-136-75
52534570440012	0	BK8	2,9803E+11	7882,37	268,00	34,00	TY 48-19-136-75
52534570440013	0	BK8	2,9803E+11	8127,29	162,55	20,00	TY 48-19-136-75
52534570440014	0	BK8	2,9803E+11	8220,33	139,75	17,00	TY 48-19-136-75
52534570440015	0	BK8	2,9803E+11	8448,37	101,38	12,00	TY 48-19-136-75

52534570440016	0	BK8	2,9803E+11	8297,86	124,47	15,00	TY 48-19-136-75
53833020000029	0	BK20-KC	29BШМ	9341,37	3082,65	330,00	TY 48-19-180-76
52703010000001	0	BK15	3001-0001	7208,03	8,43	1,1	ГОСТ 13833-77
52403010000001	0	BK6	3001-0001	7208,03	8,43	1,2	ГОСТ 13833-77
52703010000002	0	BK15	3001-0002	7203,47	9,58	1,3	ГОСТ 13833-77
52403010000002	0	BK6	3001-0002	7203,47	9,58	1,4	ГОСТ 13833-77
52503010000002	0	BK8	3001-0002	6605,6	9,25	1,4	ГОСТ 13833-77
52703010000003	0	BK15	3001-0003	7197,89	11,01	1,5	ГОСТ 13833-77
52403010000003	0	BK6	3001-0003	7197,89	11,01	1,6	ГОСТ 13833-77
52503010000003	0	BK8	3001-0003	7197,89	11,01	1,58	ГОСТ 13833-77
52703010000004	0	BK15	3001-0004	7192,72	12,37	1,7	ГОСТ 13833-77
52403010000004	0	BK6	3001-0004	7192,72	12,37	1,8	ГОСТ 13833-77
54303010000004	0	BK6(BC)	3001-0004	0,00	0,00	1,8	ГОСТ 13833-77
52503010000004	0	BK8	3001-0004	7192,72	12,37	1,78	ГОСТ 13833-77
61403010000004	0	T30K4	3001-0004	0,00	0,00	1,16	ГОСТ 13833-77
52703010000005	0	BK15	3001-0005	7187,66	13,73	1,9	ГОСТ 13833-77
52403010000005	0	BK6	3001-0005	7187,66	13,73	2,00	ГОСТ 13833-77
54303010000005	0	BK6(BC)	3001-0005	0,00	0,00	2,00	ГОСТ 13833-77
52503010000005	0	BK8	3001-0005	7187,66	13,73	1,98	ГОСТ 13833-77
52703010000006	0	BK15	3001-0006	7182,46	15,15	2,1	ГОСТ 13833-77
52403010000006	0	BK6	3001-0006	7182,46	15,15	2,2	ГОСТ 13833-77
54303010000006	0	BK6(BC)	3001-0006	0,00	0,00	2,2	ГОСТ 13833-77
52503010000006	0	BK8	3001-0006	7182,46	15,15	2,17	ГОСТ 13833-77
52703010000007	0	BK15	3001-0007	7217,12	6,21	0,7	ГОСТ 13833-77
52403010000007	0	BK6	3001-0007	7217,12	6,21	0,75	ГОСТ 13833-77
54303010000007	0	BK6(BC)	3001-0007	0,00	0,00	0,75	ГОСТ 13833-77
52503010000007	0	BK8	3001-0007	7217,12	6,21	0,75	ГОСТ 13833-77
61403010000007	0	T30K4	3001-0007	0,00	0,00	0,58	ГОСТ 13833-77
61103010000007	0	T5K10	3001-0007	0,00	0,00	0,78	ГОСТ 13833-77
52703010000008	0	BK15	3001-0008	7211,51	7,57	0,9	ГОСТ 13833-77
52403010000008	0	BK6	3001-0008	7211,51	7,57	0,95	ГОСТ 13833-77
54303010000008	0	BK6(BC)	3001-0008	0,00	0,00	0,95	ГОСТ 13833-77
52503010000008	0	BK8	3001-0008	7211,51	7,57	0,95	ГОСТ 13833-77
52703110000041	0	BK15	3001-0041	8969,28	12,74	1,4	ГОСТ 13834-77
52503110000041	0	BK8	3001-0041	8969,28	12,74	1,5	ГОСТ 13834-77
52503113000041	0	BK8	3001-0041*3	7780,61	17,51	2,25	ГОСТ 13834-77
52703110000042	0	BK15	3001-0042	8890,9	15,11	1,7	ГОСТ 13834-77
52503110000042	0	BK8	3001-0042	8890,9	15,11	1,8	ГОСТ 13834-77
52503111500042	0	BK8	3001-0042*1,5	7927,72	10,70	1,35	ГОСТ 13834-77
52503113000042	0	BK8	3001-0042*3	6847,54	18,49	2,7	ГОСТ 13834-77
52703110000043	0	BK15	3001-0043	7834,84	14,81	2,00	ГОСТ 13834-77
52503110000043	0	BK8	3001-0043	7834,84	14,81	2,00	ГОСТ 13834-77
52503111500043	0	BK8	3001-0043*1,5	6931,74	10,40	1,5	ГОСТ 13834-77
52503113000043	0	BK8	3001-0043*3	9577,16	28,73	3,00	ГОСТ 13834-77
52703110000044	0	BK15	3001-0044	7751,39	19,07	2,5	ГОСТ 13834-77
52503110000044	0	BK8	3001-0044	7751,39	19,07	2,6	ГОСТ 13834-77
51603113000044	0	BK6-OM	3001-0044*3	15499,55	61,22	3,95	ГОСТ 13834-77
52503113000044	0	BK8	3001-0044*3	6786,05	26,47	3,9	ГОСТ 13834-77
52703110000045	0	BK15	3001-0045	7679,79	23,27	3,1	ГОСТ 13834-77
52503110000045	0	BK8	3001-0045	7679,79	23,27	3,2	ГОСТ 13834-77
51603113000045	0	BK6-OM	3001-0045*3	0,00	0,00	4,86	ГОСТ 13834-77
52503113000045	0	BK8	3001-0045*3	9037,73	41,03	4,8	ГОСТ 13833-77
52703110000046	0	BK15	3001-0046	7608,61	28,08	3,8	ГОСТ 13834-77
52503110000046	0	BK8	3001-0046	7608,61	28,08	3,9	ГОСТ 13834-77
51603113000046	0	BK6-OM	3001-0046*3	13926,68	266,14	5,93	ГОСТ 13834-77
52503113000046	0	BK8	3001-0046*3	7436,22	43,50	5,85	ГОСТ 13834-77
52703110000047	0	BK15	3001-0047	7564,18	31,47	4,2	ГОСТ 13834-77
52403110000047	0	BK6	3001-0047	6763,08	30,10	4,45	ГОСТ 13834-77
52503110000047	0	BK8	3001-0047	7564,18	31,47	4,4	ГОСТ 13834-77
52503113000047	0	BK8	3001-0047*3	7391,37	48,78	6,6	ГОСТ 13834-77
52703110000048	0	BK15	3001-0048	7516,05	35,55	4,8	ГОСТ 13834-77
52503110000048	0	BK8	3001-0048	7516,05	35,55	5,00	ГОСТ 13834-77
52703113000048	0	BK15	3001-0048*3	6672,41	50,04	7,2	ГОСТ 13834-77
52503113000048	0	BK8	3001-0048*3	6672,41	50,04	7,00	ГОСТ 13834-77
52503114000048	0	BK8	3001-0048*4	8693,17	86,93	10,00	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52703116000048	0	BK15	3001-0048*6	6567,05	98,51	14,4	ГОСТ 13834-77
52703110000049	0	BK15	3001-0049	7480,41	38,90	5,3	ГОСТ 13834-77
52503110000049	0	BK8	3001-0049	7480,41	38,90	5,5	ГОСТ 13834-77
52503113000049	0	BK8	3001-0049*3	7310,59	60,31	7,00	ГОСТ 13834-77
52703114000049	0	BK15	3001-0049*4	6605,6	75,30	11,00	ГОСТ 13834-77
52503114000049	0	BK8	3001-0049*4	6605,6	75,30	11,4	ГОСТ 13834-77

52703110000050	0	BK15	3001-0050	7441,37	42,94	5,9	FOCT 13834-77
52403110000050	0	BK6	3001-0050	6705,02	41,57	6,2	FOCT 13834-77
52503110000050	0	BK8	3001-0050	7441,37	42,94	6,1	FOCT 13834-77
52503112500050	0	BK8	3001-0050*2,5	7338,47	55,99	7,63	FOCT 13834-77
52503113000050	0	BK8	3001-0050*3	6639,65	60,75	9,15	FOCT 13834-77
52503114000050	0	BK8	3001-0050*4	6595,64	80,47	9,15	FOCT 13834-77
52703110000051	0	BK15	3001-0051	7805,53	16,24	2,1	FOCT 13834-77
52503110000051	0	BK8	3001-0051	7805,53	16,24	2,2	FOCT 13834-77
52503112500051	0	BK8	3001-0051*2,5	6844,6	18,82	2,75	FOCT 13834-77
52703110000052	0	BK15	3001-0052	7751,39	19,07	2,5	FOCT 13834-77
52503110000052	0	BK8	3001-0052	7751,39	19,07	2,6	FOCT 13834-77
52503114000052	0	BK8	3001-0052*4	6735,76	35,03	5,2	FOCT 13834-77
52703110000053	0	BK15	3001-0053	7702,5	21,88	2,9	FOCT 13834-77
52503110000053	0	BK8	3001-0053	7702,5	21,88	3,00	FOCT 13834-77
52703113000053	0	BK15	3001-0053*3	7534,78	33,91	4,35	FOCT 13834-77
52503113000053	0	BK8	3001-0053*3	6761,13	30,43	4,5	FOCT 13834-77
52703110000054	0	BK15	3001-0054	7608,61	28,08	3,8	FOCT 13834-77
52503110000054	0	BK8	3001-0054	7608,61	28,08	3,9	FOCT 13834-77
52503112500054	0	BK8	3001-0054*2,5	6746,19	33,06	4,9	FOCT 13834-77
52703113000054	0	BK15	3001-0054*3	6715,13	39,28	5,7	FOCT 13834-77
52503113000054	0	BK8	3001-0054*3	6715,13	39,28	5,85	FOCT 13834-77
52503114000054	0	BK8	3001-0054*4	6665,82	51,99	7,8	FOCT 13834-77
52703110000055	0	BK15	3001-0055	7531,45	34,19	4,6	FOCT 13834-77
52503110000055	0	BK8	3001-0055	7531,45	34,19	4,8	FOCT 13834-77
52503112500055	0	BK8	3001-0055*2,5	6710,72	40,26	6,00	FOCT 13834-77
52703113000055	0	BK15	3001-0055*3	6679,31	48,09	7,06	FOCT 13834-77
52503113000055	0	BK8	3001-0055*3	6679,31	48,09	7,2	FOCT 13834-77
52703114000055	0	BK15	3001-0055*4	6632,00	63,67	9,2	FOCT 13834-77
52703110000056	0	BK15	3001-0056	7466,92	40,25	5,5	FOCT 13834-77
52503110000056	0	BK8	3001-0056	7466,92	40,25	5,7	FOCT 13834-77
52503112500056	0	BK8	3001-0056*2,5	6680,98	47,64	7,13	FOCT 13834-77
52703113000056	0	BK15	3001-0056*3	7298,01	62,40	8,25	FOCT 13834-77
52403113000056	0	BK6	3001-0056*3	6650,83	56,80	8,63	FOCT 13834-77
51603113000056	0	BK6-OM	3001-0056*3	14635,85	126,89	8,67	FOCT 13834-77
52503113000056	0	BK8	3001-0056*3	6650,64	56,86	8,55	FOCT 13834-77
52703114000056	0	BK15	3001-0056*4	6605,6	75,30	11,00	FOCT 13834-77
52703110000057	0	BK15	3001-0057	7412,15	46,25	6,3	FOCT 13834-77
52503110000057	0	BK8	3001-0057	7412,15	46,25	6,6	FOCT 13834-77
52503112500057	0	BK8	3001-0057*2,5	7310,59	60,31	8,25	FOCT 13834-77
52703113000057	0	BK15	3001-0057*3	8720,01	81,62	9,45	FOCT 13834-77
52503113000057	0	BK8	3001-0057*3	6627,15	65,61	9,9	FOCT 13834-77
52703110000058	0	BK15	3001-0058	7364,57	52,29	7,2	FOCT 13834-77
52503110000058	0	BK8	3001-0058	7364,57	52,29	7,5	FOCT 13834-77
52703113000058	0	BK15	3001-0058*3	6607,57	74,34	10,8	FOCT 13834-77
52503113000058	0	BK8	3001-0058*3	6607,57	74,34	11,25	FOCT 13834-77
52703114000058	0	BK15	3001-0058*4	6567,05	98,51	14,4	FOCT 13834-77
52703110000059	0	BK15	3001-0059	7328,27	57,53	8,00	FOCT 13834-77
52503110000059	0	BK8	3001-0059	7328,27	57,53	8,3	FOCT 13834-77
52703113000059	0	BK15	3001-0059*3	7173,89	89,31	12,00	FOCT 13834-77
52503113000059	0	BK8	3001-0059*3	7173,89	89,31	12,45	FOCT 13834-77
52703114000059	0	BK15	3001-0059*4	6554,05	108,80	16,00	FOCT 13834-77
52703110000060	0	BK15	3001-0060	7291,93	63,44	8,8	FOCT 13834-77
52403110000060	0	BK6	3001-0060	6637,04	61,72	9,3	FOCT 13834-77
52503110000060	0	BK8	3001-0060	7291,93	63,44	9,2	FOCT 13834-77
52503112500060	0	BK8	3001-0060*2,5	6604,3	75,95	11,5	FOCT 13834-77
52703113000060	0	BK15	3001-0060*3	6578,26	90,78	13,37	FOCT 13834-77
52503113000060	0	BK8	3001-0060*3	6578,26	90,78	13,83	FOCT 13834-77
52703114000060	0	BK15	3001-0060*4	6546,85	115,22	17,6	FOCT 13834-77
52503116000060	0	BK8	3001-0060*6	6499,19	179,38	9,15	FOCT 13834-77
52703110000061	0	BK15	3001-0061	7219,53	77,83	10,9	FOCT 13834-77
52503110000061	0	BK8	3001-0061	7219,53	77,83	11,4	FOCT 13834-77
52503112500061	0	BK8	3001-0061*2,5	6573,89	93,68	14,25	FOCT 13834-77
52703113000061	0	BK15	3001-0061*3	7077,1	123,85	16,4	FOCT 13834-77
51603113000061	0	BK6-OM	3001-0061*3	12518,58	216,95	17,33	FOCT 13834-77
52503113000061	0	BK8	3001-0061*3	7077,1	123,85	17,5	FOCT 13834-77
52703114000061	0	BK15	3001-0061*4	3680,28	83,91	22,00	FOCT 13834-77
52503114000061	0	BK8	3001-0061*4	8058,57	183,74	22,8	FOCT 13834-77
52703115000061	0	BK15	3001-0061*5	6967,28	198,57	27,3	FOCT 13834-77
52703110000062	0	BK15	3001-0062	7144,63	98,02	13,9	FOCT 13834-77
52403110000062	0	BK6	3001-0062	6570,18	96,25	14,65	FOCT 13834-77
52503110000062	0	BK8	3001-0062	7144,63	98,02	14,5	FOCT 13834-77

52503112500062	0	BK8	3001-0062*2,5	6543,49	118,44	18,1	ГОСТ 13834-77
52703113000062	0	BK15	3001-0062*3	6522,74	141,87	20,85	ГОСТ 13834-77
51603113000062	0	BK6-OM	3001-0062*3	0,00	0,00	22,05	ГОСТ 13834-77
52503113000062	0	BK8	3001-0062*3	7023,96	152,77	21,75	ГОСТ 13834-77
52703110000063	0	BK15	3001-0063	8300,00	124,09	15,1	ГОСТ 13834-77
52503110000063	0	BK8	3001-0063	8300,00	124,09	15,8	ГОСТ 13834-77
52503112500063	0	BK8	3001-0063*2,5	7579,32	150,07	19,8	ГОСТ 13834-77
52703113000063	0	BK15	3001-0063*3	7004,85	166,01	22,65	ГОСТ 13834-77
52503113000063	0	BK8	3001-0063*3	7513,35	178,07	23,7	ГОСТ 13834-77
52503114000063	0	BK8	3001-0063*4	7422,8	234,56	31,6	ГОСТ 13834-77
52703115000063	0	BK15	3001-0063*5	6911,75	273,01	37,8	ГОСТ 13834-77
52503116000063	0	BK8	3001-0063*6	6883,56	333,16	48,4	ГОСТ 13834-77
52703110000064	0	BK15	3001-0064	8219,28	139,97	18,2	ГОСТ 13834-77
52403110000064	0	BK6	3001-0064	8186,62	147,36	18,00	ГОСТ 13834-77
51203110000064	0	BK6-M	3001-0064	11414,67	208,32	18,00	ГОСТ 13834-77
52503110000064	0	BK8	3001-0064	8219,28	139,97	18,00	ГОСТ 13834-77
52503112500064	0	BK8	3001-0064*2,5	7531,66	169,46	22,5	ГОСТ 13834-77
52703113000064	0	BK15	3001-0064*3	7470,09	201,69	25,8	ГОСТ 13834-77
52503113000064	0	BK8	3001-0064*3	7470,09	201,69	27,00	ГОСТ 13834-77
52703114000064	0	BK15	3001-0064*4	7861,03	283,00	34,8	ГОСТ 13834-77
52503114000064	0	BK8	3001-0064*4	7861,03	283,00	36,00	ГОСТ 13834-77
52703116000064	0	BK15	3001-0064*6	7294,5	401,20	53,1	ГОСТ 13834-77
52703110000065	0	BK15	3001-0065	8155,42	155,03	19,3	ГОСТ 13834-77
52403110000065	0	BK6	3001-0065	6530,21	132,63	20,31	ГОСТ 13834-77
52503110000065	0	BK8	3001-0065	8155,42	155,03	20,1	ГОСТ 13834-77
61303110000065	0	T15K6	3001-0065	0,00	0,00	15,6	ГОСТ 13834-77
52503112500065	0	BK8	3001-0065*2,5	7436,37	224,21	25,1	ГОСТ 13834-77
52703113000065	0	BK15	3001-0065*3	7436,37	224,21	28,95	ГОСТ 13834-77
52503113000065	0	BK8	3001-0065*3	7436,37	224,21	30,15	ГОСТ 13834-77
61303113000065	0	T15K6	3001-0065*3	0,00	0,00	23,36	ГОСТ 13834-77
52703114000065	0	BK15	3001-0065*4	6905,88	283,83	39,7	ГОСТ 13834-77
52503114000065	0	BK8	3001-0065*4	6469,16	260,06	40,2	ГОСТ 13834-77
52703110000066	0	BK15	3001-0066	8098,54	170,88	21,4	ГОСТ 13834-77
52503110000066	0	BK8	3001-0066	8098,54	170,88	22,3	ГОСТ 13834-77
52503112500066	0	BK8	3001-0066*2,5	7459,79	208,13	27,9	ГОСТ 13834-77
52703113000066	0	BK15	3001-0066*3	7882,37	268,00	32,1	ГОСТ 13834-77
52503113000066	0	BK8	3001-0066*3	7877,38	271,38	34,00	ГОСТ 13834-77
52503114000066	0	BK8	3001-0066*4	7788,9	347,38	44,6	ГОСТ 13834-77
52703115000066	0	BK15	3001-0066*5	7292,02	406,53	53,5	ГОСТ 13834-77
52503115000066	0	BK8	3001-0066*5	7288,02	415,42	57,00	ГОСТ 13834-77
52703110000067	0	BK15	3001-0067	8008,69	202,30	25,6	ГОСТ 13834-77
51203110000067	0	BK6-M	3001-0067	11198,15	303,13	26,7	ГОСТ 13834-77
51603110000067	0	BK6-OM	3001-0067	13696,21	370,76	26,7	ГОСТ 13834-77
52503110000067	0	BK8	3001-0067	8008,69	202,30	26,7	ГОСТ 13834-77
52503112500067	0	BK8	3001-0067*2,5	7885,76	265,75	33,7	ГОСТ 13834-77
52703113000067	0	BK15	3001-0067*3	7361,09	294,81	40,2	ГОСТ 13834-77
52503113000067	0	BK8	3001-0067*3	7822,37	314,46	40,2	ГОСТ 13834-77
52703114000067	0	BK15	3001-0067*4	6868,91	375,04	52,7	ГОСТ 13834-77
52403114000067	0	BK6	3001-0067*4	7737,08	413,16	53,9	ГОСТ 13834-77
52503114000067	0	BK8	3001-0067*4	7299,99	389,82	53,4	ГОСТ 13834-77
52703115000067	0	BK15	3001-0067*5	7682,73	512,82	64,00	ГОСТ 13834-77
52703110000068	0	BK15	3001-0068	8381,35	281,45	34,00	ГОСТ 13834-77
52503110000068	0	BK8	3001-0068	8381,35	281,45	35,5	ГОСТ 13834-77
52503112500068	0	BK8	3001-0068*2,5	7790,29	345,89	44,4	ГОСТ 13834-77
52503113000068	0	BK8	3001-0068*3	7737,83	412,04	53,25	ГОСТ 13834-77
52503113800068	0	BK8	3001-0068*3,8	7257,19	498,57	68,7	ГОСТ 13834-77
52703114000068	0	BK15	3001-0068*4	7678,66	522,15	68,00	ГОСТ 13834-77
52503114000068	0	BK8	3001-0068*4	7669,44	544,53	71,00	ГОСТ 13834-77
52703115000068	0	BK15	3001-0068*5	7222,25	640,97	85,00	ГОСТ 13834-77
52703110000069	0	BK15	3001-0069	8324,27	314,24	38,2	ГОСТ 13834-77
52503110000069	0	BK8	3001-0069	8324,27	314,24	39,9	ГОСТ 13834-77
52503112500069	0	BK8	3001-0069*2,5	8198,6	418,95	51,1	ГОСТ 13834-77
52703113000069	0	BK15	3001-0069*3	8318,77	317,78	57,3	ГОСТ 13834-77
52503113000069	0	BK8	3001-0069*3	8144,3	487,44	59,85	ГОСТ 13834-77
525031100000695	0	BK8	3001-0069*5	6424,99	640,89	99,75	ГОСТ 13834-77
52703110000070	0	BK15	3001-0070	8278,47	346,12	42,4	ГОСТ 13834-77
52503110000070	0	BK8	3001-0070	8278,47	346,12	44,2	ГОСТ 13834-77
52703113000070	0	BK15	3001-0070*3	7684,23	509,46	63,6	ГОСТ 13834-77
52503113000070	0	BK8	3001-0070*3	7684,23	509,46	66,3	ГОСТ 13834-77
52703114000070	0	BK15	3001-0070*4	7626,85	677,26	87,00	ГОСТ 13834-77
52503114000070	0	BK8	3001-0070*4	7627,63	674,28	88,4	ГОСТ 13834-77

52503115000070	0	BK8	3001-0070*5	7976,07	881,36	110,5	ГОСТ 13834-77
52703110000087	0	BK15	3001-0087	7129,15	103,16	14,7	ГОСТ 13834-77
52503110000087	0	BK8	3001-0087	7129,15	103,16	15,3	ГОСТ 13834-77
52703110000088	0	BK15	3001-0088	7091,68	117,44	16,8	ГОСТ 13834-77
52703110000089	0	BK15	3001-0089	7060,97	131,62	18,9	ГОСТ 13834-77
52703110000090	0	BK15	3001-0090	7013,34	159,90	23,1	ГОСТ 13834-77
52503110000090	0	BK8	3001-0090	7013,34	159,90	24,1	ГОСТ 13834-77
52703110000092	0	BK15	3001-0092	7350,5	54,25	7,5	ГОСТ 13834-77
52503110000092	0	BK8	3001-0092	7350,5	54,25	7,8	ГОСТ 13834-77
52703110000093	0	BK15	3001-0093	7307,6	60,80	8,5	ГОСТ 13834-77
52503110000093	0	BK8	3001-0093	7307,6	60,80	8,8	ГОСТ 13834-77
52703110000094	0	BK15	3001-0094	7790,73	16,98	2,2	ГОСТ 13834-77
52503110000094	0	BK8	3001-0094	7790,73	16,98	2,3	ГОСТ 13834-77
52703110000095	0	BK15	3001-0095	7523,27	34,91	4,7	ГОСТ 13834-77
52503110000095	0	BK8	3001-0095	7523,27	34,91	4,9	ГОСТ 13834-77
52703110000096	0	BK15	3001-0096	7658,13	24,66	3,3	ГОСТ 13834-77
52503110000096	0	BK8	3001-0096	7658,13	24,66	3,4	ГОСТ 13834-77
52703110000097	0	BK15	3001-0097	7447,26	42,30	5,8	ГОСТ 13834-77
52503110000097	0	BK8	3001-0097	7447,26	42,30	6,00	ГОСТ 13834-77
52703110000098	0	BK15	3001-0098	7287,95	64,13	8,9	ГОСТ 13834-77
52503110000098	0	BK8	3001-0098	7287,95	64,13	9,3	ГОСТ 13834-77
52703110000099	0	BK15	3001-0099	9612,38	27,59	2,92	ГОСТ 13834-77
52503110000099	0	BK8	3001-0099	9612,38	27,59	3,03	ГОСТ 13834-77
52703110000103	0	BK15	3001-0103	8386,35	110,03	13,38	ГОСТ 13834-77
52503110000103	0	BK8	3001-0103	8386,35	110,03	13,87	ГОСТ 13834-77
52703110000104	0	BK15	3001-0104	7547,48	32,83	4,4	ГОСТ 13834-77
51603110000104	0	BK6-OM	3001-0104	13098,72	61,04	4,6	ГОСТ 13834-77
52503110000104	0	BK8	3001-0104	7547,48	32,83	4,6	ГОСТ 13834-77
5259993000104	0	BK8	3001-0104*3	8862,98	59,38	6,7	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52703110001044	0	BK15	3001-0104*4 (25*6*4)	6651,6	56,54	8,5	ГОСТ 13834-77
52703110000105	0	BK15	3001-0105	7460,02	40,96	5,5	ГОСТ 13834-77
51603110000105	0	BK6-OM	3001-0105	12984,07	76,35	5,8	ГОСТ 13834-77
52503110000105	0	BK8	3001-0105	7460,02	40,96	5,8	ГОСТ 13834-77
52703110000106	0	BK15	3001-0106	8202,15	415,11	51,3	ГОСТ 13834-77
52503110000106	0	BK8	3001-0106	8202,15	415,11	53,5	ГОСТ 13834-77
52703113000106	0	BK15	3001-0106*3	7248,29	528,76	69,95	ГОСТ 13834-77
52703114500106	0	BK15	3001-0106*4,5	7199,04	787,79	104,93	ГОСТ 13834-77
52703110000107	0	BK15	3001-0107	8145,16	486,18	60,5	ГОСТ 13834-77
52503110000107	0	BK8	3001-0107	8145,16	486,18	63,1	ГОСТ 13834-77
52503113000107	0	BK8	3001-0107*3	7225,99	622,16	86,1	ГОСТ 13834-77
52703115000107	0	BK15	3001-0107*5	7948,31	1139,79	137,5	ГОСТ 13834-77
52503115000107	0	BK8	3001-0107*5	7948,31	1139,79	143,4	ГОСТ 13834-77
52503116000107	0	BK8	3001-0107*6	7923,66	1363,66	172,1	ГОСТ 13834-77
52703110000112	0	BK15	3001-0112	7777,76	17,66	2,3	ГОСТ 13834-77
52503110000112	0	BK8	3001-0112	7777,76	17,66	2,4	ГОСТ 13834-77
52703110000113	0	BK15	3001-0113	7777,76	17,66	2,3	ГОСТ 13834-77
52503110000113	0	BK8	3001-0113	7777,76	17,66	2,4	ГОСТ 13834-77
52703110000114	0	BK15	3001-0114	7648,21	25,32	3,4	ГОСТ 13834-77
52503110000114	0	BK8	3001-0114	7648,21	25,32	3,5	ГОСТ 13834-77
52703110000115	0	BK15	3001-0115	7494,42	37,55	5,1	ГОСТ 13834-77
52503110000115	0	BK8	3001-0115	7494,42	37,55	5,3	ГОСТ 13834-77
52703110000117	0	BK15	3001-0117	7669,4	23,93	3,2	ГОСТ 13834-77
52503110000117	0	BK8	3001-0117	7669,4	23,93	3,3	ГОСТ 13834-77
52703110000118	0	BK15	3001-0118	7564,18	31,47	4,2	ГОСТ 13834-77
52503110000118	0	BK8	3001-0118	7564,18	31,47	4,4	ГОСТ 13834-77
52703110000119	0	BK15	3001-0119	7581,58	30,10	4,1	ГОСТ 13834-77
52503110000119	0	BK8	3001-0119	7581,58	30,10	4,2	ГОСТ 13834-77
52703110000122	0	BK15	3001-0122	8915,09	53,13	6,1	ГОСТ 13834-77
52703110000123	0	BK15	3001-0123	7259,84	69,33	9,7	ГОСТ 13834-77
52503110000123	0	BK8	3001-0123	7259,84	69,33	10,1	ГОСТ 13834-77
52703110000124	0	BK15	3001-0124	7739,37	19,74	2,6	ГОСТ 13834-77
52503110000124	0	BK8	3001-0124	7739,37	19,74	2,7	ГОСТ 13834-77
52703110000125	0	BK15	3001-0125	7438,78	43,22	5,92	ГОСТ 13834-77
52503110000125	0	BK8	3001-0125	7438,78	43,22	6,14	ГОСТ 13834-77
52703110000126	0	BK15	3001-0126	7293,14	63,23	8,85	ГОСТ 13834-77
52503110000126	0	BK8	3001-0126	7293,14	63,23	9,17	ГОСТ 13834-77
52703010000127	0	BK15	3001-0127	7200,38	10,37	1,1	ГОСТ 13833-77
52403010000127	0	BK6	3001-0127	7200,38	10,37	1,2	ГОСТ 13833-77
52503010000127	0	BK8	3001-0127	7200,38	10,37	1,48	ГОСТ 13833-77
52703010000128	0	BK15	3001-0128	7170,7	18,50	2,2	ГОСТ 13833-77
52403010000128	0	BK6	3001-0128	7170,7	18,50	2,13	ГОСТ 13833-77

52503110000128	0	BK8	3001-0128	7170,7	18,50	2,67	ГОСТ 13834-77
52703016500128	0	BK15	3001-0128*6,5	6841,69	19,16	2,71	ГОСТ 13833-77
52403116500128	0	BK6	3001-0128*6,5	6841,69	19,16	2,83	ГОСТ 13834-77
52503116500128	0	BK8	3001-0128*6,5	6588,75	18,45	2,8	ГОСТ 13834-77
52703017000128	0	BK15	3001-0128*7,0	6829,34	20,62	2,92	ГОСТ 13833-77
52503117000128	0	BK8	3001-0128*7,0	6823,95	21,29	3,12	ГОСТ 13834-77
52503117500128	0	BK8	3001-0128*7,5	7641,72	25,75	3,37	ГОСТ 13834-77
52703018000128	0	BK15	3001-0128*8	6581,8	22,71	3,33	ГОСТ 13833-77
52503118000128	0	BK8	3001-0128*8	6807,06	23,48	3,45	ГОСТ 13834-77
52703119000128	0	BK15	3001-0128*9	6577,47	25,52	3,75	ГОСТ 13834-77
53833020000030	0	BK20-KC	30BШМ	9342,33	2989,54	320,00	ТУ 48-19-180-76
61300310000030	0	T15K6	31030	7512,95	21,11	2,49	ГОСТ 25411-90
61100310000030	0	T5K10	31030	6298,33	17,82	2,83	ГОСТ 25411-90
52500310000050	0	BK8	31050	6703,89	32,04	4,78	ГОСТ 25411-90
61300310000050	0	T15K6	31050	7077,43	29,16	3,65	ГОСТ 25411-90
61100310000050	0	T5K10	31050	7077,43	29,16	4,4	ГОСТ 25411-90
52500310000070	0	BK8	31070	6407,74	44,53	6,95	ГОСТ 25411-90
61300310000070	0	T15K6	31070	6739,9	40,30	5,3	ГОСТ 25411-90
61100310000070	0	T5K10	31070	6626,54	46,05	6,3	ГОСТ 25411-90
52400310000090	0	BK6	31090	6080,03	76,61	12,7	ГОСТ 25411-90
52500310000090	0	BK8	31090	6080,03	76,61	12,6	ГОСТ 25411-90
61300310000090	0	T15K6	31090	6358,06	68,98	9,6	ГОСТ 25411-90
61100310000090	0	T5K10	31090	6287,64	79,22	10,9	ГОСТ 25411-90
52400310000110	0	BK6	31110	5441,03	133,31	24,8	ГОСТ 25411-90
52500310000110	0	BK8	31110	6305,06	154,47	24,5	ГОСТ 25411-90
61300310000110	0	T15K6	31110	6582,95	138,90	18,8	ГОСТ 25411-90
61100310000110	0	T5K10	31110	6582,95	138,90	21,3	ГОСТ 25411-90
55100430000190	0	BK10-XO	32190	7230,63	108,53	14,9	ГОСТ 25412-90
52200430000190	0	BK3	32190	5511,49	81,57	15,35	ГОСТ 25412-90
52400430000190	0	BK6	32190	5511,49	81,57	14,9	ГОСТ 25412-90
51200430000190	0	BK6-M	32190	7230,63	108,53	14,9	ГОСТ 25412-90
52500430000190	0	BK8	32190	5511,49	81,57	14,8	ГОСТ 25412-90
61200430000190	0	T14K8	32190	5728,4	72,98	11,4	ГОСТ 25412-90
61300430000190	0	T15K6	32190	5728,4	72,98	11,3	ГОСТ 25412-90
61100430000190	0	T5K10	32190	5728,4	72,98	12,8	ГОСТ 25412-90
52200430000210	0	BK3	32210	5443,33	130,64	24,9	ГОСТ 25412-90
52400430000210	0	BK6	32210	5443,33	130,64	24,3	ГОСТ 25412-90
51200430000210	0	BK6-M	32210	7142,29	173,84	24,3	ГОСТ 25412-90
52500430000210	0	BK8	32210	5443,33	130,64	24,00	ГОСТ 25412-90
61200430000210	0	T14K8	32210	5647,86	116,68	18,5	ГОСТ 25412-90
61300430000210	0	T15K6	32210	5647,86	116,68	18,4	ГОСТ 25412-90
61400430000210	0	T30K4	32210	5647,86	116,68	15,95	ГОСТ 25412-90
61100430000210	0	T5K10	32210	5647,86	116,68	20,9	ГОСТ 25412-90
55100430000230	0	BK10-XO	32230	7069,65	336,94	47,33	ГОСТ 25412-90
52200430000230	0	BK3	32230	5387,24	253,20	48,76	ГОСТ 25412-90
52400430000230	0	BK6	32230	5387,24	253,20	47,6	ГОСТ 25412-90
51200430000230	0	BK6-M	32230	7069,65	336,94	47,6	ГОСТ 25412-90
52500430000230	0	BK8	32230	5387,24	253,20	47,00	ГОСТ 25412-90
61200430000230	0	T14K8	32230	5581,12	225,87	36,2	ГОСТ 25412-90
61300430000230	0	T15K6	32230	5581,12	225,87	36,00	ГОСТ 25412-90
61100430000230	0	T5K10	32230	5581,12	225,87	40,8	ГОСТ 25412-90
52200430000250	0	BK3	32250	5713,22	374,22	65,5	ГОСТ 25412-90
52400430000250	0	BK6	32250	5713,22	374,22	66,3	ГОСТ 25412-90
51200430000250	0	BK6-M	32250	7498,59	491,16	66,3	ГОСТ 25412-90
52500430000250	0	BK8	32250	5713,22	374,22	65,5	ГОСТ 25412-90
61300430000250	0	T15K6	32250	5923,77	334,10	50,1	ГОСТ 25412-90
61100430000250	0	T5K10	32250	5923,77	334,10	57,00	ГОСТ 25412-90
62103110000250	0	TT7K12	32250	10533,3	689,93	58,62	ГОСТ 25412-90
52200430000270	0	BK3	32270	5660,73	843,45	154,56	ГОСТ 25412-90
52400430000270	0	BK6	32270	5660,73	843,45	151,00	ГОСТ 25412-90
51200430000270	0	BK6-M	32270	7429,69	1107,02	151,00	ГОСТ 25412-90
52500430000270	0	BK8	32270	5660,73	843,45	149,00	ГОСТ 25412-90
61300430000270	0	T15K6	32270	5860,94	751,90	114,00	ГОСТ 25412-90
61100430000270	0	T5K10	32270	5860,94	751,90	130,00	ГОСТ 25412-90
52200430000290	0	BK3	32290	5651,41	1085,07	199,17	ГОСТ 25412-90
52400430000290	0	BK6	32290	5651,41	1085,07	195,00	ГОСТ 25412-90
51200430000290	0	BK6-M	32290	7417,46	1424,15	195,00	ГОСТ 25412-90
52500430000290	0	BK8	32290	5651,41	1085,07	192,00	ГОСТ 25412-90
61300430000290	0	T15K6	32290	5849,78	967,03	147,00	ГОСТ 25412-90
61100430000290	0	T5K10	32290	5849,78	967,03	167,00	ГОСТ 25412-90
52500380000011	0	BK8	38011	7313,82	19,75	2,7	ГОСТ 25415-90

61300380000011	0	T15K6	38011	7563,55	20,42	2,06	ГОСТ 25415-90
52400380000031	0	BK6	38031	6356,7	47,68	7,6	ГОСТ 25415-90
52500380000031	0	BK8	38031	6356,7	47,68	7,5	ГОСТ 25415-90
61300380000031	0	T15K6	38031	6772,99	38,88	5,74	ГОСТ 25415-90
61100380000031	0	T5K10	38031	6680,12	43,15	6,52	ГОСТ 25415-90
51600380000051	0	BK6-OM	38051	7179,28	139,06	19,4	ГОСТ 25415-90
52500380000051	0	BK8	38051	5930,92	113,28	19,1	ГОСТ 25415-90
52500380000152	0	BK8	38152	5667,53	725,44	128,00	ГОСТ 25415-90
61300380000152	0	T15K6	38152	5861,06	750,22	97,7	ГОСТ 25415-90
52500380000192	0	BK8	38192	5722,75	339,93	59,4	ГОСТ 25415-90
61300380000192	0	T15K6	38192	5948,33	274,52	45,5	ГОСТ 25415-90
61100380000192	0	T5K10	38192	5934,08	306,20	51,6	ГОСТ 25415-90
55100390000010	0	BK10-XO	39010	8445,65	13,85	1,64	ГОСТ 25416-90
51100390000010	0	BK3-M	39010	10469,11	17,38	1,7	ГОСТ 25416-90
52400390000010	0	BK6	39010	7994,34	13,11	1,66	ГОСТ 25416-90
51200390000010	0	BK6-M	39010	10469,11	17,38	1,66	ГОСТ 25416-90
52500390000010	0	BK8	39010	7994,34	13,11	1,64	ГОСТ 25416-90
61300390000010	0	T15K6	39010	8501,76	11,99	1,25	ГОСТ 25416-90
61400390000010	0	T30K4	39010	8501,76	11,99	1,06	ГОСТ 25416-90
61100390000010	0	T5K10	39010	8501,76	11,99	1,4	ГОСТ 25416-90
55100390000030	0	BK10-XO	39030	9654,82	25,20	2,58	ГОСТ 25416-90
52400390000030	0	BK6	39030	7356,07	19,20	2,64	ГОСТ 25416-90
51200390000030	0	BK6-M	39030	9629,84	25,52	2,64	ГОСТ 25416-90
51600390000030	0	BK6-OM	39030	8054,71	21,02	2,63	ГОСТ 25416-90
52500390000030	0	BK8	39030	7356,07	19,20	2,61	ГОСТ 25416-90
61200390000030	0	T14K8	39030	6346,49	16,56	2,01	ГОСТ 25416-90
61300390000030	0	T15K6	39030	7806,25	17,56	2,00	ГОСТ 25416-90
61100390000030	0	T5K10	39030	7806,25	17,56	2,28	ГОСТ 25416-90
55100390000050	0	BK10-XO	39050	8366,48	61,08	7,05	ГОСТ 25416-90
51100390000050	0	BK3-M	39050	8366,48	61,08	7,33	ГОСТ 25416-90
52400390000050	0	BK6	39050	6383,69	45,96	7,3	ГОСТ 25416-90
51200390000050	0	BK6-M	39050	7459,13	53,71	7,3	ГОСТ 25416-90
51600390000050	0	BK6-OM	39050	7459,13	53,71	7,3	ГОСТ 25416-90
52500390000050	0	BK8	39050	6383,69	45,96	7,2	ГОСТ 25416-90
61300390000050	0	T15K6	39050	6711,51	41,61	5,52	ГОСТ 25416-90
61400390000050	0	T30K4	39050	6711,51	41,61	4,7	ГОСТ 25416-90
61100390000050	0	T5K10	39050	6711,51	41,61	6,29	ГОСТ 25416-90
55100390000110	0	BK10-XO	39110	7120,04	204,35	28,41	ГОСТ 25416-90
52400390000110	0	BK6	39110	5830,07	167,32	29,00	ГОСТ 25416-90
51200390000110	0	BK6-M	39110	7120,04	204,35	29,00	ГОСТ 25416-90
51600390000110	0	BK6-OM	39110	7120,04	204,35	29,00	ГОСТ 25416-90
52500390000110	0	BK8	39110	5830,07	167,32	28,7	ГОСТ 25416-90
61300390000110	0	T15K6	39110	6063,03	149,82	22,00	ГОСТ 25416-90
61400390000110	0	T30K4	39110	6063,03	149,82	27,32	ГОСТ 25416-90
61100390000110	0	T5K10	39110	6063,03	149,82	24,2	ГОСТ 25416-90
55100390000130	0	BK10-XO	39130	7927,22	110,19	13,76	ГОСТ 25416-90
52400390000130	0	BK6	39130	6039,8	83,95	14,00	ГОСТ 25416-90
51200390000130	0	BK6-M	39130	7248,5	100,75	14,00	ГОСТ 25416-90
51600390000130	0	BK6-OM	39130	7927,22	110,19	14,00	ГОСТ 25416-90
52500390000130	0	BK8	39130	6039,8	83,95	13,9	ГОСТ 25416-90
61200390000130	0	T14K8	39130	6310,8	75,54	10,7	ГОСТ 25416-90
61300390000130	0	T15K6	39130	6310,8	75,54	10,6	ГОСТ 25416-90
61400390000130	0	T30K4	39130	6310,8	75,54	9,00	ГОСТ 25416-90
61100390000130	0	T5K10	39130	6310,8	75,54	12,14	ГОСТ 25416-90
52500390013003	0	BK8	39130*3 (32*6*3)	5639,6	47,03	8,34	ГОСТ 25416-90
61100390013003	0	T5K10	39130*3 (32*6*3)	5832,17	48,64	7,29	ГОСТ 25416-90
52500390013004	0	BK8	39130*4 (32*6*4)	5567,73	61,91	11,12	ГОСТ 25416-90
61100390013004	0	T5K10	39130*4 (32*6*4)	5757,85	64,03	9,72	ГОСТ 25416-90
55100390000150	0	BK10-XO	39150	9234,02	191,14	20,5	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52400390000150	0	BK6	39150	5907,91	122,29	21,00	ГОСТ 25416-90
51600390000150	0	BK6-OM	39150	7167,72	148,37	21,00	ГОСТ 25416-90
52500390000150	0	BK8	39150	5907,91	122,29	20,7	ГОСТ 25416-90
61300390000150	0	T15K6	39150	6155,38	109,69	15,9	ГОСТ 25416-90
61400390000150	0	T30K4	39150	6155,38	109,69	13,5	ГОСТ 25416-90
61100390000150	0	T5K10	39150	6155,38	109,69	18,16	ГОСТ 25416-90
53633020000003	0	BK10-KC	3ВШМ	8862,98	59,38	6,7	ТУ 48-19-180-76
51200410000010	0	BK6-M	47010	11706,83	10,54	0,9	ГОСТ 25421-90
51600410000010	0	BK6-OM	47010	11706,83	10,54	0,9	ГОСТ 25421-90
52500410000010	0	BK8	47010	8936,97	7,95	0,89	ГОСТ 25421-90
61300410000010	0	T15K6	47010	9474,77	7,30	0,68	ГОСТ 25421-90
61100410000010	0	T5K10	47010	9474,77	7,30	0,78	ГОСТ 25421-90

55100410000030	0	BK10-XO	47030	10892,26	14,60	1,32	FOCT 25421-90
51200410000030	0	BK6-M	47030	10892,26	14,60	1,4	FOCT 25421-90
51600410000030	0	BK6-OM	47030	10892,26	14,60	1,33	FOCT 25421-90
52500410000030	0	BK8	47030	8321,99	10,99	1,4	FOCT 25421-90
61300410000030	0	T15K6	47030	8841,27	10,08	1,01	FOCT 25421-90
61400410000030	0	T30K4	47030	8606,15	11,36	0,87	FOCT 25421-90
61100410000030	0	T5K10	47030	8841,27	10,08	1,14	FOCT 25421-90
55100410000050	0	BK10-XO	47050	10516,35	17,04	1,62	FOCT 25421-90
51100410000050	0	BK3-M	47050	10516,35	17,04	1,77	FOCT 25421-90
52400410000050	0	BK6	47050	8030,89	12,85	1,62	FOCT 25421-90
51200410000050	0	BK6-M	47050	10516,35	17,04	1,75	FOCT 25421-90
51600410000050	0	BK6-OM	47050	10516,35	17,04	1,62	FOCT 25421-90
52500410000050	0	BK8	47050	8030,89	12,85	1,75	FOCT 25421-90
61300410000050	0	T15K6	47050	8535,68	11,78	1,23	FOCT 25421-90
61100410000050	0	T5K10	47050	8535,68	11,78	1,39	FOCT 25421-90
55100410000070	0	BK10-XO	47070	10136,84	20,07	2,14	FOCT 25421-90
51100410000070	0	BK3-M	47070	10136,84	20,07	2,22	FOCT 25421-90
52400410000070	0	BK6	47070	7744,72	15,10	1,98	FOCT 25421-90
51200410000070	0	BK6-M	47070	10136,84	20,07	2,2	FOCT 25421-90
51600410000070	0	BK6-OM	47070	10136,84	20,07	1,98	FOCT 25421-90
52500410000070	0	BK8	47070	7744,72	15,10	2,2	FOCT 25421-90
61300410000070	0	T15K6	47070	8230,65	13,83	1,7	FOCT 25421-90
61100410000070	0	T5K10	47070	8230,65	13,83	1,7	FOCT 25421-90
55100410000090	0	BK10-XO	47090	9839,13	23,02	2,52	FOCT 25421-90
52400410000090	0	BK6	47090	7513,52	17,36	2,34	FOCT 25421-90
51200410000090	0	BK6-M	47090	9839,13	23,02	2,6	FOCT 25421-90
51600410000090	0	BK6-OM	47090	9839,13	23,02	2,34	FOCT 25421-90
52500410000090	0	BK8	47090	7513,52	17,36	2,6	FOCT 25421-90
61300410000090	0	T15K6	47090	7979,76	15,88	2,00	FOCT 25421-90
61100410000090	0	T5K10	47090	7979,76	15,88	2,00	FOCT 25421-90
52400420000010	0	BK6	48010	6205,1	14,46	2,36	FOCT 25422-90
51600420000010	0	BK6-OM	48010	9824,47	23,19	2,36	FOCT 25422-90
52500420000010	0	BK8	48010	6205,1	14,46	2,33	FOCT 25422-90
61300420000010	0	T15K6	48010	6513,6	13,09	1,78	FOCT 25422-90
61100420000010	0	T5K10	48010	6513,6	13,09	2,02	FOCT 25422-90
52500420000030	0	BK8	48030	5875,33	25,44	4,33	FOCT 25422-90
61200420000030	0	T14K8	48030	0,00	0,00	3,37	FOCT 25422-90
61300420000030	0	T15K6	48030	6147,98	22,93	3,32	FOCT 25422-90
61100420000030	0	T5K10	48030	6147,98	22,93	3,76	FOCT 25422-90
52500420000050	0	BK8	48050	5576,4	59,67	10,7	FOCT 25422-90
61200420000050	0	T14K8	48050	5804,27	53,52	8,25	FOCT 25422-90
61300420000050	0	T15K6	48050	5804,27	53,52	8,2	FOCT 25422-90
61400420000050	0	T30K4	48050	5766,81	61,70	7,05	FOCT 25422-90
61100420000050	0	T5K10	48050	5804,27	53,52	9,3	FOCT 25422-90
52400420000070	0	BK6	48070	5539,88	70,36	12,9	FOCT 25422-90
52500420000070	0	BK8	48070	5539,88	70,36	12,7	FOCT 25422-90
61300420000070	0	T15K6	48070	5761,82	62,98	9,75	FOCT 25422-90
61100420000070	0	T5K10	48070	5761,82	62,98	11,00	FOCT 25422-90
52200420000090	0	BK3	48090	5482,77	97,04	18,36	FOCT 25422-90
52400420000090	0	BK6	48090	5482,77	97,04	17,9	FOCT 25422-90
52500420000090	0	BK8	48090	5482,77	97,04	17,7	FOCT 25422-90
61200420000090	0	T14K8	48090	5694,5	86,78	14,00	FOCT 25422-90
61300420000090	0	T15K6	48090	5694,5	86,78	13,6	FOCT 25422-90
61100420000090	0	T5K10	48090	5694,5	86,78	15,4	FOCT 25422-90
52500420000110	0	BK8	48110	5448,21	125,31	23,00	FOCT 25422-90
61300420000110	0	T15K6	48110	5653,64	111,94	17,6	FOCT 25422-90
61100420000110	0	T5K10	48110	5653,64	111,94	20,00	FOCT 25422-90
52500420000130	0	BK8	48130	5404,31	197,26	36,5	FOCT 25422-90
61300420000130	0	T15K6	48130	5601,46	176,05	27,9	FOCT 25422-90
61100420000130	0	T5K10	48130	5601,46	176,05	31,7	FOCT 25422-90
52400560000010	0	BK6	49010	6533,08	38,28	5,94	FOCT 25423-90
52500560000010	0	BK8	49010	6533,08	38,28	5,86	FOCT 25423-90
61300560000010	0	T15K6	49010	6882,73	34,76	4,55	FOCT 25423-90
61100560000010	0	T5K10	49010	6882,73	34,76	5,12	FOCT 25423-90
61300560000030	0	T15K6	49030	6996,39	31,27	4,03	FOCT 25423-90
61100560000030	0	T5K10	49030	6996,39	31,27	4,53	FOCT 25423-90
52400560000050	0	BK6	49050	6086,91	75,48	12,6	FOCT 25423-90
52500560000050	0	BK8	49050	6086,91	75,48	12,4	FOCT 25423-90
61100560000050	0	T5K10	49050	6366,03	67,99	10,8	FOCT 25423-90
52500560000060	0	BK8	49060	6086,91	75,48	12,4	FOCT 25423-90
52500560000070	0	BK8	49070	6116,63	70,95	11,6	FOCT 25423-90

61200560000070	0	T14K8	49070	6400,89	63,94	8,96	ГОСТ 25423-90
61300560000070	0	T15K6	49070	6325,49	73,38	8,9	ГОСТ 25423-90
61100560000070	0	T5K10	49070	6400,89	63,94	10,1	ГОСТ 25423-90
52500560000080	0	BK8	49080	6116,63	70,95	11,6	ГОСТ 25423-90
61200560000080	0	T14K8	49080	6325,49	73,38	8,96	ГОСТ 25423-90
61300560000080	0	T15K6	49080	6325,49	73,38	8,9	ГОСТ 25423-90
61100560000080	0	T5K10	49080	6400,89	63,94	10,1	ГОСТ 25423-90
53633020000004	0	BK10-KC	4BШМ	8883,29	56,85	6,4	ТУ 48-19-180-76
53833020000004	0	BK20-KC	4BШМ	12328,27	80,13	6,5	ТУ 48-19-180-76
51200500000202	0	BK6-M	50202	8873,58	9,23	1,04	ГОСТ 25394-90
52400500000242	0	BK6	50242	6134,7	16,07	2,66	ГОСТ 25394-90
52500500000242	0	BK8	50242	6134,7	16,07	2,62	ГОСТ 25394-90
61300500000242	0	T15K6	50242	6436,5	14,55	2,04	ГОСТ 25394-90
61100500000242	0	T5K10	50242	6436,5	14,55	2,29	ГОСТ 25394-90
52500500000251	0	BK8	50251	5862,26	26,15	4,46	ГОСТ 25394-90
61300500000251	0	T15K6	50251	6182,18	21,58	3,47	ГОСТ 25394-90
61100500000251	0	T5K10	50251	6125,78	23,89	3,9	ГОСТ 25394-90
52500500000262	0	BK8	50262	5848,86	26,90	4,6	ГОСТ 25394-90
61300500000262	0	T15K6	50262	6118,31	24,23	3,57	ГОСТ 25394-90
61100500000262	0	T5K10	50262	6118,31	24,23	4,02	ГОСТ 25394-90
52500500000271	0	BK8	50271	5716,47	37,16	6,5	ГОСТ 25394-90
61300500000271	0	T15K6	50271	5911,67	38,43	5,05	ГОСТ 25394-90
52400500000291	0	BK6	50291	5594,27	55,50	10,00	ГОСТ 25394-90
52500500000291	0	BK8	50291	5594,27	55,50	9,92	ГОСТ 25394-90
61100500000291	0	T5K10	50291	5825,38	49,75	8,66	ГОСТ 25394-90
52800500000302	0	BK20	50302	9896,02	99,95	9,4	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52500500000302	0	BK8	50302	6183,89	62,46	10,1	ГОСТ 25394-90
61300500000302	0	T15K6	50302	6479,37	56,37	7,83	ГОСТ 25394-90
61100500000302	0	T5K10	50302	6479,37	56,37	8,8	ГОСТ 25394-90
52500500000311	0	BK8	50311	5505,81	84,24	15,3	ГОСТ 25394-90
61300500000311	0	T15K6	50311	5721,72	75,36	11,1	ГОСТ 25394-90
61100500000311	0	T5K10	50311	5693,81	87,12	12,52	ГОСТ 25394-90
52400500000322	0	BK6	50322	5510,33	82,10	15,1	ГОСТ 25394-90
52500500000322	0	BK8	50322	5510,33	82,10	14,9	ГОСТ 25394-90
61300500000322	0	T15K6	50322	5726,97	73,48	11,6	ГОСТ 25394-90
61100500000322	0	T5K10	50322	5726,97	73,48	13,02	ГОСТ 25394-90
52400500000331	0	BK6	50331	5454,06	119,44	22,2	ГОСТ 25394-90
52500500000331	0	BK8	50331	5454,06	119,44	21,9	ГОСТ 25394-90
61100500000331	0	T5K10	50331	5660,53	106,76	19,1	ГОСТ 25394-90
51600500000342	0	BK6-OM	50342	7148,00	167,41	23,4	ГОСТ 25394-90
52500500000342	0	BK8	50342	5447,7	125,84	23,1	ГОСТ 25394-90
52500500000351	0	BK8	50351	5413,63	175,94	32,5	ГОСТ 25394-90
61100500000351	0	T5K10	50351	5612,57	157,04	28,4	ГОСТ 25394-90
55100500000362	0	BK10-XO	50362	7101,09	240,02	34,04	ГОСТ 25394-90
51600500000362	0	BK6-OM	50362	7608,18	260,73	34,3	ГОСТ 25394-90
52500500000362	0	BK8	50362	5799,13	196,01	33,8	ГОСТ 25394-90
61300500000362	0	T15K6	50362	6026,24	175,36	29,5	ГОСТ 25394-90
61100500000362	0	T5K10	50362	6026,24	175,36	29,5	ГОСТ 25394-90
52500600000010	0	BK8	51010	6076,66	17,62	2,9	ГОСТ 20312-90
61300600000010	0	T15K6	51010	6372,84	15,93	2,22	ГОСТ 20312-90
61100600000010	0	T5K10	51010	6372,84	15,93	2,52	ГОСТ 20312-90
52500600000030	0	BK8	51030	5782,11	31,34	5,42	ГОСТ 20312-90
61300600000030	0	T15K6	51030	6041,9	28,22	4,15	ГОСТ 20312-90
61100600000030	0	T5K10	51030	5979,55	32,41	4,71	ГОСТ 20312-90
52400600000050	0	BK6	51050	5675,91	41,83	7,45	ГОСТ 20312-90
52500600000050	0	BK8	51050	5675,91	41,83	7,37	ГОСТ 20312-90
61300600000050	0	T15K6	51050	5919,9	37,59	5,64	ГОСТ 20312-90
61100600000050	0	T5K10	51050	5919,9	37,59	6,4	ГОСТ 20312-90
52500600000070	0	BK8	51070	5554,9	65,55	11,8	ГОСТ 20312-90
61300600000070	0	T15K6	51070	5779,33	58,72	9,00	ГОСТ 20312-90
52500600000090	0	BK8	51090	5476,35	101,31	18,5	ГОСТ 20312-90
61300600000090	0	T15K6	51090	5686,9	90,59	14,2	ГОСТ 20312-90
61100600000090	0	T5K10	51090	5663,34	104,77	16,1	ГОСТ 20312-90
52500600000110	0	BK8	51110	5846,96	154,94	26,5	ГОСТ 20312-90
61300600000110	0	T15K6	51110	6083,04	138,82	19,5	ГОСТ 20312-90
61100600000110	0	T5K10	51110	5618,19	148,88	22,1	ГОСТ 20312-90
61300600000130	0	T15K6	51130	5989,93	210,85	27,00	ГОСТ 20312-90
61100600000130	0	T5K10	51130	5989,93	210,85	30,6	ГОСТ 20312-90
52400600000150	0	BK6	51150	5757,36	255,05	44,8	ГОСТ 20312-90
52500600000150	0	BK8	51150	5757,36	255,05	44,3	ГОСТ 20312-90
61300600000150	0	T15K6	51150	5976,48	227,94	33,9	ГОСТ 20312-90

61100600000150	0	T5K10	51150	5574,95	246,97	38,4	ГОСТ 20312-90
53633020000005	0	BK10-KC	5BШМ	8862,98	59,38	6,7	ТУ 48-19-180-76
55100520000151	0	BK10-XO	61151	7149,3	166,01	23,06	ГОСТ 25395-90
52200520000151	0	BK3	61151	5448,72	124,78	23,6	ГОСТ 25395-90
51100520000151	0	BK3-M	61151	7149,3	166,01	23,6	ГОСТ 25395-90
52400520000151	0	BK6	61151	5448,72	124,78	23,1	ГОСТ 25395-90
51200520000151	0	BK6-M	61151	7149,3	166,01	23,1	ГОСТ 25395-90
51600520000151	0	BK6-OM	61151	7149,3	166,01	23,1	ГОСТ 25395-90
52500520000151	0	BK8	61151	5448,72	124,78	22,9	ГОСТ 25395-90
61200520000151	0	T14K8	61151	5654,2	111,50	17,6	ГОСТ 25395-90
61300520000151	0	T15K6	61151	5654,2	111,50	17,6	ГОСТ 25395-90
61400520000151	0	T30K4	61151	5654,2	111,50	14,9	ГОСТ 25395-90
61100520000151	0	T5K10	61151	5654,2	111,50	20,00	ГОСТ 25395-90
51100530000152	0	BK3-M	61152	7157,71	157,47	22,5	ГОСТ 25395-90
52400530000152	0	BK6	61152	5455,19	118,38	22,00	ГОСТ 25395-90
51200530000152	0	BK6-M	61152	7157,71	157,47	22,00	ГОСТ 25395-90
52500530000152	0	BK8	61152	5455,19	118,38	21,7	ГОСТ 25395-90
61300530000152	0	T15K6	61152	5661,92	105,76	16,9	ГОСТ 25395-90
61400530000152	0	T30K4	61152	5641,46	122,42	14,3	ГОСТ 25395-90
61100530000152	0	T5K10	61152	5661,92	105,76	18,9	ГОСТ 25395-90
52800520000251	0	BK20	61251	9893,56	1622,54	151,7	ГОСТ 25395-90
52500520000251	0	BK8	61251	5656,93	927,74	164,00	ГОСТ 25395-90
61200520000251	0	T14K8	61251	5850,09	959,41	126,00	ГОСТ 25395-90
61300520000251	0	T15K6	61251	5850,09	959,41	125,00	ГОСТ 25395-90
61100520000251	0	T5K10	61251	5850,09	959,41	143,00	ГОСТ 25395-90
52500530000252	0	BK8	61252	5658,12	899,64	159,00	ГОСТ 25395-90
61400530000252	0	T30K4	61252	5873,14	604,93	103,00	ГОСТ 25395-90
51100520000271	0	BK3-M	61271	7411,88	1638,40	226,00	ГОСТ 25395-90
52400520000271	0	BK6	61271	5647,56	1231,17	222,00	ГОСТ 25395-90
51600520000271	0	BK6-OM	61271	7411,88	1638,40	222,00	ГОСТ 25395-90
52500520000271	0	BK8	61271	5647,56	1231,17	218,00	ГОСТ 25395-90
61300520000271	0	T15K6	61271	5845,15	1097,14	168,00	ГОСТ 25395-90
61100520000271	0	T5K10	61271	5845,15	1097,14	190,00	ГОСТ 25395-90
52500530000272	0	BK8	61272	5648,5	1191,83	211,00	ГОСТ 25395-90
61100530000272	0	T5K10	61272	5845,84	1075,63	184,00	ГОСТ 25395-90
55100520000351	0	BK10-XO	61351	7888,15	25,87	3,25	ГОСТ 25395-90
52200520000351	0	BK3	61351	6018,12	19,44	3,34	ГОСТ 25395-90
51100520000351	0	BK3-M	61351	7888,15	25,87	3,34	ГОСТ 25395-90
52400520000351	0	BK6	61351	6018,12	19,44	3,28	ГОСТ 25395-90
51600520000351	0	BK6-OM	61351	7888,15	25,87	3,28	ГОСТ 25395-90
52500520000351	0	BK8	61351	6018,12	19,44	3,4	ГОСТ 25395-90
61300520000351	0	T15K6	61351	6308,79	17,54	2,48	ГОСТ 25395-90
61400530000351	0	T30K4	61351	6223,61	20,10	2,1	ГОСТ 25395-90
61100520000351	0	T5K10	61351	6308,79	17,54	3,00	ГОСТ 25395-90
62100520000351	0	TT7K12	61351	11635,76	37,58	2,9	ГОСТ 25395-90
52500530000352	0	BK8	61352	6054,26	18,28	3,2	ГОСТ 25395-90
61300530000352	0	T15K6	61352	6348,82	16,51	2,35	ГОСТ 25395-90
61400530000352	0	T30K4	61352	6348,82	16,51	2,00	ГОСТ 25395-90
61100530000352	0	T5K10	61352	6348,82	16,51	2,8	ГОСТ 25395-90
55100520000371	0	BK10-XO	61371	7506,98	48,34	6,39	ГОСТ 25395-90
51100520000371	0	BK3-M	61371	7506,98	48,34	6,8	ГОСТ 25395-90
52400520000371	0	BK6	61371	5724,44	36,35	6,41	ГОСТ 25395-90
51200520000371	0	BK6-M	61371	7496,78	49,40	6,41	ГОСТ 25395-90
51600520000371	0	BK6-OM	61371	7506,98	48,34	6,41	ГОСТ 25395-90
52500520000371	0	BK8	61371	5724,44	36,35	6,35	ГОСТ 25395-90
61200520000371	0	T14K8	61371	5975,91	32,69	4,88	ГОСТ 25395-90
61300520000371	0	T15K6	61371	5975,91	32,69	5,1	ГОСТ 25395-90
61400520000371	0	T30K4	61371	5975,91	32,69	4,52	ГОСТ 25395-90
61100520000371	0	T5K10	61371	5975,91	32,69	5,89	ГОСТ 25395-90
62100520000371	0	TT7K12	61371	11207,31	63,32	5,67	ГОСТ 25395-90
52500530000372	0	BK8	61372	5750,4	33,93	6,3	ГОСТ 25395-90
61300530000372	0	T15K6	61372	6005,91	30,51	4,85	ГОСТ 25395-90
61400530000372	0	T30K4	61372	6005,91	30,51	3,9	ГОСТ 25395-90
61100530000372	0	T5K10	61372	6005,91	30,51	5,5	ГОСТ 25395-90
55100520000391	0	BK10-XO	61391	7259,69	96,41	13,19	ГОСТ 25395-90
51100520000391	0	BK3-M	61391	7259,69	96,41	13,4	ГОСТ 25395-90
52400520000391	0	BK6	61391	5533,82	72,49	13,2	ГОСТ 25395-90
51200520000391	0	BK6-M	61391	7259,69	96,41	13,2	ГОСТ 25395-90
51600520000391	0	BK6-OM	61391	7259,69	96,41	13,2	ГОСТ 25395-90
52500520000391	0	BK8	61391	5533,82	72,49	13,1	ГОСТ 25395-90
61300520000391	0	T15K6	61391	5754,59	64,91	10,03	ГОСТ 25395-90

61400520000391	0	T30K4	61391	5754,59	64,91	8,5	ГОСТ 25395-90
61100520000391	0	T5K10	61391	5754,59	64,91	11,3	ГОСТ 25395-90
51100530000392	0	BK3-M	61392	7278,00	90,03	23,1	ГОСТ 25395-90
52400530000392	0	BK6	61392	5547,98	67,69	12,4	ГОСТ 25395-90
51600530000392	0	BK6-OM	61392	7278,00	90,03	12,4	ГОСТ 25395-90
52500530000392	0	BK8	61392	5547,98	67,69	12,2	ГОСТ 25395-90
61300530000392	0	T15K6	61392	5771,31	60,60	9,48	ГОСТ 25395-90
61400530000392	0	T30K4	61392	5771,31	60,60	8,2	ГОСТ 25395-90
61100530000392	0	T5K10	61392	5771,31	60,60	10,6	ГОСТ 25395-90
53600520000411	0	BK10-KC	61411	7590,69	334,75	43,3	ГОСТ 25395-90
55100520000411	0	BK10-XO	61411	7075,88	312,05	44,41	ГОСТ 25395-90
52200520000411	0	BK3	61411	5757,97	253,93	45,7	ГОСТ 25395-90
51100520000411	0	BK3-M	61411	7554,84	337,85	45,7	ГОСТ 25395-90
52400520000411	0	BK6	61411	5757,97	253,93	44,6	ГОСТ 25395-90
51200520000411	0	BK6-M	61411	7554,84	337,85	44,6	ГОСТ 25395-90
51600520000411	0	BK6-OM	61411	7554,84	337,85	44,6	ГОСТ 25395-90
52500520000411	0	BK8	61411	5757,97	253,93	44,1	ГОСТ 25395-90
61200520000411	0	T14K8	61411	5977,2	226,95	34,1	ГОСТ 25395-90
61300520000411	0	T15K6	61411	5977,2	226,95	33,6	ГОСТ 25395-90
61100520000411	0	T5K10	61411	5977,2	226,95	38,3	ГОСТ 25395-90
52400530000412	0	BK6	61412	5764,42	242,68	42,59	ГОСТ 25395-90
51200530000412	0	BK6-M	61412	7563,21	322,87	42,59	ГОСТ 25395-90
52500530000412	0	BK8	61412	5764,42	242,68	42,02	ГОСТ 25395-90
61300530000412	0	T15K6	61412	5984,93	216,89	32,66	ГОСТ 25395-90
61400530000412	0	T30K4	61412	5578,49	234,41	27,77	ГОСТ 25395-90
61100530000412	0	T5K10	61412	5984,93	216,89	36,69	ГОСТ 25395-90
55100520000431	0	BK10-XO	61431	7037,48	570,88	80,56	ГОСТ 25395-90
52200520000431	0	BK3	61431	5362,4	428,99	83,00	ГОСТ 25395-90
51100520000431	0	BK3-M	61431	7036,42	584,30	83,00	ГОСТ 25395-90
52400520000431	0	BK6	61431	5362,4	428,99	81,00	ГОСТ 25395-90
51200520000431	0	BK6-M	61431	7036,42	584,30	81,00	ГОСТ 25395-90
51600520000431	0	BK6-OM	61431	7037,48	570,88	81,00	ГОСТ 25395-90
52500520000431	0	BK8	61431	5362,4	428,99	80,00	ГОСТ 25395-90
61200520000431	0	T14K8	61431	5556,48	342,28	62,00	ГОСТ 25395-90
61300520000431	0	T15K6	61431	5556,48	342,28	61,00	ГОСТ 25395-90
61100520000431	0	T5K10	61431	5551,45	382,38	69,3	ГОСТ 25395-90
62100520000431	0	TT7K12	61431	10527,38	749,55	71,00	ГОСТ 25395-90
52500530000432	0	BK8	61432	5364,44	405,87	75,66	ГОСТ 25395-90
61300530000432	0	T15K6	61432	5547,62	419,73	58,82	ГОСТ 25395-90
61100530000432	0	T5K10	61432	5553,9	361,78	66,07	ГОСТ 25395-90
52200520000451	0	BK3	61451	5661,58	826,59	150,00	ГОСТ 25395-90
51100520000451	0	BK3-M	61451	7430,04	1099,94	150,00	ГОСТ 25395-90
52400520000451	0	BK6	61451	5661,58	826,59	148,00	ГОСТ 25395-90
51600520000451	0	BK6-OM	61451	7430,04	1099,94	148,00	ГОСТ 25395-90
52500520000451	0	BK8	61451	5661,58	826,59	146,00	ГОСТ 25395-90
61300520000451	0	T15K6	61451	5861,97	736,91	111,00	ГОСТ 25395-90
61100520000451	0	T5K10	61451	5861,97	736,91	127,00	ГОСТ 25395-90
52200530000452	0	BK3	61452	5663,71	787,26	144,00	ГОСТ 25395-90
52500530000452	0	BK8	61452	5663,71	787,26	139,00	ГОСТ 25395-90
61300530000452	0	T15K6	61452	5864,52	701,87	108,00	ГОСТ 25395-90
61100530000452	0	T5K10	61452	5864,52	701,87	121,00	ГОСТ 25395-90
52200520000471	0	BK3	61471	5645,05	1349,17	246,00	ГОСТ 25395-90
51100520000471	0	BK3-M	61471	7408,64	1795,48	246,00	ГОСТ 25395-90
52400520000471	0	BK6	61471	5645,05	1349,17	242,00	ГОСТ 25395-90
51600520000471	0	BK6-OM	61471	7408,64	1795,48	242,00	ГОСТ 25395-90
52500520000471	0	BK8	61471	5645,05	1349,17	239,00	ГОСТ 25395-90
61200520000471	0	T14K8	61471	5842,15	1202,20	184,00	ГОСТ 25395-90
61300520000471	0	T15K6	61471	5842,15	1202,20	183,00	ГОСТ 25395-90
61100530000471	0	T5K10	61471	5841,81	1215,10	208,00	ГОСТ 25395-90
62100520000471	0	TT7K12	61471	11006,36	2341,16	214,00	ГОСТ 25395-90
51200530000472	0	BK6-M	61472	7411,08	1674,90	229,00	ГОСТ 25395-90
52500530000472	0	BK8	61472	5646,55	1276,12	226,00	ГОСТ 25395-90
61100530000472	0	T5K10	61472	5839,35	1319,69	197,00	ГОСТ 25395-90
52500520000491	0	BK8	61491	5681,63	562,48	99,00	ГОСТ 25395-90
61300520000491	0	T15K6	61491	5875,64	581,69	76,00	ГОСТ 25395-90
61400520000491	0	T30K4	61491	5875,64	581,69	64,00	ГОСТ 25395-90
61100520000491	0	T5K10	61491	5875,64	581,69	85,00	ГОСТ 25395-90
52500530000492	0	BK8	61492	5683,91	542,81	95,5	ГОСТ 25395-90
55100540000251	0	BK10-XO	62251	7243,41	102,86	14,1	ГОСТ 25395-90
52200540000251	0	BK3	62251	5521,37	77,30	14,4	ГОСТ 25395-90
51100540000251	0	BK3-M	62251	7243,41	102,86	14,4	ГОСТ 25395-90

52400540000251	0	BK6	62251	5521,37	77,30	14,1	ГОСТ 25395-90
51200540000251	0	BK6-M	62251	7243,41	102,86	14,1	ГОСТ 25395-90
51600540000251	0	BK6-OM	62251	7243,41	102,86	14,1	ГОСТ 25395-90
52500540000251	0	BK8	62251	5521,37	77,30	14,00	ГОСТ 25395-90
61300540000251	0	T15K6	62251	5740,05	69,17	10,71	ГОСТ 25395-90
61400540000251	0	T30K4	62251	5740,05	69,17	9,6	ГОСТ 25395-90
61100540000251	0	T5K10	62251	5740,05	69,17	12,1	ГОСТ 25395-90
52200550000252	0	BK3	62252	5535,31	71,96	13,5	ГОСТ 25395-90
52400550000252	0	BK6	62252	5535,31	71,96	13,2	ГОСТ 25395-90
51200540000252	0	BK6-M	62252	7261,21	95,85	13,2	ГОСТ 25395-90
51600550000252	0	BK6-OM	62252	7261,59	95,71	13,2	ГОСТ 25395-90
52500550000252	0	BK8	62252	5535,31	71,96	13,00	ГОСТ 25395-90
61200550000252	0	T14K8	62252	5756,41	64,41	10,1	ГОСТ 25395-90
61300550000252	0	T15K6	62252	5756,41	64,41	10,1	ГОСТ 25395-90
61100550000252	0	T5K10	62252	5756,41	64,41	11,3	ГОСТ 25395-90
55100540000271	0	BK10-XO	62271	7138,16	178,81	24,87	ГОСТ 25395-90
52200540000271	0	BK3	62271	5440,14	134,37	25,4	ГОСТ 25395-90
51100540000271	0	BK3-M	62271	7138,16	178,81	25,4	ГОСТ 25395-90
52400540000271	0	BK6	62271	5440,14	134,37	25,00	ГОСТ 25395-90
51200540000271	0	BK6-M	62271	7138,16	178,81	25,00	ГОСТ 25395-90
51600540000271	0	BK6-OM	62271	7138,16	178,81	25,00	ГОСТ 25395-90
52500540000271	0	BK8	62271	5440,14	134,37	24,7	ГОСТ 25395-90
61200540000271	0	T14K8	62271	5644,04	120,05	18,9	ГОСТ 25395-90
61300540000271	0	T15K6	62271	5644,04	120,05	18,9	ГОСТ 25395-90
61400540000271	0	T30K4	62271	5644,04	120,05	16,00	ГОСТ 25395-90
61100540000271	0	T5K10	62271	5644,04	120,05	21,5	ГОСТ 25395-90
55100550000272	0	BK10-XO	62272	7146,03	169,58	23,56	ГОСТ 25395-90
52200550000272	0	BK3	62272	5446,21	127,44	24,3	ГОСТ 25395-90
51100550000272	0	BK3-M	62272	7146,03	169,58	24,3	ГОСТ 25395-90
52400550000272	0	BK6	62272	5446,21	127,44	23,8	ГОСТ 25395-90
51200550000272	0	BK6-M	62272	7146,03	169,58	23,8	ГОСТ 25395-90
51600550000272	0	BK6-OM	62272	7146,03	169,58	23,8	ГОСТ 25395-90
52500550000272	0	BK8	62272	5446,21	127,44	23,4	ГОСТ 25395-90
61200550000272	0	T14K8	62272	5651,23	113,87	18,3	ГОСТ 25395-90
61300550000272	0	T15K6	62272	5651,23	113,87	18,2	ГОСТ 25395-90
61400550000272	0	T30K4	62272	5632,17	131,79	15,5	ГОСТ 25395-90
61100550000272	0	T5K10	62272	5651,23	113,87	20,5	ГОСТ 25395-90
55100540000311	0	BK10-XO	62311	7575,81	302,65	39,68	ГОСТ 25395-90
52200540000311	0	BK3	62311	5774,15	227,50	40,4	ГОСТ 25395-90
51100540000311	0	BK3-M	62311	7575,81	302,65	40,4	ГОСТ 25395-90
52400540000311	0	BK6	62311	5774,15	227,50	40,00	ГОСТ 25395-90
51200540000311	0	BK6-M	62311	7575,81	302,65	40,00	ГОСТ 25395-90
51600540000311	0	BK6-OM	62311	7575,81	302,65	40,00	ГОСТ 25395-90
52500540000311	0	BK8	62311	5774,15	227,50	39,4	ГОСТ 25395-90
53300540000311	0	BK8-B	62311	6470,68	254,94	39,26	ГОСТ 25395-90
61200540000311	0	T14K8	62311	5996,5	203,40	30,4	ГОСТ 25395-90
61300540000311	0	T15K6	62311	5996,5	203,40	30,4	ГОСТ 25395-90
61400540000311	0	T30K4	62311	5996,5	203,40	25,7	ГОСТ 25395-90
61100540000311	0	T5K10	62311	5996,5	203,40	34,1	ГОСТ 25395-90
62100540000311	0	TT7K12	62311	10581,68	416,92	35,2	ГОСТ 25395-90
52200550000312	0	BK3	62312	5782,91	215,36	38,64	ГОСТ 25395-90
52400550000312	0	BK6	62312	5782,91	215,36	37,75	ГОСТ 25395-90
51200550000312	0	BK6-M	62312	7587,17	286,49	37,75	ГОСТ 25395-90
51600550000312	0	BK6-OM	62312	7587,17	286,49	37,75	ГОСТ 25395-90
52500550000312	0	BK8	62312	5782,91	215,36	37,24	ГОСТ 25395-90
61200550000312	0	T14K8	62312	6006,95	192,58	29,08	ГОСТ 25395-90
61300550000312	0	T15K6	62312	6006,95	192,58	28,95	ГОСТ 25395-90
61400550000312	0	T30K4	62312	6006,95	192,58	24,6	ГОСТ 25395-90
61100550000312	0	T5K10	62312	6006,95	192,58	32,52	ГОСТ 25395-90
55100540000351	0	BK10-XO	62351	7490,79	524,13	69,48	ГОСТ 25395-90
51100540000351	0	BK3-M	62351	7490,79	524,13	71,00	ГОСТ 25395-90
52400540000351	0	BK6	62351	5708,51	393,89	70,00	ГОСТ 25395-90
51200540000351	0	BK6-M	62351	7490,79	524,13	70,00	ГОСТ 25395-90
51600540000351	0	BK6-OM	62351	7490,79	524,13	70,00	ГОСТ 25395-90
52500540000351	0	BK8	62351	5708,51	393,89	69,00	ГОСТ 25395-90
61300540000351	0	T15K6	62351	5918,14	351,60	53,6	ГОСТ 25395-90
61100540000351	0	T5K10	62351	5918,14	351,60	60,9	ГОСТ 25395-90
52400550000352	0	BK6	62352	5713,04	374,95	66,53	ГОСТ 25395-90
52500550000352	0	BK8	62352	5713,04	374,95	65,63	ГОСТ 25395-90
61300550000352	0	T15K6	62352	5923,55	334,74	51,02	ГОСТ 25395-90
61100550000352	0	T5K10	62352	5923,55	334,74	57,32	ГОСТ 25395-90

55100540000451	0	BK10-XO	62451	7516,73	428,45	57,4	FOCT 25395-90
52400540000451	0	BK6	62451	5376,73	306,47	58,00	FOCT 25395-90
52500540000451	0	BK8	62451	5727,04	326,44	57,00	FOCT 25395-90
61200540000451	0	T14K8	62451	5560,32	316,94	44,00	FOCT 25395-90
61300540000451	0	T15K6	62451	5940,28	291,55	43,6	FOCT 25395-90
61100540000451	0	T5K10	62451	5940,28	291,55	49,3	FOCT 25395-90
52200540000511	0	BK3	62511	5680,4	573,72	103,00	FOCT 25395-90
51100540000511	0	BK3-M	62511	7454,41	763,41	103,00	FOCT 25395-90
52400540000511	0	BK6	62511	5680,4	573,72	102,00	FOCT 25395-90
51200540000511	0	BK6-M	62511	7454,41	763,41	102,00	FOCT 25395-90
51600540000511	0	BK6-OM	62511	7454,41	763,41	102,00	FOCT 25395-90
52500540000511	0	BK8	62511	5680,4	573,72	101,00	FOCT 25395-90
61200540000511	0	T14K8	62511	5884,51	511,72	78,00	FOCT 25395-90
61300540000511	0	T15K6	62511	5884,51	511,72	77,00	FOCT 25395-90
61100540000511	0	T5K10	62511	5884,51	511,72	87,2	FOCT 25395-90
62100540000511	0	TT7K12	62511	11073,84	995,43	90,00	FOCT 25395-90
52500550000512	0	BK8	62512	5683,74	544,22	95,75	FOCT 25395-90
61300550000512	0	T15K6	62512	5539,42	530,40	74,43	FOCT 25395-90
55100620000050	0	BK10-XO	66050	7607,25	39,79	5,2	FOCT 25397-90
52400620000050	0	BK6	66050	5801,35	29,93	5,22	FOCT 25397-90
51200620000050	0	BK6-M	66050	7607,25	39,79	5,22	FOCT 25397-90
51600620000050	0	BK6-OM	66050	7607,25	39,79	5,22	FOCT 25397-90
52500620000050	0	BK8	66050	5801,35	29,93	5,16	FOCT 25397-90
61200620000050	0	T14K8	66050	6020,23	29,56	3,78	FOCT 25397-90
61300620000050	0	T15K6	66050	6064,47	26,93	3,95	FOCT 25397-90
61400620000050	0	T30K4	66050	6064,47	26,93	3,35	FOCT 25397-90
61100620000050	0	T5K10	66050	6064,47	26,93	4,47	FOCT 25397-90
55100620000060	0	BK10-XO	66060	7614,26	39,29	5,2	FOCT 25397-90
52400620000060	0	BK6	66060	5801,35	29,93	5,22	FOCT 25397-90
51200620000060	0	BK6-M	66060	7607,25	39,79	5,22	FOCT 25397-90
51600620000060	0	BK6-OM	66060	7607,25	39,79	5,22	FOCT 25397-90
52500620000060	0	BK8	66060	5801,35	29,93	5,16	FOCT 25397-90
61300620000060	0	T15K6	66060	6064,47	26,93	3,95	FOCT 25397-90
61400620000060	0	T30K4	66060	5999,45	30,96	3,35	FOCT 25397-90
61100620000060	0	T5K10	66060	6064,47	26,93	4,47	FOCT 25397-90
55100620000090	0	BK10-XO	66090	7278,00	90,03	12,29	FOCT 25397-90
51100620000090	0	BK3-M	66090	7281,7	88,84	12,5	FOCT 25397-90
52400620000090	0	BK6	66090	5547,98	67,69	12,3	FOCT 25397-90
51200620000090	0	BK6-M	66090	7278,00	90,03	12,3	FOCT 25397-90
51600620000090	0	BK6-OM	66090	7278,00	90,03	12,3	FOCT 25397-90
52500620000090	0	BK8	66090	5547,98	67,69	12,2	FOCT 25397-90
61200620000090	0	T14K8	66090	5771,31	60,60	9,39	FOCT 25397-90
61300620000090	0	T15K6	66090	5771,31	60,60	9,32	FOCT 25397-90
61400620000090	0	T30K4	66090	5771,31	60,60	8,7	FOCT 25397-90
61100620000090	0	T5K10	66090	5771,31	60,60	10,6	FOCT 25397-90
55100620000100	0	BK10-XO	66100	7278,00	90,03	12,29	FOCT 25397-90
51100620000100	0	BK3-M	66100	7278,00	90,03	12,5	FOCT 25397-90
52400620000100	0	BK6	66100	5547,98	67,69	12,3	FOCT 25397-90
51200620000100	0	BK6-M	66100	7281,7	88,84	12,3	FOCT 25397-90
51600620000100	0	BK6-OM	66100	7278,00	90,03	12,3	FOCT 25397-90
52500620000100	0	BK8	66100	5547,98	67,69	12,2	FOCT 25397-90
61300620000100	0	T15K6	66100	5771,31	60,60	9,32	FOCT 25397-90
61400620000100	0	T30K4	66100	5771,31	60,60	8,7	FOCT 25397-90
61100620000100	0	T5K10	66100	5771,31	60,60	10,6	FOCT 25397-90
55100620000130	0	BK10-XO	66130	7144,78	170,97	23,77	FOCT 25397-90
51100620000130	0	BK3-M	66130	7144,78	170,97	24,4	FOCT 25397-90
52400620000130	0	BK6	66130	5445,23	128,51	23,9	FOCT 25397-90
51200620000130	0	BK6-M	66130	7144,78	170,97	23,9	FOCT 25397-90
51600620000130	0	BK6-OM	66130	7144,78	170,97	23,9	FOCT 25397-90
52500620000130	0	BK8	66130	5445,23	128,51	23,6	FOCT 25397-90
61300620000130	0	T15K6	66130	5650,09	114,81	18,1	FOCT 25397-90
61400620000130	0	T30K4	66130	5650,09	114,81	15,3	FOCT 25397-90
61100620000130	0	T5K10	66130	5650,09	114,81	20,5	FOCT 25397-90
55100620000140	0	BK10-XO	66140	7144,78	170,97	23,77	FOCT 25397-90
51100620000140	0	BK3-M	66140	7144,78	170,97	24,4	FOCT 25397-90
52400620000140	0	BK6	66140	5445,23	128,51	23,9	FOCT 25397-90
51600620000140	0	BK6-OM	66140	7144,78	170,97	23,9	FOCT 25397-90
52500620000140	0	BK8	66140	5445,23	128,51	23,6	FOCT 25397-90
61300620000140	0	T15K6	66140	5650,09	114,81	18,1	FOCT 25397-90
61400620000140	0	T30K4	66140	5650,09	114,81	15,3	FOCT 25397-90
61100620000140	0	T5K10	66140	5650,09	114,81	20,5	FOCT 25397-90

55100620000170	0	BK10-XO	66170	7087,22	274,98	39,07	FOCT 25397-90
52200620000170	0	BK3	66170	5776,49	224,13	40,00	FOCT 25397-90
51100620000170	0	BK3-M	66170	7578,85	298,15	40,00	FOCT 25397-90
52400620000170	0	BK6	66170	5776,49	224,13	39,3	FOCT 25397-90
51200620000170	0	BK6-M	66170	7578,85	298,15	39,3	FOCT 25397-90
51600620000170	0	BK6-OM	66170	7578,85	298,15	39,3	FOCT 25397-90
52500620000170	0	BK8	66170	5776,49	224,13	38,8	FOCT 25397-90
61300620000170	0	T15K6	66170	5999,25	200,44	29,7	FOCT 25397-90
61400620000170	0	T30K4	66170	5999,25	200,44	25,2	FOCT 25397-90
61100620000170	0	T5K10	66170	5999,25	200,44	33,7	FOCT 25397-90
52400620000180	0	BK6	66180	5776,49	224,13	39,3	FOCT 25397-90
52500620000180	0	BK8	66180	5776,49	224,13	38,8	FOCT 25397-90
61300620000180	0	T15K6	66180	5999,25	200,44	29,7	FOCT 25397-90
61400620000180	0	T30K4	66180	5999,25	200,44	25,2	FOCT 25397-90
61100620000180	0	T5K10	66180	5999,25	200,44	33,7	FOCT 25397-90
52500620000270	0	BK8	66270	5711,14	382,65	67,00	FOCT 25397-90
61300620000270	0	T15K6	66270	5921,28	341,60	51,2	FOCT 25397-90
61100620000270	0	T5K10	66270	5921,28	341,60	58,00	FOCT 25397-90
52500620000280	0	BK8	66280	5711,14	382,65	67,00	FOCT 25397-90
61300620000280	0	T15K6	66280	5921,28	341,60	51,2	FOCT 25397-90
61100620000280	0	T5K10	66280	5921,28	341,60	58,00	FOCT 25397-90
51600620000290	0	BK6-OM	66290	7452,13	785,90	107,00	FOCT 25397-90
51600620000300	0	BK6-OM	66300	7452,13	785,90	107,00	FOCT 25397-90
52500620000300	0	BK8	66300	5678,65	590,58	106,00	FOCT 25397-90
61300620000300	0	T15K6	66300	5882,41	526,71	81,00	FOCT 25397-90
55100710000330	0	BK10-XO	67330	7605,5	263,76	34,44	FOCT 25426-90
52200710000330	0	BK3	67330	5797,08	198,26	35,2	FOCT 25426-90
51100710000330	0	BK3-M	67330	7605,5	263,76	35,2	FOCT 25426-90
52400710000330	0	BK6	67330	5797,08	198,26	34,6	FOCT 25426-90
51200710000330	0	BK6-M	67330	7605,5	263,76	34,6	FOCT 25426-90
51600710000330	0	BK6-OM	67330	7605,5	263,76	34,6	FOCT 25426-90
52500710000330	0	BK8	67330	5797,08	198,26	34,2	FOCT 25426-90
61200710000330	0	T14K8	67330	6023,76	177,40	26,4	FOCT 25426-90
61300710000330	0	T15K6	67330	6023,76	177,40	26,1	FOCT 25426-90
61400710000330	0	T30K4	67330	6023,76	177,40	22,3	FOCT 25426-90
61100710000330	0	T5K10	67330	6023,76	177,40	29,7	FOCT 25426-90
62100710000330	0	TT7K12	67330	11295,86	343,85	30,6	FOCT 25426-90
55100710000340	0	BK10-XO	67340	7605,5	263,76	34,44	FOCT 25426-90
52200710000340	0	BK3	67340	5797,08	198,26	35,2	FOCT 25426-90
51100710000340	0	BK3-M	67340	7605,5	263,76	35,2	FOCT 25426-90
52400710000340	0	BK6	67340	5797,08	198,26	34,6	FOCT 25426-90
51200710000340	0	BK6-M	67340	7605,5	263,76	34,6	FOCT 25426-90
51600710000340	0	BK6-OM	67340	7605,5	263,76	34,6	FOCT 25426-90
52500710000340	0	BK8	67340	5797,08	198,26	34,2	FOCT 25426-90
61200710000340	0	T14K8	67340	6023,76	177,40	26,4	FOCT 25426-90
61300710000340	0	T15K6	67340	6023,76	177,40	26,1	FOCT 25426-90
61400710000340	0	T30K4	67340	6023,76	177,40	22,3	FOCT 25426-90
61100710000340	0	T5K10	67340	6023,76	177,40	29,7	FOCT 25426-90
62100710000340	0	TT7K12	67340	11295,86	343,85	30,6	FOCT 25426-90
55100710000390	0	BK10-XO	67390	7341,49	73,05	9,88	FOCT 25426-90
52200710000390	0	BK3	67390	5596,99	54,91	10,1	FOCT 25426-90
51100710000390	0	BK3-M	67390	7341,49	73,05	10,1	FOCT 25426-90
52400710000390	0	BK6	67390	5596,99	54,91	9,92	FOCT 25426-90
51200710000390	0	BK6-M	67390	7341,49	73,05	9,92	FOCT 25426-90
51600710000390	0	BK6-OM	67390	7341,49	73,05	9,92	FOCT 25426-90
52500710000390	0	BK8	67390	5596,99	54,91	9,81	FOCT 25426-90
52900710000390	0	ВПт-331	67390	0,00	0,00	9,81	FOCT 25426-90
61200710000390	0	T14K8	67390	5828,4	49,25	7,55	FOCT 25426-90
61300710000390	0	T15K6	67390	5828,4	49,25	7,51	FOCT 25426-90
61400710000390	0	T30K4	67390	5828,4	49,25	6,38	FOCT 25426-90
61100710000390	0	T5K10	67390	5828,4	49,25	8,52	FOCT 25426-90
62100710000390	0	TT7K12	67390	10970,24	95,77	8,79	FOCT 25426-90
55100710000400	0	BK10-XO	67400	7341,49	73,05	9,88	FOCT 25426-90
52200710000400	0	BK3	67400	5596,99	54,91	10,1	FOCT 25426-90
51100710000400	0	BK3-M	67400	7341,49	73,05	10,1	FOCT 25426-90
52400710000400	0	BK6	67400	5596,99	54,91	9,92	FOCT 25426-90
51200710000400	0	BK6-M	67400	7341,49	73,05	9,92	FOCT 25426-90
51600710000400	0	BK6-OM	67400	7341,49	73,05	9,92	FOCT 25426-90
52500710000400	0	BK8	67400	5596,99	54,91	9,81	FOCT 25426-90
61200710000400	0	T14K8	67400	5828,4	49,25	7,55	FOCT 25426-90
61300710000400	0	T15K6	67400	5828,4	49,25	7,51	FOCT 25426-90

61400710000400	0	T30K4	67400	5828,4	49,25	6,38	ГОСТ 25426-90
61100710000400	0	T5K10	67400	5828,4	49,25	8,52	ГОСТ 25426-90
62100710000400	0	TT7K12	67400	10970,24	95,77	8,79	ГОСТ 25426-90
55100710000410	0	BK10-XO	67410	7183,15	136,19	18,83	ГОСТ 25426-90
52200710000410	0	BK3	67410	5474,82	102,38	19,2	ГОСТ 25426-90
51100710000410	0	BK3-M	67410	7183,15	136,19	19,2	ГОСТ 25426-90
52400710000410	0	BK6	67410	5474,82	102,38	18,9	ГОСТ 25426-90
51200710000410	0	BK6-M	67410	7183,15	136,19	18,9	ГОСТ 25426-90
51600710000410	0	BK6-OM	67410	7183,15	136,19	18,9	ГОСТ 25426-90
52500710000410	0	BK8	67410	5474,82	102,38	18,7	ГОСТ 25426-90
61200710000410	0	T14K8	67410	5685,12	91,53	14,4	ГОСТ 25426-90
61300710000410	0	T15K6	67410	5685,12	91,53	14,3	ГОСТ 25426-90
61400710000410	0	T30K4	67410	5685,12	91,53	12,2	ГОСТ 25426-90
61100710000410	0	T5K10	67410	5685,12	91,53	16,3	ГОСТ 25426-90
62100710000410	0	TT7K12	67410	10740,73	178,73	16,8	ГОСТ 25426-90
55100710000420	0	BK10-XO	67420	7183,15	136,19	18,83	ГОСТ 25426-90
52200710000420	0	BK3	67420	5474,82	102,38	19,2	ГОСТ 25426-90
51100710000420	0	BK3-M	67420	7183,15	136,19	19,2	ГОСТ 25426-90
52300710000420	0	BK4	67420	5474,82	102,38	19,1	ГОСТ 25426-90
52400710000420	0	BK6	67420	5474,82	102,38	18,9	ГОСТ 25426-90
51200710000420	0	BK6-M	67420	7183,15	136,19	18,9	ГОСТ 25426-90
51600710000420	0	BK6-OM	67420	7183,15	136,19	18,9	ГОСТ 25426-90
52500710000420	0	BK8	67420	5474,82	102,38	18,7	ГОСТ 25426-90
61200710000420	0	T14K8	67420	5685,12	91,53	14,4	ГОСТ 25426-90
61300710000420	0	T15K6	67420	5685,12	91,53	14,3	ГОСТ 25426-90
61400710000420	0	T30K4	67420	5685,12	91,53	12,2	ГОСТ 25426-90
61100710000420	0	T5K10	67420	5685,12	91,53	16,3	ГОСТ 25426-90
62100710000420	0	TT7K12	67420	10740,73	178,73	16,8	ГОСТ 25426-90
53633020000006	0	BK10-KC	6BШМ	8525,3	134,70	15,8	ТУ 48-19-180-76
55100820000051	0	BK10-XO	70051	8048,85	21,17	2,61	ГОСТ 25396-90
52200820000051	0	BK3	70051	6141,46	15,91	2,66	ГОСТ 25396-90
51100820000051	0	BK3-M	70051	8048,85	21,17	2,8	ГОСТ 25396-90
52400820000051	0	BK6	70051	6141,46	15,91	2,63	ГОСТ 25396-90
51200820000051	0	BK6-M	70051	8048,85	21,17	2,63	ГОСТ 25396-90
51600820000051	0	BK6-OM	70051	8048,85	21,17	2,63	ГОСТ 25396-90
52500820000051	0	BK8	70051	6141,46	15,91	2,59	ГОСТ 25396-90
61200820000051	0	T14K8	70051	6445,12	14,37	2,00	ГОСТ 25396-90
61300820000051	0	T15K6	70051	6445,12	14,37	1,98	ГОСТ 25396-90
61400820000051	0	T30K4	70051	6445,12	14,37	1,69	ГОСТ 25396-90
61100820000051	0	T5K10	70051	6445,12	14,37	2,25	ГОСТ 25396-90
52400820000061	0	BK6	70061	6141,46	15,91	2,63	ГОСТ 25396-90
51200820000061	0	BK6-M	70061	8048,85	21,17	2,63	ГОСТ 25396-90
51600820000061	0	BK6-OM	70061	8048,85	21,17	2,63	ГОСТ 25396-90
52500820000061	0	BK8	70061	6141,46	15,91	2,59	ГОСТ 25396-90
61300820000061	0	T15K6	70061	6445,12	14,37	1,98	ГОСТ 25396-90
61400820000061	0	T30K4	70061	6351,16	16,45	1,69	ГОСТ 25396-90
61100820000061	0	T5K10	70061	6445,12	14,37	2,25	ГОСТ 25396-90
52704270001103	0	BK15	701-1103	13204,07	22,58	1,81	ГОСТ 19073-80
52704270001603	0	BK15	701-1603	11944,56	47,18	4,18	ГОСТ 19073-80
52704270001604	0	BK15	701-1604	11238,65	67,54	6,35	ГОСТ 19073-80
52704270002204	0	BK15	701-2204	10298,09	112,04	11,5	ГОСТ 19073-80
52704270002704	0	BK15	701-2704	9711,46	164,42	17,9	ГОСТ 19073-80
55100820000151	0	BK10-XO	70151	7159,92	155,37	21,55	ГОСТ 25396-90
51100820000151	0	BK3-M	70151	7159,92	155,37	22,00	ГОСТ 25396-90
52400820000151	0	BK6	70151	5456,92	116,78	21,6	ГОСТ 25396-90
51200820000151	0	BK6-M	70151	7159,92	155,37	21,6	ГОСТ 25396-90
51600820000151	0	BK6-OM	70151	7159,92	155,37	21,6	ГОСТ 25396-90
52500820000151	0	BK8	70151	5456,92	116,78	21,4	ГОСТ 25396-90
61200820000151	0	T14K8	70151	5643,25	120,77	16,5	ГОСТ 25396-90
61300820000151	0	T15K6	70151	5663,9	104,39	16,4	ГОСТ 25396-90
61400820000151	0	T30K4	70151	5663,9	104,39	13,9	ГОСТ 25396-90
61100820000151	0	T5K10	70151	5663,9	104,39	18,6	ГОСТ 25396-90
55100820000161	0	BK10-XO	70161	7162,19	153,27	21,55	ГОСТ 25396-90
51100820000161	0	BK3-M	70161	7159,92	155,37	22,00	ГОСТ 25396-90
52400820000161	0	BK6	70161	5456,92	116,78	21,6	ГОСТ 25396-90
51200820000161	0	BK6-M	70161	7159,92	155,37	21,6	ГОСТ 25396-90
52500820000161	0	BK8	70161	5456,92	116,78	21,4	ГОСТ 25396-90
61300820000161	0	T15K6	70161	5663,9	104,39	16,4	ГОСТ 25396-90
61100820000161	0	T5K10	70161	5663,9	104,39	18,6	ГОСТ 25396-90
55100820000291	0	BK10-XO	70291	7391,24	63,49	8,53	ГОСТ 25396-90
52200820000291	0	BK3	70291	5635,3	47,73	8,72	ГОСТ 25396-90

51100820000291	0	BK3-M	70291	7391,24	63,49	8,72	ГОСТ 25396-90
52400820000291	0	BK6	70291	5635,3	47,73	8,57	ГОСТ 25396-90
51200820000291	0	BK6-M	70291	7391,24	63,49	8,57	ГОСТ 25396-90
51600820000291	0	BK6-OM	70291	7391,24	63,49	8,57	ГОСТ 25396-90
52500820000291	0	BK8	70291	5635,3	47,73	8,47	ГОСТ 25396-90
61300820000291	0	T15K6	70291	5873,21	42,82	6,48	ГОСТ 25396-90
61400820000291	0	T30K4	70291	5873,21	42,82	5,51	ГОСТ 25396-90
61100820000291	0	T5K10	70291	5873,21	42,82	7,35	ГОСТ 25396-90
52704280001102	0	BK15	703-1102	17405,56	10,10	0,61	ГОСТ 19074-80
52704280001603	0	BK15	703-1603	15718,48	30,65	2,06	ГОСТ 19074-80
52704280001604	0	BK15	703-1604	14628,7	47,69	3,45	ГОСТ 19074-80
61104280001604	0	T5K10	703-1604	10530,15	37,91	3,12	ГОСТ 19074-80
52704280002204	0	BK15	703-2204	13256,69	77,29	6,16	ГОСТ 19074-80
55100820000301	0	BK10-XO	70301	7391,24	63,49	8,53	ГОСТ 25396-90
52200820000301	0	BK3	70301	5635,3	47,73	8,72	ГОСТ 25396-90
51100820000301	0	BK3-M	70301	7391,24	63,49	8,72	ГОСТ 25396-90
52400820000301	0	BK6	70301	5635,3	47,73	8,57	ГОСТ 25396-90
51600820000301	0	BK6-OM	70301	7396,31	62,65	8,57	ГОСТ 25396-90
52500820000301	0	BK8	70301	5635,3	47,73	8,47	ГОСТ 25396-90
61300820000301	0	T15K6	70301	5873,21	42,82	6,48	ГОСТ 25396-90
61400820000301	0	T30K4	70301	5873,21	42,82	5,51	ГОСТ 25396-90
61100820000301	0	T5K10	70301	5873,21	42,82	7,35	ГОСТ 25396-90
55100820000311	0	BK10-XO	70311	7261,59	95,71	13,09	ГОСТ 25396-90
52200820000311	0	BK3	70311	5535,31	71,96	13,3	ГОСТ 25396-90
51100820000311	0	BK3-M	70311	7261,59	95,71	13,3	ГОСТ 25396-90
52400820000311	0	BK6	70311	5535,31	71,96	13,1	ГОСТ 25396-90
51200820000311	0	BK6-M	70311	7261,59	95,71	13,1	ГОСТ 25396-90
51600820000311	0	BK6-OM	70311	7261,59	95,71	13,1	ГОСТ 25396-90
52500820000311	0	BK8	70311	5535,31	71,96	13,00	ГОСТ 25396-90
61200820000311	0	T14K8	70311	5756,41	64,41	9,96	ГОСТ 25396-90
61300820000311	0	T15K6	70311	5756,41	64,41	9,93	ГОСТ 25396-90
61400820000311	0	T30K4	70311	5756,41	64,41	8,43	ГОСТ 25396-90
61100820000311	0	T5K10	70311	5756,41	64,41	11,2	ГОСТ 25396-90
62100820000311	0	TT7K12	70311	10854,6	125,59	11,7	ГОСТ 25396-90
55100820000321	0	BK10-XO	70321	7261,59	95,71	13,09	ГОСТ 25396-90
52200820000321	0	BK3	70321	5535,31	71,96	13,3	ГОСТ 25396-90
51100820000321	0	BK3-M	70321	7261,59	95,71	13,3	ГОСТ 25396-90
52400820000321	0	BK6	70321	5535,31	71,96	13,1	ГОСТ 25396-90
51200820000321	0	BK6-M	70321	7261,59	95,71	13,1	ГОСТ 25396-90
51600820000321	0	BK6-OM	70321	7261,59	95,71	13,1	ГОСТ 25396-90
52500820000321	0	BK8	70321	5535,31	71,96	13,00	ГОСТ 25396-90
61200820000321	0	T14K8	70321	5756,41	64,41	9,96	ГОСТ 25396-90
61300820000321	0	T15K6	70321	5756,41	64,41	9,93	ГОСТ 25396-90
61400820000321	0	T30K4	70321	5756,41	64,41	8,43	ГОСТ 25396-90
61100820000321	0	T5K10	70321	5756,41	64,41	11,2	ГОСТ 25396-90
62100820000321	0	TT7K12	70321	10854,6	125,59	11,7	ГОСТ 25396-90
55100820000371	0	BK10-XO	70371	7448,62	823,30	109,76	ГОСТ 25396-90
52200820000371	0	BK3	70371	5675,93	618,68	112,00	ГОСТ 25396-90
51100820000371	0	BK3-M	70371	7448,62	823,30	112,00	ГОСТ 25396-90
52400820000371	0	BK6	70371	5675,93	618,68	110,00	ГОСТ 25396-90
51200820000371	0	BK6-M	70371	7448,62	823,30	110,00	ГОСТ 25396-90
51600820000371	0	BK6-OM	70371	7448,62	823,30	110,00	ГОСТ 25396-90
52500820000371	0	BK8	70371	5675,93	618,68	109,00	ГОСТ 25396-90
61200820000371	0	T14K8	70371	5535,65	603,39	84,00	ГОСТ 25396-90
61300820000371	0	T15K6	70371	5879,16	551,76	84,00	ГОСТ 25396-90
61100820000371	0	T5K10	70371	5879,16	551,76	95,00	ГОСТ 25396-90
55100820000381	0	BK10-XO	70381	7448,62	823,30	109,76	ГОСТ 25396-90
52200820000381	0	BK3	70381	5675,93	618,68	112,00	ГОСТ 25396-90
52400820000381	0	BK6	70381	5675,93	618,68	110,00	ГОСТ 25396-90
51200820000381	0	BK6-M	70381	7448,62	823,30	110,00	ГОСТ 25396-90
52500820000381	0	BK8	70381	5675,93	618,68	109,00	ГОСТ 25396-90
61300820000381	0	T15K6	70381	5879,16	551,76	84,00	ГОСТ 25396-90
61100820000381	0	T5K10	70381	5879,16	551,76	95,00	ГОСТ 25396-90
55100820000471	0	BK10-XO	70471	7391,24	63,49	8,53	ГОСТ 25396-90
51100820000471	0	BK3-M	70471	7391,24	63,49	8,72	ГОСТ 25396-90
52400820000471	0	BK6	70471	5635,3	47,73	8,57	ГОСТ 25396-90
51200820000471	0	BK6-M	70471	7391,24	63,49	8,57	ГОСТ 25396-90
51600820000471	0	BK6-OM	70471	7391,24	63,49	8,57	ГОСТ 25396-90
52500820000471	0	BK8	70471	5635,3	47,73	8,47	ГОСТ 25396-90
61200820000471	0	T14K8	70471	5873,21	42,82	4,59	ГОСТ 25396-90
61300820000471	0	T15K6	70471	5873,21	42,82	4,56	ГОСТ 25396-90

61400820000471	0	T30K4	70471	5873,21	42,82	3,87	ГОСТ 25396-90
61100820000471	0	T5K10	70471	5873,21	42,82	5,18	ГОСТ 25396-90
51100820000481	0	BK3-M	70481	7391,24	63,49	8,72	ГОСТ 25396-90
52400820000481	0	BK6	70481	5635,3	47,73	8,57	ГОСТ 25396-90
51200820000481	0	BK6-M	70481	7391,24	63,49	8,57	ГОСТ 25396-90
51600820000481	0	BK6-OM	70481	7391,24	63,49	8,57	ГОСТ 25396-90
52500820000481	0	BK8	70481	5635,3	47,73	8,47	ГОСТ 25396-90
61200820000481	0	T14K8	70481	5873,21	42,82	4,59	ГОСТ 25396-90
61300820000481	0	T15K6	70481	5873,21	42,82	4,56	ГОСТ 25396-90
61400820000481	0	T30K4	70481	5873,21	42,82	3,87	ГОСТ 25396-90
61100820000481	0	T5K10	70481	5873,21	42,82	5,18	ГОСТ 25396-90
52200820000491	0	BK3	70491	5547,98	67,69	12,6	ГОСТ 25396-90
51100820000491	0	BK3-M	70491	7278,00	90,03	12,6	ГОСТ 25396-90
52400820000491	0	BK6	70491	5547,98	67,69	12,4	ГОСТ 25396-90
51200820000491	0	BK6-M	70491	7278,00	90,03	12,4	ГОСТ 25396-90
51600820000491	0	BK6-OM	70491	7278,00	90,03	12,4	ГОСТ 25396-90
52500820000491	0	BK8	70491	5547,98	67,69	12,2	ГОСТ 25396-90
61200820000491	0	T14K8	70491	5771,31	60,60	9,41	ГОСТ 25396-90
61300820000491	0	T15K6	70491	5771,31	60,60	9,36	ГОСТ 25396-90
61100820000491	0	T5K10	70491	5771,31	60,60	10,6	ГОСТ 25396-90
55100820000501	0	BK10-XO	70501	7281,7	88,84	12,29	ГОСТ 25396-90
52200820000501	0	BK3	70501	5547,98	67,69	12,6	ГОСТ 25396-90
51100820000501	0	BK3-M	70501	7278,00	90,03	12,6	ГОСТ 25396-90
52400820000501	0	BK6	70501	5547,98	67,69	12,4	ГОСТ 25396-90
52500820000501	0	BK8	70501	5547,98	67,69	12,2	ГОСТ 25396-90
61300820000501	0	T15K6	70501	5771,31	60,60	9,36	ГОСТ 25396-90
61400820000501	0	T30K4	70501	5737,42	70,00	7,95	ГОСТ 25396-90
61100820000501	0	T5K10	70501	5771,31	60,60	10,6	ГОСТ 25396-90
55100820000511	0	BK10-XO	70511	7133,18	185,18	25,78	ГОСТ 25396-90
51100820000511	0	BK3-M	70511	7133,18	185,18	26,5	ГОСТ 25396-90
52400820000511	0	BK6	70511	5436,29	139,17	25,9	ГОСТ 25396-90
51200820000511	0	BK6-M	70511	7133,18	185,18	25,9	ГОСТ 25396-90
51600820000511	0	BK6-OM	70511	7133,18	185,18	25,9	ГОСТ 25396-90
52500820000511	0	BK8	70511	5436,29	139,17	25,6	ГОСТ 25396-90
61200820000511	0	T14K8	70511	5639,5	124,29	19,7	ГОСТ 25396-90
61300820000511	0	T15K6	70511	5639,5	124,29	19,6	ГОСТ 25396-90
61400820000511	0	T30K4	70511	5639,5	124,29	16,7	ГОСТ 25396-90
61100820000511	0	T5K10	70511	5639,5	124,29	22,3	ГОСТ 25396-90
55100820000521	0	BK10-XO	70521	7133,18	185,18	25,78	ГОСТ 25396-90
52200820000521	0	BK3	70521	5436,29	139,17	26,5	ГОСТ 25396-90
51100820000521	0	BK3-M	70521	7133,18	185,18	26,5	ГОСТ 25396-90
52400820000521	0	BK6	70521	5436,29	139,17	25,9	ГОСТ 25396-90
51200820000521	0	BK6-M	70521	7133,18	185,18	25,9	ГОСТ 25396-90
51600820000521	0	BK6-OM	70521	7133,18	185,18	25,9	ГОСТ 25396-90
52500820000521	0	BK8	70521	5436,29	139,17	25,6	ГОСТ 25396-90
61300820000521	0	T15K6	70521	5639,5	124,29	19,6	ГОСТ 25396-90
61100820000521	0	T5K10	70521	5639,5	124,29	22,3	ГОСТ 25396-90
55100820000531	0	BK10-XO	70531	7034,81	605,70	36,35	ГОСТ 25396-90
51100820000531	0	BK3-M	70531	7593,66	278,00	37,2	ГОСТ 25396-90
52400820000531	0	BK6	70531	5787,95	208,95	36,5	ГОСТ 25396-90
51200820000531	0	BK6-M	70531	7593,66	278,00	36,5	ГОСТ 25396-90
51600820000531	0	BK6-OM	70531	7593,66	278,00	36,5	ГОСТ 25396-90
52500820000531	0	BK8	70531	5787,95	208,95	36,1	ГОСТ 25396-90
61200820000531	0	T14K8	70531	6012,94	186,88	27,8	ГОСТ 25396-90
61300820000531	0	T15K6	70531	6012,94	186,88	27,7	ГОСТ 25396-90
61100820000531	0	T5K10	70531	6012,94	186,88	31,4	ГОСТ 25396-90
51100820000541	0	BK3-M	70541	7593,72	277,93	37,2	ГОСТ 25396-90
52400820000541	0	BK6	70541	5787,95	208,95	36,5	ГОСТ 25396-90
51200820000541	0	BK6-M	70541	7593,72	277,93	36,5	ГОСТ 25396-90
52500820000541	0	BK8	70541	5787,95	208,95	36,1	ГОСТ 25396-90
61200820000541	0	T14K8	70541	6012,94	186,88	27,8	ГОСТ 25396-90
61300820000541	0	T15K6	70541	6012,94	186,88	27,7	ГОСТ 25396-90
61100820000541	0	T5K10	70541	6012,94	186,88	31,4	ГОСТ 25396-90
62100820000541	0	TT7K12	70541	11278,54	362,38	32,4	ГОСТ 25396-90
55100820000551	0	BK10-XO	70551	7566,77	316,90	41,59	ГОСТ 25396-90
52200820000551	0	BK3	70551	5767,17	238,18	42,5	ГОСТ 25396-90
51100820000551	0	BK3-M	70551	7566,77	316,90	42,5	ГОСТ 25396-90
52400820000551	0	BK6	70551	5767,17	238,18	41,8	ГОСТ 25396-90
51200820000551	0	BK6-M	70551	7566,77	316,90	41,8	ГОСТ 25396-90
51600820000551	0	BK6-OM	70551	7566,77	316,90	41,8	ГОСТ 25396-90
52500820000551	0	BK8	70551	5767,17	238,18	41,3	ГОСТ 25396-90

61200820000551	0	T14K8	70551	5988,17	212,94	31,8	ГОСТ 25396-90
61300820000551	0	T15K6	70551	5988,17	212,94	31,6	ГОСТ 25396-90
61400820000551	0	T30K4	70551	5988,17	212,94	26,9	ГОСТ 25396-90
61100820000551	0	T5K10	70551	5988,17	212,94	35,9	ГОСТ 25396-90
55100820000561	0	BK10-XO	70561	7566,77	316,90	41,59	ГОСТ 25396-90
52200820000561	0	BK3	70561	5767,17	238,18	42,5	ГОСТ 25396-90
52400820000561	0	BK6	70561	5767,17	238,18	41,8	ГОСТ 25396-90
51200820000561	0	BK6-M	70561	7566,77	316,90	41,8	ГОСТ 25396-90
51600820000561	0	BK6-OM	70561	7566,77	316,90	41,8	ГОСТ 25396-90
52500820000561	0	BK8	70561	5767,17	238,18	41,3	ГОСТ 25396-90
61300820000561	0	T15K6	70561	5988,17	212,94	31,6	ГОСТ 25396-90
61400820000561	0	T30K4	70561	5988,17	212,94	26,9	ГОСТ 25396-90
61100820000561	0	T5K10	70561	5988,17	212,94	35,9	ГОСТ 25396-90
62100820000561	0	TT7K12	70561	11239,05	413,15	37,00	ГОСТ 25396-90
52200820000571	0	BK3	70571	5701,44	427,61	77,00	ГОСТ 25396-90
51100820000571	0	BK3-M	70571	7481,64	568,98	77,00	ГОСТ 25396-90
52400820000571	0	BK6	70571	5701,44	427,61	76,00	ГОСТ 25396-90
51200820000571	0	BK6-M	70571	7481,64	568,98	76,00	ГОСТ 25396-90
51600820000571	0	BK6-OM	70571	7483,12	561,23	76,00	ГОСТ 25396-90
52500820000571	0	BK8	70571	5701,44	427,61	75,00	ГОСТ 25396-90
61200820000571	0	T14K8	70571	5547,96	416,10	58,00	ГОСТ 25396-90
61300820000571	0	T15K6	70571	5909,67	381,65	61,9	ГОСТ 25396-90
61100820000571	0	T5K10	70571	5909,67	381,65	65,00	ГОСТ 25396-90
52200820000581	0	BK3	70581	5701,44	427,61	77,00	ГОСТ 25396-90
51100820000581	0	BK3-M	70581	7481,64	568,98	77,00	ГОСТ 25396-90
52400820000581	0	BK6	70581	5701,44	427,61	76,00	ГОСТ 25396-90
51200820000581	0	BK6-M	70581	7481,64	568,98	76,00	ГОСТ 25396-90
52500820000581	0	BK8	70581	5701,44	427,61	75,00	ГОСТ 25396-90
61300820000581	0	T15K6	70581	5909,67	381,65	61,9	ГОСТ 25396-90
61100820000581	0	T5K10	70581	5909,67	381,65	65,00	ГОСТ 25396-90
55100820000591	0	BK10-XO	70591	7477,59	591,40	78,55	ГОСТ 25396-90
52200820000591	0	BK3	70591	5698,3	444,47	80,00	ГОСТ 25396-90
51100820000591	0	BK3-M	70591	7477,59	591,40	80,00	ГОСТ 25396-90
52400820000591	0	BK6	70591	5698,3	444,47	79,00	ГОСТ 25396-90
51200820000591	0	BK6-M	70591	7477,59	591,40	79,00	ГОСТ 25396-90
51600820000591	0	BK6-OM	70591	7477,59	591,40	79,00	ГОСТ 25396-90
52500820000591	0	BK8	70591	5698,3	444,47	78,00	ГОСТ 25396-90
61300820000591	0	T15K6	70591	5905,93	396,64	60,00	ГОСТ 25396-90
61100820000591	0	T5K10	70591	5905,93	396,64	68,00	ГОСТ 25396-90
55100820000601	0	BK10-XO	70601	7477,59	591,40	78,55	ГОСТ 25396-90
52200820000601	0	BK3	70601	5698,3	444,47	80,00	ГОСТ 25396-90
51100820000601	0	BK3-M	70601	7477,59	591,40	80,00	ГОСТ 25396-90
52400820000601	0	BK6	70601	5698,3	444,47	79,00	ГОСТ 25396-90
51200820000601	0	BK6-M	70601	7477,59	591,40	79,00	ГОСТ 25396-90
51600820000601	0	BK6-OM	70601	7477,59	591,40	79,00	ГОСТ 25396-90
52500820000601	0	BK8	70601	5698,3	444,47	78,00	ГОСТ 25396-90
61300820000601	0	T15K6	70601	5905,93	396,64	60,00	ГОСТ 25396-90
61100820000601	0	T5K10	70601	5905,93	396,64	68,00	ГОСТ 25396-90
52500820000611	0	BK8	70611	5663,71	787,26	139,00	ГОСТ 25396-90
61200820000611	0	T14K8	70611	5864,52	701,87	106,00	ГОСТ 25396-90
61300820000611	0	T15K6	70611	5864,52	701,87	106,00	ГОСТ 25396-90
61400820000611	0	T30K4	70611	5857,11	814,14	90,00	ГОСТ 25396-90
61100820000611	0	T5K10	70611	5864,52	701,87	120,00	ГОСТ 25396-90
62100820000611	0	TT7K12	70611	11032,65	1533,54	124,00	ГОСТ 25396-90
52500820000621	0	BK8	70621	5663,71	787,26	139,00	ГОСТ 25396-90
61200820000621	0	T14K8	70621	5864,52	701,87	106,00	ГОСТ 25396-90
61300820000621	0	T15K6	70621	5864,52	701,87	106,00	ГОСТ 25396-90
61400820000621	0	T30K4	70621	5857,11	814,14	90,00	ГОСТ 25396-90
61100820000621	0	T5K10	70621	5864,52	701,87	120,00	ГОСТ 25396-90
52500820000631	0	BK8	70631	5645,95	1304,21	231,00	ГОСТ 25396-90
61200820000631	0	T14K8	70631	5843,23	1162,16	177,00	ГОСТ 25396-90
61100820000631	0	T5K10	70631	5843,23	1162,16	201,00	ГОСТ 25396-90
52500820000641	0	BK8	70641	5645,95	1304,21	231,00	ГОСТ 25396-90
61100820000641	0	T5K10	70641	5843,23	1162,16	201,00	ГОСТ 25396-90
52704290000603	0	BK15	711-0603	12350,8	38,04	3,26	ГОСТ 19075-80
52704290000604	0	BK15	711-0604	11681,8	53,97	4,89	ГОСТ 19075-80
52704290000804	0	BK15	711-0804	10693,51	89,72	8,87	ГОСТ 19075-80
52704290001004	0	BK15	711-1004	10032,14	131,92	13,9	ГОСТ 19075-80
52704290001006	0	BK15	711-1006	9665,81	170,12	18,6	ГОСТ 19075-80
52704290001206	0	BK15	711-1206	9284,28	235,36	26,8	ГОСТ 19075-80
52704300000903	0	BK15	721-0903	12397,88	37,07	3,16	ГОСТ 19076-80

52704300001203	0	BK15	721-1203	11421,66	61,56	5,7	ГОСТ 19076-80
52704300001204	0	BK15	721-1204	10751,31	86,98	8,55	ГОСТ 19076-80
52704300001404	0	BK15	721-1404	10404,97	105,30	10,7	ГОСТ 19076-80
52704300001504	0	BK15	721-1504	10081,6	127,83	13,4	ГОСТ 19076-80
52704300001904	0	BK15	721-1904	9623,42	175,72	19,3	ГОСТ 19076-80
52704300001906	0	BK15	721-1906	9316,34	228,25	25,9	ГОСТ 19076-80
52704300002506	0	BK15	721-2506	8834,05	406,19	48,6	ГОСТ 19076-80
52704310000903	0	BK15	723-0903	15932,58	27,72	1,84	ГОСТ 19077-80
52704310001203	0	BK15	723-1203	14355,29	52,68	3,88	ГОСТ 19077-80
52704310001204	0	BK15	723-1204	13483,59	71,46	5,6	ГОСТ 19077-80
52704310001504	0	BK15	723-1504	12531,95	99,75	8,41	ГОСТ 19077-80
52704310001904	0	BK15	723-1904	11577,54	144,60	13,2	ГОСТ 19077-80
52704310002506	0	BK15	723-2506	10138,79	324,14	33,8	ГОСТ 19077-80
52704320000803	0	BK15	731-0803	12975,00	26,34	2,15	ГОСТ 19078-80
52704320000903	0	BK15	731-0903	12403,17	36,96	3,15	ГОСТ 19078-80
52704320001203	0	BK15	731-1203	11390,68	62,53	5,8	ГОСТ 19078-80
52704320001204	0	BK15	731-1204	10755,26	86,79	8,53	ГОСТ 19078-80
52704320001604	0	BK15	731-1604	10081,6	127,83	13,4	ГОСТ 19078-80
52704320001904	0	BK15	731-1904	9623,42	175,72	19,3	ГОСТ 19078-80
52704330017041	0	BK15	741-1704-1	10741,49	87,44	8,6	ГОСТ 19079-80
52704330019041	0	BK15	741-1904-1	10510,14	99,22	9,98	ГОСТ 19079-80
52704330017042	0	BK15	742-1704-2	10741,49	87,44	8,6	ГОСТ 19079-80
52704330019042	0	BK15	742-1904-2	10510,14	99,22	9,98	ГОСТ 19079-80
52704340000603	0	BK15	751-0603	12579,94	33,46	2,81	ГОСТ 19080-80
52704340000903	0	BK15	751-0903	11610,31	55,96	5,1	ГОСТ 19080-80
52704340001104	0	BK15	751-1104	10236,96	116,19	12,00	ГОСТ 19080-80
52704340001304	0	BK15	751-1304	9759,24	158,78	17,2	ГОСТ 19080-80
52704340001306	0	BK15	751-1306	9429,31	206,03	23,1	ГОСТ 19080-80
52704340001604	0	BK15	751-1604	9346,61	221,89	25,1	ГОСТ 19080-80
52704350000904	0	BK15	761-0904	10311,56	111,16	11,4	ГОСТ 19081-80
52704350001104	0	BK15	761-1104	9825,32	151,51	16,3	ГОСТ 19081-80
52704350001106	0	BK15	761-1106	9489,69	195,68	21,8	ГОСТ 19081-80
52704350001204	0	BK15	761-1204	9399,14	211,57	23,8	ГОСТ 19081-80
52704370000903	0	BK15	771-0903	12822,82	28,98	2,39	ГОСТ 19083-80
52704370001203	0	BK15	771-1203	11898,76	48,31	4,29	ГОСТ 19083-80
52704370001504	0	BK15	771-1504	10492,46	100,20	10,1	ГОСТ 19083-80
52704370001904	0	BK15	771-1904	9860,89	147,81	15,85	ГОСТ 19083-80
52704370002204	0	BK15	771-2204	9449,3	202,50	22,65	ГОСТ 19083-80
52704370002506	0	BK15	771-2506	8958,43	339,70	40,08	ГОСТ 19083-80
52704380001503	0	BK15	781-1503	11575,64	56,95	5,2	ГОСТ 24254-80
52704380001904	0	BK15	781-1904	10081,6	127,83	13,4	ГОСТ 24254-80
52736240008901	0	BK15	7858-0051/Б	11979,22	14,02	1,00	ТУ 48-19-161-90
52536240008901	0	BK8	7858-0051/Б	10178,73	12,62	1,24	ТУ 48-19-161-90
52736240008902	0	BK15	7858-0052/Б	11534,62	24,80	2,1	ТУ 48-19-161-90
52536240008902	0	BK8	7858-0052/Б	9791,44	22,23	2,27	ТУ 48-19-161-90
52736240008903	0	BK15	7858-0053/Б	11054,58	40,13	3,5	ТУ 48-19-161-90
52536240008903	0	BK8	7858-0053/Б	9374,73	36,00	3,84	ТУ 48-19-161-90
52736240008904	0	BK15	7858-0054/Б	10697,62	55,63	5,2	ТУ 48-19-161-90
52536240008904	0	BK8	7858-0054/Б	9069,67	49,88	5,5	ТУ 48-19-161-90
52736240008905	0	BK15	7858-0055/Б	10500,37	66,57	6,7	ТУ 48-19-161-90
52536240008905	0	BK8	7858-0055/Б	8903,05	59,65	6,7	ТУ 48-19-161-90
52736240008906	0	BK15	7858-0056/Б	9801,75	134,97	10,3	ТУ 48-19-161-90
52536240008906	0	BK8	7858-0056/Б	8317,2	121,10	14,56	ТУ 48-19-161-90
52736240008907	0	BK15	7858-0057/Б	9659,9	160,84	17,3	ТУ 48-19-161-90
52536240008907	0	BK8	7858-0057/Б	8199,9	144,32	17,6	ТУ 48-19-161-90
52736240008908	0	BK15	7858-0058/Б	9356,25	254,86	31,3	ТУ 48-19-161-90
52536240008908	0	BK8	7858-0058/Б	7949,8	228,95	28,8	ТУ 48-19-161-90
52736240008909	0	BK15	7858-0071/Ц	11995,07	13,67	1,00	ТУ 48-19-161-90
52536240008909	0	BK8	7858-0071/Ц	10196,36	12,24	1,2	ТУ 48-19-161-90
52736240008910	0	BK15	7858-0072/Ц	11361,97	29,77	2,1	ТУ 48-19-161-90
52536240008910	0	BK8	7858-0072/Ц	9640,45	26,70	2,77	ТУ 48-19-161-90
52736240008911	0	BK15	7858-0073/Ц	11090,05	38,82	3,5	ТУ 48-19-161-90
52536240008911	0	BK8	7858-0073/Ц	9405,78	34,80	3,7	ТУ 48-19-161-90
52736240008912	0	BK15	7858-0074/Ц	10697,62	55,63	5,2	ТУ 48-19-161-90
52536240008912	0	BK8	7858-0074/Ц	9069,67	49,88	5,5	ТУ 48-19-161-90
52736240008913	0	BK15	7858-0075/Ц	10341,73	77,15	6,7	ТУ 48-19-161-90
52536240008913	0	BK8	7858-0075/Ц	8768,46	69,18	7,89	ТУ 48-19-161-90
52736240008914	0	BK15	7858-0076/Ц	9801,75	134,97	10,3	ТУ 48-19-161-90
52536240008914	0	BK8	7858-0076/Ц	8317,2	121,10	14,56	ТУ 48-19-161-90
52736240008915	0	BK15	7858-0077/Ц	9559,43	184,40	17,3	ТУ 48-19-161-90
52536240008915	0	BK8	7858-0077/Ц	8116,96	165,50	20,39	ТУ 48-19-161-90

52736240008916	0	BK15	7858-0078/Ц	9297,66	284,51	28,8	ТУ 48-19-161-90
52536240008916	0	BK8	7858-0078/Ц	7901,83	255,62	32,35	ТУ 48-19-161-90
53633020000007	0	BK10-KC	7ВШМ	8373,35	226,08	27,00	ТУ 48-19-180-76
52593970000002	0	BK8	7НЗ9.001-02	10923,22	24,25	2,2	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
525939600000003	0	BK8	7У1.003	9814,25	21,59	2,2	ТУ МО №А9396-89
536330200000008	0	BK10-KC	8ВШМ	8342,00	258,60	31,00	ТУ 48-19-180-76
536330200000009	0	BK10-KC	9ВШМ	8342,00	258,60	31,00	ТУ 48-19-180-76
62507080002015	0	ВПТ-122	ВНУХ-2015 4023	10095,87	517,11	40,00	ТУ 48-4206-558-96
61207080201540	0	T14K8	ВНУХ-201540	10452,5	537,26	40,00	ТУ 48-4206-558-96
55106730000010	0	BK10-XO	D10H6L73	10563,54	892,62	82,00	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
51606730000010	0	BK6-OM	D10H6L73	10563,54	892,62	85,00	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
51606650000010	0	BK6-OM	D10H6L95	10432,95	1489,83	110,8	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
51606650000012	0	BK6-OM	D12H6L105	10356,87	2415,22	176,3	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
55106650000013	0	BK10-XO	D12H6L84	11473,16	1601,19	136,7	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
51606650000013	0	BK6-OM	D12H6L84	11473,16	1601,19	141,9	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
55106740000016	0	BK10-XO	D16H6L83	10320,92	3405,90	239,22	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
51606740000016	0	BK6-OM	D16H6L83	10320,92	3405,90	248,42	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
51606650000018	0	BK6-OM	D18H6L82(85)	10300,59	4429,25	309,9	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
51606650000004	0	BK6-OM	D4H6L70	10713,49	606,38	13,1	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
51606650000005	0	BK6-OM	D5H6L70	10713,49	606,38	20,4	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
551065800000006	0	BK10-XO	D6H6L58	11245,49	272,70	23,5	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
516065800000006	0	BK6-OM	D6H6L58	11245,49	272,70	24,4	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
516066500000006	0	BK6-OM	D6H6L75	10713,49	606,38	31,5	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
516066500000007	0	BK6-OM	D7H6L75	10529,37	998,18	42,9	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
551066400000008	0	BK10-XO	D8H6L64	10796,97	512,75	46,00	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
516066400000008	0	BK6-OM	D8H6L64	10796,97	512,75	47,8	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
516066500000008	0	BK6-OM	D8H6L75	10529,37	998,18	50,3	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
62507080001919	0	ВПТ-122	LNМХ-1919 4021	10887,15	480,89	34,5	ТУ 48-4206-558-96
61207080001919	0	T14K8	LNМХ-1919 4021	11953,33	601,25	40,00	ТУ 48-4206-558-96
62507080301940	0	ВПТ-122	LNМХ-301940 SN-03	10592,6	956,19	70,5	ТУ 48-4206-558-96
61207080301940	0	T14K8	LNМХ-301940 SN-03	11592,57	1086,22	71,00	ТУ 48-4206-558-96
62507080001212	0	ВПТ-122	RNGX-1212MO13	11883,89	194,78	12,8	ТУ 48-4206-558-96
59607080001212	0	ВПТ-2210	RNGX-1212MO13	9481,4	144,12	15,2	ТУ 48-4206-558-96
61207080001212	0	T14K8	RNGX-1212MO13	12838,57	209,27	12,7	ТУ 48-4206-558-96
61299990201000	0	T14K8	RNMN-201000	11245,88	515,62	35,8	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
61399990201000	0	T15K6	RNMN-201000	11245,88	515,62	35,6	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
62199990201000	0	ТТ7К12	RNMN-201000	16899,59	774,85	41,2	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
61207080011212	0	T14K8	RNUX-1212MO	10979,61	178,97	12,7	ТУ 48-4206-558-96
52507080002710	0	BK8	RPUX-2710MO24	12217,84	857,57	70,19	ТУ 48-4206-558-96
59807080002710	0	ВПТ-122	RPUX-2710MO24	0,00	0,00	52,6	ТУ 48-4206-558-96
59607080002710	0	ВПТ-2210	RPUX-2710MO24	672,3	42,35	63,00	ТУ 48-4206-558-96
61207080002710	0	T14K8	RPUX-2710MO24	12315,42	640,40	52,00	ТУ 48-4206-558-96
59807080003010	0	ВПТ-122	RPUX-3010MO24	14493,65	985,57	68,00	ТУ 48-4206-558-96
59607080003010	0	ВПТ-2210	RPUX-3010MO24	11670,43	945,30	81,00	ТУ 48-4206-558-96
62207080003010	0	MC 221	RPUX-3010MO24	15162,25	1228,14	81,00	ТУ 48-4206-558-96
61207080003010	0	T14K8	RPUX-3010MO24	10009,9	674,97	68,3	ТУ 48-4206-558-96
62407080003010	0	ТТ20К9	RPUX-3010MO24	23196,2	2036,63	73,4	ТУ 48-4206-558-96
61403630090308	0	T30K4	SNUN 090308 (03111)	0,00	0,00	2,78	ГОСТ 19049-80
62403650120308	0	ТТ20К9	SPGN 120308 (03331)	0,00	0,00	5,66	ГОСТ 19050-80
62103720001203	0	ТТ7К12	SPKN 1203 EDR 0337	20644,2	137,90	6,00	ГОСТ 27302-87
61603530220412	0	MC 121	TNGN-220412(01131)	0,00	0,00	11,49	ГОСТ 19043-80
62603521220412	0	MC 146	TNGN-220412(01131)	0,00	0,00	13,65	ГОСТ 19043-80
62203520220412	0	MC 221	TNGN-220412(01131)	0,00	0,00	12,9	ГОСТ 19043-80
61603530270608	0	MC 121	TNUN-270608(01111)	0,00	0,00	24,1	ГОСТ 19043-80
62603520270608	0	MC 146	TNUN-270608(01111)	0,00	0,00	28,6	ГОСТ 19043-80
62203520270608	0	MC 221	TNUN-270608(01111)	0,00	0,00	27,00	ГОСТ 19043-80
62403520270608	0	ТТ20К9	TNUN-270608(01111)	0,00	0,00	25,7	ГОСТ 19043-80
62103720002204	0	ТТ7К12	TPKN 2204 PPN 0137	19836,74	249,74	11,3	ГОСТ 27302-87
61227130001510	0	T14K8	ZNGX-1510ZR	0,00	0,00	59,2	ТУ 48-19-124-91
61327160001510	0	T15K6	ZNGX-1510ZR	0,00	0,00	60,5	ТУ 48-19-124-91
61127120001510	0	T5K10	ZNGX-1510ZR	0,00	0,00	67,44	ТУ 48-19-124-91
52527130001006	0	BK8	ZNУХ-1006TF	11047,51	182,28	16,5	ТУ 48-19-165-84
61227130001006	0	T14K8	ZNУХ-1006TF	0,00	0,00	12,6	ТУ 48-19-124-91
53831120005401	0	BK20-KC	В010001 (ПР54-1)	9412,73	908,33	96,5	ТУ 48-19-232-91
53831120005402	0	BK20-KC	В010002 (ПР54-2)	9393,82	1122,56	119,5	ТУ 48-19-232-91
53831120005403	0	BK20-KC	В010003 (ПР54-3)	9379,77	1357,25	144,7	ТУ 48-19-232-91
53831120005404	0	BK20-KC	В010004 (ПР54-4)	9368,5	1627,31	173,7	ТУ 48-19-232-91
53831120005405	0	BK20-KC	В010005 (ПР54-5)	9365,63	1713,91	183,00	ТУ 48-19-232-91
53831120005406	0	BK20-KC	В010006 (ПР54-6)	9362,94	1803,30	192,6	ТУ 48-19-232-91
53831120005407	0	BK20-KC	В010007 (ПР54-7)	9357,31	2023,99	216,3	ТУ 48-19-232-91
52536230057800	0	BK8	В010008 (ПР578)	6804,38	795,43	116,9	ТУ 48-19-161-90

53831120012400	0	BK20-KC	B010011 (ПР124)	9363,58	1781,23	190,23	TY 48-19-232-91
53831120012501	0	BK20-KC	B010012 (ПР125-1)	9352,47	2260,49	224,3	TY 48-19-232-91
53831120012502	0	BK20-KC	B010013 (ПР125-2)	9352,89	2238,15	222,1	TY 48-19-232-91
53831120012503	0	BK20-KC	B010014 (ПР125-3)	9352,36	2267,01	225,00	TY 48-19-232-91
53831120012504	0	BK20-KC	B010015 (ПР125-4)	9352,82	2241,87	222,5	TY 48-19-232-91
53833010000200	0	BK20-KC	B010017 (ПР2)	10151,73	74,62	6,8	TY 48-19-180-76
53831120012600	0	BK20-KC	B010018 (ПР126)	9351,26	2328,46	230,3	TY 48-19-232-91
53831120012800	0	BK20-KC	B010019 (ПР128)	9399,32	1050,84	103,4	TY 48-19-232-91
52740130000401	0	BK15	B020001 (ПР4-1)	9482,27	93,87	9,9	TY 48-19-165-84
52740130000402	0	BK15	B020002 (ПР4-2)	9607,15	78,78	8,2	TY 48-19-165-84
52740130000403	0	BK15	B020003 (ПР4-3)	9143,78	163,58	17,89	TY 48-19-165-84
52740130000404	0	BK15	B020004 (ПР4-4)	8997,58	223,05	24,79	TY 48-19-165-84
52740130000405	0	BK15	B020005 (ПР4-5)	9482,27	93,87	9,9	TY 48-19-165-84
52740130000406	0	BK15	B020006 (ПР4-6)	8925,38	267,76	30,00	TY 48-19-165-84
52836730002201	0	BK20	B020007 (ПР22-1)	10586,97	169,39	16,00	TY 48-19-126-74
52836730002203	0	BK20	B020009 (ПР22-3)	10586,97	169,39	16,00	TY 48-19-126-74
52740130001000	0	BK15	B020011 (ПР10)	8978,65	233,44	26,00	TY 48-19-165-84
52536230028900	0	BK8	B020012 (ПР289)	7399,42	254,54	34,4	TY 48-19-161-90
53631130004300	0	BK10-KC	B020012 (ПР43)	8892,79	293,46	33,00	TY 48-19-232-91
53631130004400	0	BK10-KC	B020013 (ПР44)	8573,53	1989,06	232,00	TY 48-19-232-91
52836730007301	0	BK20	B020016 (ПР73-1)	9827,36	5041,44	513,00	TY 48-19-126-74
52836730007302	0	BK20	B020017 (ПР73-2)	9855,73	2661,05	270,00	TY 48-19-126-74
52740130007901	0	BK15	B020018 (ПР79-1)	8937,52	259,19	29,00	TY 48-19-165-84
52740130007902	0	BK15	B020019 (ПР79-2)	8873,78	310,58	35,00	TY 48-19-165-84
52740130008802	0	BK15	B020020 (ПР88-2)	8646,35	890,57	103,00	TY 48-19-165-84
52740130008803	0	BK15	B020021 (ПР88-3)	8588,61	1588,89	185,00	TY 48-19-165-84
52836730011000	0	BK20	B020022 (ПР110)	9807,06	13778,92	1405,00	TY 48-19-126-74
52536230019300	0	BK8	B020023 (ПР193)	7377,13	276,64	37,5	TY 48-19-161-90
52536230022501	0	BK8	B020024	7279,06	436,74	60,00	TY 48-19-161-90
52536230022502	0	BK8	B020025	7279,06	436,74	60,00	TY 48-19-161-90
52536230022503	0	BK8	B020026	7279,06	436,74	60,00	TY 48-19-161-90
52536230022504	0	BK8	B020027	7279,06	436,74	60,00	TY 48-19-161-90
52536230022505	0	BK8	B020028	7279,06	436,74	60,00	TY 48-19-161-90
52536230022506	0	BK8	B020029	7279,06	436,74	60,00	TY 48-19-161-90
52536230022507	0	BK8	B020030	7284,94	422,53	58,00	TY 48-19-161-90
52536230022508	0	BK8	B020031	7284,94	422,53	58,00	TY 48-19-161-90
52536230022509	0	BK8	B020032	7291,21	408,31	56,00	TY 48-19-161-90
52536230022510	0	BK8	B020033	7291,21	408,31	56,00	TY 48-19-161-90
52536230022511	0	BK8	B020034	7294,5	401,20	55,00	TY 48-19-161-90
52536230022512	0	BK8	B020035	7294,5	401,20	55,00	TY 48-19-161-90
52536230022513	0	BK8	B020036	7301,42	386,98	53,00	TY 48-19-161-90
52536230022514	0	BK8	B020037	7301,42	386,98	53,00	TY 48-19-161-90
52536230022515	0	BK8	B020038	7305,06	379,86	52,00	TY 48-19-161-90
52536230022516	0	BK8	B020039	7305,06	379,86	52,00	TY 48-19-161-90
52536230022517	0	BK8	B020040	7305,06	379,86	52,00	TY 48-19-161-90
52536230029601	0	BK8	B020041 (ПР296-1)	7279,06	436,74	60,00	TY 48-19-161-90
52536230029607	0	BK8	B020042 (ПР296-7)	7284,94	422,53	58,00	TY 48-19-161-90
52536230029609	0	BK8	B020043 (ПР296-9)	7291,21	408,31	56,00	TY 48-19-161-90
52536230029614	0	BK8	B020044 (ПР296-14)	7301,42	386,98	53,00	TY 48-19-161-90
52836730002206	0	BK20	B020046 (ПР22-6)	10586,97	169,39	16,00	TY 48-19-126-74
53831130005701	0	BK20-KC	B020047 (ПР57-1)	10090,57	517,65	51,3	TY 48-19-232-91
53831130005702	0	BK20-KC	B020048 (ПР57-2)	10129,79	452,80	44,7	TY 48-19-232-91
52536230032700	0	BK8	B020049 (ПР327)	7154,45	1385,10	193,6	TY 48-19-161-90
52736230034000	0	BK15	B020050 (ПР340)	8684,17	687,79	79,2	TY 48-19-161-90
52836730014000	0	BK20	B020051 (ПР140)	9819,19	6775,24	690,00	TY 48-19-126-74
53831130007800	0	BK20-KC	B020051 (ПР78)	9819,42	6710,00	690,00	TY 48-19-232-91
52836730014100	0	BK20	B020052(ПР141)	9805,89	15297,19	1560,00	TY 48-19-126-74
53831130006800	0	BK20-KC	B020053 (ПР68)	10949,83	102,93	9,4	TY 48-19-232-91
52736230040601	0	BK15	B020054 (ПР406-1)	8529,27	7335,17	860,00	TY 48-19-161-90
52736230040602	0	BK15	B020055 (ПР406-2)	8664,66	779,82	90,00	TY 48-19-161-90
53831130008901	0	BK20-KC	B020056 (ПР89-1)	9805,6	15725,25	1619,3	TY 48-19-232-91
53831130008902	0	BK20-KC	B020057 (ПР89-2)	9808,31	12458,22	1282,53	TY 48-19-232-91
52736230056100	0	BK15	B020058 (ПР561)	8554,61	2897,36	322,3	TY 48-19-161-90
52736230064901	0	BK15	B020059 (ПР649-1)	8543,72	3920,20	453,3	TY 48-19-161-90
53831130010701	0	BK20-KC	B020060 (ПР107-1)	9910,32	1382,49	129,00	TY 48-19-232-91
53831130010702	0	BK20-KC	B020061 (ПР107-2)	9886,07	1760,71	164,7	TY 48-19-232-91
53831130001081	0	BK20-KC	B020062 (ПР108-1)	9889,15	1701,92	159,2	TY 48-19-232-91
53831130001082	0	BK20-KC	B020063 (ПР108-2)	9869,23	2169,26	203,3	TY 48-19-232-91
52536230070800	0	BK8	B020064 (ПР708)	7176,8	1005,47	140,1	TY 48-19-161-90
52736230064902	0	BK15	B020065 (ПР649-2)	8544,61	3810,04	430,6	TY 48-19-161-90
52536230075200	0	BK8	B020066 (ПР752)	7107,88	6053,07	851,6	TY 48-19-161-90

53831130001270	0	BK20-KC	B020067 (ПР127)	10941,86	103,95	8,8	TY 48-19-232-91
52836740002001	0	BK20	B030003 (ПР20-1)	10422,07	1677,95	161,00	TY 48-19-126-74
53836740002001	0	BK20-KC	B030003 (ПР20-1)	10422,07	1677,95	161,00	TY 48-19-126-74
52836740002002	0	BK20	B030004 (ПР20-2)	10400,97	1976,18	190,00	TY 48-19-126-74
53836740002002	0	BK20-KC	B030004 (ПР20-2)	10400,97	1976,18	190,00	TY 48-19-126-74
52836740002003	0	BK20	B030005 (ПР20-3)	10384,86	2284,67	220,00	TY 48-19-126-74
53836740002003	0	BK20-KC	B030005 (ПР20-3)	10384,86	2284,67	220,00	TY 48-19-126-74
52836740002004	0	BK20	B030006 (ПР20-4)	10372,91	2582,85	249,00	TY 48-19-126-74
52836740002006	0	BK20	B030007 (ПР20-6)	10373,65	2562,29	247,00	TY 48-19-126-74
53836740002006	0	BK20-KC	B030007 (ПР20-6)	10373,65	2562,29	247,00	TY 48-19-126-74
52836740002008	0	BK20	B030008 (ПР20-8)	10349,25	3477,35	336,00	TY 48-19-126-74
53836740002008	0	BK20-KC	B030008 (ПР20-8)	10349,25	3477,35	336,00	TY 48-19-126-74
53836740002009	0	BK20-KC	B030009 (ПР20-9)	10341,2	3940,00	381,00	TY 48-19-126-74
52836740002012	0	BK20	B030010 (ПР20-12)	10372,91	2582,85	249,00	TY 48-19-126-74
53836740002012	0	BK20-KC	B030010 (ПР20-12)	10372,91	2582,85	249,00	TY 48-19-126-74
53836740002013	0	BK20-KC	B030011 (ПР20-13)	10358,96	3045,53	294,00	TY 48-19-126-74
53836740002014	0	BK20-KC	B030012 (ПР20-14)	10348,65	3508,19	339,00	TY 48-19-126-74
52836740002015	0	BK20	B030013 (ПР20-15)	10340,58	3981,12	385,00	TY 48-19-126-74
53836740002015	0	BK20-KC	B030013 (ПР20-15)	10340,58	3981,12	385,00	TY 48-19-126-74
52836740002016	0	BK20	B030014 (ПР20-16)	10334,33	4443,76	430,00	TY 48-19-126-74
53836740002016	0	BK20-KC	B030014 (ПР20-16)	10334,33	4443,76	430,00	TY 48-19-126-74
52836740002022	0	BK20	B030016 (ПР20-22)	10328,75	4957,80	480,00	TY 48-19-126-74
53836740002022	0	BK20-KC	B030016 (ПР20-22)	10328,75	4957,80	480,00	TY 48-19-126-74
52836740002023	0	BK20	B030017 (ПР20-23)	10324,12	5482,11	531,00	TY 48-19-126-74
52836740002024	0	BK20	B030018 (ПР20-24)	10320,38	5996,14	581,00	TY 48-19-126-74
53836740002024	0	BK20-KC	B030018 (ПР20-24)	10320,38	5996,14	581,00	TY 48-19-126-74
53836740002025	0	BK20-KC	B030019 (ПР20-25)	10317,16	6520,44	632,00	TY 48-19-126-74
53836740002028	0	BK20-KC	B030020 (ПР20-28)	10329,35	4896,11	474,00	TY 48-19-126-74
52836740002029	0	BK20	B030021 (ПР20-29)	10323,64	5543,79	537,00	TY 48-19-126-74
53836740002029	0	BK20-KC	B030021 (ПР20-29)	10323,64	5543,79	537,00	TY 48-19-126-74
52836740002030	0	BK20	B030022 (ПР20-30)	10319,11	6191,47	600,00	TY 48-19-126-74
53836740002032	0	BK20-KC	B030023 (ПР20-32)	10312,4	7486,80	726,00	TY 48-19-126-74
52836740002033	0	BK20	B030024 (ПР20-33)	10309,77	8155,03	791,00	TY 48-19-126-74
53836740002033	0	BK20-KC	B030024 (ПР20-33)	10309,77	8155,03	791,00	TY 48-19-126-74
52836740002034	0	BK20	B030025 (ПР20-34)	10307,57	8812,97	855,00	TY 48-19-126-74
53836740002034	0	BK20-KC	B030025 (ПР20-34)	10307,57	8812,97	855,00	TY 48-19-126-74
52836740002036	0	BK20	B030026 (ПР20-36)	10312,4	7486,80	726,00	TY 48-19-126-74
53836740002036	0	BK20-KC	B030026 (ПР20-36)	10312,4	7486,80	729,00	TY 48-19-126-74
52836740002037	0	BK20	B030027 (ПР20-37)	10308,42	8545,68	829,00	TY 48-19-126-74
53836740002037	0	BK20-KC	B030027 (ПР20-37)	10308,42	8545,68	829,00	TY 48-19-126-74
52836740002038	0	BK20	B030028 (ПР20-38)	10305,48	9542,88	926,00	TY 48-19-126-74
53836740002038	0	BK20-KC	B030028 (ПР20-38)	10305,48	9542,88	926,00	TY 48-19-126-74
52836740002040	0	BK20	B030029 (ПР20-40)	10301,14	11526,97	1119,00	TY 48-19-126-74
53836740002040	0	BK20-KC	B030029 (ПР20-40)	10301,14	11526,97	1119,00	TY 48-19-126-74
52836740002041	0	BK20	B030030 (ПР20-41)	10299,47	12524,16	1216,00	TY 48-19-126-74
53836740002041	0	BK20-KC	B030030 (ПР20-41)	10299,47	12524,16	1216,00	TY 48-19-126-74
52836740002042	0	BK20	B030031 (ПР20-42)	10298,07	13511,06	1312,00	TY 48-19-126-74
53836740002042	0	BK20-KC	B030031 (ПР20-42)	10298,07	13511,06	1312,00	TY 48-19-126-74
52836740002052	0	BK20	B030032 (ПР20-52)	10372,55	2593,14	250,00	TY 48-19-126-74
53836740002052	0	BK20-KC	B030032 (ПР20-52)	10372,55	2593,14	250,00	TY 48-19-126-74
52836740005901	0	BK20	B030033 (ПР59-1)	10708,42	535,42	50,00	TY 48-19-126-74
53831140002200	0	BK20-KC	B030034 (ПР22)	10302,94	10612,03	1030,00	TY 48-19-232-91
53831140002300	0	BK20-KC	B030035 (ПР23)	10291,76	20891,24	2029,9	TY 48-19-232-91
52536240002501	0	BK8	B030036 (ПР25-1)	9383,33	35,66	3,8	TY 48-19-161-90
52536240002502	0	BK8	B030037 (ПР25-2)	8954,49	56,41	6,3	TY 48-19-161-90
52836740003301	0	BK20	B030038 (ПР33-1)	10637,05	648,86	61,00	TY 48-19-126-74
52836740003302	0	BK20	B030039 (ПР33-2)	10586,07	762,20	72,00	TY 48-19-126-74
52836740003303	0	BK20	B030040 (ПР33-3)	10631,72	659,17	62,00	TY 48-19-126-74
53831140003500	0	BK20-KC	B030041 (ПР35)	10288,73	28294,01	2750,00	TY 48-19-232-91
53831140004601	0	BK20-KC	B030042 (ПР46-1)	10704,56	540,58	50,5	TY 48-19-232-91
53631140004700	0	BK10-KC	B030043 (ПР47)	9054,39	1493,97	165,00	TY 48-19-232-91
52836740005300	0	BK20	B030044 (ПР53)	10654,04	617,93	58,00	TY 48-19-126-74
52836740006501	0	BK20	B030045 (ПР65-1)	10318,48	6294,27	610,00	TY 48-19-126-74
52836740006502	0	BK20	B030046 (ПР65-2)	10315,34	6859,70	665,00	TY 48-19-126-74
52836740006503	0	BK20	B030047 (ПР65-3)	10310,97	7836,34	760,00	TY 48-19-126-74
52540140006802	0	BK8	B030048 (ПР68-2)	7465,8	6084,63	815,00	TY 48-19-165-84
52836740008101	0	BK20	B030049 (ПР81-1)	10637,05	648,86	61,00	TY 48-19-126-74
52836740008102	0	BK20	B030050 (ПР81-2)	10563,95	823,99	78,00	TY 48-19-126-74
52836740008103	0	BK20	B030051 (ПР81-3)	10626,55	669,47	63,00	TY 48-19-126-74
52836740009501	0	BK20	B030052 (ПР95-1)	10293,23	18527,82	1800,00	TY 48-19-126-74
52836740009502	0	BK20	B030053 (ПР95-2)	10298,09	13490,50	1310,00	TY 48-19-126-74

52836740009503	0	BK20	B030054 (ПР95-3)	10307,1	8967,18	870,00	TY 48-19-126-74
52836740010200	0	BK20	B030055 (ПР102)	10357,41	3107,22	300,00	TY 48-19-126-74
52836740010300	0	BK20	B030056 (ПР103)	10355,43	3189,47	308,00	TY 48-19-126-74
52836740010400	0	BK20	B030057 (ПР104)	10354,25	3240,88	313,00	TY 48-19-126-74
52836740010500	0	BK20	B030058 (ПР105)	10346,47	3624,37	324,00	TY 48-19-126-74
53836740010500	0	BK20-KC	B030058 (ПР105)	10354,72	3220,32	311,00	TY 48-19-126-74
52836740010600	0	BK20	B030059 (ПР106)	10344,89	3713,82	332,00	TY 48-19-126-74
53836740010600	0	BK20-KC	B030059 (ПР106)	8628,3	2709,29	314,00	TY 48-19-126-74
52836740011100	0	BK20	B030060 (ПР111)	10770,87	463,15	43,00	TY 48-19-126-74
52836740011200	0	BK20	B030061 (ПР112)	10447,23	1420,82	136,00	TY 48-19-126-74
52536240011501	0	BK8	B030062 (ПР115-1)	7463,85	6717,46	900,00	TY 48-19-161-90
52536240011502	0	BK8	B030063 (ПР115-2)	7458,48	9397,69	1260,00	TY 48-19-161-90
52536240011506	0	BK8	B030064 (ПР115-6)	7449,06	31286,04	4200,00	TY 48-19-161-90
52536240011608	0	BK8	B030065 (ПР116-8)	7446,04	122673,44	16475,00	TY 48-19-161-90
52536240011609	0	BK8	B030066 (ПР116-9)	7446,01	126209,82	16950,00	TY 48-19-161-90
52536240011700	0	BK8	B030067 (ПР117)	7446,14	111319,81	14950,00	TY 48-19-161-90
52536240012800	0	BK8	B030068 (ПР128)	7459,28	8874,30	1189,7	TY 48-19-161-90
52536240013302	0	BK8	B030069 (ПР133-2)	7472,51	4595,60	615,00	TY 48-19-161-90
52740140013801	0	BK15	B030070 (ПР138-1)	9250,84	551,35	63,00	TY 48-19-165-84
52540140013801	0	BK8	B030070 (ПР138-1)	7695,84	484,84	63,00	TY 48-19-165-84
52540140013802	0	BK8	B030071 (ПР138-2)	7684,57	508,72	66,2	TY 48-19-165-84
52540140013900	0	BK8	B030072 (ПР139)	7610,61	745,84	98,00	TY 48-19-165-84
52736240014300	0	BK15	B030073 (ПР143)	8948,35	12706,65	1420,00	TY 48-19-161-90
52736240014400	0	BK15	B030074 (ПР144)	8950,29	11187,87	1250,00	TY 48-19-161-90
52736240016301	0	BK15	B030075 (ПР163-1)	10213,28	112,35	11,00	TY 48-19-161-90
52736240016302	0	BK15	B030076 (ПР163-2)	10298,56	102,99	10,00	TY 48-19-161-90
52540140017701	0	BK8	B030077 (ПР177-1)	7555,76	1125,81	149,00	TY 48-19-165-84
52540140017705	0	BK8	B030078 (ПР177-5)	7643,34	619,11	81,00	TY 48-19-165-84
52736240021201	0	BK15	B030079 (ПР212-1)	9080,19	1225,83	135,00	TY 48-19-161-90
52736240021202	0	BK15	B030080 (ПР212-2)	9044,03	1636,97	181,00	TY 48-19-161-90
52836740000501	0	BK20	B030083 (ПР5-1)	10299,25	12668,08	1230,00	TY 48-19-126-74
52836740000502	0	BK20	B030084 (ПР5-2)	10302,72	10714,83	1040,00	TY 48-19-126-74
52836740000503	0	BK20	B030085 (ПР5-3)	10308,91	8401,76	815,00	TY 48-19-126-74
52836740000504	0	BK20	B030086 (ПР5-4)	10305,19	9655,96	937,00	TY 48-19-126-74
53831130010900	0	BK20KC	B030087 (ПР109)	11978,31	106,25	8,2	TY 48-19-232-91
52836740005701	0	BK20	B030087 (ПР57-1)	12064,5	98,93	8,2	TY 48-19-126-74
52836740012901	0	BK20	B030088 (ПР129-1)	10352,65	3312,85	320,00	TY 48-19-126-74
53836740012901	0	BK20-KC	B030088 (ПР129-1)	10352,65	3312,85	320,00	TY 48-19-126-74
52836740012902	0	BK20	B030089 (ПР129-2)	10349,46	3467,07	335,00	TY 48-19-126-74
53836740012902	0	BK20-KC	B030089 (ПР129-2)	10349,46	3467,07	335,00	TY 48-19-126-74
52831140011601	0	BK20	B030091 (ПР116-1)	10297,21	14189,56	1378,00	TY 48-19-232-91
53831140011601	0	BK20-KC	B030091 (ПР116-1)	10297,21	14189,56	1378,00	TY 48-19-232-91
52831140011602	0	BK20	B030092 (ПР116-2)	10295,18	16122,24	1566,00	TY 48-19-232-91
53831140011602	0	BK20-KC	B030092 (ПР116-2)	10295,18	16122,24	1566,00	TY 48-19-232-91
53831140005500	0	BK20-KC	B030093 (ПР55)	10347,29	3580,16	320,00	TY 48-19-232-91
52836740013600	0	BK20	B030096 (ПР136)	10292,54	19562,01	1900,6	TY 48-19-126-74
53831140006402	0	BK20-KC	B030098 (ПР64-2)	10762,83	471,41	43,8	TY 48-19-232-91
53831140006404	0	BK20-KC	B030100 (ПР64-4)	10484,46	1156,44	110,3	TY 48-19-232-91
53831140006405	0	BK20-KC	B030101 (ПР64-5)	10428,97	1598,76	153,3	TY 48-19-232-91
53831140006602	0	BK20-KC	B030104 (ПР66-2)	10398,9	2011,15	193,4	TY 48-19-232-91
53831140006603	0	BK20-KC	B030105 (ПР66-3)	10359,38	3029,08	292,4	TY 48-19-232-91
52836740013701	0	BK20	B030106 (ПР137-1)	10295,89	15391,42	1632,00	TY 48-19-126-74
52836740013702	0	BK20	B030107 (ПР137-2)	10294,03	17453,74	1851,00	TY 48-19-126-74
52536240033900	0	BK8	B030108 (ПР339)	7464,34	6547,72	877,2	TY 48-19-161-90
53831140008000	0	BK20-KC	B030109 (ПР80)	10376,47	2486,41	242,00	TY 48-19-232-91
53831140008305	0	BK20-KC	B030114 (ПР83-5)	11074,82	272,88	24,9	TY 48-19-232-91
53831140008408	0	BK20-KC	B030122 (ПР84-8)	10831,26	408,77	38,1	TY 48-19-232-91
53831140008601	0	BK20-KC	B030128 (ПР86-1)	11024,59	293,70	26,9	TY 48-19-232-91
53831140008602	0	BK20-KC	B030129 (ПР86-2)	11024,59	293,70	26,9	TY 48-19-232-91
53831140008603	0	BK20-KC	B030130 (ПР86-3)	10892,43	364,57	33,8	TY 48-19-232-91
53831140008604	0	BK20-KC	B030131 (ПР86-4)	11026,95	292,66	26,8	TY 48-19-232-91
53831140008605	0	BK20-KC	B030132 (ПР86-5)	11024,59	293,70	26,9	TY 48-19-232-91
53831140008606	0	BK20-KC	B030133 (ПР86-6)	11024,59	293,70	26,9	TY 48-19-232-91
53831140008607	0	BK20-KC	B030134 (ПР86-7)	10892,43	364,57	33,8	TY 48-19-232-91
53831140008608	0	BK20-KC	B030135 (ПР86-8)	10906,93	355,35	32,9	TY 48-19-232-91
53831140008609	0	BK20-KC	B030136 (ПР86-9)	11024,59	293,70	26,9	TY 48-19-232-91
53831140008610	0	BK20-KC	B030137 (ПР86-10)	10892,43	364,57	33,8	TY 48-19-232-91
53831140008611	0	BK20-KC	B030138 (ПР86-11)	10906,93	355,35	32,9	TY 48-19-232-91
53831140008701	0	BK20-KC	B030139 (ПР87-1)	11026,95	292,66	26,8	TY 48-19-232-91
53831140008702	0	BK20-KC	B030140 (ПР87-2)	10874,06	376,89	35,00	TY 48-19-232-91
53831140008703	0	BK20-KC	B030141 (ПР87-3)	10789,33	445,17	41,6	TY 48-19-232-91

53831140008704	0	BK20-KC	B030142 (ПР87-4)	10859,59	387,14	36,00	ТУ 48-19-232-91
53831140008705	0	BK20-KC	B030143 (ПР87-5)	10599,2	729,54	69,5	ТУ 48-19-232-91
53831140008706	0	BK20-KC	B030144 (ПР87-6)	10567,62	813,07	77,7	ТУ 48-19-232-91
53831140008707	0	BK20-KC	B030145 (ПР87-7)	10506,57	1040,57	100,00	ТУ 48-19-232-91
53831140008708	0	BK20-KC	B030146 (ПР87-8)	10831,39	408,67	38,1	ТУ 48-19-232-91
53831140008709	0	BK20-KC	B030147 (ПР87-9)	10878,43	373,89	34,7	ТУ 48-19-232-91
53831140008710	0	BK20-KC	B030148 (ПР87-10)	10976,6	316,35	29,1	ТУ 48-19-232-91
53831140008711	0	BK20-KC	B030149 (ПР87-11)	10774,06	459,94	43,1	ТУ 48-19-232-91
53831140008712	0	BK20-KC	B030150 (ПР87-12)	10881,48	371,82	34,5	ТУ 48-19-232-91
53831140008713	0	BK20-KC	B030151 (ПР87-13)	10897,08	361,56	33,5	ТУ 48-19-232-91
53831140008714	0	BK20-KC	B030152 (ПР87-14)	11026,95	292,66	26,8	ТУ 48-19-232-91
53831140008715	0	BK20-KC	B030153(ПР87-15)	10506,35	1041,60	100,1	ТУ 48-19-232-91
53831140008716	0	BK20-KC	B030154(ПР87-16)	10456,94	1341,10	129,5	ТУ 48-19-232-91
53831140008717	0	BK20-KC	B030155(ПР87-17)	10774,06	459,94	43,1	ТУ 48-19-232-91
53831140008718	0	BK20-KC	B030156(ПР87-18)	10821,26	416,94	38,9	ТУ 48-19-232-91
53831140008719	0	BK20-KC	B030157(ПР87-19)	10500,08	1072,16	103,1	ТУ 48-19-232-91
53831140008720	0	BK20-KC	B030158(ПР87-20)	10616,37	690,70	65,7	ТУ 48-19-232-91
53831140008721	0	BK20-KC	B030159(ПР87-21)	10475,04	1213,74	117,00	ТУ 48-19-232-91
52836740015200	0	BK20	B030160 (ПР152)	10379,65	2406,00	214,4	ТУ 48-19-126-74
52836740015300	0	BK20	B030161 (ПР153)	10394,46	2090,33	186,00	ТУ 48-19-126-74
52536240058900	0	BK8	B030162(ПР589)	7571,35	984,28	130,00	ТУ 48-19-161-90
53831140010200	0	BK20-KC	B030163(ПР102)	3257,06	2944,06	836,00	ТУ 48-19-232-91
52419800000299	0	УСЛУГИ	BK6 1,55*1,5*4	5958,27	104,15	0,00	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
53331020003200	0	BK8-B	G0107092 (ПР32)	7931,6	10,55	1,33	ТУ 48-19-231-76
53628030000001	0	BK10-KC	G011012 (2121/1)	8960,35	752,67	84,00	ТУ 48-19-328-76
53928030000001	0	BK8-KC	G011012 (2121/1)	8948,21	797,11	86,00	ТУ 48-19-328-76
53909020000014	0	BK8-KC	G012012 (2218/14)	8215,84	197,18	24,00	ТУ 48-19-328-76
53628120000007	0	BK10-KC	G012082 (2171/7)	8935,87	847,75	94,87	ТУ 48-19-328-76
53950130000600	0	BK8-KC	G012112 (ПР1)	8705,25	278,57	32,00	ТУ 48-19-423-87
53628340001000	0	BK10-KC	G012112 (ПР10)	8171,45	236,56	30,2	ТУ 48-19-328-76
53331020000600	0	BK8-B	G012112 (ПР6)	7906,14	253,00	32,00	ТУ 48-19-231-76
53331020001400	0	BK8-B	G012122 (ПР14)	7918,94	245,49	31,00	ТУ 48-19-231-76
52540120037900	0	BK8	G012132 (ПР379)	6996,13	172,80	24,7	ТУ 48-19-165-84
53631120003900	0	BK10-KC	G012132 (ПР39)	9418,54	228,87	24,3	ТУ 48-19-232-91
53631120004000	0	BK10-KC	G012142 (ПР40)	9200,91	349,63	38,00	ТУ 48-19-232-91
53628330000015	0	BK10-KC	G013012 (2450/15)	8633,24	350,51	40,6	ТУ 48-19-328-76
53928330000015	0	BK8-KC	G013012 (2450/15)	8617,44	370,98	40,6	ТУ 48-19-328-76
53628340000016	0	BK10-KC	G013022 (2450/16)	8641,25	340,90	46,5	ТУ 48-19-328-76
53928330000016	0	BK8-KC	G013022 (2450/16)	8597,74	399,80	46,5	ТУ 48-19-328-76
53631120004100	0	BK10-KC	G014012 (ПР41)	9229,65	327,65	35,5	ТУ 48-19-232-91
52540120014801	0	BK8	G017033 (ПР148-1)	7806,51	329,43	10,3	ТУ 48-19-165-84
52540120014802	0	BK8	G017034 (ПР148-2)	6392,22	36,44	5,7	ТУ 48-19-165-84
53631210000100	0	BK10-KC	G017035 (ПР1)	9324,12	270,40	41,00	ТУ 48-4205-44-94
52540120029500	0	BK8	G017039 (ПР295)	7237,84	73,83	10,2	ТУ 48-19-165-84
51228610000006	0	BK6-M	G017041 (Г2606)	0,00	0,00	1,7	ГОСТ 880-75
51228610000010	0	BK6-M	G017042 (Г2610)	0,00	0,00	2,2	ГОСТ 880-75
536283400000700	0	BK10-KC	G017058 (ПР7)	8194,83	214,29	26,15	ТУ 48-19-328-76
53331020002300	0	BK8-B	G017060 (ПР23)	6927,2	247,99	35,8	ТУ 48-19-231-76
53631120010400	0	BK10-KC	G017086 (ПР104)	7972,1	1119,28	138,00	ТУ 48-19-232-91
53631120010500	0	BK10-KC	G017087 (ПР105)	7995,15	802,71	98,7	ТУ 48-19-232-91
53436220069300	0	BK8 Г/Б	G017090 (ПР693)	7023,55	153,11	21,8	ТУ 48-19-161-90
52536220074800	0	BK8	G017093 (ПР748)	5885,99	20,01	3,4	ТУ 48-19-161-90
53331020003901	0	BK8-B	G017094 (ПР39-1)	6637,16	61,73	9,3	ТУ 48-19-231-76
53331020003902	0	BK8-B	G017095 (ПР39-2)	6578,38	90,78	13,8	ТУ 48-19-231-76
53529730000700	0	BK8-BK	G017096 (ПР7) 02351	5593,8	359,12	64,2	ТУ 48-19-281-90
52726820000100	0	BK15	G022012 (ПР1)	8813,58	378,98	43,00	ТУ 48-19-183-76
52736230016201	0	BK15	G022022 (ПР162-1)	9085,6	1181,13	130,00	ТУ 48-19-161-90
52736230016202	0	BK15	G022032 (ПР162-2)	9001,09	2700,33	300,00	ТУ 48-19-161-90
53630270000480	0	BK10-KC	G022042 (2283/1)	9245,12	316,83	35,00	ТУ 48-19-328-76
53730270000480	0	BK11-BK	G022042 (2283/1)	9445,7	330,60	35,00	ТУ 48-19-249-91
53750180000002	0	BK11-BK	G022052 (2283/2)	9445,7	330,60	35,00	ТУ 48-19-397-94
52550180228302	0	BK8	G022052 (2283/2)	0,00	0,00	36,00	ТУ 48-19-397-94
53330270000280	0	BK8-B	G022062 (3Р280)	7632,57	656,40	86,00	ТУ 48-19-249-91
53631500000002	0	BK10-KC	G022072 (РПП2М.002)	0,00	0,00	86,5	ТУ 48-19-97-83
53331500000002	0	BK8-B	G022072 (РПП2М.002)	7628,54	671,31	88,00	ТУ 48-19-97-83
53531500000002	0	BK8-BK	G022072 (РПП2М.002)	7628,54	671,31	88,00	ТУ 48-19-97-83
52426820000200	0	BK6	G027002 (ПР2)	8067,65	5,49	0,74	ТУ 48-19-183-76
52526820000200	0	BK8	G027002 (ПР2)	9217,5	6,18	0,67	ТУ 48-19-183-76
53330270000900	0	BK8-B	G027057 (ПР9)	7410,8	244,56	33,00	ТУ 48-19-249-91
52736240000729	0	BK15	G027097(ПР729)	8718,98	566,73	62,8	ТУ 48-19-161-90
53331020003800	0	BK8-B	G027098 (ПР38)/3	7206,15	737,19	102,00	ТУ 48-19-231-76

53331020003700	0	BK8-B	G027099 (ПР37)/3	7171,87	1072,19	149,00	TY 48-19-231-76
53331020003801	0	BK8-B	G027100 (ПР38)	8013,39	793,33	99,00	TY 48-19-231-76
53331020003701	0	BK8-B	G027101 (ПР37)	7943,86	1175,69	148,00	TY 48-19-231-76
53331030004400	0	BK8-B	G027102 (ПР44)	7108,45	5863,76	824,9	TY 48-19-231-76
52536240018800	0	BK8	G033012 (ПР188)	8382,35	110,65	13,2	TY 48-19-161-90
53730280000300	0	BK11-BK	G037012 (ПР3)	9445,7	330,60	35,00	TY 48-19-249-91
52536240026300	0	BK8	G037036 (ПР263)	8757,24	70,06	8,00	TY 48-19-161-90
53730280000500	0	BK11-BK	G037037 (ПР5)	9823,93	176,83	18,00	TY 48-19-249-91
53730280000600	0	BK11-BK	G037038 (ПР6)	9369,49	393,52	42,00	TY 48-19-249-91
53730280000400	0	BK11-BK	G037040 (ПР4)	9756,02	194,14	19,9	TY 48-19-249-91
53628350000300	0	BK10-KC	G037048 (ПР3)	9118,15	431,29	47,3	TY 48-19-328-76
52540140034700	0	BK8	G037048 (ПР347)	7766,36	373,56	48,1	TY 48-19-165-84
53630280100300	0	BK10-KC	G037051 (ПР3А)	9245,12	316,83	35,00	TY 48-19-249-91
53730280100300	0	BK11-BK	G037051 (ПР3А)	9445,7	330,60	35,00	TY 48-19-249-91
52536240038500	0	BK8	G037052 (ПР385)	7645,8	611,66	80,00	TY 48-19-161-90
53628350000600	0	BK10-KC	G037052 (ПР6)	8974,88	705,43	78,6	TY 48-19-328-76
53631140007200	0	BK10-KC	G037055(ПР72)	8828,56	1854,00	210,00	TY 48-19-232-91
53631140007300	0	BK10-KC	G037056(ПР73)	8785,26	3487,75	397,00	TY 48-19-232-91
53330290001000	0	BK8-B	G037059 (ПР10)	7685,71	506,49	65,9	TY 48-19-249-91
52736240040301	0	BK15	G037061(ПР403-1)	9359,17	403,75	44,9	TY 48-19-161-90
52536240040301	0	BK8	G037061(ПР403-1)	7782,23	354,87	45,6	TY 48-19-161-90
52736240040302	0	BK15	G037062(ПР403-2)	9261,38	532,71	58,7	TY 48-19-161-90
52536240040302	0	BK8	G037062(ПР403-2)	7704,36	468,42	60,8	TY 48-19-161-90
52536240047400	0	BK8	G037068(ПР474)	9233,13	41,92	4,8	TY 48-19-161-90
52536240047500	0	BK8	G037069(ПР475)	9225,66	42,25	4,8	TY 48-19-161-90
52536240048300	0	BK8	G037070(ПР483)	8654,88	78,76	9,1	TY 48-19-161-90
52536240048600	0	BK8	G037071(ПР486)	7577,15	941,08	124,2	TY 48-19-161-90
52536240059000	0	BK8	G037080 (ПР590)	8708,64	74,02	8,5	TY 48-19-161-90
53331040002903	0	BK8-B	G037084 (ПР29-3)	8757,24	70,06	8,00	TY 48-19-231-76
52536240060803	0	BK8	G037084 (ПР608/3)	8757,24	70,06	8,00	TY 48-19-161-90
53631140010300	0	BK10-KC	G037085(ПР103)	8972,89	711,55	78,00	TY 48-19-232-91
52736240000662	0	BK15	G037085(ПР662)	9176,79	727,72	76,6	TY 48-19-161-90
53730280000011	0	BK11-BK	G037088 (ПР11)	8650,17	865,02	100,00	TY 48-19-249-91
53730280000012	0	BK11-BK	G037089 (ПР12)	8583,05	1716,61	200,00	TY 48-19-249-91
52536240072800	0	BK8	G037096 (ПР728)	7669,56	544,54	71,00	TY 48-19-161-90
52536241072700	0	BK8	G037097 (ПР727)	8436,84	102,93	12,2	TY 48-19-161-90
53331040004300	0	BK8-B	G037102 (ПР43)	7448,96	33073,38	4444,00	TY 48-19-231-76
53529730000200	0	BK8-BK	G047053 (ПР2)	10516,33	34,70	3,3	TY 48-19-281-90
53529730000300	0	BK8-BK	G047054 (ПР3)	9776,67	62,57	6,4	TY 48-19-281-90
52536240046700	0	BK8	G047067(ПР467)	9794,2	61,70	6,3	TY 48-19-161-90
52536250075601	0	BK8	G047095(ПР756-1)	7870,77	2347,06	298,2	TY 48-19-161-90
52736250075602	0	BK15	G047096(ПР756-2)	9444,75	2816,42	288,00	TY 48-19-161-90
53631170004200	0	BK10-KC	G065072 (ПР42)	9324,12	270,40	29,00	TY 48-19-232-91
53631170003701	0	BK10-KC	G065082 (ПР37-1)	9859,85	126,21	12,8	TY 48-19-232-91
52536270039101	0	BK8	G065082(ПР391-1)	8431,11	103,70	12,3	TY 48-19-161-90
53631170003702	0	BK10-KC	G065092 (ПР37-2)	9310,59	277,46	29,8	TY 48-19-232-91
52536270039102	0	BK8	G065092(ПР391-2)	7925,62	241,73	30,5	TY 48-19-161-90
53631170003703	0	BK10-KC	G065102 (ПР37-3)	9165,88	380,38	41,5	TY 48-19-232-91
52536270039103	0	BK8	G065102(ПР391-3)	7806,51	329,43	42,2	TY 48-19-161-90
52736270034200	0	BK15	G067047 (ПР342)	9444,75	2816,42	110,00	TY 48-19-161-90
53628380000400	0	BK10-KC	G067049 (ПР4)	10943,45	409,28	37,4	TY 48-19-328-76
53328380000400	0	BK8-B	G067049 (ПР4)	8301,82	329,25	37,4	TY 48-19-328-76
53628380000500	0	BK10-KC	G067050 (ПР5)	11172,94	327,37	29,3	TY 48-19-328-76
53328380000500	0	BK8-B	G067050 (ПР5)	8422,21	261,68	29,3	TY 48-19-328-76
53628520000001	0	BK10-KC	G1101	7410,14	319,38	44,76	ГОСТ 880-75
52728520000001	0	BK15	G1101	6733,66	291,10	43,5	ГОСТ 880-75
53328520000001	0	BK8-B	G1101	5608,53	256,31	45,7	ГОСТ 880-75
53628520000002	0	BK10-KC	G1102	7401,11	373,39	52,4	ГОСТ 880-75
52728520000002	0	BK15	G1102	6724,44	340,32	50,9	ГОСТ 880-75
53328520000002	0	BK8-B	G1102	5601,19	299,66	53,5	ГОСТ 880-75
53628520000003	0	BK10-KC	G1103	7395,39	417,03	58,57	ГОСТ 880-75
52728520000003	0	BK15	G1103	6718,6	380,07	56,9	ГОСТ 880-75
53628520000004	0	BK10-KC	G1104	7386,05	512,59	72,09	ГОСТ 880-75
52728520000004	0	BK15	G1104	6709,08	467,15	70,1	ГОСТ 880-75
53628520000005	0	BK10-KC	G1105	7393,95	429,51	39,3	ГОСТ 880-75
52728520000005	0	BK15	G1105	6717,14	391,41	58,7	ГОСТ 880-75
53328520000005	0	BK8-B	G1105	5595,38	344,68	61,6	ГОСТ 880-75
53628520000006	0	BK10-KC	G1106	7379,82	602,64	84,82	ГОСТ 880-75
52728520000006	0	BK15	G1106	6702,73	549,09	82,5	ГОСТ 880-75
52528520000006	0	BK8	G1106	5584,13	480,24	86,00	ГОСТ 880-75
53328520000006	0	BK8-B	G1106	5583,93	483,57	86,6	ГОСТ 880-75

5392852000006	0	BK8-KC	Г1106	7379,82	602,64	84,82	ГОСТ 880-75
5362852000007	0	BK10-KC	Г1107	7377,18	650,45	91,58	ГОСТ 880-75
5272852000007	0	BK15	Г1107	6700,03	592,62	89,1	ГОСТ 880-75
5332852000007	0	BK8-B	Г1107	5581,8	521,90	93,5	ГОСТ 880-75
5352852000007	0	BK8-BK	Г1107	5581,8	521,90	93,5	ГОСТ 880-75
5392852000007	0	BK8-KC	Г1107	7377,18	650,45	93,5	ГОСТ 880-75
5362852000008	0	BK10-KC	Г1108	7374,36	710,00	100,00	ГОСТ 880-75
5272852000008	0	BK15	Г1108	6697,16	646,88	97,3	ГОСТ 880-75
5332852000008	0	BK8-B	Г1108	5579,52	569,67	102,1	ГОСТ 880-75
5362852000009	0	BK10-KC	Г1109	7371,73	775,80	109,3	ГОСТ 880-75
5272852000009	0	BK15	Г1109	6694,48	706,74	106,3	ГОСТ 880-75
5332852000009	0	BK8-B	Г1109	5577,39	622,44	111,6	ГОСТ 880-75
5272852000010	0	BK15	Г1110	6694,82	698,54	106,00	ГОСТ 880-75
5362853000003	0	BK10-KC	Г1203	7894,09	207,69	27,33	ГОСТ 880-75
5272853000003	0	BK15	Г1203	7217,72	201,37	26,6	ГОСТ 880-75
5252853000003	0	BK8	Г1203	6016,97	165,47	27,5	ГОСТ 880-75
5352853000003	0	BK8-BK	Г1203	6014,73	167,81	27,9	ГОСТ 880-75
5392853000003	0	BK8-KC	Г1203	7894,09	207,69	27,9	ГОСТ 880-75
5362853000004	0	BK10-KC	Г1204	7918,83	183,72	24,09	ГОСТ 880-75
5392853000004	0	BK8-KC	Г1204	7918,83	183,72	24,6	ГОСТ 880-75
5362853000005	0	BK10-KC	Г1205	7877,81	226,57	29,6	ГОСТ 880-75
5272853000005	0	BK15	Г1205	7211,59	208,05	29,00	ГОСТ 880-75
5362853000006	0	BK10-KC	Г1206	7847,94	270,13	35,75	ГОСТ 880-75
52728530001206	0	BK15	Г1206	0,00	0,00	35,35	ГОСТ 880-75
5352853000006	0	BK8-BK	Г1206	5977,02	218,16	36,5	ГОСТ 880-75
5392853000006	0	BK8-KC	Г1206	7847,94	270,13	36,5	ГОСТ 880-75
5362853000007	0	BK10-KC	Г1207	7870,5	236,04	30,36	ГОСТ 880-75
5272853000007	0	BK15	Г1207	7204,15	216,70	30,3	ГОСТ 880-75
5362853000008	0	BK10-KC	Г1208	7829,58	304,96	40,45	ГОСТ 880-75
5272853000008	0	BK15	Г1208	7162,38	279,83	39,4	ГОСТ 880-75
5392853000008	0	BK8-KC	Г1208	7829,58	304,96	40,45	ГОСТ 880-75
5362853000009	0	BK10-KC	Г1209	7920,52	182,25	24,00	ГОСТ 880-75
5362854000001	0	BK10-KC	Г1301	7397,35	401,08	55,7	ГОСТ 880-75
5272854000001	0	BK15	Г1301	6720,6	365,53	54,00	ГОСТ 880-75
5252854000001	0	BK8	Г1301	5928,25	342,06	57,7	ГОСТ 880-75
5362854000002	0	BK10KC	Г1302	7387,19	498,86	66,4	ГОСТ 880-75
5332854000002	0	BK8-B	Г1302	5592,07	376,35	67,3	ГОСТ 880-75
5362854000003	0	BK10-KC	Г1313	7383,28	549,32	74,4	ГОСТ 880-75
5362855000004	0	BK10-KC	Г1404	7424,37	258,29	39,8	ГОСТ 880-75
5332855000004	0	BK8-B	Г1404	5620,12	207,33	41,05	ГОСТ 880-75
5362855000005	0	BK10-KC	Г1405	7419,18	278,00	42,86	ГОСТ 880-75
5272855000005	0	BK15	Г1405	6733,31	292,76	42,00	ГОСТ 880-75
5392855000005	0	BK8-KC	Г1405	7419,18	278,00	44,5	ГОСТ 880-75
5362855000009	0	BK10-KC	Г1409	7409,28	323,93	50,11	ГОСТ 880-75
5332855000009	0	BK8-B	Г1409	5607,83	259,98	51,54	ГОСТ 880-75
53228560000000	0	BK6-B	Г22	5626,95	185,69	33,00	ГОСТ 880-75
52528560000000	0	BK8	Г22	5626,95	185,69	31,94	ГОСТ 880-75
53729590001016	0	BK11-BK	Г23-10*16	10759,07	153,85	14,3	ТУ 48-19-281-90
53729590001218	0	BK11-BK	Г23-12*18	10340,52	232,66	22,5	ТУ 48-19-281-90
53328580000001	0	BK8-B	Г2401	5752,97	51,78	9,00	ГОСТ 880-75
53628580000002	0	BK10-KC	Г2402	7542,84	85,38	11,8	ГОСТ 880-75
53728580000002	0	BK11-BK	Г2402	6869,19	77,97	11,7	ГОСТ 880-75
53328580000002	0	BK8-B	Г2402	5717,76	68,61	12,00	ГОСТ 880-75
53328580002403	0	BK8-B	Г2403	6031,65	151,39	25,00	ГОСТ 880-75
52528590000002	0	BK8	Г24A02	6263,43	55,74	8,9	ГОСТ 880-75
53328590000002	0	BK8-B	Г24A02	5754,41	51,21	8,9	ГОСТ 880-75
53728590000003	0	BK11-BK	Г24A03	6777,07	167,33	25,46	ГОСТ 880-75
53328590000003	0	BK8-B	Г24A03	5643,26	147,29	26,1	ГОСТ 880-75
53729600001012	0	BK11-BK	Г25-10*12	11027,68	123,51	11,2	ТУ 48-19-281-90
53729600001013	0	BK11-BK	Г25-10*13	10921,35	134,33	12,3	ТУ 48-19-281-90
53729600001014	0	BK11-BK	Г25-10*14	10819,77	146,07	13,5	ТУ 48-19-281-90
53729600001016	0	BK11-BK	Г25-10*16	10651,61	169,36	15,9	ТУ 48-19-281-90
53729600001216	0	BK11-BK	Г25-12*16	10358,76	227,89	22,00	ТУ 48-19-281-90
53729600001217	0	BK11-BK	Г25-12*17	10305,96	242,19	23,5	ТУ 48-19-281-90
53729600001418	0	BK11-BK	Г25-14*18	10051,82	340,76	33,9	ТУ 48-19-281-90
53729600001420	0	BK11-BK	Г25-14*20	10000,42	370,02	37,00	ТУ 48-19-281-90
53729600001624	0	BK11-BK	Г25-16*24	9784,05	569,43	58,2	ТУ 48-19-281-90
53729600000507	0	BK11-BK	Г25-5*7	13460,08	21,54	1,6	ТУ 48-19-281-90
53729600000610	0	BK11-BK	Г25-6*10	12542,56	43,90	3,5	ТУ 48-19-281-90
53729600000608	0	BK11-BK	Г25-6*8	12873,7	34,76	2,7	ТУ 48-19-281-90
53529600000608	0	BK8-BK	Г25-6*8	10690,69	29,93	2,5	ТУ 48-19-281-90

53729600000810	0	BK11-BK	Г25-8*10	11721,42	75,60	6,45	TY 48-19-281-90
53729600000812	0	BK11-BK	Г25-8*12	11612,97	81,29	7,00	TY 48-19-281-90
53529600250812	0	BK8-BK	Г25-8*12	0,00	0,00	7,5	TY 48-19-281-90
52428530002505	0	BK6	Г2505	0,00	0,00	2,2	ГОСТ 880-75
53728600000006	0	BK11-BK	Г2506	11265,22	18,14	1,8	ГОСТ 880-75
53628600000007	0	BK10-KC	Г2507	7709,04	30,30	3,87	ГОСТ 880-75
53728600000007	0	BK11-BK	Г2507	9608,16	32,67	3,8	ГОСТ 880-75
53728600000009	0	BK11-BK	Г2509	8848,86	22,92	2,9	ГОСТ 880-75
53728530000012	0	BK11-BK	Г2512	8699,4	63,82	9,00	ГОСТ 880-75
52728600000012	0	BK15	Г2512	6215,31	66,13	9,00	ГОСТ 880-75
52428530002512	0	BK6	Г2512	6780,96	63,20	9,4	ГОСТ 880-75
53528530000012	0	BK8-BK	Г2512	5749,47	53,18	9,25	ГОСТ 880-75
53728600000015	0	BK11-BK	Г2515	8425,04	46,67	6,2	ГОСТ 880-75
53728600000016	0	BK11-BK	Г2516	6869,82	77,63	11,00	ГОСТ 880-75
53528600000016	0	BK8-BK	Г2516	5724,81	64,69	11,3	ГОСТ 880-75
53728600000018	0	BK11-BK	Г2518	8215,31	66,13	9,00	ГОСТ 880-75
52428530002522	0	BK6	Г2522	6780,96	63,20	14,54	ГОСТ 880-75
53628600000023	0	BK10-KC	Г2523	8682,35	99,07	13,06	ГОСТ 880-75
53728600000023	0	BK11-BK	Г2523	8033,27	91,98	12,8	ГОСТ 880-75
53728600000024	0	BK11-BK	Г2524	8081,88	83,89	11,6	ГОСТ 880-75
52528600002524	0	BK8	Г2524	5717,76	68,61	12,00	ГОСТ 880-75
53728600000032	0	BK11-BK	Г2532	7757,3	172,13	26,1	ГОСТ 880-75
52728600002532	0	BK15	Г2532	7233,36	185,90	24,8	ГОСТ 880-75
52428530002532	0	BK6	Г2532	0,00	0,00	25,94	ГОСТ 880-75
52528600002532	0	BK8	Г2532	5645,02	143,95	25,5	ГОСТ 880-75
53728600000034	0	BK11-BK	Г2534	7783,9	160,19	23,00	ГОСТ 880-75
52728600000040	0	BK15	Г2540	7760,12	170,80	24,6	ГОСТ 880-75
53728600000044	0	BK11-BK	Г2544	7659,91	232,33	36,00	ГОСТ 880-75
53728600000046	0	BK11-BK	Г2546	7729,96	186,06	26,9	ГОСТ 880-75
53629610001010	0	BK10-KC	Г26-10*10	10983,21	103,57	9,83	TY 48-19-281-90
53728602601010	0	BK11-BK	Г26-10*10	11161,46	111,61	9,7	TY 48-19-281-90
53529610001010	0	BK8-BK	Г26-10*10	9301,39	93,01	10,00	TY 48-19-281-90
53929610001010	0	BK8-KC	Г26-10*10	10913,46	109,13	10,00	TY 48-19-281-90
53529610001011	0	BK8-BK	Г26-10*11	9172,9	104,57	11,4	TY 48-19-281-90
53728602601012	0	BK11-BK	Г26-10*12	10921,35	134,33	11,96	ГОСТ 880-75
53529610001012	0	BK8-BK	Г26-10*12	9101,29	111,95	12,3	TY 48-19-281-90
53728602601014	0	BK11-BK	Г26-10*14	10781,23	150,94	14,3	ГОСТ 880-75
53629610001016	0	BK10-KC	Г26-10*16	10505,93	152,34	14,5	TY 48-19-281-90
53529610001016	0	BK8-BK	Г26-10*16	8904,07	136,94	16,35	TY 48-19-281-90
53629610001110	0	BK10-KC	Г26-11*10	10743,25	124,62	11,6	TY 48-19-281-90
53728602601112	0	BK11-BK	Г26-11*12	10759,07	153,85	13,9	TY 48-19-281-90
53529610001112	0	BK8-BK	Г26-11*12	8966,06	128,21	14,3	TY 48-19-281-90
53728602601113	0	BK11-BK	Г26-11*13	0,00	0,00	15,56	ГОСТ 880-75
53529610001113	0	BK8-BK	Г26-11*13	8871,36	141,94	16,00	TY 48-19-281-90
53529610001115	0	BK8-BK	Г26-11*15	8782,17	157,20	17,9	TY 48-19-281-90
53629612601116	0	BK10-KC	Г26-11*16	0,00	0,00	17,7	TY 48-19-281-90
53629610001212	0	BK10-KC	Г26-12*12	10407,11	166,83	16,7	TY 48-19-281-90
53529610001212	0	BK8-BK	Г26-12*12	8822,5	149,98	17,00	TY 48-19-281-90
53929610001212	0	BK8-KC	Г26-12*12	10351,57	175,98	17,00	TY 48-19-281-90
53729610001213	0	BK11-BK	Г26-12*13	10488,91	198,24	18,38	TY 48-19-281-90
53529610001213	0	BK8-BK	Г26-12*13	8740,92	165,20	18,9	TY 48-19-281-90
53728612611214	0	BK11-BK	Г26-12*14	10417,79	213,56	19,94	TY 48-19-281-90
53529610001214	0	BK8-BK	Г26-12*14	8681,65	177,97	20,5	TY 48-19-281-90
53629610001215	0	BK10-KC	Г26-12*15	10169,08	212,84	22,2	TY 48-19-281-90
53529610001215	0	BK8-BK	Г26-12*15	8626,31	191,50	22,2	TY 48-19-281-90
53529610001216	0	BK8-BK	Г26-12*16	8574,8	205,80	24,00	TY 48-19-281-90
53629610001217	0	BK10-KC	Г26-12*17	10074,36	237,55	24,6	TY 48-19-281-90
53529610001217	0	BK8-BK	Г26-12*17	8548,85	213,72	25,00	TY 48-19-281-90
53629610001218	0	BK10-KC	Г26-12*18	10036,42	248,90	25,9	TY 48-19-281-90
53529610001218	0	BK8-BK	Г26-12*18	8517,59	224,01	26,3	TY 48-19-281-90
53329610001218	0	BK8-B	Г26-12*18 (np35/1)	8504,02	228,76	26,8	TY 48-19-231-76
53629610001312	0	BK10-KC	Г26-13*12	10293,74	186,42	18,9	TY 48-19-281-90
53529610001312	0	BK8-BK	Г26-13*12	8729,21	167,60	19,2	TY 48-19-281-90
53929610001312	0	BK8-KC	Г26-13*12	10242,11	196,65	17,00	TY 48-19-281-90
53629610001313	0	BK10-KC	Г26-13*13	10150,9	217,23	21,4	TY 48-19-281-90
53629610001314	0	BK10-KC	Г26-13*14	10112,87	226,93	23,4	TY 48-19-281-90
53529610001314	0	BK8-BK	Г26-13*14	8580,2	204,21	23,8	TY 48-19-281-90
53929610001314	0	BK8-KC	Г26-13*14	10067,28	239,60	23,8	TY 48-19-281-90
53728602601316	0	BK11-BK	Г26-13*16	10201,99	275,45	26,94	ГОСТ 880-75
53529610001316	0	BK8-BK	Г26-13*16	8486,71	235,08	27,7	TY 48-19-281-90
53529610001317	0	BK8-BK	Г26-13*17	8470,22	241,40	28,5	TY 48-19-281-90

53629610001417	0	BK10-KC	Г26-14*17	9798,36	349,80	35,7	TY 48-19-281-90
53529610001417	0	BK8-BK	Г26-14*17	8379,67	282,39	33,7	TY 48-19-281-90
53728612611418	0	BK11-BK	Г26-14*18	10021,02	357,75	35,7	TY 48-19-281-90
53529610001418	0	BK8-BK	Г26-14*18	8351,00	298,13	35,7	TY 48-19-281-90
53529610001420	0	BK8-BK	Г26-14*20	8325,02	313,85	37,7	TY 48-19-281-90
53329610001420	0	BK8-B	Г26-14*20 (np35/2)	8323,79	314,64	37,7	TY 48-19-231-76
53529610001520	0	BK8-BK	Г26-15*20	8245,14	373,50	45,3	TY 48-19-281-90
53529610001618	0	BK8-BK	Г26-16*18	8246,75	372,09	45,12	TY 48-19-281-90
53529610001620	0	BK8-BK	Г26-16*20	8198,02	419,74	51,2	TY 48-19-281-90
53729610001622	0	BK11-BK	Г26-16*22	9761,56	602,29	61,7	TY 48-19-281-90
53529610000608	0	BK8-BK	Г26-6*8	10618,33	31,85	3,00	TY 48-19-281-90
53728600000810	0	BK11-BK	Г26-8*10	0,00	0,00	6,4	ГОСТ 880-75
53529610000810	0	BK8-BK	Г26-8*10	9742,53	64,30	6,6	TY 48-19-281-90
53529610000813	0	BK8-BK	Г26-8*13	9397,45	85,52	9,1	TY 48-19-281-90
53529610000808	0	BK8-BK	Г26-8*8	9988,17	52,94	5,3	TY 48-19-281-90
53729730000809	0	BK11-BK	Г26-8*9	11818,21	70,91	5,84	TY 48-19-281-90
53529610000809	0	BK8-BK	Г26-8*9	9848,69	59,09	6,00	TY 48-19-281-90
53529610000914	0	BK8-BK	Г26-9*14	9189,9	102,93	11,2	TY 48-19-281-90
53629610000909	0	BK10-KC	Г26-9*9	11301,1	82,50	7,3	TY 48-19-281-90
53328610000001	0	BK8-B	Г2601	7853,52	3,93	0,5	ГОСТ 880-75
53528610000001	0	BK8-BK	Г2601	8858,45	4,43	0,5	ГОСТ 880-75
53328610000002	0	BK8-B	Г2602	7708,4	7,71	1,00	ГОСТ 880-75
53528610000002	0	BK8-BK	Г2602	7708,4	7,71	1,00	ГОСТ 880-75
53328610000003	0	BK8-B	Г2603	7763,45	6,21	0,8	ГОСТ 880-75
53528610000003	0	BK8-BK	Г2603	7763,45	6,21	0,8	ГОСТ 880-75
53528610000004	0	BK8-BK	Г2604	7442,36	16,37	2,2	ГОСТ 880-75
53528610000005	0	BK8-BK	Г2605	7500,2	14,25	1,9	ГОСТ 880-75
53528610000006	0	BK8-BK	Г2606	7541,63	12,82	1,7	ГОСТ 880-75
53628610000007	0	BK10-KC	Г2607	7701,79	31,65	4,04	ГОСТ 880-75
53328610000007	0	BK8-B	Г2607	7164,62	29,37	4,1	ГОСТ 880-75
53528610000007	0	BK8-BK	Г2607	7164,62	29,37	4,1	ГОСТ 880-75
53328610000008	0	BK8-B	Г2608	5902,62	17,71	3,00	ГОСТ 880-75
53528610000008	0	BK8-BK	Г2608	7309,34	21,93	3,00	ГОСТ 880-75
53528610000009	0	BK8-BK	Г2609	7389,15	18,47	2,5	ГОСТ 880-75
53328610000010	0	BK8-B	Г2610	7442,36	16,37	2,2	ГОСТ 880-75
53328610000012	0	BK8-B	Г2612	7042,00	37,32	5,3	ГОСТ 880-75
53528610000012	0	BK8-BK	Г2612	7042,00	37,32	5,3	ГОСТ 880-75
53628610000014	0	BK10-KC	Г2614	9264,48	35,85	4,01	ГОСТ 880-75
53328610000014	0	BK8-B	Г2614	7164,62	29,37	4,1	ГОСТ 880-75
53528610000014	0	BK8-BK	Г2614	7164,62	29,37	4,1	ГОСТ 880-75
53928610000014	0	BK8-KC	Г2614	9264,48	35,85	4,02	ГОСТ 880-75
53628610000017	0	BK10-KC	Г2617	8825,06	75,72	8,91	ГОСТ 880-75
52728610000017	0	BK15	Г2617	8179,07	70,42	8,8	ГОСТ 880-75
53328610000017	0	BK8-B	Г2617	6791,4	61,80	9,1	ГОСТ 880-75
53928610000017	0	BK8-KC	Г2617	8825,06	75,72	8,91	ГОСТ 880-75
53728610000018	0	BK11-BK	Г2618	6914,32	58,08	8,2	ГОСТ 880-75
52528610000018	0	BK8	Г2618	5761,9	48,40	8,4	ГОСТ 880-75
53328610000018	0	BK8-B	Г2618	6826,88	57,35	8,4	ГОСТ 880-75
53528610000018	0	BK8-BK	Г2618	6826,88	57,35	8,4	ГОСТ 880-75
53628610000020	0	BK10-KC	Г2620	8982,44	57,58	6,7	ГОСТ 880-75
53328610000020	0	BK8-B	Г2620	6923,8	47,08	6,8	ГОСТ 880-75
53528610000020	0	BK8-BK	Г2620	6923,8	47,08	6,8	ГОСТ 880-75
53528610000022	0	BK8-BK	Г2622	7051,12	36,67	5,2	ГОСТ 880-75
53328610000023	0	BK8-B	Г2623	7131,03	31,38	4,4	ГОСТ 880-75
53628610000025	0	BK10-KC	Г2625	8715,6	92,82	11,07	ГОСТ 880-75
53928610000025	0	BK8-KC	Г2625	8715,14	92,90	11,07	ГОСТ 880-75
53328610000028	0	BK8-B	Г2628	6826,88	57,35	8,4	ГОСТ 880-75
53528610000028	0	BK8-BK	Г2628	6826,88	57,35	8,4	ГОСТ 880-75
53528610000029	0	BK8-BK	Г2629	6884,52	50,95	7,4	ГОСТ 880-75
53328610000031	0	BK8-B	Г2631	6541,62	113,17	17,3	ГОСТ 880-75
53628610000032	0	BK10-KC	Г2632	8556,91	129,12	15,67	ГОСТ 880-75
52588880000032	0	BK8	Г2632	6568,21	105,09	16,00	ГОСТ 880-75
53328610000032	0	BK8-B	Г2632	6568,21	105,09	16,00	ГОСТ 880-75
53528610000032	0	BK8-BK	Г2632	6568,21	105,09	16,00	ГОСТ 880-75
53928610000032	0	BK8-KC	Г2632	8556,91	129,12	15,67	ГОСТ 880-75
53628610000033	0	BK10-KC	Г2633	8587,44	120,65	14,6	ГОСТ 880-75
52728610000033	0	BK15	Г2633	7936,34	111,90	14,3	ГОСТ 880-75
53328610000033	0	BK8-B	Г2633	6593,42	98,24	14,9	ГОСТ 880-75
53528610000033	0	BK8-BK	Г2633	6593,42	98,24	14,9	ГОСТ 880-75
53528610000035	0	BK8-BK	Г2635	6638,38	87,63	13,2	ГОСТ 880-75
53328610000036	0	BK8-B	Г2636	6703,34	75,08	11,2	ГОСТ 880-75

53528610000036	0	BK8-BK	Г2636	6703,34	75,08	11,2	ГОСТ 880-75
52528610000037	0	BK8	Г2637	5739,67	57,40	10,00	ГОСТ 880-75
53528610000037	0	BK8-BK	Г2637	6750,64	67,51	10,00	ГОСТ 880-75
53528610000040	0	BK8-BK	Г2640	6509,54	124,33	19,1	ГОСТ 880-75
53628610000042	0	BK10-KC	Г2642	8551,67	130,67	16,00	ГОСТ 880-75
53528610000042	0	BK8-BK	Г2642	6563,91	106,34	16,2	ГОСТ 880-75
53928610000042	0	BK8-KC	Г2642	8551,67	130,67	16,2	ГОСТ 880-75
53528610000044	0	BK8-BK	Г2644	5706,08	75,89	13,3	ГОСТ 880-75
53528610000045	0	BK8-BK	Г2645	6682,23	78,85	11,8	ГОСТ 880-75
53628610000046	0	BK10-KC	Г2646	8357,49	219,13	27,23	ГОСТ 880-75
53328610000046	0	BK8-B	Г2646	6404,13	178,03	27,8	ГОСТ 880-75
53528610000046	0	BK8-BK	Г2646	6404,13	178,03	27,8	ГОСТ 880-75
53628610000047	0	BK10-KC	Г2647	8377,06	206,16	25,7	ГОСТ 880-75
53528610000047	0	BK8-BK	Г2647	6420,09	167,56	26,1	ГОСТ 880-75
53328610000048	0	BK8-B	Г2648	6440,13	155,85	24,2	ГОСТ 880-75
53528610000048	0	BK8-BK	Г2648	6440,13	155,85	24,2	ГОСТ 880-75
53628610000049	0	BK10-KC	Г2649	8426,13	178,80	22,04	ГОСТ 880-75
52588880000049	0	BK8	Г2649	6460,41	145,36	22,5	ГОСТ 880-75
53328610000049	0	BK8-B	Г2649	6460,41	145,36	22,5	ГОСТ 880-75
53528610000049	0	BK8-BK	Г2649	6460,41	145,36	22,5	ГОСТ 880-75
53328610000050	0	BK8-B	Г2650	6484,8	134,24	20,7	ГОСТ 880-75
53528610000050	0	BK8-BK	Г2650	6484,8	134,24	20,7	ГОСТ 880-75
53328610000051	0	BK8-B	Г2651	6512,87	123,09	18,9	ГОСТ 880-75
52528610000052	0	BK8	Г2652	5678,93	98,02	17,26	ГОСТ 880-75
53528610000052	0	BK8-BK	Г2652	6543,56	112,55	17,2	ГОСТ 880-75
53728610000053	0	BK11-BK	Г2653	7919,2	116,10	15,08	ГОСТ 880-75
53328610000053	0	BK8-B	Г2653	6579,33	101,98	15,5	ГОСТ 880-75
53628610002655	0	BK10-KC	Г2655	0,00	0,00	31,6	ГОСТ 880-75
53328610000055	0	BK8-B	Г2655	6370,99	203,87	32,00	ГОСТ 880-75
53528610000055	0	BK8-BK	Г2655	6370,99	203,87	32,00	ГОСТ 880-75
53328610000058	0	BK8-B	Г2658	6422,09	166,33	25,9	ГОСТ 880-75
53528610000059	0	BK8-BK	Г2659	6444,69	153,38	23,8	ГОСТ 880-75
53528610000060	0	BK8-BK	Г2660	5657,67	123,34	21,8	ГОСТ 880-75
53628610000061	0	BK10KC	Г2661	8452,51	166,51	19,4	ГОСТ 880-75
53328610000061	0	BK8-B	Г2661	6499,89	128,05	19,7	ГОСТ 880-75
53528610000061	0	BK8-BK	Г2661	6499,89	128,05	19,7	ГОСТ 880-75
53628610000063	0	BK10-KC	Г2663	8253,23	321,46	40,45	ГОСТ 880-75
53328610000063	0	BK8-B	Г2663	6318,99	260,97	41,3	ГОСТ 880-75
53528610000063	0	BK8-BK	Г2663	6318,99	260,97	41,3	ГОСТ 880-75
53628610000064	0	BK10-KC	Г2664	8282,61	285,09	35,75	ГОСТ 880-75
53328610000064	0	BK8-B	Г2664	6342,92	231,52	36,5	ГОСТ 880-75
53528610000064	0	BK8-BK	Г2664	6342,92	231,52	36,5	ГОСТ 880-75
53628610000065	0	BK10-KC	Г2665	8299,22	267,65	33,6	ГОСТ 880-75
53328610000065	0	BK8-B	Г2665	6356,46	217,39	34,2	ГОСТ 880-75
53528610000065	0	BK8-BK	Г2665	6356,46	217,39	34,2	ГОСТ 880-75
53928610000065	0	BK8-KC	Г2665	8299,22	267,65	34,2	ГОСТ 880-75
53528610000066	0	BK8-BK	Г2666	5629,35	179,01	31,8	ГОСТ 880-75
53728610000069	0	BK11-BK	Г2669	7739,72	180,88	24,02	ГОСТ 880-75
53328610000069	0	BK8-B	Г2669	6434,61	158,93	24,7	ГОСТ 880-75
53328610000070	0	BK8-B	Г2670	6279,87	327,18	52,1	ГОСТ 880-75
53328610000074	0	BK8-B	Г2674	6319,44	260,36	41,2	ГОСТ 880-75
53328610000076	0	BK8-B	Г2676	6341,26	233,36	36,8	ГОСТ 880-75
53528610000076	0	BK8-BK	Г2676	6341,26	233,36	36,8	ГОСТ 880-75
53328610000077	0	BK8-B	Г2677	6346,88	227,22	35,8	ГОСТ 880-75
52528610000078	0	BK8	Г2678	6249,54	404,35	64,7	ГОСТ 880-75
53328610000078	0	BK8-B	Г2678	6249,54	404,35	64,7	ГОСТ 880-75
53528610000078	0	BK8-BK	Г2678	6249,54	404,35	64,7	ГОСТ 880-75
53528610000079	0	BK8-BK	Г2679	6262,96	366,38	58,5	ГОСТ 880-75
53528610000080	0	BK8-BK	Г2680	6279,28	328,41	52,3	ГОСТ 880-75
53528610000081	0	BK8-BK	Г2681	6288,84	309,41	49,2	ГОСТ 880-75
53528610000082	0	BK8-BK	Г2682	6299,56	290,41	46,1	ГОСТ 880-75
53628610000084	0	BK10-KC	Г2684	7825,5	313,80	39,45	ГОСТ 880-75
52528620000000	0	BK8	Г32	7183,91	215,52	30,00	ГОСТ 880-75
53628630000033	0	BK10-KC	Г33	0,00	0,00	13,8	ГОСТ 880-75
52528630000000	0	BK8	Г33	7615,99	106,62	14,00	ГОСТ 880-75
53328630000033	0	BK8-B	Г33	0,00	0,00	13,95	ГОСТ 880-75
52528640000000	0	BK8	Г34	7739,76	91,33	11,8	ГОСТ 880-75
52528650000000	0	BK8	Г34A	6189,09	73,03	11,8	ГОСТ 880-75
53328650000000	0	BK8-B	Г34A	7739,76	91,33	11,8	ГОСТ 880-75
53628650000036	0	BK10-KC	Г36	0,00	0,00	9,83	ГОСТ 880-75
52528660000000	0	BK8	Г36	7868,03	78,68	10,00	ГОСТ 880-75

53328660000036	0	BK8-B	Г36	0,00	0,00	9,97	ГОСТ 880-75
53528660000036	0	BK8-BK	Г36	0,00	0,00	10,00	ГОСТ 880-75
52528670000000	0	BK8	Г37	8052,22	64,42	8,00	ГОСТ 880-75
52528680000000	0	BK8	Г38	7105,6	99,48	14,00	ГОСТ 880-75
52528770000000	0	BK8	Г40	5693,81	84,84	14,9	ГОСТ 880-75
53328770000000	0	BK8-B	Г40	5693,81	84,84	14,9	ГОСТ 880-75
52528700000002	0	BK8	Г4102	5786,23	40,50	7,00	ГОСТ 880-75
52528700000003	0	BK8	Г4103	5700,46	79,81	14,00	ГОСТ 880-75
52528710000002	0	BK8	Г5102	0,00	0,00	3,1	ГОСТ 880-75
53328720005103	0	BK8-B	Г5103	5911,57	16,55	2,79	ГОСТ 880-75
53628710000004	0	BK10KC	Г5104	7727,61	27,05	3,44	ГОСТ 880-75
52428710000005	0	BK6	Г5105	5773,39	44,46	7,7	ГОСТ 880-75
52528710000005	0	BK8	Г5105	5773,39	44,46	7,7	ГОСТ 880-75
52428710000006	0	BK6	Г5106	6864,86	5,49	0,8	ГОСТ 880-75
52528710000006	0	BK8	Г5106	6864,86	5,49	0,8	ГОСТ 880-75
53328720005106	0	BK8-B	Г5106	6035,07	4,83	0,8	ГОСТ 880-75
52428710000007	0	BK6	Г5107	5941,42	13,07	2,3	ГОСТ 880-75
52528710000007	0	BK8	Г5107	5941,42	13,07	2,2	ГОСТ 880-75
53328720005107	0	BK8-B	Г5107	5941,42	13,07	2,19	ГОСТ 880-75
52428710000008	0	BK6	Г5108	6012,89	6,49	1,1	ГОСТ 880-75
52528710000008	0	BK8	Г5108	6012,89	6,49	1,00	ГОСТ 880-75
53328720000008	0	BK8-B	Г5108	6019,02	6,02	1,00	ГОСТ 880-75
52528710000009	0	BK8	Г5109	5996,84	7,80	1,3	ГОСТ 880-75
53328720005109	0	BK8-B	Г5109	5996,84	7,80	1,3	ГОСТ 880-75
52528710000010	0	BK8	Г5110	6019,02	6,02	1,00	ГОСТ 880-75
53328720005110	0	BK8-B	Г5110	6019,02	6,02	1,00	ГОСТ 880-75
52528720000001	0	BK8	Г5301	0,00	0,00	1,6	ГОСТ 880-75
52528720000002	0	BK8	Г5302	0,00	0,00	2,2	ГОСТ 880-75
53328720000002	0	BK8-B	Г5302	5941,42	13,07	2,2	ГОСТ 880-75
53528720005302	0	BK8-BK	Г5302	5941,42	13,07	2,2	ГОСТ 880-75
52528720000003	0	BK8	Г5303	5936,1	13,65	2,3	ГОСТ 880-75
53328720000003	0	BK8-B	Г5303	5936,1	13,65	2,3	ГОСТ 880-75
53528720005303	0	BK8-BK	Г5303	5936,1	13,65	2,3	ГОСТ 880-75
52528720000004	0	BK8	Г5304	5776,91	43,33	7,5	ГОСТ 880-75
53328720000004	0	BK8-B	Г5304	5777,45	43,16	7,47	ГОСТ 880-75
52528720000005	0	BK8	Г5305	5739,67	57,40	10,00	ГОСТ 880-75
52529730001008	0	BK8	Г54-10*8	9386,18	86,35	9,2	ТУ 48-19-281-90
53529730001008	0	BK8-BK	Г54-10*8	9386,18	86,35	9,2	ТУ 48-19-281-90
52529730001210	0	BK8	Г54-12*10	8836,68	147,57	16,7	ТУ 48-19-281-90
53529730001210	0	BK8-BK	Г54-12*10	8862,73	143,31	16,17	ТУ 48-19-281-90
53529730001208	0	BK8-BK	Г54-12*8	9029,98	120,10	13,3	ТУ 48-19-281-90
53529730000404	0	BK8-BK	Г54-4*4	11827,77	7,10	0,6	ТУ 48-19-281-90
53529730000505	0	BK8-BK	Г54-5*5	11323,83	15,85	1,4	ТУ 48-19-281-90
53629730000606	0	BK10-KC	Г54-6*6	12656,00	32,27	2,55	ТУ 48-19-281-90
53529730000606	0	BK8-BK	Г54-6*6	10728,28	28,97	2,5	ТУ 48-19-281-90
54129730000806	0	BA13	Г54-8*6	0,00	0,00	4,8	ТУ 48-19-281-90
53629730000806	0	BK10-KC	Г54-8*6	12074,48	48,90	4,9	ТУ 48-19-281-90
53529730000806	0	BK8-BK	Г54-8*6	10223,85	43,96	4,3	ТУ 48-19-281-90
53929730000806	0	BK8-KC	Г54-8*6	11995,8	51,58	4,3	ТУ 48-19-281-90
53529730000807	0	BK8-BK	Г54-8*7	9904,26	56,55	5,71	ТУ 48-19-281-90
53528730000001	0	BK8-BK	Г5401	10059,14	3,02	0,29	ГОСТ 880-75
53128730000002	0	BK4-B	Г5402	7763,45	6,21	0,8	ГОСТ 880-75
52528730000002	0	BK8	Г5402	7763,45	6,21	0,77	ГОСТ 880-75
53528730000002	0	BK8-BK	Г5402	7763,45	6,21	0,79	ГОСТ 880-75
53128730000003	0	BK4-B	Г5403	7585,61	11,38	1,5	ГОСТ 880-75
52528730000003	0	BK8	Г5403	7585,61	11,38	1,4	ГОСТ 880-75
53528730000003	0	BK8-BK	Г5403	7585,61	11,38	1,48	ГОСТ 880-75
53128730000005	0	BK4-B	Г5405	6620,42	17,21	2,6	ГОСТ 880-75
53528730005405	0	BK8-BK	Г5405	0,00	0,00	2,57	ГОСТ 880-75
53628730005409	0	BK10-KC	Г5409	7636,23	46,89	6,03	ГОСТ 880-75
52528730005409	0	BK8	Г5409	6974,98	42,55	6,1	ГОСТ 880-75
53528730005409	0	BK8-BK	Г5409	6967,28	43,20	6,14	ГОСТ 880-75
52528730000010	0	BK8	Г5410	6381,96	37,65	5,72	ГОСТ 880-75
53628730005411	0	BK10-KC	Г5411	7671,41	37,97	4,86	ГОСТ 880-75
53128730000011	0	BK4-B	Г5411	6431,39	32,16	5,00	ГОСТ 880-75
52528730000011	0	BK8	Г5411	6431,39	32,16	4,84	ГОСТ 880-75
53328730000011	0	BK8-B	Г5411	5834,19	28,88	4,93	ГОСТ 880-75
53528730000011	0	BK8-BK	Г5411	6431,39	32,16	4,84	ГОСТ 880-75
53128730000012	0	BK4-B	Г5412	6237,24	61,12	9,8	ГОСТ 880-75
53228730000012	0	BK6-B	Г5412	6237,24	61,12	9,8	ГОСТ 880-75
52528730000012	0	BK8	Г5412	6237,24	61,12	9,49	ГОСТ 880-75

53528730000012	0	BK8-BK	Г5412	5743,47	55,71	9,7	ГОСТ 880-75
53128730000013	0	BK4-B	Г5413	6108,64	102,01	16,7	ГОСТ 880-75
53228730000013	0	BK6-B	Г5413	6108,64	102,01	16,7	ГОСТ 880-75
53328730000013	0	BK8-B	Г5413	6108,64	102,01	16,5	ГОСТ 880-75
53528730000013	0	BK8-BK	Г5413	6108,64	102,01	16,17	ГОСТ 880-75
53128730000014	0	BK4-B	Г5414	6159,89	81,93	13,3	ГОСТ 880-75
53228730000014	0	BK6-B	Г5414	6159,89	81,93	13,3	ГОСТ 880-75
52528730000014	0	BK8	Г5414	5700,23	79,97	14,03	ГОСТ 880-75
53528730000014	0	BK8-BK	Г5414	5707,26	75,11	13,16	ГОСТ 880-75
61128730000014	0	T5K10	Г5414	0,00	0,00	8,2	ГОСТ 880-75
52528830000002	0	BK8	Г6302	6054,49	133,20	22,00	ГОСТ 880-75
53628840000000	0	BK10-KC	Г64	8263,52	307,82	38,69	ГОСТ 880-75
52528840000000	0	BK8	Г64	6327,36	249,93	39,5	ГОСТ 880-75
53328840000000	0	BK8-B	Г64	6327,36	249,93	39,5	ГОСТ 880-75
52528850000000	0	BK8	Г65	5961,51	247,40	41,5	ГОСТ 880-75
53328850000000	0	BK8-B	Г65	5961,51	247,40	41,5	ГОСТ 880-75
52728860000000	0	BK15	Г66	7307,54	133,80	18,7	ГОСТ 880-75
52528860000000	0	BK8	Г66	6078,52	117,68	19,36	ГОСТ 880-75
53328860000000	0	BK8-B	Г66	6078,52	117,68	19,36	ГОСТ 880-75
53628870000002	0	BK10-KC	Г6702	8047,79	109,29	14,1	ГОСТ 880-75
53728870000002	0	BK11-BK	Г6702	7385,16	100,59	14,05	ГОСТ 880-75
53328870000002	0	BK8-B	Г6702	6141,34	88,44	14,4	ГОСТ 880-75
53528870000002	0	BK8-BK	Г6702	6141,34	88,44	14,4	ГОСТ 880-75
53628870000003	0	BK10-KC	Г6703	7888,16	214,24	28,21	ГОСТ 880-75
53328870000003	0	BK8-B	Г6703	6009,88	173,08	28,8	ГОСТ 880-75
53528870006703	0	BK8-BK	Г6703	0,00	0,00	28,9	ГОСТ 880-75
53628870000004	0	BK10-KC	Г6704	7786,15	430,96	57,49	ГОСТ 880-75
53328870000004	0	BK8-B	Г6704	5926,76	347,90	58,7	ГОСТ 880-75
53528870000004	0	BK8-BK	Г6704	5926,76	347,90	58,7	ГОСТ 880-75
53928870000004	0	BK8-KC	Г6704	7786,15	430,96	57,6	ГОСТ 880-75
61127120002901	0	T5K10	Д010001 (ПР29-1)	7605,62	55,52	7,3	ТУ 48-19-124-91
61127120002902	0	T5K10	Д010002 (ПР29-2)	7888,48	27,61	3,5	ТУ 48-19-124-91
53831120007101	0	BK20-KC	Д010004 (ПР71-1)	9985,01	103,84	10,4	ТУ 48-19-232-91
53831120007102	0	BK20-KC	Д010005(ПР71-2)	9985,01	103,84	10,4	ТУ 48-19-232-91
53831120007103	0	BK20-KC	Д010006(ПР71-3)	9996,14	101,46	10,15	ТУ 48-19-232-91
53831120007104	0	BK20-KC	Д010007(ПР71-4)	10005,78	99,46	9,94	ТУ 48-19-232-91
53831120007105	0	BK20-KC	Д010008(ПР71-5)	10018,58	96,88	9,67	ТУ 48-19-232-91
52736230063100	0	BK15	Д010010(ПР631)	9103,95	119,26	12,65	ТУ 48-19-161-90
52536230063100	0	BK8	Д010010(ПР631)	7759,18	101,65	13,1	ТУ 48-19-161-90
52436230064700	0	BK6	Д010011(ПР647)	8189,96	1,64	0,2	ТУ 48-19-161-90
52536220067800	0	BK8	Д010012(ПР678)	8189,96	1,64	0,2	ТУ 48-19-161-90
51640330002800	0	BK6-OM	Д010013(ПР28)	9704,11	63,66	6,65	ТУ 48-19-217-89
61327120011700	0	T15K6	Д010014 (ПР117)	7410,13	94,85	9,9	ТУ 48-19-124-91
52536220072100	0	BK8	Д010015(ПР721)	7269,02	67,60	9,3	ТУ 48-19-161-90
53831120011901	0	BK20-KC	Д010016 (ПР119-1)	9328,52	5264,83	522,00	ТУ 48-19-232-91
53831120011902	0	BK20-KC	Д010017 (ПР119-2)	9319,07	10962,02	1088,00	ТУ 48-19-232-91
52836730016800	0	BK20	Д010018 (ПР168) Г11	9425,22	804,91	79,00	ТУ 48-19-126-74
53831120011903	0	BK20-KC	Д010019(ПР119-3)	9316,19	16321,96	1632,00	ТУ 48-19-232-91
52736230007300	0	BK15	Д010020(ПР730)	8183,59	758,54	92,69	ТУ 48-19-161-90
52536220073900	0	BK8	Д010022(ПР739)	8189,96	1,64	0,2	ТУ 48-19-161-90
62127120013100	0	TT7K12	Д010023(ПР131)	12154,07	164,08	12,2	ТУ 48-19-124-91
52436220076200	0	BK6	Д010024(ПР762)	8201,18	1,31	0,16	ТУ 48-19-161-90
52736230007680	0	BK15	Д010025(ПР768)	7926,78	4502,41	548,00	ТУ 48-19-161-90
52536220078100	0	BK8	Д010026(ПР781)	8189,96	1,64	0,2	ТУ 48-19-161-90
52536230009201	0	BK8	Д020003 (ПР92-1)	7414,18	241,70	32,6	ТУ 48-19-161-90
52536230109201	0	BK8	Д020004 (ПР92-1А)	7412,49	243,13	32,8	ТУ 48-19-161-90
52536230009202	0	BK8	Д020005 (ПР92-2)	7415,04	240,99	32,5	ТУ 48-19-161-90
52536230109202	0	BK8	Д020006 (ПР92-2А)	7415,04	240,99	32,5	ТУ 48-19-161-90
52436230009203	0	BK6	Д020007 (ПР92-3)	7415,89	240,27	32,4	ТУ 48-19-161-90
52536230009203	0	BK8	Д020007 (ПР92-3)	7415,89	240,27	32,4	ТУ 48-19-161-90
52536230009204	0	BK8	Д020008 (ПР92-4)	7416,76	239,56	32,3	ТУ 48-19-161-90
52536230109204	0	BK8	Д020009 (ПР92-4А)	7417,62	238,85	32,2	ТУ 48-19-161-90
52536230209204	0	BK8	Д020010 (ПР92-4Б)	7417,62	238,85	32,2	ТУ 48-19-161-90
52536230309204	0	BK8	Д020011 (ПР92-4В)	7416,76	239,56	32,3	ТУ 48-19-161-90
52536230009205	0	BK8	Д020012 (ПР92-5)	7417,62	238,85	32,2	ТУ 48-19-161-90
52536230109205	0	BK8	Д020013 (ПР92-5А)	7417,62	238,85	32,2	ТУ 48-19-161-90
52536230009206	0	BK8	Д020014 (ПР92-6)	7418,5	238,13	32,1	ТУ 48-19-161-90
52536230009207	0	BK8	Д020015 (ПР92-7)	7419,37	237,42	32,00	ТУ 48-19-161-90
52536230009208	0	BK8	Д020016 (ПР92-8)	7420,26	236,71	31,9	ТУ 48-19-161-90
52536230009209	0	BK8	Д020017 (ПР92-9)	7421,14	235,99	31,8	ТУ 48-19-161-90
52536230009210	0	BK8	Д020018 (ПР92-10)	7422,03	235,28	31,7	ТУ 48-19-161-90

52536230009211	0	BK8	Д020019 (ПР92-11)	7422,93	234,56	31,6	ТУ 48-19-161-90
52536230009212	0	BK8	Д020020 (ПР92-12)	7423,83	233,85	31,5	ТУ 48-19-161-90
52536230009213	0	BK8	Д020021 (ПР92-13)	7424,74	233,14	31,4	ТУ 48-19-161-90
52536230009214	0	BK8	Д020022 (ПР92-14)	7425,65	232,42	31,3	ТУ 48-19-161-90
52536230009215	0	BK8	Д020023 (ПР92-15)	7426,57	231,71	31,2	ТУ 48-19-161-90
52536230009216	0	BK8	Д020024 (ПР92-16)	7427,49	230,99	31,1	ТУ 48-19-161-90
52536230009217	0	BK8	Д020025 (ПР92-17)	7428,41	230,28	31,00	ТУ 48-19-161-90
52536230009218	0	BK8	Д020026 (ПР92-18)	7429,35	229,57	30,9	ТУ 48-19-161-90
52536230009219	0	BK8	Д020027 (ПР92-19)	7430,28	228,85	30,8	ТУ 48-19-161-90
52536230009220	0	BK8	Д020028 (ПР92-20)	7431,22	228,14	30,7	ТУ 48-19-161-90
52536230009221	0	BK8	Д020029 (ПР92-21)	7432,17	227,42	30,6	ТУ 48-19-161-90
52536230009222	0	BK8	Д020030 (ПР92-22)	7433,12	226,71	30,5	ТУ 48-19-161-90
52536230009223	0	BK8	Д020031 (ПР92-23)	7434,08	226,00	30,4	ТУ 48-19-161-90
52536230009224	0	BK8	Д020032 (ПР92-24)	7435,05	225,28	30,3	ТУ 48-19-161-90
52536230009225	0	BK8	Д020033 (ПР92-25)	7436,02	224,57	30,2	ТУ 48-19-161-90
52536230009226	0	BK8	Д020034 (ПР92-26)	7436,99	223,85	30,1	ТУ 48-19-161-90
52536230009227	0	BK8	Д020035 (ПР92-27)	7438,96	222,42	29,9	ТУ 48-19-161-90
52536230009228	0	BK8	Д020036 (ПР92-28)	7439,95	221,71	29,8	ТУ 48-19-161-90
52536230009229	0	BK8	Д020037 (ПР92-29)	7440,94	221,00	29,7	ТУ 48-19-161-90
52536230009230	0	BK8	Д020038 (ПР92-30)	7441,95	220,28	29,6	ТУ 48-19-161-90
52536230009231	0	BK8	Д020039 (ПР92-31)	7442,96	219,57	29,5	ТУ 48-19-161-90
52536230009232	0	BK8	Д020040 (ПР92-32)	7443,97	218,85	29,4	ТУ 48-19-161-90
52536230024101	0	BK8	Д020041 (ПР241-1)	7412,49	243,13	32,8	ТУ 48-19-161-90
52536230024102	0	BK8	Д020042 (ПР241-2)	7413,33	242,42	32,7	ТУ 48-19-161-90
52536230024103	0	BK8	Д020043 (ПР241-3)	7414,18	241,70	32,6	ТУ 48-19-161-90
52536230024104	0	BK8	Д020044 (ПР241-4)	7415,04	240,99	32,5	ТУ 48-19-161-90
52536230024105	0	BK8	Д020045 (ПР241-5)	7633,89	132,07	17,3	ТУ 48-19-161-90
52536230024106	0	BK8	Д020046 (ПР241-6)	7636,32	131,34	17,2	ТУ 48-19-161-90
52536230024107	0	BK8	Д020047 (ПР241-7)	7636,32	131,34	17,2	ТУ 48-19-161-90
52536230024108	0	BK8	Д020048 (ПР241-8)	7637,3	131,06	17,16	ТУ 48-19-161-90
52836730012400	0	BK20	Д020049 (ПР124)	9924,76	1223,72	114,00	ТУ 48-19-126-74
52536230028301	0	BK8	Д020050 (ПР283-1)	6941,9	227,63	32,79	ТУ 48-19-161-90
52536230028302	0	BK8	Д020051 (ПР283-2)	6942,17	227,29	32,74	ТУ 48-19-161-90
52536230028303	0	BK8	Д020052 (ПР283-3)	6943,6	225,46	32,47	ТУ 48-19-161-90
52536230028304	0	BK8	Д020053 (ПР283-4)	6944,03	224,92	32,39	ТУ 48-19-161-90
52536230028305	0	BK8	Д020054 (ПР283-5)	6944,47	224,38	32,31	ТУ 48-19-161-90
52536230028306	0	BK8	Д020055 (ПР283-6)	6944,9	223,83	32,23	ТУ 48-19-161-90
52536230028307	0	BK8	Д020056 (ПР283-7)	6945,39	223,22	32,14	ТУ 48-19-161-90
52536230028308	0	BK8	Д020057 (ПР283-8)	6945,88	222,62	32,05	ТУ 48-19-161-90
52536230028309	0	BK8	Д020058 (ПР283-9)	6946,38	222,01	31,96	ТУ 48-19-161-90
52536230028310	0	BK8	Д020059 (ПР283-10)	6946,93	221,33	31,86	ТУ 48-19-161-90
52536230028311	0	BK8	Д020060 (ПР283-11)	6948,1	219,91	31,65	ТУ 48-19-161-90
52536230028312	0	BK8	Д020061 (ПР283-12)	6949,34	218,42	31,43	ТУ 48-19-161-90
52536230028313	0	BK8	Д020062 (ПР283-13)	6950,65	216,86	31,2	ТУ 48-19-161-90
52536230028314	0	BK8	Д020063 (ПР283-14)	6952,1	215,17	30,95	ТУ 48-19-161-90
52536230028315	0	BK8	Д020064 (ПР283-15)	6953,62	213,41	30,69	ТУ 48-19-161-90
52536230028316	0	BK8	Д020065 (ПР283-16)	6955,29	211,51	30,41	ТУ 48-19-161-90
52536230028317	0	BK8	Д020066 (ПР283-17)	6957,96	208,53	29,97	ТУ 48-19-161-90
52536230028318	0	BK8	Д020067 (ПР283-18)	6959,89	206,43	29,66	ТУ 48-19-161-90
52536230028319	0	BK8	Д020068 (ПР283-19)	6961,97	204,19	29,33	ТУ 48-19-161-90
52536230028320	0	BK8	Д020069 (ПР283-20)	6965,28	200,74	28,82	ТУ 48-19-161-90
52536230028321	0	BK8	Д020070 (ПР283-21)	6971,57	194,44	27,89	ТУ 48-19-161-90
52536230028322	0	BK8	Д020071 (ПР283-22)	6978,89	187,52	26,87	ТУ 48-19-161-90
52536230028323	0	BK8	Д020072 (ПР283-23)	6987,49	179,93	25,75	ТУ 48-19-161-90
52536230028324	0	BK8	Д020073 (ПР283-24)	6997,26	171,92	24,57	ТУ 48-19-161-90
52536230028325	0	BK8	Д020074 (ПР283-25)	7022,42	153,86	21,91	ТУ 48-19-161-90
52536230028401	0	BK8	Д020075 (ПР284-1)	6955,53	211,24	30,37	ТУ 48-19-161-90
52536230028402	0	BK8	Д020076 (ПР284-2)	6958,39	208,06	29,9	ТУ 48-19-161-90
52536230028403	0	BK8	Д020077 (ПР284-3)	7444,58	218,42	29,34	ТУ 48-19-161-90
52536230028404	0	BK8	Д020078 (ПР284-4)	6966,14	199,86	28,69	ТУ 48-19-161-90
52536230028405	0	BK8	Д020079 (ПР284-5)	6971,09	194,91	27,96	ТУ 48-19-161-90
52536230028406	0	BK8	Д020080 (ПР284-6)	6976,91	189,35	27,14	ТУ 48-19-161-90
52536230028407	0	BK8	Д020081 (ПР284-7)	6983,73	183,18	26,23	ТУ 48-19-161-90
52536230028408	0	BK8	Д020082 (ПР284-8)	6991,62	176,47	25,24	ТУ 48-19-161-90
52536230028409	0	BK8	Д020083 (ПР284-9)	7011,53	161,27	23,00	ТУ 48-19-161-90
52536230028410	0	BK8	Д020084 (ПР284-10)	7077,97	123,51	17,45	ТУ 48-19-161-90
52536230028411	0	BK8	Д020085 (ПР284-11)	7134,71	101,31	14,2	ТУ 48-19-161-90
52536230028412	0	BK8	Д020086 (ПР284-12)	7011,53	161,27	23,00	ТУ 48-19-161-90
52736730013400	0	BK15	Д020087 (ПР134)	8534,06	529,71	63,2	ТУ 48-19-126-74
52836730013400	0	BK20	Д020087 (ПР134)	10050,57	604,04	60,00	ТУ 48-19-126-74
52736230031900	0	BK15	Д020087 (ПР319)	8531,79	535,80	62,8	ТУ 48-19-161-90

53631130005600	0	BK10-KC	D020088 (ПР56)	8485,81	695,84	82,00	TY 48-19-232-91
52536230031701	0	BK8	D020089 (ПР317-1)	7629,09	133,51	17,5	TY 48-19-161-90
52536230031702	0	BK8	D020090 (ПР317-2)	7630,76	133,00	17,43	TY 48-19-161-90
52536230031703	0	BK8	D020091 (ПР317-3)	7631,48	132,79	17,4	TY 48-19-161-90
52536230031704	0	BK8	D020092 (ПР317-4)	7632,92	132,35	17,34	TY 48-19-161-90
52536230031705	0	BK8	D020093 (ПР317-5)	7633,89	132,07	17,3	TY 48-19-161-90
52536230031706	0	BK8	D020094 (ПР317-6)	7441,95	220,28	29,6	TY 48-19-161-90
52536230034100	0	BK8	D020095 (ПР341)	7772,54	366,09	47,1	TY 48-19-161-90
52536230034800	0	BK8	D020096 (ПР348)	9020,46	11,28	1,25	TY 48-19-161-90
52736230035001	0	BK15	D020097 (ПР350-1)	8362,6	2973,74	355,6	TY 48-19-161-90
52736230035002	0	BK15	D020098 (ПР350-2)	8362,71	2965,42	354,6	TY 48-19-161-90
52736230035003	0	BK15	D020099 (ПР350-3)	8362,93	2948,77	352,6	TY 48-19-161-90
52736230035004	0	BK15	D020100 (ПР350-4)	8363,13	2933,79	350,8	TY 48-19-161-90
52736230035005	0	BK15	D020101 (ПР350-5)	8363,37	2916,31	348,7	TY 48-19-161-90
52736230035006	0	BK15	D020102 (ПР350-6)	8364,56	2830,57	338,4	TY 48-19-161-90
52736230035007	0	BK15	D020103 (ПР350-7)	8364,56	2830,57	338,4	TY 48-19-161-90
52736230035008	0	BK15	D020104 (ПР350-8)	8365,37	2775,63	331,8	TY 48-19-161-90
52736230035009	0	BK15	D020105 (ПР350-9)	8367,41	2645,77	316,2	TY 48-19-161-90
52736230035010	0	BK15	D020106 (ПР350-10)	8370,25	2483,45	296,7	TY 48-19-161-90
52736230035011	0	BK15	D020107 (ПР350-11)	8374,17	2289,50	273,4	TY 48-19-161-90
52536230038101	0	BK8	D020108 (ПР381-1)	7209,73	713,76	99,00	TY 48-19-161-90
52536230038102	0	BK8	D020109 (ПР381-2)	7186,57	898,32	125,00	TY 48-19-161-90
52536230038103	0	BK8	D020110 (ПР381-3)	7172,7	1060,84	147,9	TY 48-19-161-90
61127130009100	0	T5K10	D020111 (ПР91)	7639,05	275,77	36,1	TY 48-19-124-91
51640330001901	0	BK6-OM	D020112(ПР19-1)	9460,65	949,28	101,7	TY 48-19-217-89
51640330001902	0	BK6-OM	D020113(ПР19-2)	9430,57	1195,33	127,1	TY 48-19-217-89
51640330001903	0	BK6-OM	D020114(ПР19-3)	9412,6	1411,61	150,5	TY 48-19-217-89
52536230041201	0	BK8	D020115 (ПР412-1)	7124,94	2732,42	383,5	TY 48-19-161-90
52536230041202	0	BK8	D020116 (ПР412-2)	7130,66	2303,35	323,00	TY 48-19-161-90
53831130007901	0	BK20-KC	D020117 (ПР79-1)	10565,95	175,08	16,2	TY 48-19-232-91
53831130007902	0	BK20-KC	D020118 (ПР79-2)	10289,11	294,89	28,00	TY 48-19-232-91
52536230049400	0	BK8	D020119 (ПР494)	7167,19	1142,45	159,4	TY 48-19-161-90
61327130010800	0	T15K6	D020121 (ПР108)	8800,99	30,80	2,7	TY 48-19-124-91
52536230064300	0	BK8	D020122 (ПР643)	7558,84	157,98	20,9	TY 48-19-161-90
51640330002701	0	BK6-OM	D020123(ПР27-1)	11137,57	40,65	3,7	TY 48-19-217-89
51640330002702	0	BK6-OM	D020124(ПР27-2)	10815,68	59,49	5,6	TY 48-19-217-89
51640330002703	0	BK6-OM	D020125(ПР27-3)	10991,8	48,36	4,5	TY 48-19-217-89
51640330002704	0	BK6-OM	D020126(ПР27-4)	11311,01	32,80	2,9	TY 48-19-217-89
61227130011900	0	T14K8	D020127 (ПР119)	7562,9	377,39	38,8	TY 48-19-124-91
55112920001701	0	BK10-XO	D020128 (ПР17-1)	9584,51	505,10	52,3	TY 48-19-209-88
55112920001702	0	BK10-XO	D020129 (ПР17-2)	9523,03	660,90	68,9	TY 48-19-209-88
55112920001703	0	BK10-XO	D020130 (ПР17-3)	9356,13	3202,60	340,00	TY 48-19-209-88
55112920001704	0	BK10-XO	D020131 (ПР17-4)	9342,99	4515,47	480,00	TY 48-19-209-88
61327130012300	0	T15K6	D020133 (ПР123)	7345,68	9500,17	1002,00	TY 48-19-124-91
55112920002000	0	BK10-XO	D020135 (ПР20)	9925,53	205,46	20,5	TY 48-19-209-88
55112920002200	0	BK10-XO	D020140 (ПР22)	9513,49	693,53	72,2	TY 48-19-209-88
51225890002100	0	BK6-M	D020141(ПР21)	9513,49	693,53	74,4	TY 48-19-178-84
51225890002200	0	BK6-M	D020142(ПР22)	9463,02	934,00	100,7	TY 48-19-178-84
52738810000003	0	BK15	D03	14619,15	2558,50	185,00	TY 48-19-67-78
52438810000003	0	BK6	D03	11617,11	2149,16	185,00	TY 48-19-67-78
52740140000300	0	BK15	D030001 (ПР3)	8817,16	2116,12	240,00	TY 48-19-165-84
52740140000700	0	BK15	D030002 (ПР7)	10323,88	78,46	7,6	TY 48-19-165-84
53231040000701	0	BK6-B	D030003 (ПР7-1)	7675,65	529,62	69,00	TY 48-19-231-76
53231040000702	0	BK6-B	D030004 (ПР7-2)	7697,1	482,61	62,7	TY 48-19-231-76
53231040000703	0	BK6-B	D030005 (ПР7-3)	7539,9	1319,48	175,00	TY 48-19-231-76
525401400102200	0	BK8	D030006 (ПР22-A)	7532,61	1431,20	190,00	TY 48-19-165-84
52540140002300	0	BK8	D030007 (ПР23)	7517,72	1729,08	230,00	TY 48-19-165-84
52540140005400	0	BK8	D030008 (ПР54)	7467,43	5675,25	760,00	TY 48-19-165-84
52540140005500	0	BK8	D030009 (ПР55)	7469,16	5265,76	705,00	TY 48-19-165-84
52540140005900	0	BK8	D030010 (ПР59)	7630,55	663,86	87,00	TY 48-19-165-84
52540140007201	0	BK8	D030011 (ПР72-1)	7824,19	312,97	40,00	TY 48-19-165-84
52540140007202	0	BK8	D030012 (ПР72-2)	7734,25	417,65	54,00	TY 48-19-165-84
52540140007203	0	BK8	D030013 (ПР72-3)	7581,6	909,79	120,00	TY 48-19-165-84
52740140008001	0	BK15	D030014 (ПР80-1)	8955,41	770,17	86,00	TY 48-19-165-84
52736240011103	0	BK15	D030017 (ПР111-3)	8955,17	771,04	86,1	TY 48-19-161-90
52736240011104	0	BK15	D030018 (ПР111-4)	8962,91	743,92	83,00	TY 48-19-161-90
52436240011400	0	BK6	D030019 (ПР114)	7658,36	574,38	75,00	TY 48-19-161-90
52436240015400	0	BK6	D030020 (ПР154) На	7482,63	3367,18	450,00	TY 48-19-161-90
52436240015500	0	BK6	D030021 (ПР155) На	7473,81	4409,55	590,00	TY 48-19-161-90
52436240016900	0	BK6	D030022 (ПР169)	7489,44	2845,99	380,00	TY 48-19-161-90
52536240016900	0	BK8	D030022 (ПР169)	7489,44	2845,99	380,00	TY 48-19-161-90

52536240019900	0	BK8	Д030023 (ПР199)	7490,87	2756,64	368,00	ТУ 48-19-161-90
52536240020500	0	BK8	Д030024 (ПР205)	8342,91	116,80	14,00	ТУ 48-19-161-90
52536240021001	0	BK8	Д030025 (ПР210-1)	7609,15	753,31	99,00	ТУ 48-19-161-90
52536240021002	0	BK8	Д030026 (ПР210-2)	7612,37	738,40	97,00	ТУ 48-19-161-90
52436240022900	0	BK6	Д030027	7482,38	3389,52	453,00	ТУ 48-19-161-90
52736240023000	0	BK15	Д030028	10165,04	91,49	9,00	ТУ 48-19-161-90
53831140004801	0	BK20-КC	Д030029 (ПР48-1)	10307,32	8864,30	860,00	ТУ 48-19-232-91
53831140004802	0	BK20-КC	Д030030 (ПР48-2)	10339,72	4032,49	390,00	ТУ 48-19-232-91
52740140000200	0	BK15	Д030031 (ПР2)	8935,61	848,88	95,00	ТУ 48-19-165-84
53231040000502	0	BK6-B	Д030032 (ПР5-2)	7699,73	477,38	62,00	ТУ 48-19-231-76
53231040000504	0	BK6-B	Д030033 (ПР5-4)	7579,45	924,69	122,00	ТУ 48-19-231-76
52436240013500	0	BK6	Д030034 (ПР135)	10603,95	4,24	0,6	ТУ 48-19-161-90
52536240013500	0	BK8	Д030034 (ПР135)	10603,95	4,24	0,4	ТУ 48-19-161-90
52540140011201	0	BK8	Д030035 (ПР112-1)	7528,34	1505,67	200,00	ТУ 48-19-165-84
52836740008001	0	BK20	Д030035(ПР80-1)	10404,05	1924,75	185,00	ТУ 48-19-126-74
52540140011203	0	BK8	Д030036 (ПР112-3)	7471,18	4856,27	650,00	ТУ 48-19-165-84
52836740008003	0	BK20	Д030036 (ПР80-3)	10319,35	6140,01	595,00	ТУ 48-19-126-74
52836740008007	0	BK20	Д030037 (ПР80-7)	10292,68	19206,14	1866,00	ТУ 48-19-126-74
52540140011209	0	BK8	Д030038 (ПР112-9)	7450,3	24585,98	3300,00	ТУ 48-19-165-84
52836740008009	0	BK20	Д030038 (ПР80-9)	10287,42	32991,77	3207,00	ТУ 48-19-126-74
52540140011211	0	BK8	Д030039 (ПР112-11)	7449,8	27191,78	3650,00	ТУ 48-19-165-84
52836740008011	0	BK20	Д030039 (ПР80-11)	10286,55	37443,06	3640,00	ТУ 48-19-126-74
52540140011212	0	BK8	Д030040 (ПР112-12)	7450,81	22352,44	3000,00	ТУ 48-19-165-84
52540140011213	0	BK8	Д030041 (ПР112-13)	7450,3	24585,98	3300,00	ТУ 48-19-165-84
52836740008013	0	BK20	Д030041 (ПР80-13)	10287,93	30863,79	3000,00	ТУ 48-19-126-74
52836740007101	0	BK20	Д030042 (ПР71-1)	10375,06	2521,14	243,00	ТУ 48-19-126-74
52836740007102	0	BK20	Д030043 (ПР71-2)	10320,35	5985,80	580,00	ТУ 48-19-126-74
52836740007201	0	BK20	Д030044 (ПР72-1)	10374,3	2541,70	245,00	ТУ 48-19-126-74
52836740007202	0	BK20	Д030045 (ПР72-2)	10320,91	5903,56	572,00	ТУ 48-19-126-74
52836740007203	0	BK20	Д030046 (ПР72-3)	10322,00	5749,35	557,00	ТУ 48-19-126-74
52836740007204	0	BK20	Д030047 (ПР72-4)	10322,92	5625,99	545,00	ТУ 48-19-126-74
52440140023200	0	BK6	Д030048 (ПР232)	9765,9	22,95	2,5	ТУ 48-19-165-84
52540140023200	0	BK8	Д030048 (ПР232)	9765,9	22,95	2,35	ТУ 48-19-165-84
52536240024800	0	BK8	Д030053 (ПР248)	10386,1	8,31	0,8	ТУ 48-19-161-90
52536240028000	0	BK8	Д030055 (ПР280)	10651,45	3,41	0,32	ТУ 48-19-161-90
52540140028700	0	BK8	Д030056 (ПР287)	9765,9	22,95	0,23	ТУ 48-19-165-84
52736240029700	0	BK15	Д030057 (ПР297)	8822,12	1993,80	226,00	ТУ 48-19-161-90
52836740013500	0	BK20	Д030059 (ПР135)	11115,39	257,88	23,2	ТУ 48-19-126-74
52736240032000	0	BK15	Д030059 (ПР320)	9420,18	228,25	24,23	ТУ 48-19-161-90
52436240030500	0	BK6	Д030060 (ПР305)	9319,6	38,21	4,1	ТУ 48-19-161-90
52836740008014	0	BK20	Д030061 (ПР80-14)	10288,23	29732,98	2890,00	ТУ 48-19-126-74
61327140008700	0	T15K6	Д030062 (ПР87)	8300,28	202,11	30,00	ТУ 48-19-124-91
53831140006304	0	BK20-КC	Д030066 (ПР63-4)	10409,65	1840,43	176,8	ТУ 48-19-232-91
53631140006305	0	BK10-КC	Д030067 (ПР63-5)	8793,4	2994,15	334,7	ТУ 48-19-232-91
53831140006305	0	BK20-КC	Д030067 (ПР63-5)	10353,72	3260,39	314,9	ТУ 48-19-232-91
61227140028000	0	T14K8	Д030069 (ПР280)	7562,9	377,39	0,25	ТУ 48-19-124-91
61127140028000	0	T5K10	Д030069 (ПР280)	7764,79	2051,46	0,28	ТУ 48-19-124-91
52736240034305	0	BK15	Д030074 (ПР343-5)	9641,08	164,86	17,1	ТУ 48-19-161-90
52736240034308	0	BK15	Д030077 (ПР343-8)	9835,14	129,82	13,2	ТУ 48-19-161-90
59527830000100	0	BH-8	Д030078 (ПР1)	7125,23	2707,59	380,00	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52536240035500	0	BK8	Д030079 (ПР355)	7997,16	207,13	25,9	ТУ 48-19-161-90
52536240035300	0	BK8	Д030080 (ПР353)	7468,05	5523,37	739,6	ТУ 48-19-161-90
52536240035400	0	BK8	Д030081 (ПР354)	7510,87	1911,52	254,5	ТУ 48-19-161-90
52436240035601	0	BK6	Д030082 (ПР356-1)	7490,62	2771,53	370,00	ТУ 48-19-161-90
52436240035602	0	BK6	Д030083 (ПР356-2)	7495,99	2476,68	330,4	ТУ 48-19-161-90
52436240035603	0	BK6	Д030084 (ПР356-3)	7497,83	2389,56	318,7	ТУ 48-19-161-90
52436240038800	0	BK6	Д030085 (ПР388)	7480,31	3590,55	480,00	ТУ 48-19-161-90
53831140007401	0	BK20-КC	Д030086 (ПР74-1)	10941,87	334,71	30,9	ТУ 48-19-232-91
53831140007402	0	BK20-КC	Д030087 (ПР74-2)	10716,98	524,17	49,4	ТУ 48-19-232-91
53831140007403	0	BK20-КC	Д030088 (ПР74-3)	10739,57	496,81	46,7	ТУ 48-19-232-91
53831140007404	0	BK20-КC	Д030089(ПР74-4)	10433,38	1550,92	150,1	ТУ 48-19-232-91
53831140007405	0	BK20-КC	Д030090 (ПР74-5)	10453,64	1366,40	132,00	ТУ 48-19-232-91
61127140009200	0	T5K10	Д030091 (ПР92)	7905,58	636,40	80,5	ТУ 48-19-124-91
52536240039300	0	BK8	Д030092 (ПР393)	7466,53	5915,73	792,3	ТУ 48-19-161-90
52436240036400	0	BK6	Д030093 (ПР364)	7473,66	4431,88	593,00	ТУ 48-19-161-90
52436240036500	0	BK6	Д030094 (ПР365)	7518,66	1706,74	227,00	ТУ 48-19-161-90
52836740008015	0	BK20	Д030095 (ПР80-15)	10286,26	39196,43	3860,00	ТУ 48-19-126-74
52836740008016	0	BK20	Д030096 (ПР80-16)	10287,61	32190,54	3170,00	ТУ 48-19-126-74
52436240035604	0	BK6	Д030097 (ПР356-4)	7491,96	2691,86	361,2	ТУ 48-19-161-90
52836740008017	0	BK20	Д030099 (ПР80-17)	10289,81	24883,23	2450,00	ТУ 48-19-126-74
52836740008018	0	BK20	Д030100 (ПР80-18)	10288,09	30260,14	2980,00	ТУ 48-19-126-74

52836740008019	0	ВК20	Д030101 (ПР80-19)	10288,51	28744,03	2830,00	ТУ 48-19-126-74
52836740008020	0	ВК20	Д030102 (ПР80-20)	10288,09	30260,14	2980,00	ТУ 48-19-126-74
59527830000200	0	ВН-8	Д030103 (ПР2)	8981,57	3818,60	415,00	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52536240041101	0	ВК8	Д030104 (ПР411-1)	7492,78	2644,95	353,00	ТУ 48-19-161-90
52536240041102	0	ВК8	Д030105 (ПР411-2)	7508,57	1981,51	263,9	ТУ 48-19-161-90
52736240040901	0	ВК15	Д030106 (ПР409-1)	10471,29	68,38	6,7	ТУ 48-19-161-90
52736240040902	0	ВК15	Д030107 (ПР409-2)	9980,89	110,49	11,3	ТУ 48-19-161-90
52736240040903	0	ВК15	Д030108 (ПР409-3)	9663,76	160,03	16,9	ТУ 48-19-161-90
52536240045800	0	ВК8	Д030109 (ПР458)	7458,03	9826,71	1317,6	ТУ 48-19-161-90
52736240046000	0	ВК15	Д030110 (ПР460)	8788,54	3270,74	380,00	ТУ 48-19-161-90
52536240047301	0	ВК8	Д030162 (ПР473-1)	9892,42	19,49	1,97	ТУ 48-19-161-90
52536240047302	0	ВК8	Д030163 (ПР473-2)	9663,29	25,99	2,69	ТУ 48-19-161-90
52536240047303	0	ВК8	Д030164 (ПР473-3)	9451,91	33,08	3,5	ТУ 48-19-161-90
52536240047304	0	ВК8	Д030165 (ПР473-4)	9104,44	48,07	5,28	ТУ 48-19-161-90
52536240047305	0	ВК8	Д030166 (ПР473-5)	8628,05	81,28	9,42	ТУ 48-19-161-90
52536240047306	0	ВК8	Д030167 (ПР473-6)	9892,42	19,49	1,97	ТУ 48-19-161-90
52536240047307	0	ВК8	Д030168 (ПР473-7)	9663,29	25,99	2,69	ТУ 48-19-161-90
52536240047308	0	ВК8	Д030169 (ПР473-8)	9451,91	33,08	3,5	ТУ 48-19-161-90
52536240047309	0	ВК8	Д030170 (ПР473-9)	9104,44	48,07	5,28	ТУ 48-19-161-90
52536240047310	0	ВК8	Д030171 (ПР473-10)	8628,05	81,28	9,42	ТУ 48-19-161-90
52536240048801	0	ВК8	Д030172 (ПР488-1)	7853,21	289,00	36,8	ТУ 48-19-161-90
52536240048802	0	ВК8	Д030173 (ПР488-2)	7818,39	318,21	40,7	ТУ 48-19-161-90
52536240048803	0	ВК8	Д030174 (ПР488-3)	7695,98	484,85	63,00	ТУ 48-19-161-90
52536240048804	0	ВК8	Д030175 (ПР488-4)	7648,2	604,21	79,00	ТУ 48-19-161-90
52536240048805	0	ВК8	Д030176 (ПР488-5)	7636,15	643,73	84,3	ТУ 48-19-161-90
52536240048806	0	ВК8	Д030177 (ПР488-6)	7586,11	879,99	116,00	ТУ 48-19-161-90
52536240048807	0	ВК8	Д030178 (ПР488-7)	7547,28	1222,66	162,00	ТУ 48-19-161-90
52536240054101	0	ВК8	Д030179 (ПР541-1)	9466,18	32,56	3,44	ТУ 48-19-161-90
52536240054102	0	ВК8	Д030180 (ПР541-2)	9500,27	31,35	3,3	ТУ 48-19-161-90
52536240054103	0	ВК8	Д030181 (ПР541-3)	9244,46	41,42	4,48	ТУ 48-19-161-90
52536240054104	0	ВК8	Д030182 (ПР541-4)	9210,93	42,92	4,66	ТУ 48-19-161-90
52536240054105	0	ВК8	Д030183 (ПР541-5)	9634,82	26,88	2,79	ТУ 48-19-161-90
52536240054106	0	ВК8	Д030184 (ПР541-6)	8654,9	78,76	9,1	ТУ 48-19-161-90
52536240054107	0	ВК8	Д030185 (ПР541-7)	8538,57	90,51	10,6	ТУ 48-19-161-90
52536240054108	0	ВК8	Д030186 (ПР541-8)	8339,61	117,34	14,07	ТУ 48-19-161-90
52536240054109	0	ВК8	Д030187 (ПР541-9)	9355,28	36,77	3,93	ТУ 48-19-161-90
52536240054110	0	ВК8	Д030188 (ПР541-10)	9569,37	29,00	3,03	ТУ 48-19-161-90
52436240054401	0	ВК6	Д030189 (ПР544-1)	7790,43	345,90	44,4	ТУ 48-19-161-90
52436240054402	0	ВК6	Д030190 (ПР544-2)	7796,12	339,91	43,6	ТУ 48-19-161-90
52436240054403	0	ВК6	Д030191 (ПР544-3)	7801,99	333,93	42,8	ТУ 48-19-161-90
52736250054801	0	ВК15	Д030192 (ПР548-1)	8796,82	2826,07	328,00	ТУ 48-19-161-90
53631140009401	0	ВК10-КС	Д030192 (ПР94-1)	8792,37	3049,19	340,9	ТУ 48-19-232-91
52736250054802	0	ВК15	Д030193 (ПР548-2)	8783,21	3638,45	423,00	ТУ 48-19-161-90
52536250054802	0	ВК8	Д030193 (ПР548-2)	7483,64	3277,84	423,00	ТУ 48-19-161-90
53631140009402	0	ВК10-КС	Д030193 (ПР94-2)	8780,25	3880,87	434,5	ТУ 48-19-232-91
52536240047311	0	ВК8	Д030197 (ПР473-11)	10122,94	13,87	1,37	ТУ 48-19-161-90
52536240047312	0	ВК8	Д030198(ПР473-12)	8196,57	145,08	17,7	ТУ 48-19-161-90
52536240047313	0	ВК8	Д030199(ПР473-13)	10122,94	13,87	1,37	ТУ 48-19-161-90
52536240047314	0	ВК8	Д030200(ПР473-14)	8196,57	145,08	17,7	ТУ 48-19-161-90
52536240057201	0	ВК6	Д030201(ПР572-1)	7545,06	1250,22	167,2	ТУ 48-19-161-90
52536240057202	0	ВК6	Д030202(ПР572-2)	7636,37	642,98	84,2	ТУ 48-19-161-90
53831150009800	0	ВК20-КС	Д030204 (ПР98)	10582,44	771,46	67,4	ТУ 48-19-232-91
52536240000618	0	ВК8	Д030205 (ПР618)	10341,16	9,20	0,89	ТУ 48-19-161-90
52536240062901	0	ВК8	Д030206 (ПР629-1)	8234,84	136,70	16,6	ТУ 48-19-161-90
52536240063001	0	ВК8	Д030207 (ПР630-1)	8045,76	188,27	23,4	ТУ 48-19-161-90
52536240063400	0	ВК8	Д030208 (ПР634)	7571,49	984,29	130,00	ТУ 48-19-161-90
52736250063800	0	ВК15	Д030209 (ПР638)	23493,45	11,98	0,5	ТУ 48-19-161-90
52436240064101	0	ВК6	Д030211 (ПР641-1)	7709,19	459,47	60,2	ТУ 48-19-161-90
52436240064102	0	ВК6	Д030212 (ПР641-2)	7720,7	439,31	57,5	ТУ 48-19-161-90
52436240064103	0	ВК6	Д030213 (ПР641-3)	7734,74	416,90	54,5	ТУ 48-19-161-90
52436240064104	0	ВК6	Д030214 (ПР641-4)	7700,11	476,64	62,5	ТУ 48-19-161-90
52536240064400	0	ВК8	Д030215 (ПР644)	7689,17	499,03	64,9	ТУ 48-19-161-90
52536240064500	0	ВК8	Д030216 (ПР645)	7681,39	516,19	67,2	ТУ 48-19-161-90
52436240065400	0	ВК6	Д030217 (ПР654)	7736,22	414,66	53,6	ТУ 48-19-161-90
52436240065500	0	ВК6	Д030218 (ПР655)	8093,71	172,40	21,3	ТУ 48-19-161-90
52536240067500	0	ВК8	Д030219 (ПР675)	7712,92	452,75	58,7	ТУ 48-19-161-90
52736240068800	0	ВК15	Д030222 (ПР688)	8905,3	1004,96	109,00	ТУ 48-19-161-90
52736240068900	0	ВК15	Д030223 (ПР689)	8798,69	2741,67	301,00	ТУ 48-19-161-90
52436240069800	0	ВК6	Д030224 (ПР698)	7589,45	859,13	114,3	ТУ 48-19-161-90
53331040003300	0	ВК8-В	Д030226 (ПР33)	7466,53	5915,73	792,3	ТУ 48-19-231-76
52536240070300	0	ВК8	Д030227 (ПР703)	7464,73	6462,96	865,8	ТУ 48-19-161-90

51640330003001	0	BK6-OM	D030228(ПР30-1)	9777,02	39927,02	4166,00	TY 48-19-217-89
51640330003002	0	BK6-OM	D030229(ПР30-2)	9777,75	35277,13	3675,6	TY 48-19-217-89
51640330003004	0	BK6-OM	D030230(ПР30-4)	9778,86	29885,18	3113,5	TY 48-19-217-89
51640330003005	0	BK6-OM	D030231(ПР30-5)	9780,47	24493,23	2551,3	TY 48-19-217-89
51640330003006	0	BK6-OM	D030232(ПР30-6)	9790,86	11303,54	1176,2	TY 48-19-217-89
52736240071200	0	BK15	D030233 (ПР712)	8978,07	695,80	74,00	TY 48-19-161-90
51640330003101	0	BK6-OM	D030234(ПР31-1)	9777,54	36462,42	3780,1	TY 48-19-217-89
51640330003104	0	BK6-OM	D030237(ПР31-4)	9782,51	19938,70	2066,00	TY 48-19-217-89
52736240070900	0	BK15	D030238 (ПР709)	8756,14	8438,29	930,8	TY 48-19-161-90
51640340003200	0	BK6-OM	D030239 (ПР32)	9779,14	28809,33	2986,00	TY 48-19-217-89
55112930001600	0	BK10-XO	D030240 (ПР16)	12220,96	50,59	4,1	TY 48-19-209-88
51640330003300	0	BK6-OM	D030241(ПР33)	9778,99	29376,08	3045,00	TY 48-19-217-89
52536241047315	0	BK8	D030246 (ПР473a-15)	10386,1	8,31	0,8	TY 48-19-161-90
52536241047316	0	BK8	D030247 (ПР473a-16)	10386,1	8,31	0,8	TY 48-19-161-90
53831150012000	0	BK20-KC	D030248 (ПР120)	10342,6	3845,38	243,92	TY 48-19-232-91
52536240073500	0	BK8	D030249 (ПР735)	7449,34	30169,84	4050,00	TY 48-19-161-90
52536230074000	0	BK8	D030250 (ПР740)	7849,35	292,00	37,2	TY 48-19-161-90
61327140013200	0	T15K6	D030251 (ПР132)	8608,53	123,96	11,2	TY 48-19-124-91
52536230076700	0	BK8	D030253 (ПР767)	8108,86	167,85	20,7	TY 48-19-161-90
52536230076901	0	BK8	D030254 (ПР769-1)	7539,38	1326,93	176,00	TY 48-19-161-90
52736230076902	0	BK15	D030255 (ПР769-2)	8846,05	1556,90	170,00	TY 48-19-161-90
52536240077000	0	BK8	D030256 (ПР770)	7655,99	581,09	75,9	TY 48-19-161-90
52740170077400	0	BK15	D030257 (ПР774)	8994,05	651,17	69,9	TY 48-19-165-84
61327140013300	0	T15K6	D030258 (ПР133)	8941,51	82,26	7,1	TY 48-19-124-91
52726830000400	0	BK15	D030259 (ПР4)	11389,84	28,93	2,45	TY 48-19-183-76
61127140013401	0	T5K10	D030260 (ПР134-1)	7870,36	772,08	85,7	TY 48-19-124-91
61127140013402	0	T5K10	D030261 (ПР134-2)	7764,79	2051,46	230,8	TY 48-19-124-91
61327140013500	0	T15K6	D030262 (ПР135)	7743,04	3081,73	308,5	TY 48-19-124-91
51640330004001	0	BK6-OM	D030263(ПР40-1)	9778,34	32207,88	3338,8	TY 48-19-217-89
51640330004002	0	BK6-OM	D030264(ПР40-2)	9779,42	27777,46	2879,2	TY 48-19-217-89
51640330004003	0	BK6-OM	D030265(ПР40-3)	9781,18	22695,27	2352,00	TY 48-19-217-89
51640330004004	0	BK6-OM	D030266(ПР40-4)	9783,95	17614,05	1824,9	TY 48-19-217-89
52536240077700	0	BK8	D030268 (ПР777)	7464,9	6404,89	858,00	TY 48-19-161-90
52736250077900	0	BK15	D030269 (ПР779)	8803,83	2533,74	278,00	TY 48-19-161-90
52438820000004	0	BK6	D04	12407,27	434,25	35,00	TY 48-19-67-78
52736250036100	0	BK15	D040001 (ПР361)	9010,01	611,78	67,9	TY 48-19-161-90
53631150008200	0	BK10-KC	D040002 (ПР82)	10202,02	205,26	20,4	TY 48-19-232-91
52736250045700	0	BK15	D040003 (ПР457)	9462,42	748,67	83,64	TY 48-19-161-90
52736250047600	0	BK15	D040004 (ПР476)	10351,57	175,98	16,42	TY 48-19-161-90
52536250047600	0	BK8	D040004 (ПР476)	8822,51	149,98	17,00	TY 48-19-161-90
52536250000619	0	BK8	D040006 (ПР619)	7841,05	3918,18	499,7	TY 48-19-161-90
53331040002701	0	BK8-B	D040007 (ПР27-1)	6514,48	6954,86	1060,00	TY 48-19-231-76
52736250067000	0	BK15	D040009 (ПР670)	9155,36	30901,18	3260,00	TY 48-19-161-90
52536250000720	0	BK8	D040012 (ПР720)	7803,15	25750,41	3300,00	TY 48-19-161-90
52536250000476	0	BK8	D040013 (ПР476-A)	8822,51	149,98	17,00	TY 48-19-161-90
52536250000681	0	BK8	D040014 (ПР681)	7802,26	29643,90	3799,4	TY 48-19-161-90
53331050003600	0	BK8-B	D040015 (ПР36)	7802,03	30818,02	3950,00	TY 48-19-231-76
52536250074200	0	BK8	D040016 (ПР742)	7818,14	8052,68	1030,00	TY 48-19-161-90
52536250074400	0	BK8	D040018 (ПР744)	7815,25	9280,61	1187,5	TY 48-19-161-90
52536250074700	0	BK8	D040019 (ПР747)	7826,56	5804,96	618,00	TY 48-19-161-90
52736250077600	0	BK15	D040021(ПР776)	9677,31	435,48	43,4	TY 48-19-161-90
52536250077800	0	BK8	D040022 (ПР778)	7799,57	54269,37	6958,00	TY 48-19-161-90
52438820000005	0	BK6	D05	12550,25	376,51	30,00	TY 48-19-67-78
53831150011100	0	BK20-KC	D050002 (ПР111-A)	11289,84	11107,74	910,00	TY 48-19-232-91
52836760016900	0	BK20	D050003 (ПР169)	11868,81	697,89	54,4	TY 48-19-126-74
52536280077200	0	BK8	D050004 (ПР772)	8165,98	12600,11	1543,00	TY 48-19-161-90
52736250077901	0	BK15	D050005(ПР779/1)	9660,91	3150,42	315,00	TY 48-19-161-90
52438820000006	0	BK6	D06	12375,76	449,24	36,7	TY 48-19-67-78
52538820000006	0	BK8	D06	12375,76	449,24	36,3	TY 48-19-67-78
52540170019400	0	BK8	D060001 (ПР194)	7532,61	1431,20	16,3	TY 48-19-165-84
52836770012301	0	BK20	D060002 (ПР123-1)	11781,57	12162,11	1032,3	TY 48-19-126-74
52740170031201	0	BK15	D060002 (ПР312-1)	10009,67	10790,43	1078,00	TY 48-19-165-84
52836770012302	0	BK20	D060003 (ПР123-2)	11784,04	11550,72	980,2	TY 48-19-126-74
52740170031202	0	BK15	D060003 (ПР312-2)	10011,69	10247,96	1023,6	TY 48-19-165-84
52836770012303	0	BK20	D060004 (ПР123-3)	11785,38	11244,43	954,1	TY 48-19-126-74
52740170031203	0	BK15	D060004 (ПР312-3)	10012,78	9975,73	996,3	TY 48-19-165-84
51640370003800	0	BK6-OM	D060006 (ПР38)	16068,2	70,38	4,46	TY 48-19-217-89
53831150012200	0	BK20-KC	D060007 (ПР122)	12068,09	1695,57	130,4	TY 48-19-232-91
52536280077500	0	BK8	D060008 (ПР775)	8604,19	2821,31	327,9	TY 48-19-161-90
52438820000007	0	BK6	D07	12796,49	304,56	23,8	TY 48-19-67-78
52536280049300	0	BK8	D070001 (ПР493)	9292,55	838,19	90,2	TY 48-19-161-90

5243882000008	0	BK6	D08	12296,06	491,84	40,00	TY 48-19-67-78
52536280070600	0	BK8	D080001 (ПР706)	9310,23	4189,60	450,00	TY 48-19-161-90
5243882000009	0	BK6	D09	11940,19	835,81	70,00	TY 48-19-67-78
5243882000010	0	BK6	D10	12296,06	491,84	40,00	TY 48-19-67-78
52438700000102	0	BK6	D102	10516,73	2629,18	250,00	TY 48-19-67-78
52438990000103	0	BK6	D103	11676,9	1669,80	144,4	TY 48-19-67-78
52438990000104	0	BK6	D104	11754,52	1293,00	110,5	TY 48-19-67-78
52538990000105	0	BK8	D104	10630,74	1169,38	110,00	TY 48-19-67-78
52438930000105	0	BK6	D105	12325,58	1355,81	110,00	TY 48-19-67-78
52738940000106	0	BK15	D106	13478,65	1010,90	75,00	TY 48-19-67-78
52438940000107	0	BK6	D107	10716,2	176,60	16,48	TY 48-19-67-78
5243882000011	0	BK6	D11	12015,75	729,36	60,7	TY 48-19-67-78
52538830000117	0	BK8	D117	11216,62	1118,30	99,7	TY 48-19-67-78
52738960000119	0	BK15	D119	15777,55	473,33	30,00	TY 48-19-67-78
5243882000012	0	BK6	D12	12022,32	721,34	60,00	TY 48-19-67-78
5243882000013	0	BK6	D13	11841,56	1030,22	87,00	TY 48-19-67-78
5243882000014	0	BK6	D14	11888,74	927,32	78,00	TY 48-19-67-78
5243864000015	0	BK6	D15	11754,52	1293,00	110,00	TY 48-19-67-78
5243864000016	0	BK6	D16	12084,95	652,59	54,00	TY 48-19-67-78
5243864000017	0	BK6	D17	11888,74	927,32	78,00	TY 48-19-67-78
5243884000018	0	BK6	D18	11891,67	921,60	77,5	TY 48-19-67-78
5243866000019	0	BK6	D19	12022,32	721,34	55,00	TY 48-19-67-78
5253866000019	0	BK8	D19	11400,99	684,06	60,00	TY 48-19-67-78
5243866000020	0	BK6	D20	11841,56	1030,22	87,00	TY 48-19-67-78
5243866000021	0	BK6	D21	11587,22	486,66	42,00	TY 48-19-67-78
5273866000022	0	BK15	D22	13864,04	3794,59	273,7	TY 48-19-67-78
5243885000022	0	BK6	D22	10492,34	3565,30	343,3	TY 48-19-67-78
5243885000023	0	BK6	D23	11085,59	1995,41	180,00	TY 48-19-67-78
5243885000024	0	BK6	D24	11258,29	979,47	87,00	TY 48-19-67-78
5243886000025	0	BK6	D25	14535,11	327,04	25,00	TY 48-19-67-78
5253886000025	0	BK8	D25	13685,89	307,93	22,5	TY 48-19-67-78
5243887000026	0	BK6	D26	14574,84	320,65	22,00	TY 48-19-67-78
5243868000027	0	BK6	D27	12085,35	265,88	22,00	TY 48-19-67-78
5273888000028	0	BK15	D28	13524,92	895,62	65,03	TY 48-19-67-78
5243888000028	0	BK6	D28	10741,49	751,90	70,00	TY 48-19-67-78
5253866000030	0	BK8	D30	10923,00	131,08	12,00	TY 48-19-67-78
5243890000031	0	BK6	D31	13908,57	152,99	11,00	TY 48-19-67-78
5273883000032	0	BK15	D32	13237,13	2905,15	229,6	TY 48-19-67-78
5243883000032	0	BK6	D32	10523,85	2441,53	232,00	TY 48-19-67-78
5243883000033	0	BK6	D33	12550,25	376,51	30,00	TY 48-19-67-78
5243866000034	0	BK6	D34	12456,52	193,08	15,5	TY 48-19-67-78
5273891000035	0	BK15	D35	13332,56	1679,90	126,00	TY 48-19-67-78
5243883000036	0	BK6	D36	11106,29	1777,01	165,29	TY 48-19-67-78
5253883000036	0	BK8	D36	11106,29	1777,01	160,00	TY 48-19-67-78
5243883000037	0	BK6	D37	12247,64	521,63	43,2	TY 48-19-67-78
5253883000037	0	BK8	D37	11578,88	493,14	42,59	TY 48-19-67-78
5253883000038	0	BK8	D38	11844,34	343,49	29,00	TY 48-19-67-78
5253883000039	0	BK8	D39	11896,31	323,58	27,2	TY 48-19-67-78
5243883000041	0	BK6	D41	10981,28	5161,20	451,00	TY 48-19-67-78
5253883000041	0	BK8	D41	10981,28	5161,20	470,00	TY 48-19-67-78
52538830001041	0	BK8	D41-A	11309,82	848,24	75,00	TY 48-19-67-78
5253876000042	0	BK8	D42	10352,85	362,35	35,00	TY 48-19-67-78
5273885000045	0	BK15	D45	15146,14	346,70	23,6	TY 48-19-67-78
5243885000045	0	BK6	D45	11997,15	290,33	24,2	TY 48-19-67-78
5253885000047	0	BK8	D47	12690,38	162,44	12,8	TY 48-19-67-78
5253883000048	0	BK8	D48	11297,85	875,58	77,5	TY 48-19-67-78
5273885000050	0	BK15	D50	17504,95	190,80	10,9	TY 48-19-67-78
5253885000051	0	BK8	D51	12419,81	198,72	16,00	TY 48-19-67-78
5253885000052	0	BK8	D52	12720,82	159,01	12,5	TY 48-19-67-78
5253885000053	0	BK8	D53	12670,65	164,72	13,00	TY 48-19-67-78
5283893000054	0	BK20	D54	21046,17	26,94	1,3	TY 48-19-67-78
5253893000054	0	BK8	D54	14154,4	19,82	1,4	TY 48-19-67-78
5243885000055	0	BK6	D55	11068,92	2213,78	200,00	TY 48-19-67-78
5273892000056	0	BK15	D56	14814,36	1496,25	101,00	TY 48-19-67-78
5243862000057	0	BK6	D57	12134,3	606,72	50,00	TY 48-19-67-78
5253862000057	0	BK8	D57	11489,4	574,47	50,00	TY 48-19-67-78
5253882000058	0	BK8	D58	10704,03	856,32	80,00	TY 48-19-67-78
5273880000059	0	BK15	D59	15847,34	449,75	26,00	TY 48-19-67-78
5243880000059	0	BK6	D59	12550,25	376,51	30,00	TY 48-19-67-78
5253883000060	0	BK8	D60	11088,4	1962,65	177,00	TY 48-19-67-78
5273883000061	0	BK15	D61	13204,04	3872,22	322,99	TY 48-19-67-78

52438830000061	0	BK6	D61	10498,9	3254,66	310,00	TY 48-19-67-78
52438830000062	0	BK6	D62	10545,55	2003,65	190,00	TY 48-19-67-78
52438650000072	0	BK6	D72	13789,42	162,72	11,8	TY 48-19-67-78
52438670000073	0	BK6	D73	10994,76	4287,96	390,00	TY 48-19-67-78
524386700000731	0	BK6	D73-1	10994,15	4320,70	393,00	TY 48-19-67-78
52438670000074	0	BK6	D74	10982,71	5052,05	460,00	TY 48-19-67-78
52438820000075	0	BK6	D75	11049,24	2541,32	242,7	TY 48-19-67-78
52538820000075	0	BK8	D75	11049,24	2541,32	230,00	TY 48-19-67-78
52438690000077	0	BK6	D77	11055,21	110,55	10,00	TY 48-19-67-78
52738820000078	0	BK15	D78	15699,82	502,39	32,00	TY 48-19-67-78
52438820000078	0	BK6	D78	12437,42	420,76	33,6	TY 48-19-67-78
52738820000079	0	BK15	D79	15301,88	723,78	46,45	TY 48-19-67-78
52438820000079	0	BK6	D79	12134,3	606,72	50,00	TY 48-19-67-78
52438820000080	0	BK6	D80	12296,06	491,84	40,00	TY 48-19-67-78
52738820000081	0	BK15	D81	15207,61	805,70	52,02	TY 48-19-67-78
52438820000081	0	BK6	D81	12062,7	675,51	56,00	TY 48-19-67-78
52438820000083	0	BK6	D83	11979,96	776,30	64,8	TY 48-19-67-78
52438820000084	0	BK6	D84	12022,32	721,34	60,00	TY 48-19-67-78
52438830000085	0	BK6	D85	10498,9	3254,66	310,00	TY 48-19-67-78
52438830000086	0	BK6	D86	10485,93	3932,22	375,00	TY 48-19-67-78
52738830000087	0	BK15	D87	13152,06	8046,43	611,8	TY 48-19-67-78
61320020110308	0	T15K6	3-01111-110308	9424,43	20,26	2,15	OCT 48-93-81
61320020160304	0	T15K6	3-01111-160304	9347,00	42,62	4,56	OCT 48-93-81
52520020160308	0	BK8	3-01111-160308	7186,5	42,69	5,71	OCT 48-93-81
61320020160308	0	T15K6	3-01111-160308	9347,00	42,62	4,52	OCT 48-93-81
52520020160408	0	BK8	3-01111-160408	7129,00	59,88	8,4	OCT 48-93-81
61320020160408	0	T15K6	3-01111-160408	9296,16	59,96	6,62	OCT 48-93-81
61120020160408	0	T5K10	3-01111-160408	9277,23	67,07	7,4	OCT 48-93-81
52520020160412	0	BK8	3-01111-160412	7129,00	59,88	8,29	OCT 48-93-81
61120020160412	0	T5K10	3-01111-160412	9277,23	67,07	7,3	OCT 48-93-81
52520020220404	0	BK8	3-01111-220404	7017,5	103,86	14,8	OCT 48-93-81
52520020220408	0	BK8	3-01111-220408	7017,5	103,86	14,8	OCT 48-93-81
52420020220412	0	BK6	3-01111-220412	7017,5	103,86	14,9	OCT 48-93-81
61320020220416	0	T15K6	3-01111-220416	9192,53	104,52	11,4	OCT 48-93-81
52420020270612	0	BK6	3-01111-270612	6861,67	211,34	30,8	OCT 48-93-81
61320020270612	0	T15K6	3-01111-270612	9035,8	213,70	23,8	OCT 48-93-81
61320020270616	0	T15K6	3-01111-270616	9035,8	213,70	25,00	OCT 48-93-81
52520060110304	0	BK8	3-01113-110304	7341,86	7,49	1,02	OCT 48-93-81
61320060110304	0	T15K6	3-01113-110304	9476,45	7,39	0,8	OCT 48-93-81
61120060110304	0	T5K10	3-01113-110304	9472,42	8,34	0,89	OCT 48-93-81
52420060160308	0	BK6	3-01113-160308	7204,64	37,82	5,25	OCT 48-93-81
52520060160308	0	BK8	3-01113-160308	7204,64	37,82	5,18	OCT 48-93-81
61320060160308	0	T15K6	3-01113-160308	9362,7	37,73	4,11	OCT 48-93-81
52420060160312	0	BK6	3-01113-160312	7204,64	37,82	5,17	OCT 48-93-81
52520060160312	0	BK8	3-01113-160312	7204,64	37,82	5,11	OCT 48-93-81
61420060160312	0	T30K4	3-01113-160312	9381,64	32,09	3,49	OCT 48-93-81
52420060160408	0	BK6	3-01113-160408	7143,87	55,15	7,72	OCT 48-93-81
52520060160408	0	BK8	3-01113-160408	7143,87	55,15	7,62	OCT 48-93-81
61320060160408	0	T15K6	3-01113-160408	9309,41	55,20	6,01	OCT 48-93-81
61120060160408	0	T5K10	3-01113-160408	9291,2	61,79	6,71	OCT 48-93-81
52520060160412	0	BK8	3-01113-160412	7143,87	55,15	7,49	OCT 48-93-81
52520060220408	0	BK8	3-01113-220408	7039,79	93,63	13,3	OCT 48-93-81
61320060220408	0	T15K6	3-01113-220408	9213,92	94,07	10,5	OCT 48-93-81
61120060220408	0	T5K10	3-01113-220408	9191,11	105,24	11,7	OCT 48-93-81
52420060220416	0	BK6	3-01113-220412	7039,79	93,63	13,4	OCT 48-93-81
52520060220412	0	BK8	3-01113-220412	7039,79	93,63	13,2	OCT 48-93-81
61320060220412	0	T15K6	3-01113-220412	9213,92	94,07	10,4	OCT 48-93-81
52520060220416	0	BK8	3-01113-220416	7039,79	93,63	13,00	OCT 48-93-81
61320060220424	0	T15K6	3-01113-220424	9213,92	94,07	10,06	OCT 48-93-81
52420060270616	0	BK6	3-01113-270616	6884,45	190,01	27,6	OCT 48-93-81
52520060270616	0	BK8	3-01113-270616	6884,45	190,01	27,2	OCT 48-93-81
52420090160304	0	BK6	3-01114-160304	7211,18	36,13	5,01	OCT 48-93-81
52520090160304	0	BK8	3-01114-160304	7788,41	39,02	4,95	OCT 48-93-81
61320090160304	0	T15K6	3-01114-160304	9965,07	38,37	3,95	OCT 48-93-81
61120090160304	0	T5K10	3-01114-160304	9946,72	42,87	4,41	OCT 48-93-81
52520090160308	0	BK8	3-01114-160308	7788,41	39,02	4,9	OCT 48-93-81
61320090160308	0	T15K6	3-01114-160308	9965,07	38,37	3,89	OCT 48-93-81
61120090160308	0	T5K10	3-01114-160308	9946,72	42,87	4,33	OCT 48-93-81
61320090160312	0	T15K6	3-01114-160312	9965,07	38,37	3,83	OCT 48-93-81
51120090160404	0	BK3-M	3-01114-160404	11621,44	86,70	7,64	OCT 48-93-81
52420090160404	0	BK6	3-01114-160404	7152,05	52,64	7,48	OCT 48-93-81

52520090160404	0	BK8	3-01114-160404	7710,15	56,75	7,38	OCT 48-93-81
61320090160404	0	T15K6	3-01114-160404	9897,01	55,92	5,85	OCT 48-93-81
61120090160404	0	T5K10	3-01114-160404	9873,39	62,60	6,57	OCT 48-93-81
51120090160408	0	BK3-M	3-01114-160408	11621,44	86,70	7,59	OCT 48-93-81
52520090160408	0	BK8	3-01114-160408	7710,15	56,75	7,33	OCT 48-93-81
61320090160408	0	T15K6	3-01114-160408	9897,01	55,92	5,79	OCT 48-93-81
61120090160408	0	T5K10	3-01114-160408	9873,39	62,60	6,46	OCT 48-93-81
52520090160412	0	BK8	3-01114-160412	7710,15	56,75	7,21	OCT 48-93-81
52420090220404	0	BK6	3-01114-220404	7046,08	90,89	12,9	OCT 48-93-81
52520090220404	0	BK8	3-01114-220404	7569,89	97,65	12,7	OCT 48-93-81
61320090220404	0	T15K6	3-01114-220404	9768,57	96,81	10,03	OCT 48-93-81
61120090220404	0	T5K10	3-01114-220404	9738,74	108,20	11,2	OCT 48-93-81
52520090220408	0	BK8	3-01114-220408	7569,89	97,65	12,7	OCT 48-93-81
61220090220408	0	T14K8	3-01114-220408	9768,57	96,81	10,00	OCT 48-93-81
61320090220408	0	T15K6	3-01114-220408	9768,57	96,81	10,00	OCT 48-93-81
61120090220408	0	T5K10	3-01114-220408	9738,74	108,20	11,2	OCT 48-93-81
52420090220412	0	BK6	3-01114-220412	7046,08	90,89	12,8	OCT 48-93-81
52520090220412	0	BK8	3-01114-220412	7569,89	97,65	12,6	OCT 48-93-81
61320090220412	0	T15K6	3-01114-220412	9768,57	96,81	9,91	OCT 48-93-81
61120090220412	0	T5K10	3-01114-220412	9738,74	108,20	11,1	OCT 48-93-81
52520090220416	0	BK8	3-01114-220416	7569,89	97,65	12,5	OCT 48-93-81
61320090220416	0	T15K6	3-01114-220416	9768,57	96,81	9,79	OCT 48-93-81
61120090220416	0	T5K10	3-01114-220416	9738,74	108,20	11,00	OCT 48-93-81
52520090220416	0	BK8	3-01114-270612	7370,49	193,11	26,2	OCT 48-93-81
61320090220416	0	T15K6	3-01114-270612	9571,77	192,58	20,5	OCT 48-93-81
52520090220416	0	BK8	3-01114-270616	7370,49	193,11	26,00	OCT 48-93-81
61320090220416	0	T15K6	3-01114-270616	9571,77	192,58	20,4	OCT 48-93-81
61120090220416	0	T5K10	3-01114-270616	9538,71	215,19	22,8	OCT 48-93-81
52520070110304	0	BK8	3-01123-110304	8604,98	8,78	1,02	OCT 48-93-81
51620070110308	0	BK6-OM	3-01123-110308	12892,49	13,28	1,23	OCT 48-93-81
52520070160308	0	BK8	3-01123-160308	8378,1	43,40	5,18	OCT 48-93-81
52520070160404	0	BK8	3-01123-160404	8274,56	63,55	7,68	OCT 48-93-81
52420070160408	0	BK6	3-01123-160408	8274,56	63,55	7,72	OCT 48-93-81
52520070160408	0	BK8	3-01123-160408	8274,56	63,55	7,62	OCT 48-93-81
52520070220408	0	BK8	3-01123-220408	8098,56	107,71	13,3	OCT 48-93-81
52520070220416	0	BK8	3-01123-220416	8098,56	107,71	13,00	OCT 48-93-81
61320070220416	0	T15K6	3-01123-220416	10324,88	105,42	10,25	OCT 48-93-81
52520070220416	0	BK8	3-01123-270616	7843,28	213,34	27,2	OCT 48-93-81
61320070220416	0	T15K6	3-01123-270616	10071,57	210,40	21,3	OCT 48-93-81
52420100160304	0	BK6	3-01124-160304	8385,89	42,01	5,01	OCT 48-93-81
52520100160304	0	BK8	3-01124-160304	8385,89	42,01	4,95	OCT 48-93-81
52520100160308	0	BK8	3-01124-160308	8385,89	42,01	4,9	OCT 48-93-81
61120100160308	0	T5K10	3-01124-160308	10560,26	45,51	4,33	OCT 48-93-81
61220100160312	0	T14K8	3-01124-160312	10583,5	40,75	3,83	OCT 48-93-81
61320100160312	0	T15K6	3-01124-160312	10583,5	40,75	3,83	OCT 48-93-81
61120100160312	0	T5K10	3-01124-160312	10560,26	45,51	4,27	OCT 48-93-81
61320100160408	0	T15K6	3-01124-160408	10492,42	60,44	5,79	OCT 48-93-81
61120100160408	0	T5K10	3-01124-160408	10462,33	67,59	6,46	OCT 48-93-81
52520100160412	0	BK8	3-01124-160412	8281,39	62,11	7,21	OCT 48-93-81
61220100160412	0	T14K8	3-01124-160412	10492,42	60,44	5,7	OCT 48-93-81
61120100160412	0	T5K10	3-01124-160412	10462,33	67,59	6,36	OCT 48-93-81
61320100220404	0	T15K6	3-01124-220404	10331,99	103,22	10,03	OCT 48-93-81
61120100220404	0	T5K10	3-01124-220404	10294,1	115,29	11,2	OCT 48-93-81
52420100220408	0	BK6	3-01124-220408	8106,18	105,46	12,9	OCT 48-93-81
52520100220408	0	BK8	3-01124-220408	8106,18	105,46	12,7	OCT 48-93-81
61320100220408	0	T15K6	3-01124-220408	10331,99	103,22	10,00	OCT 48-93-81
61120100220408	0	T5K10	3-01124-220408	10294,1	115,29	11,2	OCT 48-93-81
52520100220412	0	BK8	3-01124-220412	8106,18	105,46	12,6	OCT 48-93-81
61320100220412	0	T15K6	3-01124-220412	10331,99	103,22	9,91	OCT 48-93-81
61120100220412	0	T5K10	3-01124-220412	10294,1	115,29	11,1	OCT 48-93-81
61320100220416	0	T15K6	3-01124-220416	10331,99	103,22	9,79	OCT 48-93-81
61120100220416	0	T5K10	3-01124-220416	10294,1	115,29	11,00	OCT 48-93-81
61120100220416	0	T5K10	3-01124-270612	10036,41	230,84	23,00	OCT 48-93-81
52520100220416	0	BK8	3-01124-270616	7849,7	209,67	26,00	OCT 48-93-81
61120100220416	0	T5K10	3-01124-270616	10036,41	230,84	22,8	OCT 48-93-81
52420030160312	0	BK6	3-01131-160312	7192,44	41,07	5,71	OCT 48-93-81
52520030160408	0	BK8	3-01131-160408	7129,00	59,88	8,4	OCT 48-93-81
61320030160408	0	T15K6	3-01131-160408	9296,16	59,96	6,62	OCT 48-93-81
52420030160412	0	BK6	3-01131-160412	7129,00	59,88	8,39	OCT 48-93-81
52520030220408	0	BK8	3-01131-220408	7017,5	103,86	14,8	OCT 48-93-81
61220030220412	0	T14K8	3-01131-220412	9192,53	104,52	11,7	OCT 48-93-81

61320030220412	0	T15K6	3-01131-220412	9192,53	104,52	11,5	OCT 48-93-81
62420040220608	0	TT20K9	3-01131-220608	0,00	0,00	16,3	OCT 48-93-81
52420040110304	0	BK6	3-01311-110304	7900,06	18,01	2,31	OCT 48-93-81
51620040110304	0	BK6-OM	3-01311-110304	11892,84	27,47	2,31	OCT 48-93-81
52520040110304	0	BK8	3-01311-110304	7900,06	18,01	2,28	OCT 48-93-81
52520040110308	0	BK8	3-01311-110308	7900,06	18,01	2,26	OCT 48-93-81
61320040110308	0	T15K6	3-01311-110308	10058,71	17,60	1,83	OCT 48-93-81
52520040160300	0	BK8	3-01311-160300	7784,78	39,78	5,11	OCT 48-93-81
51620040160304	0	BK6-OM	3-01311-160304	11727,9	60,75	5,15	OCT 48-93-81
52520040160304	0	BK8	3-01311-160304	7784,78	39,78	5,09	OCT 48-93-81
61320040160304	0	T15K6	3-01311-160304	9962,23	39,05	4,04	OCT 48-93-81
52520040160308	0	BK8	3-01311-160308	7784,78	39,78	5,06	OCT 48-93-81
61220040160308	0	T14K8	3-01311-160308	9962,23	39,05	4,08	OCT 48-93-81
61320040160308	0	T15K6	3-01311-160308	9962,23	39,05	4,02	OCT 48-93-81
61120040160308	0	T5K10	3-01311-160308	9943,21	43,75	4,48	OCT 48-93-81
52420040160312	0	BK6	3-01311-160312	7208,44	36,84	5,07	OCT 48-93-81
52520040160312	0	BK8	3-01311-160312	7784,78	39,78	5,01	OCT 48-93-81
61320040160312	0	T15K6	3-01311-160312	9962,23	39,05	3,98	OCT 48-93-81
61320040220408	0	T15K6	3-01311-220408	9764,71	98,23	10,06	OCT 48-93-81
52520040220412	0	BK8	3-01311-220412	7565,71	99,11	12,7	OCT 48-93-81
61320040220412	0	T15K6	3-01311-220412	9764,71	98,23	10,01	OCT 48-93-81
52520040220416	0	BK8	3-01311-220416	7565,71	99,11	12,6	OCT 48-93-81
52520050110300	0	BK8	3-01331-110300	7295,19	16,71	2,29	OCT 48-93-81
61320050110300	0	T15K6	3-01331-110300	9438,57	16,61	1,85	OCT 48-93-81
51120050110304	0	BK3-M	3-01331-110304	11036,42	25,60	2,35	OCT 48-93-81
51620050110304	0	BK6-OM	3-01331-110304	11036,42	25,60	2,31	OCT 48-93-81
52520050110304	0	BK8	3-01331-110304	7295,19	16,71	2,28	OCT 48-93-81
61320050110304	0	T15K6	3-01331-110304	9438,57	16,61	1,85	OCT 48-93-81
61120050110308	0	T5K10	3-01331-110308	9430,89	18,58	2,03	OCT 48-93-81
52520050160300	0	BK8	3-01331-160300	7208,44	36,84	5,11	OCT 48-93-81
61320050160300	0	T15K6	3-01331-160300	9366,04	36,71	4,06	OCT 48-93-81
52420050160304	0	BK6	3-01331-160304	7208,44	36,84	5,15	OCT 48-93-81
52520050160304	0	BK8	3-01331-160304	7208,44	36,84	5,09	OCT 48-93-81
61320050160304	0	T15K6	3-01331-160304	9366,04	36,71	4,04	OCT 48-93-81
61120050160304	0	T5K10	3-01331-160304	9351,67	41,15	4,5	OCT 48-93-81
52420050160308	0	BK6	3-01331-160308	7208,44	36,84	5,13	OCT 48-93-81
52520050160308	0	BK8	3-01331-160308	7208,44	36,84	5,06	OCT 48-93-81
61120050160308	0	T5K10	3-01331-160308	9351,67	41,15	4,48	OCT 48-93-81
52520050160312	0	BK8	3-01331-160312	7208,44	36,84	5,01	OCT 48-93-81
61120050160312	0	T5K10	3-01331-160312	9351,67	41,15	4,43	OCT 48-93-81
52420050160408	0	BK6	3-01331-160408	7159,26	50,47	7,05	OCT 48-93-81
52520050160408	0	BK8	3-01331-160408	7159,26	50,47	6,96	OCT 48-93-81
61320050160408	0	T15K6	3-01331-160408	9323,2	50,44	5,52	OCT 48-93-81
61120050160408	0	T5K10	3-01331-160408	9305,79	56,49	6,16	OCT 48-93-81
52420050220408	0	BK6	3-01331-220408	7044,96	91,37	12,97	OCT 48-93-81
52520050220408	0	BK8	3-01331-220408	7044,96	91,37	12,8	OCT 48-93-81
61320050220408	0	T15K6	3-01331-220408	9218,75	91,82	10,06	OCT 48-93-81
52520050220412	0	BK8	3-01331-220412	7044,96	91,37	12,7	OCT 48-93-81
61320050220412	0	T15K6	3-01331-220412	9218,75	91,82	10,01	OCT 48-93-81
61320110080408	0	T15K6	3-02113-080408	9257,58	74,89	9,07	OCT 48-93-81
61120110080408	0	T5K10	3-02113-080408	9236,61	83,78	9,07	OCT 48-93-81
52420120060304	0	BK6	3-02114-060304	7825,97	31,46	4,02	OCT 48-93-81
52520120060304	0	BK8	3-02114-060304	7825,97	31,46	3,97	OCT 48-93-81
61220120060304	0	T14K8	3-02114-060304	9996,99	30,89	3,22	OCT 48-93-81
61320120060304	0	T15K6	3-02114-060304	9996,99	30,89	3,17	OCT 48-93-81
61420120060304	0	T30K4	3-02114-060304	10017,8	26,25	2,73	OCT 48-93-81
61120120060304	0	T5K10	3-02114-060304	9981,19	34,53	3,52	OCT 48-93-81
52520120060308	0	BK8	3-02114-060308	7825,97	31,46	3,96	OCT 48-93-81
61320120060308	0	T15K6	3-02114-060308	9996,99	30,89	3,15	OCT 48-93-81
61120120060308	0	T5K10	3-02114-060308	9981,19	34,53	3,5	OCT 48-93-81
52520120060404	0	BK8	3-02114-060404	7755,74	46,07	5,94	OCT 48-93-81
61320120060404	0	T15K6	3-02114-060404	9937,03	45,31	4,7	OCT 48-93-81
61120120060404	0	T5K10	3-02114-060404	9916,4	50,67	5,24	OCT 48-93-81
51120120080404	0	BK3-M	3-02114-080404	11517,26	116,67	10,37	OCT 48-93-81
52420120080404	0	BK6	3-02114-080404	7637,1	76,29	10,14	OCT 48-93-81
52520120080404	0	BK8	3-02114-080404	7637,1	76,29	10,01	OCT 48-93-81
61220120080404	0	T14K8	3-02114-080404	9831,18	75,41	8,00	OCT 48-93-81
61320120080404	0	T15K6	3-02114-080404	9831,18	75,41	7,87	OCT 48-93-81
61420120080404	0	T30K4	3-02114-080404	9867,76	64,24	6,75	OCT 48-93-81
61120120080404	0	T5K10	3-02114-080404	9803,99	84,31	8,8	OCT 48-93-81
51120120080408	0	BK3-M	3-02114-080408	11517,26	116,67	10,34	OCT 48-93-81

52420120080408	0	BK6	3-02114-080408	7637,1	76,29	10,11	OCT 48-93-81
52520120080408	0	BK8	3-02114-080408	7637,1	76,29	9,97	OCT 48-93-81
61220120080408	0	T14K8	3-02114-080408	9831,18	75,41	7,99	OCT 48-93-81
61320120080408	0	T15K6	3-02114-080408	9831,18	75,41	7,86	OCT 48-93-81
61420120080408	0	T30K4	3-02114-080408	9867,76	64,24	6,73	OCT 48-93-81
61120120080408	0	T5K10	3-02114-080408	9803,99	84,31	8,79	OCT 48-93-81
52420120100408	0	BK6	3-02114-100408	7520,97	115,82	15,4	OCT 48-93-81
52520120100408	0	BK8	3-02114-100408	7520,97	115,82	15,2	OCT 48-93-81
61220120100408	0	T14K8	3-02114-100408	9721,92	115,01	12,2	OCT 48-93-81
61320120100408	0	T15K6	3-02114-100408	9721,92	115,01	12,00	OCT 48-93-81
61120120100408	0	T5K10	3-02114-100408	9690,68	128,50	13,4	OCT 48-93-81
51120120100412	0	BK3-M	3-02114-100412	11352,11	177,32	15,76	OCT 48-93-81
52420120100412	0	BK6	3-02114-100412	7520,97	115,82	15,4	OCT 48-93-81
52520120100412	0	BK8	3-02114-100412	7520,97	115,82	15,2	OCT 48-93-81
61320120100412	0	T15K6	3-02114-100412	9721,92	115,01	11,9	OCT 48-93-81
61120120100412	0	T5K10	3-02114-100412	9690,68	128,50	13,3	OCT 48-93-81
51120120100608	0	BK3-M	3-02114-100608	11237,82	233,30	21,25	OCT 48-93-81
52420120100608	0	BK6	3-02114-100608	7440,33	152,30	20,8	OCT 48-93-81
52520120100608	0	BK8	3-02114-100608	7440,33	152,30	20,5	OCT 48-93-81
61220120100608	0	T14K8	3-02114-100608	9642,79	151,58	16,3	OCT 48-93-81
61320120100608	0	T15K6	3-02114-100608	9642,79	151,58	16,1	OCT 48-93-81
61120120100608	0	T5K10	3-02114-100608	9610,08	169,33	18,00	OCT 48-93-81
52520120100612	0	BK8	3-02114-100612	7440,33	152,30	20,4	OCT 48-93-81
61220120100612	0	T14K8	3-02114-100612	9642,79	151,58	16,3	OCT 48-93-81
61320120100612	0	T15K6	3-02114-100612	9642,79	151,58	16,00	OCT 48-93-81
61120120100612	0	T5K10	3-02114-100612	9610,08	169,33	17,9	OCT 48-93-81
51120120120612	0	BK3-M	3-02114-120612	11103,68	322,78	29,76	OCT 48-93-81
52420120120612	0	BK6	3-02114-120612	7345,45	210,59	29,1	OCT 48-93-81
52520120120612	0	BK8	3-02114-120612	7345,45	210,59	28,7	OCT 48-93-81
61220120120612	0	T14K8	3-02114-120612	9545,7	210,20	22,9	OCT 48-93-81
61320120120612	0	T15K6	3-02114-120612	9545,7	210,20	22,5	OCT 48-93-81
61120120120612	0	T5K10	3-02114-120612	9512,93	234,78	25,2	OCT 48-93-81
52520130090304	0	BK8	3-03111-090304	7225,22	32,59	4,51	OCT 48-93-81
52420130120408	0	BK6	3-03111-120408	7067,61	81,98	11,6	OCT 48-93-81
52520130120408	0	BK8	3-03111-120408	7067,61	81,98	11,5	OCT 48-93-81
61320130120408	0	T15K6	3-03111-120408	9239,94	82,33	9,02	OCT 48-93-81
61120130120408	0	T5K10	3-03111-120408	9218,17	92,09	10,09	OCT 48-93-81
52420130120412	0	BK6	3-03111-120412	7067,61	81,98	11,6	OCT 48-93-81
52520130120412	0	BK8	3-03111-120412	7067,61	81,98	11,4	OCT 48-93-81
61320130120412	0	T15K6	3-03111-120412	9239,94	82,33	8,99	OCT 48-93-81
61120130120412	0	T5K10	3-03111-120412	9218,17	92,09	10,05	OCT 48-93-81
52420130120424	0	BK6	3-03111-120424	7067,61	81,98	11,5	OCT 48-93-81
52420130150412	0	BK6	3-03111-150412	6979,44	123,54	16,00	OCT 48-93-81
52520130150412	0	BK8	3-03111-150412	6979,44	123,54	17,7	OCT 48-93-81
61220130150412	0	T14K8	3-03111-150412	9155,71	124,43	14,1	OCT 48-93-81
61320130150412	0	T15K6	3-03111-150412	9155,71	124,43	13,9	OCT 48-93-81
52520130190412	0	BK8	3-03111-190412	6901,98	175,31	25,4	OCT 48-93-81
52520130190416	0	BK8	3-03111-190416	6901,98	175,31	25,4	OCT 48-93-81
52520170090304	0	BK8	3-03113-090304	7240,75	28,82	3,98	OCT 48-93-81
53620170120408	0	BK10-KC	3-03113-120408	0,00	0,00	13,7	OCT 48-93-81
52520170120408	0	BK8	3-03113-120408	7096,28	71,10	10,02	OCT 48-93-81
52520170150412	0	BK8	3-03113-150412	7007,75	108,62	15,5	OCT 48-93-81
61120170150412	0	T5K10	3-03113-150412	9159,45	122,28	13,7	OCT 48-93-81
52520170150416	0	BK8	3-03113-150416	7007,75	108,62	15,5	OCT 48-93-81
52520170190616	0	BK8	3-03113-190616	6872,69	200,68	29,2	OCT 48-93-81
52520170250724	0	BK8	3-03113-250724	6720,86	449,63	66,9	OCT 48-93-81
52420200090304	0	BK6	3-03114-090304	7831,93	30,31	3,87	OCT 48-93-81
52520200090304	0	BK8	3-03114-090304	7831,93	30,31	3,82	OCT 48-93-81
61320200090304	0	T15K6	3-03114-090304	10002,22	29,71	3,05	OCT 48-93-81
61120200090304	0	T5K10	3-03114-090304	9986,69	33,26	3,39	OCT 48-93-81
52520200090308	0	BK8	3-03114-090308	7831,93	30,31	3,8	OCT 48-93-81
61320200090308	0	T15K6	3-03114-090308	10002,22	29,71	3,04	OCT 48-93-81
61120200090308	0	T5K10	3-03114-090308	9986,69	33,26	3,37	OCT 48-93-81
52420200120404	0	BK6	3-03114-120404	7644,78	74,08	9,69	OCT 48-93-81
52520200120404	0	BK8	3-03114-120404	7644,78	74,08	9,56	OCT 48-93-81
61220200120404	0	T14K8	3-03114-120404	9838,18	73,20	7,66	OCT 48-93-81
61320200120404	0	T15K6	3-03114-120404	9838,18	73,20	7,53	OCT 48-93-81
61120200120404	0	T5K10	3-03114-120404	9811,41	81,83	8,42	OCT 48-93-81
52420200120408	0	BK6	3-03114-120408	7644,78	74,08	9,69	OCT 48-93-81
51620200120408	0	BK6-OM	3-03114-120408	11528,04	113,32	9,69	OCT 48-93-81
52520200120408	0	BK8	3-03114-120408	7644,78	74,08	9,56	OCT 48-93-81

61220200120408	0	T14K8	3-03114-120408	9838,18	73,20	7,66	OCT 48-93-81
61320200120408	0	T15K6	3-03114-120408	9838,18	73,20	7,53	OCT 48-93-81
61120200120408	0	T5K10	3-03114-120408	9811,41	81,83	8,42	OCT 48-93-81
52420200120412	0	BK6	3-03114-120412	7644,78	74,08	9,64	OCT 48-93-81
52520200120412	0	BK8	3-03114-120412	7644,78	74,08	9,51	OCT 48-93-81
61320200120412	0	T15K6	3-03114-120412	9838,18	73,20	7,5	OCT 48-93-81
61120200120412	0	T5K10	3-03114-120412	9811,41	81,83	8,38	OCT 48-93-81
52420200150412	0	BK6	3-03114-150412	7530,2	112,20	14,9	OCT 48-93-81
52520200150412	0	BK8	3-03114-150412	7530,2	112,20	14,7	OCT 48-93-81
61220200150412	0	T14K8	3-03114-150412	9730,94	111,32	11,8	OCT 48-93-81
61320200150412	0	T15K6	3-03114-150412	9730,94	111,32	11,6	OCT 48-93-81
61120200150412	0	T5K10	3-03114-150412	9699,79	124,45	13,00	OCT 48-93-81
52520200150416	0	BK8	3-03114-150416	7530,2	112,20	14,7	OCT 48-93-81
61320200150416	0	T15K6	3-03114-150416	9730,94	111,32	11,5	OCT 48-93-81
61120200150416	0	T5K10	3-03114-150416	9699,79	124,45	12,9	OCT 48-93-81
52520200190612	0	BK8	3-03114-190612	7352,98	205,15	27,9	OCT 48-93-81
61320200190612	0	T15K6	3-03114-190612	9553,54	204,73	21,9	OCT 48-93-81
61120200190612	0	T5K10	3-03114-190612	9520,69	228,69	24,5	OCT 48-93-81
52520200190616	0	BK8	3-03114-190616	7352,98	205,15	27,8	OCT 48-93-81
61320200190616	0	T15K6	3-03114-190616	9553,54	204,73	21,8	OCT 48-93-81
61120200190616	0	T5K10	3-03114-190616	9520,69	228,69	24,4	OCT 48-93-81
62120200190616	0	TT7K12	3-03114-190616	13396,1	332,22	25,07	OCT 48-93-81
52520200190624	0	BK8	3-03114-190624	7352,98	205,15	27,5	OCT 48-93-81
52520200250716	0	BK8	3-03114-250716	7149,16	456,12	63,8	OCT 48-93-81
61320200250716	0	T15K6	3-03114-250716	9330,46	457,19	49,9	OCT 48-93-81
61120200250716	0	T5K10	3-03114-250716	9303,93	511,06	56,00	OCT 48-93-81
61120200250724	0	T5K10	3-03114-250724	9303,93	511,06	55,8	OCT 48-93-81
61120210120404	0	T5K10	3-03124-120404	10385,96	87,45	8,42	OCT 48-93-81
51620210120408	0	BK6-OM	3-03124-120408	12314,72	122,16	9,69	OCT 48-93-81
52520210120408	0	BK8	3-03124-120408	8201,02	80,21	9,56	OCT 48-93-81
61320210120408	0	T15K6	3-03124-120408	10420,06	78,25	7,53	OCT 48-93-81
61120210120408	0	T5K10	3-03124-120408	10385,96	87,45	8,42	OCT 48-93-81
52520210120412	0	BK8	3-03124-120412	8201,02	80,21	9,51	OCT 48-93-81
61320210120412	0	T15K6	3-03124-120412	10420,06	78,25	7,5	OCT 48-93-81
52520210150412	0	BK8	3-03124-150412	8063,59	118,53	14,7	OCT 48-93-81
61320210150412	0	T15K6	3-03124-150412	10291,4	116,19	11,6	OCT 48-93-81
61120210150412	0	T5K10	3-03124-150412	10252,13	129,79	13,00	OCT 48-93-81
52520210150416	0	BK8	3-03124-150416	8063,59	118,53	14,7	OCT 48-93-81
61120210150416	0	T5K10	3-03124-150416	10252,13	129,79	12,9	OCT 48-93-81
61320210190612	0	T15K6	3-03124-190612	10054,96	219,80	21,9	OCT 48-93-81
61120210190612	0	T5K10	3-03124-190612	10013,44	245,33	24,5	OCT 48-93-81
52520210190616	0	BK8	3-03124-190616	7827,38	222,77	27,8	OCT 48-93-81
61320210190616	0	T15K6	3-03124-190616	10054,96	219,80	21,8	OCT 48-93-81
61120210190616	0	T5K10	3-03124-190616	10013,44	245,33	24,4	OCT 48-93-81
61120210190624	0	T5K10	3-03124-190624	10013,44	245,33	24,1	OCT 48-93-81
52520210250716	0	BK8	3-03124-250716	7576,18	483,36	63,8	OCT 48-93-81
61220210250716	0	T14K8	3-03124-250716	9779,66	479,20	50,6	OCT 48-93-81
61120210250716	0	T5K10	3-03124-250716	9746,06	535,35	56,00	OCT 48-93-81
52520210250724	0	BK8	3-03124-250724	7576,18	483,36	63,6	OCT 48-93-81
61120210250724	0	T5K10	3-03124-250724	9746,06	535,35	55,8	OCT 48-93-81
52420140090308	0	BK6	3-03131-090308	7224,37	32,80	4,54	OCT 48-93-81
52520140090308	0	BK8	3-03131-090308	7224,37	32,80	4,49	OCT 48-93-81
52520140120308	0	BK8	3-03131-120308	7142,98	55,43	7,76	OCT 48-93-81
52420140120408	0	BK6	3-03131-120408	7067,61	81,98	11,6	OCT 48-93-81
52520140120408	0	BK8	3-03131-120408	7067,61	81,98	11,5	OCT 48-93-81
61320140120408	0	T15K6	3-03131-120408	9239,94	82,33	9,02	OCT 48-93-81
61120140120408	0	T5K10	3-03131-120408	9218,17	92,09	10,09	OCT 48-93-81
52420140120412	0	BK6	3-03131-120412	7067,61	81,98	11,6	OCT 48-93-81
52520140120412	0	BK8	3-03131-120412	7067,61	81,98	11,4	OCT 48-93-81
61320140120412	0	T15K6	3-03131-120412	9239,94	82,33	8,99	OCT 48-93-81
61120140120412	0	T5K10	3-03131-120412	9218,17	92,09	10,05	OCT 48-93-81
52520140150408	0	BK8	3-03131-150408	6974,65	126,24	21,6	OCT 48-93-81
61320140150408	0	T15K6	3-03131-150408	9150,95	127,20	13,9	OCT 48-93-81
61320140190412	0	T15K6	3-03131-190412	9073,43	180,56	19,9	OCT 48-93-81
52420140190416	0	BK6	3-03131-190416	6897,77	178,72	25,7	OCT 48-93-81
52520150090304	0	BK8	3-03311-090304	7827,55	31,15	3,98	OCT 48-93-81
61320150090304	0	T15K6	3-03311-090304	9998,29	30,59	3,18	OCT 48-93-81
52520150090308	0	BK8	3-03311-090308	7827,55	31,15	3,98	OCT 48-93-81
61320150090308	0	T15K6	3-03311-090308	9998,29	30,59	3,17	OCT 48-93-81
61320150120304	0	T15K6	3-03311-120304	9899,12	55,34	5,59	OCT 48-93-81
52520150120308	0	BK8	3-03311-120308	7712,59	56,15	7,07	OCT 48-93-81

61320150120308	0	T15K6	3-03311-120308	9899,12	55,34	5,59	OCT 48-93-81
61120150120308	0	T5K10	3-03311-120308	9875,73	61,92	6,23	OCT 48-93-81
52420150120312	0	BK6	3-03311-120312	7712,59	56,15	7,13	OCT 48-93-81
52520150120312	0	BK8	3-03311-120312	7712,59	56,15	7,05	OCT 48-93-81
61220150120312	0	T14K8	3-03311-120312	9899,12	55,34	5,86	OCT 48-93-81
61320150120312	0	T15K6	3-03311-120312	9899,12	55,34	5,57	OCT 48-93-81
61120150120312	0	T5K10	3-03311-120312	9875,73	61,92	6,00	OCT 48-93-81
52520150120408	0	BK8	3-03311-120408	7626,86	79,32	10,4	OCT 48-93-81
61320150120408	0	T15K6	3-03311-120408	9821,62	78,47	8,2	OCT 48-93-81
61120150120408	0	T5K10	3-03311-120408	9794,22	87,66	9,25	OCT 48-93-81
52520150150408	0	BK8	3-03311-150408	7513,78	118,72	15,8	OCT 48-93-81
61320150150408	0	T15K6	3-03311-150408	9715,14	117,84	12,4	OCT 48-93-81
52420150150412	0	BK6	3-03311-150412	7513,78	118,72	15,8	OCT 48-93-81
52520150150412	0	BK8	3-03311-150412	7513,78	118,72	15,8	OCT 48-93-81
61320150150412	0	T15K6	3-03311-150412	9715,14	117,84	12,4	OCT 48-93-81
61120150150412	0	T5K10	3-03311-150412	9683,64	131,70	13,9	OCT 48-93-81
52520150190408	0	BK8	3-03311-190408	7405,96	171,08	23,1	OCT 48-93-81
61320150190408	0	T15K6	3-03311-190408	9608,13	170,45	17,4	OCT 48-93-81
61120150190408	0	T5K10	3-03311-190408	9575,09	190,45	20,3	OCT 48-93-81
52420150190412	0	BK6	3-03311-190412	7405,96	171,08	23,4	OCT 48-93-81
52520150190412	0	BK8	3-03311-190412	7405,96	171,08	23,1	OCT 48-93-81
61320150190412	0	T15K6	3-03311-190412	9608,13	170,45	18,1	OCT 48-93-81
61120150190412	0	T5K10	3-03311-190412	9575,09	190,45	20,3	OCT 48-93-81
52520150250616	0	BK8	3-03311-250616	7183,52	390,78	54,4	OCT 48-93-81
61220150250616	0	T14K8	3-03311-250616	9369,63	391,46	43,3	OCT 48-93-81
61120150250616	0	T5K10	3-03311-250616	9341,29	437,55	47,7	OCT 48-93-81
61120150250620	0	T5K10	3-03311-250620	9341,29	437,55	47,6	OCT 48-93-81
52520160090300	0	BK8	3-03331-090300	7240,45	28,89	3,99	OCT 48-93-81
52420160090304	0	BK6	3-03331-090304	7240,45	28,89	4,04	OCT 48-93-81
52520160090304	0	BK8	3-03331-090304	7240,45	28,89	3,98	OCT 48-93-81
52420160090308	0	BK6	3-03331-090308	7240,45	28,89	4,03	OCT 48-93-81
52520160090308	0	BK8	3-03331-090308	7240,45	28,89	3,98	OCT 48-93-81
52420160120300	0	BK6	3-03331-120300	7156,22	51,38	7,18	OCT 48-93-81
61320160120300	0	T15K6	3-03331-120300	9320,51	51,36	5,6	OCT 48-93-81
61120160120300	0	T5K10	3-03331-120300	9302,97	57,49	4,25	OCT 48-93-81
52520160120304	0	BK8	3-03331-120304	7156,22	51,38	7,08	OCT 48-93-81
52420160120308	0	BK6	3-03331-120308	7156,22	51,38	7,16	OCT 48-93-81
52520160120308	0	BK8	3-03331-120308	7156,22	51,38	7,07	OCT 48-93-81
61320160120308	0	T15K6	3-03331-120308	9320,51	51,36	5,59	OCT 48-93-81
61120160120308	0	T5K10	3-03331-120308	9302,97	57,49	6,23	OCT 48-93-81
52520160120312	0	BK8	3-03331-120312	7156,22	51,38	7,05	OCT 48-93-81
61320160120312	0	T15K6	3-03331-120312	9320,51	51,36	5,57	OCT 48-93-81
61120160120312	0	T5K10	3-03331-120312	9302,97	57,49	6,22	OCT 48-93-81
52520160120408	0	BK8	3-03331-120408	7089,11	73,73	10,4	OCT 48-93-81
61320160120408	0	T15K6	3-03331-120408	9259,8	73,99	8,2	OCT 48-93-81
61120160120408	0	T5K10	3-03331-120408	9239,1	82,69	9,25	OCT 48-93-81
52520160150408	0	BK8	3-03331-150408	7003,68	110,66	15,8	OCT 48-93-81
61320160150408	0	T15K6	3-03331-150408	9179,35	111,35	12,4	OCT 48-93-81
52520160150412	0	BK8	3-03331-150412	7003,68	110,66	15,8	OCT 48-93-81
52520160150416	0	BK8	3-03331-150416	7003,68	110,66	15,8	OCT 48-93-81
61320160150416	0	T15K6	3-03331-150416	9179,35	111,35	12,4	OCT 48-93-81
61120160150416	0	T5K10	3-03331-150416	9155,56	124,52	13,9	OCT 48-93-81
52520160190400	0	BK8	3-03331-190400	6921,29	160,57	23,2	OCT 48-93-81
61320160190400	0	T15K6	3-03331-190400	9097,52	162,12	18,1	OCT 48-93-81
61320160190408	0	T15K6	3-03331-190408	9097,52	162,12	17,4	OCT 48-93-81
52420160190412	0	BK6	3-03331-190412	6921,29	160,57	23,4	OCT 48-93-81
52520160190412	0	BK8	3-03331-190412	6921,29	160,57	23,1	OCT 48-93-81
52520300090308	0	BK8	3-05114-090308	7835,14	29,70	3,79	OCT 48-93-81
52520300120404	0	BK8	3-05114-120404	7646,86	73,49	9,61	OCT 48-93-81
61320300120404	0	T15K6	3-05114-120404	9840,03	72,62	7,57	OCT 48-93-81
61120300120404	0	T5K10	3-05114-120404	9813,44	81,16	8,46	OCT 48-93-81
52520300120408	0	BK8	3-05114-120408	7646,86	73,49	9,58	OCT 48-93-81
61320300120408	0	T15K6	3-05114-120408	9840,03	72,62	7,54	OCT 48-93-81
61120300120408	0	T5K10	3-05114-120408	9813,44	81,16	8,43	OCT 48-93-81
52520300120412	0	BK8	3-05114-120412	7646,86	73,49	9,53	OCT 48-93-81
61320300120412	0	T15K6	3-05114-120412	9840,03	72,62	7,51	OCT 48-93-81
61120300120412	0	T5K10	3-05114-120412	9813,44	81,16	8,39	OCT 48-93-81
52520300160412	0	BK8	3-05114-160412	7532,07	111,47	14,8	OCT 48-93-81
61320300160412	0	T15K6	3-05114-160412	9732,58	110,66	11,7	OCT 48-93-81
61420300160412	0	T30K4	3-05114-160412	9775,35	94,33	9,93	OCT 48-93-81
61120300160412	0	T5K10	3-05114-160412	9701,73	123,60	13,00	OCT 48-93-81

61320300190608	0	T15K6	3-05114-190608	9546,75	209,46	21,9	OCT 48-93-81
61120300190608	0	T5K10	3-05114-190608	9513,86	234,04	24,6	OCT 48-93-81
52520300190612	0	BK8	3-05114-190612	7346,42	209,89	27,9	OCT 48-93-81
61320300190612	0	T15K6	3-05114-190612	9546,75	209,46	21,9	OCT 48-93-81
61120300190612	0	T5K10	3-05114-190612	9513,86	234,04	24,5	OCT 48-93-81
61320300190616	0	T15K6	3-05114-190616	9546,75	209,46	21,8	OCT 48-93-81
61120300190616	0	T5K10	3-05114-190616	9513,86	234,04	24,5	OCT 48-93-81
52420310120408	0	BK6	3-05124-120408	8203,63	79,58	9,7	OCT 48-93-81
52520310120408	0	BK8	3-05124-120408	8203,63	79,58	9,58	OCT 48-93-81
61320310120408	0	T15K6	3-05124-120408	10422,39	77,65	7,54	OCT 48-93-81
61120310120408	0	T5K10	3-05124-120408	10388,51	86,74	8,43	OCT 48-93-81
52420310120412	0	BK6	3-05124-120412	8203,63	79,58	9,66	OCT 48-93-81
61320310190612	0	T15K6	3-05124-190612	10054,96	219,80	21,9	OCT 48-93-81
61120310190612	0	T5K10	3-05124-190612	10013,44	245,33	24,5	OCT 48-93-81
62120310190612	0	TT7K12	3-05124-190612	14217,03	359,69	25,16	OCT 48-93-81
61120310190616	0	T5K10	3-05124-190616	10013,44	245,33	24,5	OCT 48-93-81
61320341906102	0	T15K6	3-08116-190610-136	10253,78	129,20	12,6	OCT 48-93-81
61120341906102	0	T5K10	3-08116-190610-136	10213,49	144,32	14,1	OCT 48-93-81
51120380110408	0	BK3-M	3-10113-110408	10657,21	151,12	14,51	OCT 48-93-81
52420380110408	0	BK6	3-10113-110408	7029,44	98,27	14,2	OCT 48-93-81
51620380110408	0	BK6-OM	3-10113-110408	10657,21	151,12	14,2	OCT 48-93-81
52520380110408	0	BK8	3-10113-110408	7029,44	98,27	14,00	OCT 48-93-81
61220380110408	0	T14K8	3-10113-110408	9203,95	98,85	11,2	OCT 48-93-81
61320380110408	0	T15K6	3-10113-110408	9203,95	98,85	11,00	OCT 48-93-81
61120380110408	0	T5K10	3-10113-110408	9180,88	110,54	12,3	OCT 48-93-81
52420380130412	0	BK6	3-10113-130412	6953,18	139,06	20,00	OCT 48-93-81
52520380130412	0	BK8	3-10113-130412	6953,18	139,06	19,7	OCT 48-93-81
61220380130412	0	T14K8	3-10113-130412	9129,67	140,23	15,7	OCT 48-93-81
61320380130412	0	T15K6	3-10113-130412	9129,67	140,23	15,5	OCT 48-93-81
52520380130612	0	BK8	3-10113-130612	6895,41	180,66	26,2	OCT 48-93-81
61120380130612	0	T5K10	3-10113-130612	9046,05	204,08	23,00	OCT 48-93-81
61320380160612	0	T15K6	3-10113-160612	8991,36	261,65	29,1	OCT 48-93-81
51120410110408	0	BK3-M	3-10114-110408	11416,42	151,38	13,58	OCT 48-93-81
52420410110408	0	BK6	3-10114-110408	7566,12	98,96	13,3	OCT 48-93-81
51620410110408	0	BK6-OM	3-10114-110408	11416,42	151,38	13,3	OCT 48-93-81
52520410110408	0	BK8	3-10114-110408	7566,12	98,96	13,1	OCT 48-93-81
61220410110408	0	T14K8	3-10114-110408	9764,97	98,14	10,5	OCT 48-93-81
61320410110408	0	T15K6	3-10114-110408	9764,97	98,14	10,3	OCT 48-93-81
61420410110408	0	T30K4	3-10114-110408	9805,98	83,64	8,8	OCT 48-93-81
61120410110408	0	T5K10	3-10114-110408	9735,17	109,62	11,5	OCT 48-93-81
62420410110408	0	TT20K9	3-10114-110408	21547,47	233,36	11,04	OCT 48-93-81
52520410110416	0	BK8	3-10114-110416	7566,12	98,96	13,1	OCT 48-93-81
61220410110416	0	T14K8	3-10114-110416	9764,97	98,14	10,4	OCT 48-93-81
61320410110416	0	T15K6	3-10114-110416	9764,97	98,14	10,26	OCT 48-93-81
61120410110416	0	T5K10	3-10114-110416	9735,17	109,62	11,5	OCT 48-93-81
51120410130412	0	BK3-M	3-10114-130412	11281,27	210,28	19,08	OCT 48-93-81
52420410130412	0	BK6	3-10114-130412	7470,99	137,32	18,6	OCT 48-93-81
52520410130412	0	BK8	3-10114-130412	7470,99	137,32	18,4	OCT 48-93-81
61320410130412	0	T15K6	3-10114-130412	9673,15	136,58	14,4	OCT 48-93-81
61120410130412	0	T5K10	3-10114-130412	9640,8	152,61	16,2	OCT 48-93-81
52520410130420	0	BK8	3-10114-130420	7470,99	137,32	18,3	OCT 48-93-81
61220410130420	0	T14K8	3-10114-130420	9673,15	136,58	14,6	OCT 48-93-81
61320410130420	0	T15K6	3-10114-130420	9673,15	136,58	14,4	OCT 48-93-81
61120410130420	0	T5K10	3-10114-130420	9640,8	152,61	16,1	OCT 48-93-81
51120410130612	0	BK3-M	3-10114-130612	11159,7	281,45	25,82	OCT 48-93-81
52420410130612	0	BK6	3-10114-130612	7385,11	183,67	25,2	OCT 48-93-81
52520410130612	0	BK8	3-10114-130612	7385,11	183,67	24,9	OCT 48-93-81
61220410130612	0	T14K8	3-10114-130612	9586,81	183,11	19,8	OCT 48-93-81
61320410130612	0	T15K6	3-10114-130612	9586,81	183,11	19,5	OCT 48-93-81
61120410130612	0	T5K10	3-10114-130612	9553,81	204,55	21,8	OCT 48-93-81
52520410130620	0	BK8	3-10114-130620	7385,11	183,67	24,8	OCT 48-93-81
61320410130620	0	T15K6	3-10114-130620	9586,81	183,11	19,4	OCT 48-93-81
61120410130620	0	T5K10	3-10114-130620	9553,81	204,55	21,7	OCT 48-93-81
52520410160612	0	BK8	3-10114-160612	7290,81	255,91	35,1	OCT 48-93-81
61220410160612	0	T14K8	3-10114-160612	9487,79	255,79	28,00	OCT 48-93-81
61320410160612	0	T15K6	3-10114-160612	9487,79	255,79	27,5	OCT 48-93-81
61120410160612	0	T5K10	3-10114-160612	9455,82	285,75	30,8	OCT 48-93-81
52520390110408	0	BK8	3-10123-110408	8080,71	113,13	14,00	OCT 48-93-81
61320390110408	0	T15K6	3-10123-110408	10307,85	110,81	11,00	OCT 48-93-81
61120390110408	0	T5K10	3-10123-110408	10269,2	123,74	12,3	OCT 48-93-81
61320390130412	0	T15K6	3-10123-130412	10180,36	157,80	15,5	OCT 48-93-81

61320390160612	0	T15K6	3-10123-160612	9951,76	289,60	29,1	OCT 48-93-81
52420420110408	0	BK6	3-10124-110408	8098,56	107,71	13,3	OCT 48-93-81
52520420110408	0	BK8	3-10124-110408	8098,56	107,71	13,1	OCT 48-93-81
61220420110408	0	T14K8	3-10124-110408	10324,88	105,42	10,5	OCT 48-93-81
61320420110408	0	T15K6	3-10124-110408	10324,88	105,42	10,3	OCT 48-93-81
61120420110408	0	T5K10	3-10124-110408	10286,64	117,78	11,5	OCT 48-93-81
52520420110416	0	BK8	3-10124-110416	8098,56	107,71	13,1	OCT 48-93-81
61320420110416	0	T15K6	3-10124-110416	10324,88	105,42	10,26	OCT 48-93-81
52520420130412	0	BK8	3-10124-130412	7983,43	146,90	18,4	OCT 48-93-81
61320420130412	0	T15K6	3-10124-130412	10213,49	144,32	14,4	OCT 48-93-81
61120420130412	0	T5K10	3-10124-130412	10172,53	161,13	16,2	OCT 48-93-81
61320420130420	0	T15K6	3-10124-130420	10213,49	144,32	14,4	OCT 48-93-81
61320420130612	0	T15K6	3-10124-130612	10097,72	196,40	19,5	OCT 48-93-81
61120420130612	0	T5K10	3-10124-130612	10055,97	219,22	21,8	OCT 48-93-81
61320420130620	0	T15K6	3-10124-130620	10097,72	196,40	19,4	OCT 48-93-81
52520420160612	0	BK8	3-10124-160612	7755,6	272,22	35,1	OCT 48-93-81
61120420160612	0	T5K10	3-10124-160612	9938,45	300,34	30,8	OCT 48-93-81
52420370090408	0	BK6	3-10131-090408	7085,41	75,11	10,6	OCT 48-93-81
52520370090412	0	BK8	3-10131-090412	7085,41	75,11	10,4	OCT 48-93-81
52420580110408	0	BK6	3-10153-110408	7026,18	99,77	14,2	OCT 48-93-81
52520580110408	0	BK8	3-10153-110408	7026,18	99,77	14,00	OCT 48-93-81
61320580110408	0	T15K6	3-10153-110408	9200,82	100,38	11,00	OCT 48-93-81
61120580110408	0	T5K10	3-10153-110408	9177,66	112,24	12,3	OCT 48-93-81
52520580110416	0	BK8	3-10153-110416	7026,18	99,77	13,9	OCT 48-93-81
52420580130412	0	BK6	3-10153-130412	6953,18	139,06	20,00	OCT 48-93-81
52520580130412	0	BK8	3-10153-130412	6953,18	139,06	19,7	OCT 48-93-81
61120580130412	0	T5K10	3-10153-130412	9104,97	156,79	17,3	OCT 48-93-81
52520580130420	0	BK8	3-10153-130420	6953,18	139,06	19,6	OCT 48-93-81
61120580130420	0	T5K10	3-10153-130420	9104,97	156,79	17,3	OCT 48-93-81
52520580130612	0	BK8	3-10153-130612	6895,41	180,66	26,2	OCT 48-93-81
61320580130612	0	T15K6	3-10153-130612	9071,03	182,51	20,5	OCT 48-93-81
61120580130612	0	T5K10	3-10153-130612	9046,05	204,08	23,00	OCT 48-93-81
52520580130620	0	BK8	3-10153-130620	6895,41	180,66	26,1	OCT 48-93-81
61120460090408	0	T5K10	3-11114-090408	9738,98	108,10	11,1	OCT 48-93-81
61120460120612	0	T5K10	3-11114-120612	9467,29	274,55	29,00	OCT 48-93-81
61320590150400	0	T15K6	3-12113-150400	9231,48	86,04	9,32	OCT 48-93-81
61320500150400	0	T15K6	3-12114-150400	9798,66	86,13	8,79	OCT 48-93-81
61120500150600	0	T5K10	3-12114-150600	9694,04	126,99	13,1	OCT 48-93-81
52721130000002	0	BK15	3-2007-0002	12780,04	58,15	4,55	TY 48-19-550-94
52721140000074	0	BK15	3-2007-0074	12183,79	78,59	6,45	TY 48-19-550-94
52721160000102	0	BK15	3-2007-0102	14595,4	50,35	3,45	TY 48-19-550-94
52721170001072	0	BK15	3-2007-1072	13108,56	49,16	3,75	TY 48-19-550-94
52721180001073	0	BK15	3-2007-1073	10919,92	161,61	14,8	TY 48-19-550-94
52721190001074	0	BK15	3-2007-1074	10029,96	358,07	35,7	TY 48-19-550-94
52721150001671	0	BK15	3-2007-1671	12798,95	57,60	4,5	TY 48-19-550-94
52721150001672	0	BK15	3-2007-1672	9342,48	144,81	15,5	TY 48-19-550-94
52721270002513	0	BK15	3-2007-2513	9342,48	144,81	15,5	TY 48-19-550-94
52721020001103	0	BK15	3-701-1103	11310,48	21,49	1,9	OCT 48-93-81
52721020001604	0	BK15	3-701-1604	10100,97	67,17	6,65	OCT 48-93-81
61321020001604	0	T15K6	3-701-1604	9323,47	50,35	6,65	OCT 48-93-81
52721020002204	0	BK15	3-701-2204	9562,38	112,84	11,8	OCT 48-93-81
52721020002704	0	BK15	3-701-2704	9226,27	167,92	18,2	OCT 48-93-81
52721030001603	0	BK15	3-703-1603	13849,22	32,68	2,36	OCT 48-93-81
52721030002204	0	BK15	3-703-2204	12181,17	78,69	6,46	OCT 48-93-81
52721040000604	0	BK15	3-711-0604	10352,71	53,73	5,19	OCT 48-93-81
52721040000804	0	BK15	3-711-0804	9788,51	89,76	9,17	OCT 48-93-81
52721040001004	0	BK15	3-711-1004	9410,08	133,62	14,2	OCT 48-93-81
52721040001006	0	BK15	3-711-1006	9200,43	173,89	18,9	OCT 48-93-81
52721040001206	0	BK15	3-711-1206	8981,66	243,40	27,1	OCT 48-93-81
52721050000903	0	BK15	3-721-0903	10763,47	37,24	3,46	OCT 48-93-81
52721050001203	0	BK15	3-721-1203	10204,79	61,23	6,00	OCT 48-93-81
52721050001204	0	BK15	3-721-1204	9821,89	86,92	8,85	OCT 48-93-81
52721050001504	0	BK15	3-721-1504	9438,59	129,31	13,7	OCT 48-93-81
52721050001904	0	BK15	3-721-1904	9176,06	179,85	19,6	OCT 48-93-81
52721050001906	0	BK15	3-721-1906	9000,05	235,80	26,2	OCT 48-93-81
52721060001203	0	BK15	3-723-1203	12924,87	54,03	4,18	OCT 48-93-81
52721070001203	0	BK15	3-731-1203	10188,03	62,15	6,1	OCT 48-93-81
52721070001204	0	BK15	3-731-1204	9824,02	86,75	8,83	OCT 48-93-81
52721070001604	0	BK15	3-731-1604	9438,59	129,31	13,7	OCT 48-93-81
52721070001904	0	BK15	3-731-1904	9176,06	179,85	19,6	OCT 48-93-81
52721080017041	0	BK15	3-741-1704-1	10714,4	95,36	8,9	OCT 48-93-81

52721080019041	0	BK15	3-741-1904-1	10538,38	108,33	10,28	OCT 48-93-81
52721090019042	0	BK15	3-742-1904-2	10538,38	108,33	10,28	OCT 48-93-81
52721100001104	0	BK15	3-751-1104	9527,16	117,18	12,3	OCT 48-93-81
52721100001304	0	BK15	3-751-1304	9253,72	161,94	17,5	OCT 48-93-81
52721100001306	0	BK15	3-751-1306	9064,73	212,11	23,4	OCT 48-93-81
52721100001604	0	BK15	3-751-1604	9017,32	229,04	25,4	OCT 48-93-81
52721110000904	0	BK15	3-761-0904	9569,67	111,97	11,7	OCT 48-93-81
52721110001104	0	BK15	3-761-1104	9291,63	154,24	16,6	OCT 48-93-81
52721110001204	0	BK15	3-761-1204	9047,39	218,04	24,1	OCT 48-93-81
52721120001203	0	BK15	3-771-1203	10478,38	48,10	4,59	OCT 48-93-81
52721120001504	0	BK15	3-771-1504	9673,14	100,60	10,4	OCT 48-93-81
52721120001904	0	BK15	3-771-1904	9311,79	150,39	16,15	OCT 48-93-81
61207081001212	0	T14K8	3-RNGX-1212MO13	10126,26	182,17	14,00	TY 48-19-124-91
61207081002710	0	T14K8	3-RPUX-2710MO24	9682,77	671,98	54,00	TY 48-19-124-91
61207081003010	0	T14K8	3-RPUX-3010MO24	9619,95	871,57	70,5	TY 48-19-124-91
61327120008300	0	T15K6	3010001 (ПР83)	9190,23	105,69	11,5	TY 48-19-124-91
62440110000500	0	TT20K9	3010002 (ПР5)	13940,31	280,76	16,84	TY 48-19-140-79
61227130002700	0	T14K8	3020001 (ПР27)	9277,86	573,74	62,00	TY 48-19-124-91
61227130002800	0	T14K8	3020002 (ПР28)	8426,35	521,09	62,00	TY 48-19-124-91
61227130008500	0	T14K8	3020003 (ПР85)	9247,14	664,13	72,00	TY 48-19-124-91
61227130008600	0	T14K8	3020004 (ПР86)	9258,62	627,92	68,00	TY 48-19-124-91
61127130008600	0	T5K10	3020004 (ПР86)	9236,1	702,22	76,3	TY 48-19-124-91
62440100000600	0	TT20K9	3020005 (ПР6)	15644,19	189,29	10,1	TY 48-19-140-79
62440100000700	0	TT20K9	3020006 (ПР7)	14757,31	340,89	19,3	TY 48-19-140-79
62440100000800	0	TT20K9	3020007 (ПР8)	14972,91	288,98	16,1	TY 48-19-140-79
61327130012400	0	T15K6	3020008 (ПР124)	9579,34	187,76	15,2	TY 48-19-124-91
61327140008800	0	T15K6	3030001 (ПР88)	9929,53	307,82	31,00	TY 48-19-124-91
51640340000603	0	BK6-OM	3030002(ПР6-3)	10394,44	352,37	33,9	TY 48-19-217-89
61327140009700	0	T15K6	3030003 (ПР97)	8979,99	275,87	31,00	TY 48-19-124-91
51640340000601	0	BK6-OM	3030004(ПР6-1)	11960,76	242,80	20,6	TY 48-19-217-89
51640340000602	0	BK6-OM	3030005(ПР6-2)	10529,64	226,39	21,8	TY 48-19-217-89
52536240071000	0	BK8	3030007(ПР710)	7344,03	1740,54	237,00	TY 48-19-161-90
51640340003400	0	BK6-OM	3030008(ПР34)	10453,25	289,56	28,1	TY 48-19-217-89
52538390000001	0	BK8	И01	13934,91	25,08	1,8	TY 48-19-67-78
52438390000002	0	BK6	И02	13472,94	38,13	2,83	TY 48-19-67-78
52438270000003	0	BK6	И03	11362,31	5,45	0,48	TY 48-19-67-78
52438270000004	0	BK6	И04	11416,41	3,77	0,33	TY 48-19-67-78
52438280000006	0	BK6	И06	10734,13	171,75	16,00	TY 48-19-67-78
52438290000007	0	BK6	И07	10686,96	913,73	85,5	TY 48-19-67-78
52438290000010	0	BK6	И10	10657,21	1033,75	97,00	TY 48-19-67-78
52438290000011	0	BK6	И11	10622,92	1216,32	114,5	TY 48-19-67-78
52438290000012	0	BK6	И12	10630,74	1169,38	110,00	TY 48-19-67-78
52438290000014	0	BK6	И14	10627,19	1190,25	112,00	TY 48-19-67-78
52438290000016	0	BK6	И16	10638,22	1127,65	106,00	TY 48-19-67-78
52438300000018	0	BK6	И18	11427,6	3,43	0,3	TY 48-19-67-78
52438300000019	0	BK6	И19	11355,31	5,68	0,5	TY 48-19-67-78
52438300000020	0	BK6	И20	11321,11	6,79	0,6	TY 48-19-67-78
52438300000021	0	BK6	И21	11195,69	11,20	1,00	TY 48-19-67-78
52438310000022	0	BK6	И22	11967,27	39,25	3,28	TY 48-19-67-78
52438320000023	0	BK6	И23	11166,9	12,28	1,1	TY 48-19-67-78
52438340000025	0	BK6	И25	11321,11	6,79	0,6	TY 48-19-67-78
52438350000026	0	BK6	И26	11139,04	13,37	1,2	TY 48-19-67-78
52438350000027	0	BK6	И27	10493,32	52,47	5,00	TY 48-19-67-78
52438350000028	0	BK6	И28	11098,9	14,98	1,35	TY 48-19-67-78
52438350000029	0	BK6	И29	10176,52	94,64	9,3	TY 48-19-67-78
52438350000030	0	BK6	И30	10262,86	80,05	7,8	TY 48-19-67-78
52438350000031	0	BK6	И31	9809,44	230,52	23,5	TY 48-19-67-78
52438350000032	0	BK6	И32	18921,69	37,84	2,00	TY 48-19-67-78
52438360000033	0	BK6	И33	13127,19	459,45	35,00	TY 48-19-67-78
52438360000034	0	BK6	И34	12640,76	2907,38	230,00	TY 48-19-67-78
52438370000035	0	BK6	И35	11506,83	65,59	5,7	TY 48-19-67-78
52438370000036	0	BK6	И36	11651,51	55,93	4,8	TY 48-19-67-78
52438370000037	0	BK6	И37	11198,86	92,95	8,3	TY 48-19-67-78
52438370000038	0	BK6	И38	11313,13	81,45	7,2	TY 48-19-67-78
52438370000039	0	BK6	И39	11787,68	1178,77	100,00	TY 48-19-67-78
52438380000041	0	BK6	И41	11798,89	1144,49	97,00	TY 48-19-67-78
52438380000042	0	BK6	И42	11510,38	4373,95	380,00	TY 48-19-67-78
52438410000043	0	BK6	И43	11617,11	58,09	5,00	TY 48-19-67-78
52438410000044	0	BK6	И44	12038,52	36,12	3,00	TY 48-19-67-78
52438410000045	0	BK6	И45	11228,1	89,82	8,00	TY 48-19-67-78
52438410000047	0	BK6	И47	11078,15	107,46	9,7	TY 48-19-67-78

52438410000048	0	БК6	И48	11521,69	64,52	5,6	ТУ 48-19-67-78
52438410000049	0	БК6	И49	10857,63	143,32	13,2	ТУ 48-19-67-78
52438410000050	0	БК6	И50	11248,36	87,74	7,8	ТУ 48-19-67-78
52438410000051	0	БК6	И51	10761,81	164,66	15,3	ТУ 48-19-67-78
52438410000052	0	БК6	И52	11170,9	96,07	8,6	ТУ 48-19-67-78
52438410000054	0	БК6	И54	11135,48	100,22	9,00	ТУ 48-19-67-78
52438410000055	0	БК6	И55	10734,13	171,75	16,00	ТУ 48-19-67-78
52438410000056	0	БК6	И56	11093,96	105,39	9,5	ТУ 48-19-67-78
52438410000057	0	БК6	И57	10582,27	221,17	20,9	ТУ 48-19-67-78
52438410000059	0	БК6	И59	10487,76	265,34	25,3	ТУ 48-19-67-78
52438410000060	0	БК6	И60	10711,84	177,82	16,6	ТУ 48-19-67-78
52438410000061	0	БК6	И61	10406,27	317,39	30,5	ТУ 48-19-67-78
52438410000062	0	БК6	И62	10658,01	193,98	18,2	ТУ 48-19-67-78
52438410000063	0	БК6	И63	10308,54	409,25	39,7	ТУ 48-19-67-78
52438410000064	0	БК6	И64	10489,6	264,34	25,2	ТУ 48-19-67-78
52438410000065	0	БК6	И65	10306,03	412,24	40,00	ТУ 48-19-67-78
52438410000066	0	БК6	И66	10482,3	268,35	25,6	ТУ 48-19-67-78
52438420000067	0	БК6	И67	11355,31	5,68	0,5	ТУ 48-19-67-78
52438420000068	0	БК6	И68	11348,37	5,90	0,52	ТУ 48-19-67-78
52438420000069	0	БК6	И69	10844,5	27,11	2,5	ТУ 48-19-67-78
52438420000070	0	БК6	И70	10424,4	59,42	5,7	ТУ 48-19-67-78
52438420000071	0	БК6	И71	10679,24	37,38	3,5	ТУ 48-19-67-78
52438420000072	0	БК6	И72	11166,9	12,28	1,1	ТУ 48-19-67-78
52438420000073	0	БК6	И73	11073,18	16,06	1,45	ТУ 48-19-67-78
52438420000074	0	БК6	И74	10306,89	73,69	7,15	ТУ 48-19-67-78
52438420000075	0	БК6	И75	10808,02	29,18	2,7	ТУ 48-19-67-78
52438420000076	0	БК6	И76	10415,28	60,41	5,8	ТУ 48-19-67-78
52438420000077	0	БК6	И77	10424,4	59,42	5,7	ТУ 48-19-67-78
52438420000078	0	БК6	И78	10161,38	97,55	9,6	ТУ 48-19-67-78
52438420000079	0	БК6	И79	10003,17	137,04	13,7	ТУ 48-19-67-78
52438430000080	0	БК6	И80	11129,46	1582,61	142,2	ТУ 48-19-67-78
52438400000082	0	БК6	И82	10413,05	312,39	30,00	ТУ 48-19-67-78
52438440000085	0	БК6	И85	10560,41	230,22	21,8	ТУ 48-19-67-78
52438440000086	0	БК6	И86	10722,83	174,78	16,3	ТУ 48-19-67-78
5252502001500	0	БК8	Изделие 25.50.20	0,00	0,00	2,25	ТУ 25.50.20-017-00196
53730240001013	0	БК11-БК	К-10*13	10819,77	146,07	13,5	ТУ 48-19-281-90
53730240001215	0	БК11-БК	К-12*15	10439,03	208,78	20,00	ТУ 48-19-281-90
53730240000810	0	БК11-БК	К-8*10	11631,94	80,26	6,9	ТУ 48-19-281-90
52736240002600	0	БК15	КО30001 (ПР26)	9587,13	177,36	18,5	ТУ 48-19-161-90
52736240002700	0	БК15	КО30002 (ПР27)	9248,65	314,45	34,00	ТУ 48-19-161-90
52736240002800	0	БК15	КО30003 (ПР28)	9276,39	296,84	32,00	ТУ 48-19-161-90
52740140004900	0	БК15	КО30004 (ПР49)	9260,64	306,62	34,00	ТУ 48-19-165-84
52540140004900	0	БК8	КО30004 (ПР49)	7871,58	275,51	35,00	ТУ 48-19-165-84
52736240104900	0	БК15	КО30005 (ПР49-А)	9517,88	195,88	20,58	ТУ 48-19-161-90
52536240010300	0	БК8	КО30006 (ПР103)	7695,98	484,85	63,00	ТУ 48-19-161-90
52736240012100	0	БК15	КО30007 (ПР121)	10446,06	69,99	6,7	ТУ 48-19-161-90
52736240012200	0	БК15	КО30008 (ПР122)	10035,08	104,36	10,4	ТУ 48-19-161-90
52736240012400	0	БК15	КО30009 (ПР124)	9632,96	166,65	17,3	ТУ 48-19-161-90
52736240020200	0	БК15	КО30010 (ПР202)	9847,36	128,02	13,00	ТУ 48-19-161-90
52736240020300	0	БК15	КО30011 (ПР203)	9422,77	227,28	25,5	ТУ 48-19-161-90
52536240020300	0	БК8	КО30011 (ПР203)	8004,4	204,11	25,5	ТУ 48-19-161-90
52536240032801	0	БК8	КО30028 (ПР328-1)	7835,47	303,23	38,7	ТУ 48-19-161-90
52536240032802	0	БК8	КО30029 (ПР328-2)	7835,47	303,23	38,7	ТУ 48-19-161-90
52536240032803	0	БК8	КО30030 (ПР328-3)	7835,47	303,23	38,7	ТУ 48-19-161-90
52536240032804	0	БК8	КО30031 (ПР328-4)	7834,58	303,98	38,8	ТУ 48-19-161-90
52536240032805	0	БК8	КО30032 (ПР328-5)	7835,47	303,23	38,7	ТУ 48-19-161-90
52536240032806	0	БК8	КО30033 (ПР328-6)	7835,47	303,23	38,7	ТУ 48-19-161-90
52536240032807	0	БК8	КО30034 (ПР328-7)	7834,58	303,98	38,8	ТУ 48-19-161-90
52736240032200	0	БК15	КО30035 (ПР322)	9285,31	291,56	31,4	ТУ 48-19-161-90
52736240032300	0	БК15	КО30036 (ПР323)	9285,31	291,56	31,4	ТУ 48-19-161-90
52736240032400	0	БК15	КО30037 (ПР324)	9285,31	291,56	31,4	ТУ 48-19-161-90
52736241020200	0	БК15	КО30039 (ПР202-А)	9653,54	162,18	16,2	ТУ 48-19-161-90
52437060000001	0	БК6	КВ-1	11157,87	1394,73	125,00	ТУ 48-19-428-87
52437080000011	0	БК6	КВ-11	12072,83	3335,72	276,3	ТУ 48-19-428-87
52437080000012	0	БК6	КВ-12	12327,07	1351,05	109,6	ТУ 48-19-428-87
52437080000013	0	БК6	КВ-13	12168,94	2147,82	176,5	ТУ 48-19-428-87
52437080000014	0	БК6	КВ-14	11565,17	2858,33	247,15	ТУ 48-19-428-87
52437080000015	0	БК6	КВ-15	12049,33	3855,79	320,00	ТУ 48-19-428-87
52437080000017	0	БК6	КВ-17	11980,14	7115,01	593,9	ТУ 48-19-428-87
52537280000018	0	БК8	КВ-18	11154,91	1412,21	126,6	ТУ 48-19-428-87
52537280000019	0	БК8	КВ-19	10604,41	1343,58	126,7	ТУ 48-19-428-87

5243706000002	0	BK6	KB-2	10237,92	511,90	50,00	TY 48-19-428-87
5243728000020	0	BK6	KB-20	10482,05	4192,82	400,00	TY 48-19-428-87
5253728000022	0	BK8	KB-22	11005,56	3774,91	343,00	TY 48-19-428-87
5253728000024	0	BK8	KB-24	11003,77	3851,32	350,00	TY 48-19-428-87
5253728000025	0	BK8	KB-25	11020,1	3250,93	295,00	TY 48-19-428-87
5253729000028	0	BK8	KB-28	10977,33	5488,66	500,00	TY 48-19-428-87
5253729000029	0	BK8	KB-29	10956,6	8217,45	750,00	TY 48-19-428-87
5243706000003	0	BK6	KB-3	10091,97	1009,20	100,00	TY 48-19-428-87
52537290000032	0	BK8	KB-32	10961,48	7358,44	671,3	TY 48-19-428-87
52722420000033	0	BK15	KB-33	10036,93	686,53	68,4	TY 48-19-263-81
52737280000034	0	BK15	KB-34	13761,01	13761,01	1000,00	TY 48-19-428-87
52437100000035	0	BK6	KB-35	10948,91	10073,00	920,00	TY 48-19-428-87
52437110000037	0	BK6	KB-37	10102,38	110,12	10,9	TY 48-19-428-87
52437120000039	0	BK6	KB-39	11032,28	377,30	34,2	TY 48-19-428-87
52437030000004	0	BK6	KB-4	11331,71	802,29	70,8	TY 48-19-428-87
52437130000040	0	BK6	KB-40	10963,37	429,76	39,2	TY 48-19-428-87
52437140000043	0	BK6	KB-43	9645,15	446,57	46,3	TY 48-19-428-87
52437150000044	0	BK6	KB-44	10741,49	751,90	70,00	TY 48-19-428-87
52437160000045	0	BK6	KB-45	10081,94	1078,77	107,00	TY 48-19-428-87
52437180000048	0	BK6	KB-48	10214,26	557,70	54,6	TY 48-19-428-87
52437180000049	0	BK6	KB-49	10156,19	710,93	70,00	TY 48-19-428-87
52437060000005	0	BK6	KB-5	10661,89	1012,88	95,00	TY 48-19-428-87
52537190000051	0	BK8	KB-51	9966,55	149,50	15,00	TY 48-19-428-87
52437190000053	0	BK6	KB-53	11036,06	17,66	1,6	TY 48-19-428-87
52437190000054	0	BK6	KB-54	10420,73	59,81	5,00	TY 48-19-428-87
52537190000054	0	BK8	KB-54	10420,73	59,81	5,74	TY 48-19-428-87
51122430000055	0	BK3-M	KB-55	13218,35	22,21	1,68	TY 48-19-263-81
52437060000006	0	BK6	KB-6	10661,89	1012,88	95,00	TY 48-19-428-87
52437200000064	0	BK6	KB-64	10198,19	593,43	58,19	TY 48-19-428-87
52437230000067	0	BK6	KB-67	10142,14	760,66	75,00	TY 48-19-428-87
52437230000068	0	BK6	KB-68	10046,34	1423,57	141,7	TY 48-19-428-87
52437060000007	0	BK6	KB-7	10046,1	1426,55	142,00	TY 48-19-428-87
52537250000074	0	BK8	KB-74	11067,06	2241,08	202,5	TY 48-19-428-87
52437250000076	0	BK6	KB-76	10407,21	316,69	30,43	TY 48-19-428-87
53837350000080	0	BK20-KC	KB-80	16192,66	16791,79	1037,00	TY 48-19-428-87
52437270000081	0	BK6	KB-81	11118,65	1667,80	150,00	TY 48-19-428-87
52437270000082	0	BK6	KB-82	11035,84	2825,17	256,00	TY 48-19-428-87
52837330000084	0	BK20	KB-84	15078,48	900,19	59,7	TY 48-19-428-87
52837330000085	0	BK20	KB-85	16225,08	9735,05	600,00	TY 48-19-428-87
52437090000089	0	BK6	KB-89	12070,56	3379,76	280,00	TY 48-19-428-87
53730110001014	0	BK11-BK	M-10*14	10819,77	146,07	13,5	TY 48-19-281-90
53730110001116	0	BK11-BK	M-11*16	10533,26	189,60	18,00	TY 48-19-281-90
53730110001217	0	BK11-BK	M-12*17	10305,96	242,19	23,5	TY 48-19-281-90
53730110001319	0	BK11-BK	M-13*19	10133,87	301,99	29,8	TY 48-19-281-90
62140120020100	0	TT7K12	M010002 (PP201)	14257,01	975,89	66,00	TY 48-19-165-84
61127120008100	0	T5K10	M010003 (PP81)	9708,00	566,95	58,4	TY 48-19-124-91
59203880110416	0	BP3325	M010005 (10113-110)	0,00	0,00	13,85	ГОСТ 19064-80
61227120007600	0	T14K8	M010007 (PP76)	9893,96	309,19	31,7	TY 48-19-124-91
52536220036300	0	BK8	M010008 (PP363)	10629,78	19,56	1,84	TY 48-19-161-90
61227130004902	0	T14K8	M020002 (PP49-2)	9118,15	396,64	42,2	TY 48-19-124-91
62127130004902	0	TT7K12	M020002 (PP49-2)	15086,09	636,63	42,2	TY 48-19-124-91
62440120000300	0	TT20K9	M020003 (PP3)	24496,42	551,17	22,5	TY 48-19-140-79
52536220064201	0	BK8	M020006 (PP642-1)	9830,15	877,83	89,3	TY 48-19-161-90
52536220064202	0	BK8	M020007 (PP642/2)	10203,31	338,75	33,2	TY 48-19-161-90
52736230068600	0	BK15	M020011 (PP686)	12128,73	500,92	39,9	TY 48-19-161-90
51640360004100	0	BK6-OM	M020012 (PP41)	12710,37	411,82	32,8	TY 48-19-217-89
61127140004304	0	T5K10	M030007 (PP43-4)	10400,06	613,60	59,00	TY 48-19-124-91
51125840001400	0	BK3-M	M030008 (PP14)	13206,16	459,57	34,8	TY 48-19-178-84
52540140035100	0	BK8	M030009 (PP351)	11030,64	187,52	17,00	TY 48-19-165-84
61227130007700	0	T14K8	M030009 (PP77)	11101,3	139,88	12,6	TY 48-19-124-91
61327140007700	0	T15K6	M030009 (PP77)	10959,32	186,31	13,2	TY 48-19-124-91
61127130007700	0	T5K10	M030009 (PP77)	11047,78	156,11	14,9	TY 48-19-124-91
52540140048000	0	BK8	M030010 (PP480)	11283,46	120,73	10,7	TY 48-19-165-84
53651170000900	0	BK10-KC	M030010 (PP9)	13995,97	146,96	10,5	TY 48-19-367-92
52540140049200	0	BK8	M030011 (PP492)	11283,46	120,73	10,7	TY 48-19-165-84
52540140062301	0	BK8	M030012 (PP623-1)	11293,2	118,58	10,5	TY 48-19-161-90
52540140062302	0	BK8	M030013 (PP623-2)	11033,97	186,47	16,9	TY 48-19-161-90
52536240065801	0	BK8	M030014 (PP658-1)	12027,72	5,41	0,45	TY 48-19-161-90
52536240065802	0	BK8	M030015 (PP658-2)	11966,24	12,33	1,03	TY 48-19-161-90
52536240065803	0	BK8	M030016 (PP658-3)	11885,84	21,87	1,84	TY 48-19-161-90
53631140000096	0	BK10-KC	M030017 (PP96)	12381,73	3782,62	300,3	TY 48-19-232-91

52536240075901	0	BK8	M030019 (ПР759-1)	11030,64	187,52	17,00	TY 48-19-161-90
52536240075902	0	BK8	M030020 (ПР759-2)	10774,73	287,69	26,7	TY 48-19-161-90
52536240075903	0	BK8	M030021 (ПР759-3)	11343,87	107,77	9,5	TY 48-19-161-90
55112930002100	0	BK10-XO	M030022 (ПР21)	14246,42	96,02	6,67	TY 48-19-209-88
51640360003900	0	BK6-OM	M030023 (ПР39)	14246,42	96,02	6,83	TY 48-19-217-89
52536240075904	0	BK8	M030024 (ПР759-4)	10547,12	431,38	40,9	TY 48-19-161-90
52536240077301	0	BK8	M030025 (ПР773-1)	10276,12	423,38	41,2	TY 48-19-161-90
52536240077302	0	BK8	M030026 (ПР773-2)	10165,49	472,70	46,5	TY 48-19-161-90
52536240077303	0	BK8	M030027 (ПР773-3)	10072,43	523,77	52,00	TY 48-19-161-90
51640360002900	0	BK6-OM	M040001 (ПР29) НЕТ	14313,74	240,47	16,8	TY 48-19-217-89
51640360001502	0	BK6-OM	M050002 (ПР15-2)	13892,11	829,08	59,68	TY 48-19-217-89
52540160024500	0	BK8	M050007 (ПР245)	11111,16	788,89	71,00	TY 48-19-165-84
61327160009300	0	T15K6	M050011 (ПР93)	10959,32	186,31	0,72	TY 48-19-124-91
52436240057602	0	BK6	M050013 (ПР576-2)	10772,67	1772,10	166,2	TY 48-19-161-90
52436240057603	0	BK6	M050014 (ПР576-3)	10790,56	1672,54	156,6	TY 48-19-161-90
61127160012000	0	T5K10	M050017 (ПР120)	5793,23	108,33	16,3	TY 48-19-124-91
53631140010100	0	BK10-KC	M070001 (ПР101)	15643,87	453,67	28,5	TY 48-19-232-91
52740120062200	0	BK15	M070001 (ПР622)	15211,25	441,13	28,00	TY 48-19-165-84
62440180000200	0	TT20K9	M080001 (ПР2)	24496,42	551,17	32,00	TY 48-19-140-79
52536290045900	0	BK8	M080002 (ПР459)	15515,25	18,62	1,2	TY 48-19-161-90
61327160010900	0	T15K6	M080003 (ПР109)	47574,00	65,18	1,05	TY 48-19-124-91
52440190070500	0	BK6	M080004 (ПР705)	14681,89	96,90	6,7	TY 48-19-165-84
51225890002001	0	BK6-M	M080005 (ПР20/1)	0,00	0,00	17,00	TY 48-19-178-84
51225890002002	0	BK6-M	M080006 (ПР20/2)	0,00	0,00	24,4	TY 48-19-178-84
51225890002003	0	BK6-M	M080007 (ПР20/3)	0,00	0,00	12,00	TY 48-19-178-84
51225890002004	0	BK6-M	M080008 (ПР20/4)	0,00	0,00	27,00	TY 48-19-178-84
51225890002005	0	BK6-M	M080009 (ПР20/5)	0,00	0,00	30,8	TY 48-19-178-84
51225890002006	0	BK6-M	M080010 (ПР20/6)	0,00	0,00	41,9	TY 48-19-178-84
52436290077100	0	BK6	M080011 (ПР771)	13771,86	232,06	16,85	TY 48-19-161-90
52536290069000	0	BK8	M090001 (ПР690)	38140,37	606,43	15,9	TY 48-19-161-90
52740120007800	0	BK15	H010001 (ПР78)	9381,2	18,76	2,00	TY 48-19-165-84
52740120022701	0	BK15	H010002 (ПР227-1)	9203,26	28,71	3,15	TY 48-19-165-84
52540120022701	0	BK8	H010002 (ПР227-1)	9179,14	30,29	3,3	TY 48-19-165-84
52740120022702	0	BK15	H010003 (ПР227-2)	8254,36	415,44	51,03	TY 48-19-165-84
52540120022702	0	BK8	H010003 (ПР227-2)	8246,31	438,70	53,2	TY 48-19-165-84
52740120022800	0	BK15	H010004 (ПР228)	8236,1	471,93	57,3	TY 48-19-165-84
52740120023901	0	BK15	H010009 (ПР239-1)	9279,35	24,13	2,6	TY 48-19-165-84
52740120023902	0	BK15	H010010 (ПР239-2)	9041,71	40,69	4,5	TY 48-19-165-84
52740120023903	0	BK15	H010011 (ПР239-3)	8850,00	61,07	6,9	TY 48-19-165-84
52540120027401	0	BK8	H010012 (ПР274-1)	8713,93	82,78	9,5	TY 48-19-165-84
52540120027402	0	BK8	H010013 (ПР274-2)	8951,18	49,23	5,5	TY 48-19-165-84
52740120033801	0	BK15	H010014 (ПР338-1)	9513,25	12,84	1,3	TY 48-19-165-84
52540120033801	0	BK8	H010014 (ПР338-1)	9513,25	12,84	1,35	TY 48-19-165-84
52740120033802	0	BK15	H010015 (ПР338-2)	9480,43	14,22	1,45	TY 48-19-165-84
52540120033802	0	BK8	H010015 (ПР338-2)	9480,43	14,22	1,5	TY 48-19-165-84
52740120033803	0	BK15	H010016 (ПР338-3)	9438,96	16,05	1,64	TY 48-19-165-84
52540120033803	0	BK8	H010016 (ПР338-3)	9438,96	16,05	1,7	TY 48-19-165-84
52740120033804	0	BK15	H010017 (ПР338-4)	9390,48	18,31	1,88	TY 48-19-165-84
52540120033804	0	BK8	H010017 (ПР338-4)	9390,48	18,31	1,95	TY 48-19-165-84
52740120033805	0	BK15	H010018 (ПР338-5)	9381,2	18,76	1,93	TY 48-19-165-84
52540120033805	0	BK8	H010018 (ПР338-5)	9381,2	18,76	2,00	TY 48-19-165-84
52540120035200	0	BK8	H010019 (ПР352)	8172,44	867,10	106,1	TY 48-19-165-84
52740120040100	0	BK15	H010020 (ПР401)	8363,81	235,19	28,7	TY 48-19-165-84
52740120040500	0	BK15	H010021 (ПР405-1)	9103,52	35,69	4,00	TY 48-19-165-84
52540120048700	0	BK8	H010022 (ПР487)	9608,85	9,13	0,95	TY 48-19-165-84
52540120049500	0	BK8	H010023 (ПР495)	8505,39	142,89	16,8	TY 48-19-165-84
52540121049500	0	BK8	H010023 (ПР495)*3	8604,24	108,41	12,6	TY 48-19-165-84
52540120049600	0	BK8	H010024 (ПР496)	8461,25	164,15	19,4	TY 48-19-165-84
52540121049600	0	BK8	H010024 (ПР496)*3	8553,06	124,45	14,55	TY 48-19-165-84
52540120049700	0	BK8	H010025 (ПР497)	8433,21	180,47	21,4	TY 48-19-165-84
52540120049800	0	BK8	H010026 (ПР498)	8607,17	107,59	12,5	TY 48-19-165-84
52540121049800	0	BK8	H010026 (ПР498)*3	8718,26	81,95	9,4	TY 48-19-165-84
52540120049900	0	BK8	H010027 (ПР499)	8587,32	113,35	13,2	TY 48-19-165-84
52540121049900	0	BK8	H010027 (ПР499)*3	8697,22	86,10	9,9	TY 48-19-165-84
52540120050000	0	BK8	H010028 (ПР500)	8574,06	117,46	13,7	TY 48-19-165-84
52540121050000	0	BK8	H010028 (ПР500)*3	8681,37	89,42	10,3	TY 48-19-165-84
52540120050100	0	BK8	H010029 (ПР501)	8360,72	238,28	28,5	TY 48-19-165-84
52540121050100	0	BK8	H010029 (ПР501)*3	8601,34	109,24	12,7	TY 48-19-165-84
52540120050200	0	BK8	H010030 (ПР502)	8531,66	132,24	15,5	TY 48-19-165-84
52540123050200	0	BK8	H010030 (ПР502)*3	8581,93	115,00	13,4	TY 48-19-165-84
52740120040502	0	BK15	H010031 (ПР405-2)	9142,41	32,82	3,47	TY 48-19-165-84

52740120065300	0	BK15	H010037 (ПР653)	8796,65	68,61	7,5	ТУ 48-19-165-84
52536220070700	0	BK8	H010038 (ПР707)	8584,61	114,18	13,3	ТУ 48-19-161-90
52536220073100	0	BK8	H010039 (ПР731)	8464,31	162,51	19,2	ТУ 48-19-161-90
52540130022101	0	BK8	H020001 (ПР221-1)	9456,91	97,41	10,3	ТУ 48-19-165-84
52540130022102	0	BK8	H020002 (ПР221-2)	9315,26	121,10	13,00	ТУ 48-19-165-84
52540130026400	0	BK8	H020004 (ПР264)	8771,97	444,74	50,7	ТУ 48-19-165-84
52540130026700	0	BK8	H020005 (ПР267)	9716,61	68,02	7,00	ТУ 48-19-165-84
52540130040200	0	BK8	H020006(ПР402)	9530,07	87,68	9,2	ТУ 48-19-165-84
52540130046301	0	BK8	H020011 (ПР463-1)	7228,46	3,54	0,49	ТУ 48-19-165-84
52540130046302	0	BK8	H020012 (ПР463-2)	7231,61	2,82	0,39	ТУ 48-19-165-84
52540130046303	0	BK8	H020013 (ПР463-3)	7229,09	3,40	0,47	ТУ 48-19-165-84
52740120068501	0	BK15	H020014 (ПР685-1)	10413,69	27,08	2,5	ТУ 48-19-165-84
52740120068502	0	BK15	H020015 (ПР685-2)	10341,49	29,99	2,8	ТУ 48-19-165-84
52740120068503	0	BK15	H020016 (ПР685-3)	10296,33	31,92	3,00	ТУ 48-19-165-84
52540140017800	0	BK8	H030001 (ПР178)	9221,06	611,36	66,3	ТУ 48-19-165-84
52736240009400	0	BK15	H030003 (ПР94)	9083,94	1194,54	131,5	ТУ 48-19-161-90
52540140026501	0	BK8	H030004 (ПР265-1)	9337,7	426,73	45,7	ТУ 48-19-165-84
52540140026502	0	BK8	H030005 (ПР265-2)	9270,64	517,30	55,8	ТУ 48-19-165-84
52540140026503	0	BK8	H030006 (ПР265-3)	9192,1	682,97	74,3	ТУ 48-19-165-84
52540140026504	0	BK8	H030007 (ПР265-4)	9173,1	739,35	80,6	ТУ 48-19-165-84
52540140026600	0	BK8	H030008 (ПР266)	10138,02	121,66	12,00	ТУ 48-19-165-84
52540140026801	0	BK8	H030009 (ПР268-1)	9294,98	480,55	51,7	ТУ 48-19-165-84
52740140026802	0	BK15	H030010 (ПР268-2)	9077,52	1249,07	139,85	ТУ 48-19-165-84
52540140026802	0	BK8	H030010 (ПР268-2)	9070,03	1319,24	145,45	ТУ 48-19-165-84
52726830000300	0	BK15	H030011 (ПР3)	9286,89	492,21	53,00	ТУ 48-19-183-76
52540140032500	0	BK8	H030012 (ПР325)	9110,44	1011,26	111,00	ТУ 48-19-165-84
52540140032600	0	BK8	H030013 (ПР326)	9234,99	581,80	63,00	ТУ 48-19-165-84
52540140033701	0	BK8	H030014 (ПР337-1)	9575,63	257,58	26,9	ТУ 48-19-165-84
52540140033702	0	BK8	H030015 (ПР337-2)	9435,67	337,80	35,8	ТУ 48-19-165-84
52540140033703	0	BK8	H030016 (ПР337-3)	9345,83	417,76	44,7	ТУ 48-19-165-84
52540140034500	0	BK8	H030019 (ПР345)	10130,98	122,58	12,1	ТУ 48-19-165-84
52540140039000	0	BK8	H030020 (ПР390)	9326,1	440,19	47,2	ТУ 48-19-165-84
61127130010600	0	T5K10	H030021 (ПР106-1)	9309,9	460,37	43,2	ТУ 48-19-124-91
52540140039201	0	BK8	H030021 (ПР392-1)	9311,63	458,13	49,2	ТУ 48-19-165-84
52540140039202	0	BK8	H030022 (ПР392-2)	9074,66	1274,99	140,5	ТУ 48-19-165-84
52540140039901	0	BK8	H030023 (ПР399-1)	10508,5	84,07	8,00	ТУ 48-19-165-84
52540140039902	0	BK8	H030024 (ПР399-2)	10046,41	134,62	13,4	ТУ 48-19-165-84
52540140039903	0	BK8	H030025 (ПР399-3)	9886,02	163,12	16,5	ТУ 48-19-165-84
52540140039904	0	BK8	H030026 (ПР399-4)	9739,84	198,69	20,4	ТУ 48-19-165-84
52540140039905	0	BK8	H030027 (ПР399-5)	9353,42	409,68	43,8	ТУ 48-19-165-84
51640340001801	0	BK6-OM	H030028(ПР18-1)	12558,11	342,59	27,4	ТУ 48-19-217-89
51640340001802	0	BK6-OM	H030029(ПР18-2)	12376,35	449,26	36,4	ТУ 48-19-217-89
51640340001803	0	BK6-OM	H030030(ПР18-3)	12259,64	555,73	45,5	ТУ 48-19-217-89
51640340002400	0	BK6-OM	H030031(ПР24)	15636,37	29,24	1,9	ТУ 48-19-217-89
52540150026803	0	BK8	H040001 (ПР268-3)	9034,42	1796,04	198,8	ТУ 48-19-165-84
52540150046400	0	BK8	H040002 (ПР464)	9709,06	695,17	71,6	ТУ 48-19-165-84
52540150056200	0	BK8	H040003 (ПР562)	8014,3	789,41	98,5	ТУ 48-19-165-84
51100000000000	0	BK3	НЕЛИКВИДЫ	0,00	0,00	0,00	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52400000000000	0	BK6	НЕЛИКВИДЫ	5701,44	427,61	0,00	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52718010000006	0	BK15	ОТХОДЫ	0,00	0,00	0,00	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52818010000007	0	BK20	ОТХОДЫ	0,00	0,00	0,00	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52518010000005	0	BK8	ОТХОДЫ	0,00	0,00	0,00	ТЕХНИЧЕСКИЕ ТРЕБОВАНИЯ
52532220000001	0	BK8	П01	11601,69	2320,34	200,00	ТУ 48-19-67-78
52432290000002	0	BK6	П02	10570,5	1659,57	158,00	ТУ 48-19-67-78
52532290000002	0	BK8	П02	11649,03	1863,84	160,00	ТУ 48-19-67-78
52532220000003	0	BK8	П03	9968,48	4485,82	450,00	ТУ 48-19-67-78
52532290000004	0	BK8	П04	9972,05	4088,54	410,00	ТУ 48-19-67-78
52532290000005	0	BK8	П05	10061,1	1257,64	125,00	ТУ 48-19-67-78
52532290000006	0	BK8	П06	9950,7	8657,11	870,00	ТУ 48-19-67-78
52532290000007	0	BK8	П07	9949,27	9352,31	940,00	ТУ 48-19-67-78
52532290000008	0	BK8	П08	9951,26	8408,82	845,00	ТУ 48-19-67-78
52532290000009	0	BK8	П09	10008,05	2151,73	215,00	ТУ 48-19-67-78
52532290000010	0	BK8	П10	9949,08	9451,63	950,00	ТУ 48-19-67-78
52532290000011	0	BK8	П11	9970,18	4287,18	430,00	ТУ 48-19-67-78
52532290000012	0	BK8	П12	9947,72	10246,15	1030,00	ТУ 48-19-67-78
52532290000013	0	BK8	П13	9940,77	17893,39	1800,00	ТУ 48-19-67-78
52532220000014	0	BK8	П14	9943,18	14218,74	1430,00	ТУ 48-19-67-78
52532290000015	0	BK8	П15	9944,06	13225,60	1330,00	ТУ 48-19-67-78
52532220000151	0	BK8	П15-1	9955,51	6919,08	695,00	ТУ 48-19-67-78
52532290000016	0	BK8	П16	9956,97	6521,82	655,00	ТУ 48-19-67-78
52532290000017	0	BK8	П17	9942,13	15609,15	1570,00	ТУ 48-19-67-78


55112910000200	0	BK10-XO	P010001 (ПР2)	9244,78	184,90	20,00	TY 48-19-209-88
51640320001101	0	BK6-OM	P010002 (ПР11-1)	9818,03	51,05	5,2	TY 48-19-217-89
51640320001102	0	BK6-OM	P010003 (ПР11-2)	9517,06	93,27	9,8	TY 48-19-217-89
61127120001903	0	T5K10	P010004 (ПР19-3)	9284,33	45,49	4,9	TY 48-19-124-91
61227120003600	0	T14K8	P010005 (ПР36)	8627,95	474,54	55,00	TY 48-19-124-91
61127120005900	0	T5K10	P010006 (ПР59)	8803,43	180,47	20,5	TY 48-19-124-91
52540120015600	0	BK8	P010007 (ПР156)	7607,76	28,15	3,7	TY 48-19-165-84
52740120014901	0	BK15	P010008 (ПР149-1)	9494,72	13,48	1,42	TY 48-19-165-84
52740120014902	0	BK15	P010009 (ПР149-2)	9241,5	26,15	2,83	TY 48-19-165-84
52440120017000	0	BK6	P010010 (ПР170)	7397,15	48,08	6,85	TY 48-19-165-84
52540120017000	0	BK8	P010010 (ПР170)	7397,15	48,08	6,5	TY 48-19-165-84
61127120007400	0	T5K10	P010011 (ПР74)	8204,25	389,70	47,5	TY 48-19-124-91
55112910000101	0	BK10-XO	P010012 (ПР1-1)	10655,35	5,01	0,47	TY 48-19-209-88
51225820001301	0	BK6-M	P010012 (ПР13-1)	10652,06	5,11	0,49	TY 48-19-178-84
52540120017201	0	BK8	P010012 (ПР172-1)	8113,51	3,98	0,49	TY 48-19-165-84
61327120006001	0	T15K6	P010012 (ПР60-1)	9944,76	3,78	0,37	TY 48-19-124-91
61427120006001	0	T30K4	P010012 (ПР60-1)	9961,08	3,19	0,31	TY 48-19-124-91
61127120006001	0	T5K10	P010012 (ПР60-1)	9934,09	4,17	0,42	TY 48-19-124-91
62127120006001	0	TT7K12	P010012 (ПР60-1)	11511,82	5,07	0,44	TY 48-19-124-91
55112910000102	0	BK10-XO	P010013 (ПР1-2)	10597,83	6,89	0,65	TY 48-19-209-88
52440120017202	0	BK6	P010013 (ПР172-2)	8065,33	5,57	0,7	TY 48-19-165-84
52540120017202	0	BK8	P010013 (ПР172-2)	8065,33	5,57	0,69	TY 48-19-165-84
61327120006002	0	T15K6	P010013 (ПР60-2)	9910,64	5,05	0,53	TY 48-19-124-91
61127120006002	0	T5K10	P010013 (ПР60-2)	9895,42	5,64	0,57	TY 48-19-124-91
62127120006002	0	TT7K12	P010013 (ПР60-2)	11459,24	6,76	0,62	TY 48-19-124-91
55112910000103	0	BK10-XO	P010014 (ПР1-3)	10495,86	10,50	1,00	TY 48-19-209-88
51225820001303	0	BK6-M	P010014 (ПР13-3)	10490,39	10,70	1,02	TY 48-19-178-84
51640320001303	0	BK6-OM	P010014 (ПР13-3)	10490,39	10,70	1,02	TY 48-19-217-89
52440120017203	0	BK6	P010014 (ПР172-3)	7997,00	8,00	1,02	TY 48-19-165-84
52540120017203	0	BK8	P010014 (ПР172-3)	7997,00	8,00	1,00	TY 48-19-165-84
61227120006003	0	T14K8	P010014 (ПР60-3)	9844,66	7,68	0,77	TY 48-19-124-91
61327120006003	0	T15K6	P010014 (ПР60-3)	9844,66	7,68	0,77	TY 48-19-124-91
61127120006003	0	T5K10	P010014 (ПР60-3)	9824,02	8,55	0,87	TY 48-19-124-91
55112910000104	0	BK10-XO	P010015 (ПР1-4)	10323,87	17,55	1,7	TY 48-19-209-88
51225820001304	0	BK6-M	P010015 (ПР13-4)	10315,12	17,95	1,74	TY 48-19-178-84
51640320001304	0	BK6-OM	P010015 (ПР13-4)	10315,12	17,95	1,74	TY 48-19-217-89
52440120017204	0	BK6	P010015 (ПР172-4)	7862,62	13,52	1,74	TY 48-19-165-84
52540120017204	0	BK8	P010015 (ПР172-4)	7862,62	13,52	1,72	TY 48-19-165-84
61327120006004	0	T15K6	P010015 (ПР60-4)	9725,73	13,03	1,32	TY 48-19-124-91
61127120006004	0	T5K10	P010015 (ПР60-4)	9695,52	14,54	1,5	TY 48-19-124-91
55112910000105	0	BK10-XO	P010016 (ПР1-5)	10104,71	29,00	2,87	TY 48-19-209-88
51125820001305	0	BK3-M	P010016 (ПР13-5)	10057,15	31,98	3,18	TY 48-19-178-84
51225820001305	0	BK6-M	P010016 (ПР13-5)	10057,15	31,98	3,12	TY 48-19-178-84
51640320001305	0	BK6-OM	P010016 (ПР13-5)	10066,07	31,41	3,12	TY 48-19-217-89
52440120017205	0	BK6	P010016 (ПР172-5)	7152,2	22,10	3,12	TY 48-19-165-84
52540120017205	0	BK8	P010016 (ПР172-5)	7672,98	23,71	3,09	TY 48-19-165-84
61327120006005	0	T15K6	P010016 (ПР60-5)	9551,33	22,83	2,36	TY 48-19-124-91
61127120006005	0	T5K10	P010016 (ПР60-5)	9511,56	25,49	2,68	TY 48-19-124-91
52540120034600	0	BK8	P010017 (ПР346)	7452,71	41,74	5,6	TY 48-19-165-84
52540120057500	0	BK8	P010018 (ПР575)	7288,09	64,14	8,8	TY 48-19-165-84
52740120059400	0	BK15	P010019 (ПР594)	8447,52	170,22	19,46	TY 48-19-165-84
52540120072300	0	BK8	P010020 (ПР723)	6757,1	3513,69	52,00	TY 48-19-165-84
61427120000136	0	T30K4	P010021 (ПР136)	9352,5	38,44	2,71	TY 48-19-124-91
52736220078000	0	BK15	P010022 (ПР780)	9034,85	41,02	4,39	TY 48-19-161-90
61227130000200	0	T14K8	P020001 (ПР2)	9798,34	81,23	8,29	TY 48-19-124-91
55112920000300	0	BK10-XO	P020002 (ПР3)	9942,75	198,85	20,00	TY 48-19-209-88
61227130006500	0	T14K8	P020002 (ПР65)	9484,00	142,26	15,00	TY 48-19-124-91
61327130100600	0	T15K6	P020003 (ПР6-A)	9581,17	117,85	12,3	TY 48-19-124-91
61327130000800	0	T15K6	P020004 (ПР8)	9625,32	108,77	11,3	TY 48-19-124-91
51640330000800	0	BK6-OM	P020005 (ПР8)	9969,09	189,41	19,00	TY 48-19-217-89
61127130000900	0	T5K10	P020006 (ПР9)	8908,41	2316,10	259,99	TY 48-19-124-91
51640330001001	0	BK6-OM	P020007 (ПР10-1)	10563,84	80,39	7,6	TY 48-19-217-89
51640330001002	0	BK6-OM	P020008 (ПР10-2)	10661,31	71,43	6,7	TY 48-19-217-89
61227130003900	0	T14K8	P020009 (ПР39)	9805,44	80,31	8,19	TY 48-19-124-91
61227130204000	0	T14K8	P020010 (ПР40-Б)	9648,5	104,40	12,1	TY 48-19-124-91
61127130204000	0	T5K10	P020010 (ПР40-Б)	9589,58	116,03	12,1	TY 48-19-124-91
61227130204100	0	T14K8	P020011 (ПР41-Б)	9648,5	104,40	12,1	TY 48-19-124-91
61127130204100	0	T5K10	P020011 (ПР41-Б)	9589,58	116,03	12,1	TY 48-19-124-91
61127130105300	0	T5K10	P020014 (ПР53-A)	8992,49	809,32	90,00	TY 48-19-124-91
62127130105300	0	TT7K12	P020014 (ПР53-A)	10223,62	951,10	90,00	TY 48-19-124-91
61227130000500	0	T14K8	P020015 (ПР5)	9957,51	63,33	6,36	TY 48-19-124-91


61327130105700	0	T15K6	P020016 (ПР57-A)	9811,2	79,57	8,11	TY 48-19-124-91
61127130006700	0	T5K10	P020017 (ПР67)	9490,29	140,46	14,8	TY 48-19-124-91
61327130007101	0	T15K6	P020018 (ПР71-1)	9427,4	160,27	17,00	TY 48-19-124-91
61327130007102	0	T15K6	P020019 (ПР71-2)	9157,89	338,84	37,00	TY 48-19-124-91
61327130007201	0	T15K6	P020020 (ПР72-1)	9158,59	337,95	36,9	TY 48-19-124-91
61327130007202	0	T15K6	P020021 (ПР72-2)	9065,54	507,67	56,00	TY 48-19-124-91
61227130003300	0	T14K8	P020022 (ПР33)	9465,87	147,67	15,6	TY 48-19-124-91
61127130003400	0	T5K10	P020023 (ПР34)	9217,18	276,52	30,00	TY 48-19-124-91
52540130008300	0	BK8	P020026 (ПР83)	7239,02	564,64	78,00	TY 48-19-165-84
52540130018000	0	BK8	P020027 (ПР180)	7263,54	479,39	66,00	TY 48-19-165-84
52540130018201	0	BK8	P020028 (ПР182-1)	8678,25	22,56	2,6	TY 48-19-165-84
52540130018202	0	BK8	P020029 (ПР182-2)	8140,96	52,92	6,5	TY 48-19-165-84
52540130018401	0	BK8	P020030 (ПР184-1)	8169,01	50,65	6,2	TY 48-19-165-84
52540130018402	0	BK8	P020031 (ПР184-2)	7954,00	71,59	9,00	TY 48-19-165-84
52740130021100	0	BK15	P020032 (ПР211)	10435,71	26,09	2,5	TY 48-19-165-84
52436230018706	0	BK6	P020033 (ПР187-6)	8814,04	17,63	2,00	TY 48-19-161-90
52436230018707	0	BK6	P020034 (ПР187-7)	8766,26	19,29	2,2	TY 48-19-161-90
52436230018708	0	BK6	P020035 (ПР187-8)	8699,37	21,75	2,5	TY 48-19-161-90
61327130007500	0	T15K6	P020036 (ПР75)	9083,37	464,16	39,6	TY 48-19-124-91
52540130024900	0	BK8	P020037 (ПР249)	6576,41	92,07	14,00	TY 48-19-165-84
52540130025100	0	BK8	P020038 (ПР251)	7617,46	137,11	18,00	TY 48-19-165-84
61227130007800	0	T14K8	P020039 (ПР78)	8965,18	1031,00	115,00	TY 48-19-124-91
55112920000106	0	BK10-XOI	P020040 (ПР1-6)	12344,84	45,68	3,7	TY 48-19-209-88
51125830001306	0	BK3-M	P020040 (ПР13-6)	11045,32	45,40	4,11	TY 48-19-178-84
51225830001306	0	BK6-M	P020040 (ПР13-6)	11045,32	45,40	4,04	TY 48-19-178-84
51640330001306	0	BK6-OM	P020040 (ПР13-6)	11058,75	44,68	4,04	TY 48-19-217-89
52440130017206	0	BK6	P020040 (ПР172-6)	8433,29	33,65	4,04	TY 48-19-165-84
52540130017206	0	BK8	P020040 (ПР172-6)	8433,29	33,65	3,99	TY 48-19-165-84
61227130006006	0	T14K8	P020040 (ПР60-6)	10398,66	32,24	3,09	TY 48-19-124-91
61327130006006	0	T15K6	P020040 (ПР60-6)	10398,66	32,24	3,06	TY 48-19-124-91
61127130006006	0	T5K10	P020040 (ПР60-6)	10331,51	35,85	3,47	TY 48-19-124-91
55112920000107	0	BK10-XOI	P020041 (ПР1-7)	10948,25	50,91	4,65	TY 48-19-209-88
51225830001307	0	BK6-M	P020041 (ПР13-7)	10894,1	54,25	4,98	TY 48-19-178-84
51640330001307	0	BK6-OM	P020041 (ПР13-7)	10894,1	54,25	4,98	TY 48-19-217-89
52440130017207	0	BK6	P020041 (ПР172-7)	8307,73	40,87	4,98	TY 48-19-165-84
52540130017207	0	BK8	P020041 (ПР172-7)	8307,73	40,87	4,92	TY 48-19-165-84
61327130006007	0	T15K6	P020041 (ПР60-7)	10273,17	39,24	3,77	TY 48-19-124-91
61427130006007	0	T30K4	P020041 (ПР60-7)	10374,38	33,51	3,2	TY 48-19-124-91
61127130006007	0	T5K10	P020041 (ПР60-7)	10204,64	43,57	4,27	TY 48-19-124-91
55112920000108	0	BK10-XOI	P020042 (ПР1-8)	10570,84	79,70	7,54	TY 48-19-209-88
51640330001308	0	BK6-OM	P020042 (ПР13-8)	10508,74	86,07	8,19	TY 48-19-217-89
52440130017208	0	BK6	P020042 (ПР172-8)	8013,09	64,91	8,19	TY 48-19-165-84
52540130017208	0	BK8	P020042 (ПР172-8)	8013,09	64,91	8,1	TY 48-19-165-84
61227130006008	0	T14K8	P020042 (ПР60-8)	9965,29	62,58	6,26	TY 48-19-124-91
61327130006008	0	T15K6	P020042 (ПР60-8)	9965,29	62,58	6,2	TY 48-19-124-91
61427130006008	0	T30K4	P020042 (ПР60-8)	10067,97	53,56	5,27	TY 48-19-124-91
61127130006008	0	T5K10	P020042 (ПР60-8)	9896,47	69,57	7,03	TY 48-19-124-91
55112920000109	0	BK10-XOI	P020043 (ПР1-9)	10280,14	116,17	11,3	TY 48-19-209-88
51125830001309	0	BK3-M	P020043 (ПР13-9)	10208,53	128,63	12,6	TY 48-19-178-84
51225830001309	0	BK6-M	P020043 (ПР13-9)	10208,53	128,63	12,4	TY 48-19-178-84
51640330001309	0	BK6-OM	P020043 (ПР13-9)	10218,85	126,71	12,4	TY 48-19-217-89
52440130017209	0	BK6	P020043 (ПР172-9)	7793,99	95,09	12,4	TY 48-19-165-84
52540130017209	0	BK8	P020043 (ПР172-9)	7793,99	95,09	12,2	TY 48-19-165-84
61327130006009	0	T15K6	P020043 (ПР60-9)	9721,34	92,16	9,35	TY 48-19-124-91
61427130006009	0	T30K4	P020043 (ПР60-9)	9817,03	78,83	7,95	TY 48-19-124-91
61127130006009	0	T5K10	P020043 (ПР60-9)	9659,6	102,39	10,6	TY 48-19-124-91
55112920000110	0	BK10-XOI	P020044 (ПР1-10)	10138,01	142,95	14,1	TY 48-19-209-88
51125830001310	0	BK3-M	P020044 (ПР13-10)	10104,75	150,56	14,9	TY 48-19-178-84
51225830001310	0	BK6-M	P020044 (ПР13-10)	10104,75	150,56	14,6	TY 48-19-178-84
51640330001310	0	BK6-OM	P020044 (ПР13-10)	10116,91	147,71	14,6	TY 48-19-217-89
52440130017210	0	BK6	P020044 (ПР172-10)	7711,42	111,82	14,6	TY 48-19-165-84
52540130017210	0	BK8	P020044 (ПР172-10)	7711,42	111,82	14,5	TY 48-19-165-84
61327130006010	0	T15K6	P020044 (ПР60-10)	9626,73	108,49	11,1	TY 48-19-124-91
61427130006010	0	T30K4	P020044 (ПР60-10)	9717,79	92,71	9,43	TY 48-19-124-91
61127130006010	0	T5K10	P020044 (ПР60-10)	9568,9	120,57	12,6	TY 48-19-124-91
62127130006010	0	TT7K12	P020044 (ПР60-10)	10996,19	143,17	13,1	TY 48-19-124-91
52540130030600	0	BK8	P020046 (ПР306)	8159,5	51,40	6,3	TY 48-19-165-84
62132010000412	0	TT7K12	P020047(1011-0412)	10129,51	2112,00	208,5	ГОСТ 19106-73
61327130010200	0	T15K6	P020048 (ПР102)	9065,74	507,14	43,34	TY 48-19-124-91
52540130065000	0	BK8	P020049 (ПР650)	7248,32	529,13	73,00	TY 48-19-165-84
52540130071101	0	BK8	P020050 (ПР711-1)	7629,09	133,51	17,5	TY 48-19-165-84


52540130071102	0	BK8	P020051 (ПР711-2)	7368,85	285,91	38,8	TY 48-19-165-84
52540130071103	0	BK8	P020052 (ПР711-3)	7283,57	426,09	58,5	TY 48-19-165-84
52540130072200	0	BK8	P020053 (ПР722)	7172,7	1060,84	147,9	TY 48-19-165-84
52736230074100	0	BK15	P020055 (ПР741)	8636,33	943,09	105,5	TY 48-19-161-90
51640330003600	0	BK6-OM	P020056 (ПР36)	9973,23	188,00	19,11	TY 48-19-217-89
52736230075700	0	BK15	P020057 (ПР757)	8837,38	345,54	37,7	TY 48-19-161-90
53631140012300	0	BK10KC	P020134 (ПР123)	8413,41	1278,84	150,00	TY 48-19-232-91
55112930000400	0	BK10-XO	P030001 (ПР4)	9859,34	2464,84	250,00	TY 48-19-209-88
55112930000401	0	BK10-XO	P030002 (ПР4-1)	10070,05	704,90	70,00	TY 48-19-209-88
55112930000402	0	BK10-XO	P030003 (ПР4-2)	9899,48	1682,91	170,00	TY 48-19-209-88
55112930000403	0	BK10-XO	P030004 (ПР4-3)	9892,56	1780,66	180,00	TY 48-19-209-88
52540140001100	0	BK8	P030005 (ПР11)	7885,9	265,75	33,7	TY 48-19-165-84
51225840001102	0	BK6-M	P030006 (ПР11-2)	10080,34	680,42	67,5	TY 48-19-178-84
51640340001202	0	BK6-OM	P030006 (ПР12-2)	10080,34	680,42	67,5	TY 48-19-217-89
52540140001200	0	BK8	P030007 (ПР12)	7729,43	425,12	55,00	TY 48-19-165-84
51225840001201	0	BK6-M	P030008 (ПР12-1)	10863,63	168,39	15,5	TY 48-19-178-84
51225840001202	0	BK6-M	P030009 (ПР12-2)	11370,67	102,34	9,00	TY 48-19-178-84
52740140001302	0	BK15	P030010 (ПР13-2)	8952,12	8683,56	970,00	TY 48-19-165-84
52536240001400	0	BK8	P030011 (ПР14)	8098,68	170,88	21,1	TY 48-19-161-90
52540140003000	0	BK8	P030012 (ПР30)	8127,44	162,55	20,00	TY 48-19-165-84
52540140003100	0	BK8	P030013 (ПР31)	8127,44	162,55	20,00	TY 48-19-165-84
52440140003400	0	BK6	P030014 (ПР34)	9847,61	20,68	2,1	TY 48-19-165-84
61127140004700	0	T5K10	P030015 (ПР47)	9812,58	245,31	25,00	TY 48-19-124-91
61127140005200	0	T5K10	P030016 (ПР52)	9328,97	1529,95	164,00	TY 48-19-124-91
61227140006201	0	T14K8	P030017 (ПР62-1)	9459,79	662,19	70,00	TY 48-19-124-91
61227140006202	0	T14K8	P030018 (ПР62-2)	9459,79	662,19	70,00	TY 48-19-124-91
61227140006401	0	T14K8	P030019 (ПР64-1)	9437,12	736,10	78,00	TY 48-19-124-91
61227140006602	0	T14K8	P030020 (ПР66-2)	9445,09	708,38	75,00	TY 48-19-124-91
61227140007000	0	T14K8	P030021 (ПР70)	9437,12	736,10	78,00	TY 48-19-124-91
52540140008200	0	BK8	P030024 (ПР82)	7546,07	1237,56	164,00	TY 48-19-165-84
52740140011203	0	BK15	P030026 (ПР112-3)	8964,19	5504,01	614,00	TY 48-19-165-84
61127140105400	0	T5K10	P030029 (ПР54-A)	9414,27	828,46	88,00	TY 48-19-124-91
52436240113000	0	BK6	P030032 (ПР130-A)	7532,61	1431,20	190,00	TY 48-19-161-90
52740140013601	0	BK15	P030033 (ПР136-1)	12459,1	9,97	0,9	TY 48-19-165-84
52540140013601	0	BK8	P030033 (ПР136-1)	10360,96	8,81	0,85	TY 48-19-165-84
52740140013602	0	BK15	P030034 (ПР136-2)	12031,47	19,25	1,6	TY 48-19-165-84
52740140013603	0	BK15	P030035 (ПР136-3)	11488,91	34,47	3,00	TY 48-19-165-84
52740140013604	0	BK15	P030036 (ПР136-4)	11261,68	42,57	4,2	TY 48-19-165-84
52540140013604	0	BK8	P030036 (ПР136-4)	9340,43	37,36	4,00	TY 48-19-165-84
52740140013605	0	BK15	P030037 (ПР136-5)	10843,49	61,81	5,7	TY 48-19-165-84
52740140013606	0	BK15	P030038 (ПР136-6)	10636,32	74,45	7,00	TY 48-19-165-84
52540140013606	0	BK8	P030038 (ПР136-6)	8820,75	65,27	7,4	TY 48-19-165-84
52740140013607	0	BK15	P030039 (ПР136-7)	10156,42	118,83	11,7	TY 48-19-165-84
52740140013608	0	BK15	P030040 (ПР136-8)	10018,97	138,36	13,3	TY 48-19-165-84
52540140013608	0	BK8	P030040 (ПР136-8)	8315,42	121,41	14,6	TY 48-19-165-84
52740140013609	0	BK15	P030041 (ПР136-9)	9796,71	182,61	19,5	TY 48-19-165-84
52540140013609	0	BK8	P030041 (ПР136-9)	8135,73	160,27	19,7	TY 48-19-165-84
52740140013610	0	BK15	P030042 (ПР136-10)	9584,88	252,08	26,3	TY 48-19-165-84
52740140013611	0	BK15	P030043 (ПР136-11)	9481,79	304,93	33,3	TY 48-19-165-84
52540140013611	0	BK8	P030043 (ПР136-11)	7882,51	268,01	34,00	TY 48-19-165-84
52740140013612	0	BK15	P030044 (ПР136-12)	11605,93	30,76	2,8	TY 48-19-165-84
52540140013612	0	BK8	P030044 (ПР136-12)	9632,01	26,97	2,8	TY 48-19-165-84
52740140013700	0	BK15	P030045 (ПР137)	11187,16	45,53	4,2	TY 48-19-165-84
52540140013700	0	BK8	P030045 (ПР137)	9279,29	39,90	4,3	TY 48-19-165-84
52536240014000	0	BK8	P030046 (ПР140)	7593,46	835,28	110,00	TY 48-19-161-90
52736240014700	0	BK15	P030047 (ПР147)	8944,73	13417,10	1500,00	TY 48-19-161-90
52736240018100	0	BK15	P030048 (ПР181)	9340,38	420,32	45,00	TY 48-19-161-90
52440140020001	0	BK6	P030051 (ПР200-1)	8466,55	99,06	11,7	TY 48-19-165-84
52440140020002	0	BK6	P030052 (ПР200-2)	8333,55	118,34	14,2	TY 48-19-165-84
52440140020003	0	BK6	P030053 (ПР200-3)	8193,28	145,84	17,8	TY 48-19-165-84
52540140020602	0	BK8	P030054 (ПР206-2)	7621,9	697,40	91,5	TY 48-19-165-84
51640340001701	0	BK6-OM	P030055 (ПР17-1)	10874,39	166,38	15,3	TY 48-19-217-89
51640340001702	0	BK6-OM	P030056 (ПР17-2)	10510,42	265,91	25,3	TY 48-19-217-89
51640340001703	0	BK6-OM	P030057 (ПР17-3)	10264,67	414,69	40,4	TY 48-19-217-89
52540140010602	0	BK8	P030058 (ПР106-2)	7673,79	534,10	69,6	TY 48-19-165-84
61127140009500	0	T5K10	P030059 (ПР94)	9377,7	1033,52	128,00	TY 48-19-124-91
61227140009600	0	T14K8	P030060 (ПР96)	9363,49	1142,35	94,94	TY 48-19-124-91
61127140009600	0	T5K10	P030060 (ПР96)	9368,24	1103,58	120,00	TY 48-19-124-91
61127140009800	0	T5K10	P030061 (ПР98)	9415,17	824,39	88,9	TY 48-19-124-91
52440140047900	0	BK6	P030062 (ПР479)	7769,43	369,82	47,6	TY 48-19-165-84
53631140008800	0	BK10KC	P030062 (ПР88)	9125,53	422,60	46,3	TY 48-19-232-91


52440140049000	0	BK6	P030064 (ПР490)	7755,28	387,76	50,00	ТУ 48-19-165-84
61127140001000	0	Т5К10	P030065 (ПР100)	9496,43	568,74	60,00	ТУ 48-19-124-91
52540140059500	0	BK8	P030066 (ПР595)	8890,7	60,46	6,8	ТУ 48-19-165-84
52540140063900	0	BK8	P030067 (ПР639)	9063,5	50,21	5,54	ТУ 48-19-165-84
52536240074600	0	BK8	P030068 (ПР746)	7613,36	733,93	96,4	ТУ 48-19-161-90
52536240075800	0	BK8	P030069 (ПР758)	7703,59	469,92	61,00	ТУ 48-19-161-90
51640350002200	0	BK6-OM	P040001 (ПР22)	10354,16	2469,36	237,6	ТУ 48-19-217-89
52425940000701	0	BK6	PO-701	10045,61	16,27	1,62	ТУ 48-19-66-90
52525940000703	0	BK8	PO-702	9781,54	74,63	7,63	ТУ 48-19-66-90
52425940000703	0	BK6	PO-703	9953,26	33,84	3,4	ТУ 48-19-66-90
51125940000801	0	BK3-M	PO-801	15951,63	70,19	4,4	ТУ 48-19-263-81
52542020000002	0	BK8	РП42-002	7595,63	144,32	19,00	ТУ 48-19-548-92
52436230000001	0	BK6	Размольное тело 10м	7325,23	58,02	8,00	ТУ 48-19-161-90
52436230000000	0	BK6	Размольное тело 5м	7941,08	10,16	1,29	ТУ 48-19-161-90
52436230000002	0	BK6	Размольное тело 8м	7582,66	30,03	4,00	ТУ 48-19-161-90
53730230001012	0	BK11-BK	C-10*12	11038,06	122,52	11,1	ТУ 48-19-281-90
53730230001014	0	BK11-BK	C-10*14	11642,78	155,90	13,5	ТУ 48-19-281-90
53730230001215	0	BK11-BK	C-12*15	10439,03	208,78	20,00	ТУ 48-19-281-90
53730230001217	0	BK11-BK	C-12*17	10305,96	242,19	23,5	ТУ 48-19-281-90
53730230001315	0	BK11-BK	C-13*15	10332,35	234,85	23,00	ТУ 48-19-281-90
53730230001316	0	BK11-BK	C-13*16	10266,02	254,08	25,00	ТУ 48-19-281-90
53730230001317	0	BK11-BK	C-13*17	10201,99	275,45	27,00	ТУ 48-19-281-90
53730230001318	0	BK11-BK	C-13*18	10152,19	294,41	29,00	ТУ 48-19-281-90
53730230001624	0	BK11-BK	C-16*24	9748,02	623,87	64,00	ТУ 48-19-281-90
53730230001928	0	BK11-BK	C-19*28	9643,6	858,28	89,00	ТУ 48-19-281-90
53730230000810	0	BK11-BK	C-8*10	11631,94	80,26	6,9	ТУ 48-19-281-90
53730230000811	0	BK11-BK	C-8*11	11631,94	80,26	7,00	ТУ 48-19-281-90
52536240041301	0	BK8	СП-1743(ПР413-1)	7478,26	3813,91	510,00	ТУ 48-19-161-90
52536240041302	0	BK8	СП-1743(ПР413-2)	7478,91	3739,46	500,00	ТУ 48-19-161-90
52536240041401	0	BK8	СП-1744(ПР414-1)	7478,26	3813,91	510,00	ТУ 48-19-161-90
52536240041402	0	BK8	СП-1744(ПР414-2)	7478,91	3739,46	500,00	ТУ 48-19-161-90
52536240043500	0	BK8	СП-1746(ПР435)	7474,8	4260,64	570,00	ТУ 48-19-161-90
52536240042200	0	BK8	СП-1747(ПР422)	7474,8	4260,64	570,00	ТУ 48-19-161-90
52536240042701	0	BK8	СП-1748(ПР427-1)	7482,71	3359,74	449,00	ТУ 48-19-161-90
52536240042702	0	BK8	СП-1748(ПР427-2)	7487,25	2994,90	400,00	ТУ 48-19-161-90
52536240042703	0	BK8	СП-1748(ПР427-3)	7487,25	2994,90	400,00	ТУ 48-19-161-90
52536240042704	0	BK8	СП-1748(ПР427-4)	7487,36	2987,46	399,00	ТУ 48-19-161-90
52536240042705	0	BK8	СП-1748(ПР427-5)	7493,19	2622,62	350,00	ТУ 48-19-161-90
52536240041600	0	BK8	СП-1749(ПР416)	7477,63	3888,37	520,00	ТУ 48-19-161-90
52536240041500	0	BK8	СП-1750(ПР415)	7477,63	3888,37	520,00	ТУ 48-19-161-90
52536240042500	0	BK8	СП-1751(ПР425)	7477,02	3962,82	530,00	ТУ 48-19-161-90
52536240042400	0	BK8	СП-1752(ПР424)	7477,02	3962,82	530,00	ТУ 48-19-161-90
52536240042901	0	BK8	СП-1753(ПР429-1)	7475,87	4111,73	550,00	ТУ 48-19-161-90
52536240042902	0	BK8	СП-1753(ПР429-2)	7475,33	4186,18	560,00	ТУ 48-19-161-90
52536240043001	0	BK8	СП-1754(ПР430-1)	7478,91	3739,46	500,00	ТУ 48-19-161-90
52536240043002	0	BK8	СП-1754(ПР430-2)	7475,33	4186,18	560,00	ТУ 48-19-161-90
52536240043701	0	BK8	СП-1758(ПР437-1) ПР	7463,58	6866,49	920,00	ТУ 48-19-161-90
52536240043702	0	BK8	СП-1758(ПР437-2) ЛЕ	7463,58	6866,49	920,00	ТУ 48-19-161-90
52536240043801	0	BK8	СП-1759(ПР438-1) ПР	7463,19	7015,40	940,00	ТУ 48-19-161-90
52536240043802	0	BK8	СП-1759(ПР438-2) ЛЕ	7463,19	7015,40	940,00	ТУ 48-19-161-90
52536240042801	0	BK8	СП-1760(ПР428-1) ПР	7471,18	4856,27	650,00	ТУ 48-19-161-90
52536240042802	0	BK8	СП-1760(ПР428-2) ЛЕ	7471,18	4856,27	650,00	ТУ 48-19-161-90
52536240043901	0	BK8	СП-1761(ПР439-1) ПР	7467,73	5600,80	750,00	ТУ 48-19-161-90
52536240043902	0	BK8	СП-1761(ПР439-2) ЛЕ	7467,73	5600,80	750,00	ТУ 48-19-161-90
52536240041911	0	BK8	СП-1762(ПР419-1-1)	7477,63	3888,37	520,00	ТУ 48-19-161-90
52536240041912	0	BK8	СП-1762(ПР419-1-2)	7477,02	3962,82	530,00	ТУ 48-19-161-90
52536240041921	0	BK8	СП-1762(ПР419-2-1)	7477,63	3888,37	520,00	ТУ 48-19-161-90
52536240041922	0	BK8	СП-1762(ПР419-2-2)	7477,02	3962,82	530,00	ТУ 48-19-161-90
52536240042001	0	BK8	СП-1763(ПР420-1)	7477,02	3962,82	530,00	ТУ 48-19-161-90
52536240042002	0	BK8	СП-1763(ПР420-2)	7479,6	3665,00	490,00	ТУ 48-19-161-90
52536240042101	0	BK8	СП-1764(ПР421-1)	7488,32	2920,45	390,00	ТУ 48-19-161-90
52536240042110	0	BK8	СП-1764(ПР421-10)	7755,28	387,76	50,00	ТУ 48-19-161-90
52536240042102	0	BK8	СП-1764(ПР421-2)	7496,06	2473,70	330,00	ТУ 48-19-161-90
52536240042103	0	BK8	СП-1764(ПР421-3)	7532,61	1431,20	190,00	ТУ 48-19-161-90
52536240042104	0	BK8	СП-1764(ПР421-4)	7555,19	1133,28	150,00	ТУ 48-19-161-90
52536240042105	0	BK8	СП-1764(ПР421-5)	7551,75	1170,52	155,00	ТУ 48-19-161-90
52536240042106	0	BK8	СП-1764(ПР421-6)	7607,59	760,76	100,00	ТУ 48-19-161-90
52536240042107	0	BK8	СП-1764(ПР421-7)	7581,6	909,79	120,00	ТУ 48-19-161-90
52536240042108	0	BK8	СП-1764(ПР421-8)	7576,35	947,04	125,00	ТУ 48-19-161-90
52536240042109	0	BK8	СП-1764(ПР421-9)	7624,69	686,22	90,00	ТУ 48-19-161-90
52536240041801	0	BK8	СП-1767(ПР418-1)	8054,34	185,25	23,00	ТУ 48-19-161-90


52832750000026	0	BK20	Ш26	16187,25	19100,95	1180,00	TY 48-19-67-78
52532550000028	0	BK8	Ш28	10934,19	17713,39	1620,00	TY 48-19-67-78
52532570000030	0	BK8	Ш30	10451,69	8674,90	830,00	TY 48-19-67-78
52532590000032	0	BK8	Ш32	10946,19	10946,19	1000,00	TY 48-19-67-78
52832760000034	0	BK20	Ш34	14707,32	25590,74	1740,00	TY 48-19-67-78
52832760000035	0	BK20	Ш35	14707,00	26178,47	1780,00	TY 48-19-67-78
52732650000036	0	BK15	Ш36	13143,68	9726,33	740,00	TY 48-19-67-78
52732650000037	0	BK15	Ш37	13136,2	11953,94	910,00	TY 48-19-67-78
52732650000038	0	BK15	Ш38	13136,2	11953,94	910,00	TY 48-19-67-78
52732650000039	0	BK15	Ш39	13143,15	9857,36	750,00	TY 48-19-67-78
52732670000040	0	BK15	Ш40	13144,8	9464,25	720,00	TY 48-19-67-78
52732660000041	0	BK15	Ш41	13139,13	10971,17	835,00	TY 48-19-67-78
52732680000042	0	BK15	Ш42	13195,76	4222,64	320,00	TY 48-19-67-78
52732680000044	0	BK15	Ш44	13130,56	14443,61	1100,00	TY 48-19-67-78
52732630000045	0	BK15	Ш45	13241,73	2807,25	212,00	TY 48-19-67-78
52532770000052	0	BK8	Ш52	11044,06	2643,95	239,4	TY 48-19-67-78












































































































































































































































A blank sheet of graph paper with a grid of 20 columns and 30 rows. The grid is composed of thin black lines forming a series of small, uniform squares. There are no markings, text, or other content on the grid.

